

SEVENTY-SECOND
ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
OF
BIRTHS, DEATHS, AND MARRIAGES
IN ENGLAND AND WALES.
(1909.)

Presented to both Houses of Parliament by Command of His Majesty.



LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN AND SONS, LIMITED, FETTER LANE, E.C., and
32, ABINGDON STREET, S.W.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY
DARLING AND SON, LIMITED, BACON STREET, E.
1911.

WELLCOME INSTITUTE LIBRARY	
Coll.	weIMOmec
Call	
No.	

CONTENTS

OF THE

REGISTRAR-GENERAL'S ANNUAL REPORT FOR 1909.

	PAGES
CHANGES of BIRTH, DEATH, and MARRIAGE RATES	v, vi
CANCER, TUBERCULOSIS, certain Epidemic Diseases and Infantile Mortality	vi
ARRANGEMENTS for presenting STATISTICS for ADMINISTRATIVE AREAS	vi, vii
ADOPTION of INTERNATIONAL LIST OF CAUSES of DEATH	vii
DISTRIBUTION of DEATHS of NON-RESIDENTS	vii, viii
REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR:—	
POPULATION. Census Population and Estimated Population ...	ix, x
MARRIAGES. Number; Methods of measuring the marriage rate; Rates, in proportion to total population and to number of marriageable persons; Marriage-rates in Counties; First Marriages and re-marriages; Divorced persons; Ages at Marriage; Unstated ages; Marriages of Minors; Mean age at marriage; Signatures in Marriage Register; Buildings in which Marriages may be Solemnized; Manner of Solemnization	x-xxvi
BIRTHS. Number; Methods of measuring the birth-rate; Rates in proportion to total population and among Women of Conceptive Ages; Fertility-rates in Counties and in Urban and Rural Areas; Sex; Illegitimate Births:—Number; Rates in Counties	xxvi-xxxvi
NATURAL INCREASE	xxxvi
DEATHS. Number; General death-rate; Corrected death-rate; Sex; Ages; Infantile Mortality; Centenarians; County death-rates; Urban and Rural Mortality; Causes of Death; Certification of Causes of Death; Inquests; Uncertified Deaths:—Reported to Coroners; Assigned Causes of; Deaths in Public Institutions	xxxvi-cv
UNITED KINGDOM. Population; Marriages; Births; Deaths ...	cv-cvii
ARMY AND NAVY. STRENGTH and MORTALITY of the ARMY at HOME and ABROAD; STRENGTH and MORTALITY of the NAVY	cvii, cviii
BIRTHS AND DEATHS AT SEA. MARINE REGISTER BOOK; MORTALITY of MERCANTILE MARINE	cviii
INTERNATIONAL VITAL STATISTICS	cviii-cxxvii
PROGRESS OF REGISTRATION	cxxvii
OFFENCES AGAINST THE REGISTRATION ACTS	cxxvii, cxxviii
SEARCHES AND CERTIFICATES	cxxviii, cxxix
METEOROLOGY; Remarks by Dr. Shaw, Director of the Meteorological Office	cxxx-cxxxvi
TABLES; Population; Ratios of Marriages, Births and Deaths, International Tables	1-148
ABSTRACTS:—	
BIRTHS (distinguishing Legitimate and Illegitimate), DEATHS and MARRIAGES Registered in England and Wales, and in the several Registration Divisions, Counties, and Districts; and BIRTHS and DEATHS in sub-districts... ..	149-211

ABSTRACTS—*continued*.

PAGES

MARRIAGES, Analysis of, in Registration Divisions and Counties; showing, (a) mode of Solemnization, (b) number in each quarter of the year, (c) Previous Civil Condition of Persons married, (d) Marriages of Persons not of Full Age, and (e) Signatures by mark in Marriage Register	212-215
AGES of Persons married in England and Wales and in London, distinguishing ages of Bachelors, Spinsters, Widowers Widows... ..	216-230
DEATHS of Males and Females in PUBLIC INSTITUTIONS	231-282
DEATHS of Males and Females at different AGE-PERIODS, in REGISTRATION DIVISIONS and COUNTIES	283-292
CAUSES of DEATH of Males and Females at different Periods of Life in ENGLAND and WALES	293-313
DEATHS of Males and Females at different Periods of Life in ENGLAND and WALES, certified as from INFECTIVE PROCESSES	314, 315
CAUSES of DEATH of Males and Females at different Periods of Life in LONDON	316-335
DEATHS of Males and Females at different Periods of Life in LONDON, certified as from INFECTIVE PROCESSES	336, 337
CAUSES of DEATH of Males and Females in each REGISTRATION COUNTY	338-407
DEATHS from SEVERAL CAUSES, and INQUEST CASES, in REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS... ..	408-450
DEATHS from ACCIDENT and NEGLIGENCE in ENGLAND and WALES, distinguishing AGE, and CAUSE or NATURE of ACCIDENT; MALES and FEMALES	451-469
DEATHS from SUICIDE in ENGLAND and WALES, distinguishing AGE and METHOD; MALES and FEMALES	470, 471
DEATHS from MURDER in ENGLAND and WALES, distinguishing AGE and METHOD; MALES and FEMALES	472-473
DEATHS from MANSLAUGHTER in ENGLAND and WALES, distinguishing AGE and METHOD; MALES and FEMALES	474-475

INDEXES of REGISTRATION DISTRICTS, of SUB-DISTRICTS, and of URBAN DISTRICTS, referring to Numbers used in the several TABLES of ABSTRACTS	476-500
CHANGES in the CONSTITUTION of REGISTRATION DISTRICTS and SUB-DISTRICTS	501-506
ALPHABETICAL INDEX to REPORT, TABLES, and ABSTRACTS... ..	507-532

DIAGRAMS :—

I. MARRIAGE RATES, 1881-1909	xi
II. BIRTH RATES, 1881-1909	xxviii
III. CORRECTED DEATH RATES, 1838-1909	xxxviii
IV. INFANTILE MORTALITY, 1870-1909	xliv
V. INFANTILE MORTALITY (COUNTIES), 1909	Facing page 1
VI. CAUSES of DEATH: PROPORTIONS 1909	lvi
VII. CAUSES of DEATH: INCREASE or DECREASE, 1909	lviii
VIII. ENTERIC FEVER—DEATH RATES, 1869-1909	lxiv
IX. PNEUMONIA AND BRONCHITIS. CHANGES of MORTALITY at AGES, 1861-1909	lxx
X. TUBERCULOSIS AND PHTHISIS. DEATH RATES, 1851-1909	lxxii
XI. CANCER, DEATH RATES, 1860-1909	Facing page lxxviii
XII & XIII. CANCER, MORTALITY by AGE and SEX, 1851-1909	lxxx, lxxxi
XIV. CANCER, Parts of body affected, by AGE and SEX, 1901-1909	lxxxviii
XV & XVI. CANCER, Parts of body affected, ALL AGES, 1897-1909	xc, xcii

REPORT

TO

THE RIGHT HONOURABLE JOHN BURNS, M.P.,

President of the Local Government Board, &c., &c.

(1909.)

SIR,

I HAVE the honour to submit to you my Report on the estimated population, and on the marriages, births, and deaths registered in England and Wales during the year 1909.

From returns furnished by the registrars acting throughout the country, the provisional numbers of marriages, births, and deaths for the year 1909 have already been published in the "General Abstract," and in somewhat greater detail as regards the causes of death for the counties of England and Wales, and for London and other large towns, in the "Annual Summary," which publication was issued in May, 1910.

The present Report also relates to the year 1909, but the statistics have been compiled from the registers deposited in this office and they have been analysed in far greater detail than was possible in the Annual Summary.

The present Report differs somewhat in form from its immediate predecessors. It will be observed that the Report on Marriages, Births and Deaths, signed by the Registrar-General, and the Letter on the Causes of Death signed by the Superintendent of Statistics, hitherto separate, are now combined in a single document signed by the latter officer. The new arrangement will enable the statistics to be treated as a whole and in a clearer and more consecutive manner than before, and it will, in particular, obviate the overlapping and repetition in the portion of the Report relating to deaths which was unavoidable under the old plan. In addition to this improvement in the arrangement of the subject-matter, I may draw attention to some special features of this Report, such as the extended use of diagrams, and the sections relating to Pneumonia and Bronchitis, and especially that relating to Cancer.

Before passing to the subject of changes to be introduced in future years, I have to summarize the chief points which emerge from the statistics of the year 1909.

Birth-rate.—The rate in 1909 was the lowest on record up to that date. The trend of the birth-rate is still downwards, the provisional rate for 1910 being yet lower, viz., 24·8 per 1000.

Death-rate.—The death-rate in 1909 was the lowest recorded up to that date. The provisional rate for 1910 is, however, no less than 1·1 per 1000 lower.

Marriage-rate.—The rate in 1909 was the lowest recorded since 1888. The provisional figures for the March, June and September quarters of 1910 only are available; from the indications they give it is probable that the marriage-rate of 1910 will show little variation from that of 1909.

Cancer.—The death-rate in 1909 from cancer was the highest on record, showing an increase of as much as 29 per million living upon the rate in the preceding year, the highest recorded till then.

Tuberculosis.—The death-rates in 1909 both from tuberculosis as a whole and from phthisis were the lowest on record.

Whooping-cough, Enteric Fever, Diphtheria.—The death-rates in 1909 from whooping-cough and enteric fever were the lowest on record, while that attributed to diphtheria was the lowest since 1881. From Dr. Stevenson's observations it will be seen that it is probable that the true mortality from diphtheria was lower than that of any previous year for which there are records available.

Measles.—The death-rate in 1909 was somewhat above the recent average, though considerably below the average rate experienced in the last twenty years of the last century.

Infantile mortality.—The rate of infantile mortality in England and Wales was 109 per 1000 births in 1909. This is by far the lowest on record, and it may be noted that this figure is free from the possibility of error introduced into other mortality calculations by uncertainty as to the exact population at a date so remote from the last census. The provisional figures show that the rate for 1910 will be lower still.

In my last Annual Report (Cd. 4961 of 1909, page lxxiv.) I drew attention to certain changes which, in my opinion, were needed in the presentation of the vital statistics of this Department, and mentioned some of the obstacles which then appeared to stand in the way of reform. I have now the satisfaction of reporting that, with the able and energetic assistance of Dr. Stevenson, and in consultation with your Board and with the other authorities concerned, all administrative difficulties have been overcome and arrangements have been made which will enable the proposed improvements to be adopted for the first year of the new decennium and therefore to be incorporated for the first time in the Annual Report for the year 1911.

The most serious criticisms which have in recent years been brought against Government statistics in this country have related to the want of co-ordination between those published by the different departments which largely impairs their practical utility. From this defect the vital statistics issued by the General Register Office are by no means free, prepared as they now are for areas unrelated to the local areas for sanitary administration, and based on a list of causes of death not in general use outside the Department. My main object, therefore, in the changes which have now been decided upon and which I will proceed to describe, has been to secure coordination between these statistics and those of other departments and other countries, and so to render them of greater use both to those engaged in Public Health Administration and to scientific inquirers generally.

The changes now being made may be grouped under three headings :—

1. The first and most important change, involving as it has been found to do the two which follow, will be the substitution of Local

Government Administrative areas for Registration areas in the Annual Report.

The statistics must, so long as the present Registration Act continues in force, continue to be collected by registration areas, but the returns will be rearranged in this office by administrative areas. For many years past a partial attempt has been made to meet the point in the Annual Summary (issued earlier in the year) which gives partially corrected figures for some of the more important administrative areas of the country. By the proposed change in the Annual Report we shall therefore come into line, not only with the Annual Summary, but also with the statistics furnished by the local sanitary authorities to the Local Government Board and dealt with by them.

2. The next change will be the substitution of the recently revised International List of Causes of Death for that at present in use in this office. When it was determined to publish mortality statistics on an extended scale for administrative areas, it became necessary to consider how to avoid the anomaly of the use of a different classification of causes of death in these reports from that in use by the local sanitary authorities concerned. The solution of this difficulty has been found in the adoption, by all concerned in the matter, of the proposal contained in the following letter which I addressed on the 20th October last to the President of the Royal College of Physicians :—

“I beg to inform you that from the commencement of the year 1911 onwards I propose to adopt the International List of Causes of Death in the various publications issued by this office in place of that hitherto in use.

“This decision, which was foreshadowed in my Annual Report for 1908 (page lxxv.), has been arrived at after consultation with the Medical Officer of the Local Government Board and with representatives of the Scottish and Irish General Register Offices. Ample precautions will be taken in the scheme of publication to provide for complete comparability of the new records with those published in the present form, so that the continuity of the records concerned will be unimpaired.

“The change of classification will greatly facilitate international mortality comparisons, and there is, moreover, every reason to anticipate that it will for the first time render possible complete comparability between the tables compiled in this office and those issued by local authorities.”

The acceptance of this proposal will bring the publications of the General Register Office, of the Local Government Board, and of the local sanitary authorities into line, not only with one another, but also with those of the principal Colonies and of most foreign countries both in North and South America and on the Continent of Europe, in which the International List is already in use. I may add that copies of the International List as now adopted have been forwarded to the Colonial Office for distribution to the various authorities concerned throughout the Empire.

3. The remaining change to be introduced is a system of “distribution” of births and deaths which has hitherto been absent from the Annual Reports, although it has been partially carried out in the weekly and quarterly returns, and in the Annual Summary, on statistics furnished by the local registrars which, however, cannot be verified in this office. The change to administrative areas in the Annual Report will make it necessary to introduce “distribution” also into this Report, because it will deal with the areas of the local sanitary

authorities who already make this correction to a certain extent in the tables they compile.

In order to ascertain the net death-rate of any particular district it is necessary to exclude all deaths of persons dying in the district but resident in other parts of England or Wales, and to include all deaths of residents in the district which have occurred elsewhere. The importance of the correction may, perhaps, be best illustrated by such a case as that of a small rural district containing a large County Asylum, the deaths occurring annually in which may outnumber several times those properly belonging to the district. If, therefore, distribution is required, uniformity in the rules which govern it is essential. It has now accordingly been arranged that all transferable deaths (as well as births occurring in Workhouses and Lying-in Hospitals) shall be referred, both in the Tables published by me and in those recommended by the Local Government Board for the use of Medical Officers of Health, to the district to which they properly belong. The necessary information will be collected by this Office which will furnish it to the Local Authorities. I am glad, in this connexion, to acknowledge the readiness with which County Medical Officers of Health have promised their invaluable co-operation in effecting the necessary distribution within their own Counties.

The changes thus enumerated will throw so much additional work upon the statistical branch of this Department that they could hardly, for financial and other reasons, have been practicable without some modification of existing statistical methods. It has therefore been decided to introduce the use of cards in tabulating the returns of deaths. The need for re-arrangement of these returns in order to publish them under administrative areas has made the use of a card system necessary. Fortunately, objection to it on the score of expense has been simultaneously removed by the adaptation to the requirements of vital statistics of the system of electrical sorting and counting of cards for the purposes of the approaching Census.

The adoption of this system will, it is believed, greatly increase the scope and flexibility of our statistics, and afford facilities for the elaboration of the special inquiries which are from time to time found necessary within the Office or which are called for by investigators outside. It will be possible in future to afford, at nominal expense, information of which the cost under the old system would have been prohibitive.

In conclusion I have to convey my thanks to the various Foreign and Colonial authorities for the information from which the International Vital Statistics have been compiled and to Dr. W. N. Shaw, F.R.S., for the Meteorological Report of the year 1909.

I have the honour to be,

Sir,

Your obedient Servant,

BERNARD MALLET,

Registrar-General.

*General Register Office,
Somerset House,
January, 1911.*

R E V I E W
OF THE
VITAL STATISTICS OF THE YEAR 1909.

POPULATION.

In previous Reports reference has been made to the difficulty of estimating populations for years subsequent to the last census. The records of registration give the numbers of births and the numbers of deaths in each year, but there is no complete record of emigration from and immigration into England and Wales.* It is possible that in course of time such complete returns will be made, but it is quite impracticable to keep records of the numbers of persons moving from one county or town to another, and the intercensal populations of such areas must therefore be estimated by some process of calculation. Failing authoritative returns of the total movement of the population, the total population at all ages for the whole country is provisionally calculated on the assumption that the rate of increase which had prevailed at the last intercensal period has since been maintained; a method which is not likely to lead to very serious error when so large an area as the whole country is dealt with. The case is very different, however, when the estimates of the population of the various areas in the country are dealt with, for in many instances it is obvious that the rate of increase (or decrease) in the previous intercensal period has been widely departed from since 1901. The most reliable estimates of the population of local areas should be those made in the light of local information bearing upon the subject, *e.g.*, number of occupied houses as shown by the rate-books, and number of persons per occupied house so shown at the time of the last census (not number of persons per inhabited house as shown in the Census Report, which is not necessarily quite the same).

In this Office, however, it is impossible to frame estimates in accordance with such local information, both because it could not always be obtained in satisfactory form, and because, if obtainable, the estimates so framed would not sum up, as is necessary for the purposes of this Report, to that made for the country as a whole.

For these reasons it is necessary here to use estimates of the population of local areas which are (1) calculated upon information available for all areas alike, (2) calculated upon a uniform basis for all areas, and (3) calculated in such a manner that the sum of the estimates for the parts equals the estimate for the whole. The method employed is as follows:—

1. The populations of the whole country and of its various constituent portions are calculated on the assumption of a rate of increase in arithmetical progression equal in each

* The Board of Trade Returns of Emigration and Immigration have been much improved in recent years, and now show the balance on passenger movement into and out of the United Kingdom. (See Table 47, page 94.)

case to that obtaining in the previous intercensal period. The sum of the populations so calculated for parts of the country equals that for the whole.

2. The population of the whole country is re-calculated on the assumption of a rate of increase in geometrical progression equal to that obtaining in the preceding intercensal period.
3. The relation between the arithmetical and geometrical results so obtained for the whole country is expressed by the factor resulting from the division of the geometrical progression estimate by the arithmetical.
4. The estimates for portions of the country, based upon the assumption of continued increase in arithmetical progression, are multiplied by the above factor. The sum of the results equals the estimate for the whole country by geometrical progression obtained in stage 2.

The above method, which has been followed since the publication of the results of the 1901 census, is open to objection, particularly in the case of areas with a decreasing population. It is therefore proposed to substitute for it, after the results of the 1911 census have become available, the method devised by Mr. A. C. Waters, I.S.O., Chief Clerk in this Office, and described in the Annual Report for 1907, pages cxxxii–cxxxiv.

At the present interval from last census, however, any estimates of populations, whatever the method employed, must be very untrustworthy. This more especially applies at the present time to estimates of the population of the city areas, which have been greatly affected since 1901 by improved methods of transit. It is probable that the coming census will show in many cases that the previous rate of increase has by no means been maintained in the more thickly populated portions of urban centres, but that the rate of increase has been accelerated in their outlying portions. The effect of these changes upon the population of towns as such will depend, of course, upon the extent to which their official areas represent the actual areas of residence of the population connected with each.

The only remedy for the present uncertainties as to population, which seriously prejudice our vital statistics, lies in a more frequent enumeration of the people.

The population of England and Wales, enumerated at the end of March, 1901, consisted of 32,527,843 persons. From that date until the middle of 1909 the number of births exceeded the number of deaths by 3,334,495. Had neither emigration nor immigration occurred this surplus would have raised the population in the middle of the year to 35,862,338. In the absence of precise information on this point, the populations in the Reports are, as already stated provisionally estimated on the assumption that the rate of increase which had prevailed in the last completed intercensal period has since been maintained. Estimated in this way the population of England and Wales in the middle of the year 1909 amounted to 35,756,615 persons, of whom 17,265,780 were males and 18,490,835 were females.

MARRIAGES.

The marriages in England and Wales during the year 1909 numbered 260,544, corresponding to a rate of 14·6 persons married per 1000 of the population at all ages. This rate was 0·3 per 1000

below the corresponding rate in 1908 and 1·1 below the average rate in the ten years 1899–1908.


Complete statistics of the marriages recorded in England and Wales are available only from 1st July, 1837, on which date the Births, Deaths, and Marriages Registration Acts of 1836 came into operation. The proportion to the total population of persons married during the 72 years (1838–1909) ranged between a maximum of 17·9 per 1000 living in 1853, and a minimum of 14·2 per 1000 in 1886, the mean annual rate in the whole period being 16·0 per 1000.

In view, however, of the changing constitution of the population, a better method of measuring the marriage rate is to eliminate the married persons and young children, and to calculate the rate on the unmarried and widowed portion of the population aged 15 years and upwards, so dealing with that section of the population only in which marriages take place. The influence of recent changes in the constitution of the population upon the marriage rate is shown by the fact that the proportion of bachelors in England and Wales in 1000 males aged 15 years and upwards rose from 384 in 1871 to 411 in 1901, and the corresponding proportion of spinsters from 361 to 395, while on the other hand the proportion of widowed persons steadily decreased throughout the period.

Before deductions are drawn from the several calculations in the following pages, it should be pointed out that the changes in the rate of marriage in years since the last census must be regarded as approximate only, because all the estimates of population on which the proportions are based become less and less reliable as the interval since the census increases. It should also be noted that in the earlier years dealt with the age at marriage was unstated in a comparatively high proportion of cases.

Table I. shows for each of the years 1876–1909 the marriage rates based on the total population, and the rates based on that section of the population in which marriages take place. It will be seen from the latter calculation and from Diagram I. that the marriage rate based upon the total population does not show adequately the real decline that has taken place in the marriage rate.

DIAGRAM I.—ENGLAND AND WALES.—MARRIAGE-RATES, 1881–1909.
RATIO per cent. of the RATE in each YEAR to the MEAN RATE in 1876–80.



For the purposes of comparison, the mean rate in the period 1876–80 is taken as a standard in each case; the rates based on the total population were above the standard in 15 of the 29 years (1881–1909), whereas those based on the numbers of marriageable persons in the population were, with one exception, below the standard.

TABLE I.—ENGLAND AND WALES.—MARRIAGE RATES, 1876-1909.

Period.	Calculated on the total population at all ages.		Calculated on the total number of marriageable persons in the population.	
	Rate per 1000.	Compared with rate in 1876-80 taken as 100.	Rate per 1000.	Compared with rate in 1876-80 taken as 100.
1876-1880 ...	15·3	100·0	51·9	100·0
1881-1885 ...	15·2	99·3	50·6	97·5
1886-1890 ...	14·7	96·1	47·8	92·1
1891-1895 ...	15·1	98·7	47·9	92·3
1896-1900 ...	16·1	105·2	49·7	95·8
1901-1905 ...	15·6	102·0	47·6	91·7
1876	16·5	107·8	56·0	107·9
1877	15·7	102·6	53·3	102·7
1878	15·2	99·3	51·4	99·0
1879	14·4	94·1	48·5	93·4
1880	14·9	97·4	50·3	96·9
1881	15·1	98·7	51·1	98·5
1882	15·5	101·3	52·1	100·4
1883	15·5	101·3	51·7	99·6
1884	15·1	98·7	50·2	96·7
1885	14·5	94·8	47·9	92·3
1886	14·2	92·8	46·8	90·2
1887	14·4	94·1	47·0	90·6
1888	14·4	94·1	46·9	90·4
1889	15·0	98·0	48·6	93·6
1890	15·5	101·3	49·8	96·0
1891	15·6	102·0	49·8	96·0
1892	15·4	100·7	49·0	94·4
1893	14·7	96·1	46·5	89·6
1894	15·0	98·0	47·4	91·3
1895	15·0	98·0	47·0	90·6
1896	15·7	102·6	49·1	94·6
1897	16·0	104·6	49·7	95·8
1898	16·2	105·9	50·1	96·5
1899	16·5	107·8	50·7	97·7
1900	16·0	104·6	48·9	94·2
1901	15·9	103·9	48·6	93·6
1902	15·9	103·9	48·4	93·3
1903	15·6	102·0	47·8	92·1
1904	15·2	99·3	46·5	89·6
1905	15·3	100·0	46·6	89·8
1906	15·6	102·0	47·7	91·9
1907	15·8	103·3	48·3	93·1
1908	14·9	97·4	45·6	87·9
1909	14·6	95·4	44·5	85·7

A still more precise method of calculating the marriage rate over an extended period would be to take account not only of the changes in the proportion of marriageable persons in the population, but also of the changes in their ages. A difficulty arises, however, in attempting to make such a calculation owing to the comparatively high proportion of unstated ages in the marriages

TABLE II.—ANNUAL MARRIAGE RATES in each REGISTRATION COUNTY,
1870-1909.

Registration Counties.	Persons married per 1000 of the unmarried and widowed population aged 15 years and upwards.*						Increase or Decrease per cent. in each County between the period 1870-72 and 1909.	
	Census periods.				Five- year period.	Year.		
	1870-72.	1880-82.	1890-92.	1900-02.		1908.		1909.
England and Wales ..	57·2	51·5	49·8	48·7	47·4	45·6	44·5	- 22·2
London	60·9	56·2	52·3	50·3	48·3	44·8	44·5	- 26·9
Surrey	38·3	39·2	37·0	38·0	38·9	36·7	35·4	- 7·6
Kent	46·1	46·0	42·4	43·5	40·4	37·5	36·3	- 21·3
Sussex	44·5	42·3	38·4	39·0	37·5	35·2	35·6	- 20·0
Hampshire	48·9	48·0	44·7	44·5	45·5	44·4	43·6	- 10·8
Berkshire	47·0	43·4	43·7	43·2	43·5	42·1	40·2	- 14·5
Middlesex	34·8	38·0	37·8	42·5	44·4	41·9	42·1	+ 21·0
Hertfordshire ..	41·0	37·2	38·0	39·3	40·5	41·8	39·5	- 3·7
Buckinghamshire ..	47·7	45·7	44·5	47·1	44·7	42·9	44·3	- 7·1
Oxfordshire	46·6	41·4	41·7	41·6	43·6	45·6	46·7	+ 0·2
Northamptonshire ..	58·0	53·0	53·6	49·4	46·4	45·1	44·0	- 24·1
Huntingdonshire ..	52·1	44·8	44·7	46·0	46·9	46·0	43·7	- 16·1
Bedfordshire	52·3	48·0	43·2	43·8	44·5	46·4	45·1	- 13·8
Cambridgeshire.. ..	52·0	41·8	45·3	46·3	44·8	43·7	47·6	- 8·5
Essex	45·9	46·2	48·4	49·3	47·7	45·1	45·4	- 1·1
Suffolk	51·8	50·2	46·9	47·0	44·5	43·8	46·1	- 11·0
Norfolk	52·3	50·2	45·9	45·5	45·2	46·5	44·7	- 14·5
Wiltshire.. .. .	47·4	44·5	44·8	45·0	46·9	45·1	43·4	- 8·4
Dorsetshire	45·6	42·7	43·1	41·5	42·9	38·1	39·7	- 12·9
Devonshire	50·6	46·7	45·7	43·4	44·4	44·2	42·9	- 15·2
Cornwall.. .. .	44·6	38·7	39·8	38·4	39·7	42·4	41·0	- 8·1
Somersetshire	45·6	42·2	43·1	40·7	41·3	41·2	41·1	- 9·9
Gloucestershire ..	58·1	50·9	49·2	47·2	45·6	44·1	41·7	- 28·2
Herefordshire	38·6	35·4	38·3	38·6	37·7	37·8	37·9	- 1·8
Shropshire	44·9	37·9	40·2	42·0	39·2	37·9	36·3	- 19·2
Staffordshire	71·6	60·0	58·7	55·9	52·9	49·5	47·5	- 33·7
Worcestershire	56·2	47·5	47·0	46·1	44·1	41·2	40·0	- 28·8
Warwickshire	62·9	53·2	56·4	54·7	53·2	51·2	48·5	- 22·9
Leicestershire	61·8	55·1	53·4	51·6	49·6	47·9	45·8	- 25·9
Rutlandshire	43·1	37·0	38·3	37·2	36·1	42·3	40·0	- 7·2
Lincolnshire	53·1	47·9	49·9	50·6	51·4	50·5	51·6	- 2·8
Nottinghamshire ..	68·1	64·8	58·4	58·1	55·7	55·8	54·0	- 20·7
Derbyshire	60·0	51·2	54·3	53·5	51·2	49·9	47·8	- 20·3
Cheshire	54·7	46·8	45·5	43·8	43·7	42·5	40·9	- 25·2
Lancashire	66·1	56·8	52·8	50·3	49·2	47·0	45·1	- 31·8
West Riding	66·1	55·2	54·1	52·0	49·7	48·0	46·5	- 29·7
East Riding	63·8	54·9	53·7	50·4	48·7	48·6	46·9	- 26·5
North Riding	50·7	49·7	45·9	47·4	47·3	48·1	44·1	- 13·0
Durham	70·9	62·9	57·6	58·9	56·2	53·7	52·9	- 25·4
Northumberland	64·4	54·1	52·9	51·1	48·6	47·0	44·1	- 31·5
Cumberland	47·6	45·7	42·6	43·7	43·3	42·3	42·0	- 11·8
Westmorland	44·7	39·2	37·7	36·4	36·6	40·1	36·9	- 17·4
Monmouthshire	64·4	55·6	57·5	55·6	56·3	58·7	56·0	- 13·0
Glamorganshire	67·6	60·3	63·3	59·2	56·4	58·3	56·5	- 16·4
Carmarthenshire	53·0	45·6	45·4	46·4	46·6	49·3	50·5	- 4·7
Pembrokeshire	47·0	41·6	42·8	42·8	43·9	42·1	45·5	- 3·2
Cardiganshire	38·1	31·7	31·3	30·9	30·1	30·0	30·9	- 18·9
Brecknockshire	50·5	44·1	47·1	52·3	46·9	44·5	43·8	- 13·3
Radnorshire	43·3	38·1	34·6	40·1	29·3	26·0	20·4	- 52·9
Montgomeryshire	41·6	33·3	37·7	37·2	37·9	36·9	34·0	- 18·3
Flintshire	38·3	36·0	42·1	37·2	36·2	38·5	38·1	- 0·5
Denbighshire	45·7	42·0	46·8	43·9	41·3	39·7	38·7	- 15·3
Merionethshire	44·8	37·6	36·1	38·6	34·3	30·7	29·1	- 35·0
Carnarvonshire	44·0	41·3	39·5	39·0	36·8	32·9	31·2	- 29·1
Anglesey	37·9	36·6	36·1	38·5	35·6	35·4	29·8	- 21·4

* See remarks, page xi,

in earlier years.* On the assumption, however, that an approximation to the number of marriages in each age-group may be obtained by distributing the unrecorded ages in the same proportions as the recorded ages, a rate has been calculated for the period 1876-80 based on the age constitution and proportions of marriageable men and of marriageable women at the Census of 1901. Taking this corrected rate as a standard, the marriage rate in 1909, when compared with the rate of 1876-80, shows a fall of 17·4 per cent.

Marriages in Counties.—Table II. on page xiii. shows for the registration counties of England and Wales the marriage rates in the years around the four past censuses, in the quinquennial period 1903-7, and in the years 1908 and 1909. The rates are based on the proportions of persons married to the unmarried and widowed population aged 15 years and upwards. No correction has been made for differences in the age constitution of this population.

Among registration counties with populations exceeding 100,000 persons the highest and lowest marriage rates in the year 1909, in proportion to the marriageable section of the population, were as follows :—

TABLE III.

Registration Counties with the highest Marriage rates.	Persons married per 1000 marriageable population.	Registration Counties with the lowest Marriage rates.	Persons married per 1000 marriageable population.
England and Wales ... 44·5.			
Glamorganshire ...	56·5	Herefordshire ...	37·9
Monmouthshire ...	56·0	Shropshire ...	36·3
Nottinghamshire ...	54·0	Kent ...	36·3
Durham ...	52·9	Sussex ...	35·6
Lincolnshire ...	51·6	Surrey ...	35·4
Carmarthenshire ...	50·5	Carnarvonshire ...	31·2

Marriage Rates of Bachelors, Spinsters, Widowers, and Widows.—The following table compares the marriage rates of the single and of the previously married.

The fall in the marriage rate in the period reviewed in the table has been greater among widowers and widows than among the unmarried of either sex, but the apparent tendency among the widowed not to re-marry is probably over-stated by the table, which is not corrected for changes in age-constitution since 1901, and therefore makes no allowance for the fact, that owing to the decrease since that date in the mortality of young adults (*see* Tables 15 and 16) the average age of the widowed has probably increased. The number of widows is always much greater than that of widowers, because, in the first place, men marry later in life than women, secondly, because the duration of male life is shorter than that of female life, and thirdly because the proportion of widows who re-marry is much lower than the proportion of widowers who re-marry.

* See remarks relating to unstated ages at marriage on page xvii.

TABLE IV.—ENGLAND AND WALES.—MEAN ANNUAL MARRIAGE RATE PER 1000 LIVING AGED 15 YEARS AND UPWARDS.*

Period.	Bachelors.		Widowers.		Spinsters.		Widows.	
	Rate per 1000.	Compared with rate in 1880-82 taken as 100.	Rate per 1000.	Compared with rate in 1880-82 taken as 100.	Rate per 1000.	Compared with rate in 1880-82 taken as 100.	Rate per 1000.	Compared with rate in 1880-82 taken as 100.
1880-82 ...	58·7	100·0	52·9	100·0	59·0	100·0	15·5	100·0
1890-92 ...	57·1	97·3	50·7	95·8	55·7	94·4	15·2	98·1
1900-02 ...	54·7	93·2	44·4	83·9	53·0	89·8	14·4	92·9
1903 ...	54·0	92·0	40·6	76·7	52·2	88·5	13·4	86·5
1904 ...	52·8	89·9	38·0	71·8	50·9	86·3	12·5	80·6
1905 ...	52·9	90·1	38·3	72·4	51·0	86·4	12·6	81·3
1906 ...	54·2	92·3	38·6	73·0	52·3	88·6	12·6	81·3
1907 ...	54·8	93·4	39·4	74·5	53·0	89·8	12·7	81·9
1908 ...	51·7	88·1	38·0	71·8	50·0	84·7	12·4	80·0
1909 ...	50·4	85·9	36·7	69·4	48·8	82·7	11·7	75·5

* The rates in each period are based on the age constitution and proportions of these particular sections of the population as enumerated at the Census of 1901, in the same manner as is described in reference to death-rates in the footnote on page xxxvii.

The next table gives a general view of the changes in the proportions of first marriages and re-marriages since the year 1876 ; here again it will be observed that the proportion of re-marriages shows an almost continuous decrease.

TABLE V.—ENGLAND AND WALES.—PROPORTIONS OF FIRST MARRIAGES AND RE-MARRIAGES IN 1000 MARRIAGES.

Period	Men.		Women.		Bachelors who married		Widowers who married	
	Bachelors.	Widowers.	Spinsters.	Widows.	Spinsters.	Widows.	Spinsters.	Widows.
1876-80 ...	864	136	902	98	820	44	82	54
1881-85 ...	874	126	911	89	834	40	77	49
1886-90 ...	881	119	917	83	844	37	73	46
1891-95 ...	887	113	921	79	851	36	70	43
1896-1900 ...	904	96	931	69	871	33	60	36
1901-05 ...	911	89	933	67	877	34	56	33
1906 ...	917	83	938	62	885	32	53	30
1907 ...	916	84	939	61	885	31	54	30
1908 ...	914	86	936	64	881	33	55	31
1909 ...	915	85	939	61	884	31	55	30

The Divorced.—The numbers of persons divorced annually have been increasing for many years, and were more numerous in 1909 than in any previous year. The marriages of persons described as divorced have also steadily increased, and in the year 1909 were the highest on record.

The number of divorced persons who re-married in 1876-80 was equal to about 19 per cent. of the number divorced during that period, whereas in 1909 the proportion had risen to about 50 per cent. It should be pointed out, however, that in some cases persons who have been divorced abroad re-marry in this country, and also that the figures given in the table refer only to persons described in the marriage register as divorced, and possibly this description is not given in all cases in which it is applicable.

Ages at Marriage.—When civil registration commenced the ages of both parties were stated in only about six per cent. of marriages. Since then this proportion has gradually risen to 99·24 per cent. in the case of husbands and 99·17 in that of wives married during 1909. Unstated ages are more frequent in re-marriages than in first marriages and most frequent of all in re-marriages of widowers.

For the purposes of Table VII. the marriages in which the ages were not stated have been distributed to the various ages in the proportions shown in the stated cases, as, although it is probable that the proportion of unstated ages is higher in the later age-groups, there is no means of estimating to what extent this may be the case. The calculations have been restricted to the last three census periods in order to avoid errors which might arise from erroneous estimates of sections of the population for intercensal years.

The table shows that while the marriage rates for widowers in each age-group have steadily declined, those for bachelors have generally

TABLE VIII.—ENGLAND AND WALES.—AGE-CONSTITUTION of BACHELORS and SPINSTERS who MARRIED, reduced to 1,000 MARRIAGES at ALL AGES, 1886-1909.

Period.	All Ages.	Minors.				Full Age.									Age not Stated.
		Under 18 Years.	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55 and upwards.		
<i>Bachelors.</i>															
1886-1890	1000	0	4	20	47	424	309	96	33	13	6	3	2	43	
1891-1895	1000	0	3	17	43	415	333	108	37	14	6	3	2	19	
1896-1900	1000	0	3	15	39	411	346	110	39	15	6	3	2	11	
1901-1905	1000	0	3	13	35	390	360	122	41	16	7	3	2	8	
1906 ..	1000	0	3	12	32	380	368	127	43	16	7	3	2	7	
1907 ..	1000	0	2	11	31	379	368	130	44	16	7	3	2	7	
1908 ..	1000	0	2	11	30	374	369	132	46	18	7	3	2	6	
1909 ..	1000	0	3	12	29	362	373	136	48	18	8	3	2	6	
<i>Spinsters.</i>															
1886-1890	1000	9	37	72	97	417	219	62	23	10	5	2	1	46	
1891-1895	1000	7	31	66	94	425	241	70	25	11	5	2	1	22	
1896-1900	1000	6	27	59	89	434	253	74	26	11	5	2	1	13	
1901-1905	1000	5	23	53	82	428	272	79	28	12	5	2	1	10	
1906 ..	1000	5	22	51	77	428	278	83	28	11	6	2	1	8	
1907 ..	1000	5	22	48	76	423	281	85	29	12	6	2	2	9	
1908 ..	1000	5	21	48	75	419	282	88	31	12	6	3	2	8	
1909 ..	1000	5	21	47	72	414	289	90	31	13	6	3	2	7	

increased at ages above 25, below which age there is a large decrease. The rates for women, whether single or widowed, have declined in all age-groups except 25-35. The increase at this period of life clearly shows the effect of the modern tendency towards postponement of marriage.

Tables VIII. and IX. show the proportions by age of bachelors, spinsters, widowers, and widows who married during the period 1886-1909.

TABLE IX.—ENGLAND AND WALES.—AGE-CONSTITUTION of WIDOWERS and WIDOWS who MARRIED, reduced to 1,000 MARRIAGES at ALL AGES, 1886-1909.

Period.	All Ages.	Minors.	Full Age.												Age not Stated.
			21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70 and up-wards.		
Widowers.															
1886-1890	1000	0	13	81	133	151	139	120	94	70	53	27	15	104	
1891-1895	1000	0	12	76	132	153	148	126	106	74	55	29	18	71	
1896-1900	1000	0	10	73	131	158	150	136	109	84	56	30	19	44	
1901-1905	1000	0	10	68	130	155	152	136	116	83	62	32	20	36	
1906 ..	1000	0	10	66	125	149	152	143	117	87	60	36	20	35	
1907 ..	1000	—	8	63	126	150	155	136	119	91	62	38	22	30	
1908 ..	1000	0	8	60	123	154	156	142	118	87	64	37	23		
1909 ..	1000	0	9	59	119	154	149	143	119	91	64	37	27		
Widows.															
1886-1890	1000	1	30	119	164	173	145	117	73	46	26	10	3	93	
1891-1895	1000	1	27	115	170	177	157	119	78	47	29	10	4	66	
1896-1900	1000	1	26	113	175	188	157	127	81	50	28	11	3	40	
1901-1905	1000	1	28	122	182	190	158	118	78	47	29	11	4	32	
1906 ..	1000	1	23	113	180	184	162	131	78	48	31	12	4	33	
1907 ..	1000	1	25	108	180	192	158	128	82	50	30	14	5	27	
1908 ..	1000	1	23	108	174	196	160	131	78	53	31	14	5	26	
1909 ..	1000	1	22	101	175	195	162	126	84	55	29	15	7	28	

Marriages of Minors.—The proportion of marriages under age was at its maximum in the year 1874 both for males and females. It will be seen from Table X that since that period the ratio of such marriages to total marriages has declined continuously.*

In the year 1909, among registration counties with populations exceeding 100,000 persons the highest and lowest proportions per 1,000 of husbands and of wives under age at marriage were as shown in Table XI.

The highest proportions of marriages of minors were recorded in the mining and manufacturing counties and the lowest in the agricultural counties.

* The decreasing tendency to early marriage is more accurately indicated by the proportion of men and women who marry at the earlier ages to the numbers living at those ages. See Table VII.

TABLE X.

				Minors in 1000 Marriages.	
				Husbands.	Wives.
1876-80	77·8	217·0
1881-85	73·0	215·0
1886-90	63·2	200·2
1891-95	56·2	182·6
1896-1900	51·2	168·0
1901	49·6	159·9
1902	47·0	153·7
1903	45·7	152·3
1904	45·6	152·7
1905	43·8	146·9
1906	43·0	145·7
1907	40·7	141·8
1908	40·3	139·7
1909	39·8	136·7

TABLE XI.

Registration Counties.	Highest proportions of minors per 1000 Marriages.	Registration Counties.	Lowest proportions of minors per 1000 Marriages.
<p style="text-align: center;"><i>Husbands.</i></p> <p style="text-align: center;">England and Wales, 40.</p>			
Nottinghamshire ...	70	Hampshire ...	25
Bedfordshire ...	64	Devonshire ...	25
Staffordshire ...	59	Herefordshire ...	25
Leicestershire ...	58	Kent ...	24
Durham ...	57	Surrey ...	23
Monmouthshire ...	53	Berkshire ...	23
Warwickshire ...	52	Shropshire ...	22
West Riding of Yorkshire	52	Denbigshire ...	19
		Carnarvonshire ...	18
<p style="text-align: center;"><i>Wives.</i></p> <p style="text-align: center;">England and Wales, 137.</p>			
Durham ...	229	Shropshire ...	94
Monmouthshire ...	207	Surrey ...	92
Nottinghamshire ...	206	Berkshire ...	92
Glamorganshire ...	189	Oxfordshire ...	90
Derbyshire ...	186	Denbigshire ...	90
East Riding of Yorkshire	174	Herefordshire ...	89
Northumberland ...	172	Carnarvonshire ...	52
North Riding of Yorkshire	172		

It may be observed that marriages of minors are proportionately more common in Scotland than in England and Wales; while in Ireland the proportion of such marriages is far below the English and Scottish ratios.

Mean Age at Marriage.—Although the mean age at marriage is for many purposes a convenient summary of the statement as to age, it must be borne in mind that it forms only a very imperfect measure of changes in the age at which marriage takes place.

The great reduction that has taken place in the disturbing factor of unstated ages, has rendered it possible to measure with approximate accuracy for a series of recent years the mean age at marriage, based on the recorded ages.

Tables XII. and XIII. shows that the mean age at marriage has steadily increased during the whole period both for bachelors and for spinsters, and a similar tendency, with slight fluctuations, is noticeable in the case of widowers. In the case of widows the mean age has shown a progressive increase since 1902.

TABLE XII.—ENGLAND AND WALES.—MEAN AGES at MARRIAGE 1896-1909 (recorded ages).—HUSBANDS.

Year.	All Husbands.	All Bachelors.	All Widowers.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
1896 ...	28·43	26·59	44·49	26·30	33·93	41·38	49·60
1897 ...	28·38	26·63	44·53	26·35	34·10	41·43	49·73
1898 ...	28·34	26·62	44·70	26·34	33·94	41·82	49·69
1899 ...	28·34	26·65	44·90	26·37	34·29	41·87	49·81
1900 ...	28·41	26·68	45·02	26·39	34·35	42·19	49·75
1901 ...	28·55	26·76	45·18	26·48	33·94	42·43	49·69
1902 ...	28·53	26·88	44·96	26·60	33·94	42·11	49·81
1903 ...	28·49	26·91	44·94	26·63	34·24	42·16	49·72
1904 ...	28·46	26·93	45·03	26·66	34·06	42·25	49·98
1905 ...	28·56	27·01	45·27	26·74	34·26	42·47	50·18
1906 ...	28·56	27·03	45·37	26·76	34·39	42·59	50·25
1907 ...	28·66	27·10	45·62	26·84	34·58	42·85	50·56
1908 ...	28·78	27·19	45·69	26·92	34·57	42·92	50·66
1909 ...	28·88	27·29	45·93	27·02	35·00	43·23	50·85

TABLE XIII.—ENGLAND AND WALES.—MEAN AGES at MARRIAGE 1896-1909 (recorded ages).—WIVES.

Year.	All Wives.	All Spinsters.	All Widows.	Spinsters with Bachelors.	Widows with Bachelors.	Spinsters with Widowers.	Widows with Widowers.
1896 ...	26·21	25·08	40·58	24·54	35·69	32·43	44·81
1897 ...	26·18	25·10	40·74	24·59	35·95	32·31	45·00
1898 ...	26·18	25·14	40·59	24·62	35·85	32·68	45·04
1899 ...	26·21	25·16	40·83	24·65	36·12	32·83	45·16
1900 ...	26·29	25·23	40·74	24·71	36·19	32·97	44·95
1901 ...	26·39	25·31	40·43	24·77	35·65	33·04	44·96
1902 ...	26·37	25·36	40·25	24·86	35·62	32·86	44·95
1903 ...	26·35	25·37	40·27	24·89	35·69	32·93	45·01
1904 ...	26·32	25·37	40·35	24·90	35·82	33·03	45·22
1905 ...	26·38	25·43	40·53	24·96	36·02	33·08	45·29
1906 ...	26·41	25·46	40·79	24·99	36·27	33·30	45·53
1907 ...	26·49	25·54	40·91	25·06	36·32	33·43	45·68
1908 ...	26·61	25·63	41·02	25·13	36·43	33·71	45·86
1909 ...	26·69	25·73	41·27	25·22	36·71	33·85	45·98

The following comparison for the year 1909 between the mean age at marriage in London and the rest of England and Wales, may be of interest.

TABLE XIV.

In marriages of—					Husbands.		Wives.	
					England and Wales, less London.	London.	England and Wales, less London.	London.
Bachelors	27·18	27·98	25·55	26·02
Widowers	45·80	46·73	38·27	37·49
Spinsters	27·85	28·65	25·68	26·04
Widows	42·82	42·69	41·38	40·69
Bachelors with spinsters	26·91	27·64	25·17	25·56
Bachelors with widows	34·79	36·05	36·62	37·15
Widowers with spinsters	43·01	44·49	33·91	33·55
Widowers with widows	50·80	51·15	46·10	45·22
In all marriages	28·76	29·57	26·63	26·99

NOTE.—The table is to be read as follows:—The mean age of all the bachelors who married was 27·98 years in London, and 27·18 in the rest of the country; the mean age of their wives being 26·02 and 25·55 years respectively. The mean age of all the spinsters who married was 26·04 years in London, and 25·68 in the rest of the country: the mean age of their husbands being 28·65 and 27·85 years respectively.

Signature in Marriage Register.—In the year 1909 the proportion of those who at the time of marriage were unable to sign their names in the register was 1·1 per cent. in the case of bridegrooms and 1·3 in the case of brides.

TABLE XV.—ENGLAND AND WALES—DECREASE IN ILLITERATE MARRIAGES.

Period.		In every 100 Marriages the Proportion who Signed the Marriage Register with Marks.			Comparison with Rate in 1841-45 taken as 100.	
		Men.	Women.	Both.	Men.	Women.
1841-1845	...	32·6	48·9	?	100	100
1846-1850	...	31·4	46·2	?	96	94
1851-1855	...	30·2	43·5	22·5	93	89
1856-1860	...	27·1	38·1	18·6	83	78
1861-1865	...	23·6	32·9	15·1	72	67
1866-1870	...	20·5	28·3	12·3	63	58
1871-1875	...	18·5	25·2	10·4	57	52
1876-1880	...	14·8	20·0	7·5	45	41
1881-1885	...	12·3	15·5	5·4	38	32
1886-1890	...	8·4	9·8	3·0	26	20
1891-1895	...	5·1	6·0	1·7	16	12
1896-1900	...	3·2	3·7	1·0	10	8
1901-1905	...	2·0	2·4	0·6	6	5
1906	...	1·5	1·9	0·5	5	4
1907	...	1·4	1·7	0·4	4	3
1908	...	1·3	1·5	0·4	4	3
1909	...	1·1	1·3	0·3	3	3

It will be seen from the preceding table that in the period 1841-45, approximately one in three of the men and one in two of the women

who married signed the marriage register with marks instead of writing their names. From that date the proportion of illiterate persons of each sex has steadily declined, and was reduced to one-third of the earlier figure by the period at which the results of the Education Act of 1870 could first affect the registers to any considerable extent.

Taking the country in the aggregate, the proportion of illiterate women has always been somewhat higher than the proportion of illiterate men; but there are wide differences between the several counties in this respect. The general rule is that in the counties adjacent to the Metropolis and in the agricultural counties the women are more educated than the men, whereas in the mining and industrial counties the reverse is the case, the men being more educated than the women (see Table 12, page 13).

The case of London is exceptional. In the year 1909 the proportion of bridegrooms who could not sign their names in the marriage register was 1.0 per cent., and of brides 1.4 per cent. This proportion of illiteracy is not, however, common to all parts of London, it is practically confined to the group of Eastern Registration Districts, where a large proportion of signatures by mark occur in the marriages of Foreign Jews. If these districts be excluded, the proportion of illiteracy in London will be reduced to 0.4 out of every 100 men, and 0.6 out of every 100 women who married.

Buildings in which Marriages may be Solemnized.—At the end of the year 1909 the number of churches or chapels of the Established Church, and of registered buildings in which marriages could be legally solemnized were as follows :—

Established Church	15,770
All other Religious Denominations	15,534
Total	<u>31,304</u>

The increase upon the numbers at the end of the previous year was: Established Church 55, other religious denominations 260.

By the Acts 15 and 16 Vict., c. 36, and 18 and 19 Vict., c. 81, it was enacted that all places of religious worship not being churches or chapels of the Established Church should, if the congregations desired, but not otherwise, be certified to the Registrar General; certification for public worship being a necessary preliminary to the registration of a building for the solemnization of marriages. The number of places of meeting for religious worship on the official register on 31st December, 1909, and the number of buildings registered for the solemnization of marriages appear in the following table :—

TABLE XVI.

Denomination.	Buildings certified to the Registrar- General as Meeting places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*
Roman Catholics	1,348	1,298
Wesleyan Methodists	7,385	3,562
Congregationalists	3,193	2,852
Baptists	2,971	2,550
Primitive Methodists	4,188	1,579
United Methodist Church†	1,936	1,135
Calvinistic Methodists	1,173	858
Presbyterians	436	435
Unitarians	178	195
New Jerusalem Church... ..	49	53
Catholic Apostolic Church	71	49
Countess of Huntingdon's Connexion	44	42
Salvation Army	1,232	37
Society of Friends	415	—†
Jews	197	—†
All others	2,592	889

* Of these buildings nearly 1000 were certified before 1852, as Places of Meeting for Religious Worship, to some other Authority than the Registrar-General and therefore are not included in the preceding column.

† In accordance with the provisions of the United Methodist Church Act of 1907, the Bible Christian Church, the Methodist New Connexion Church and the United Methodist Free Churches have become merged in the single denomination of the United Methodist Church.

‡ It is not necessary for buildings to be registered for the Solemnization of Quaker or Jewish Marriages. Under section 31 of the Births, Deaths, and Marriages Registration Act (1836) Registering Officers of the Society of Friends and Secretaries of Jewish Synagogues who have been certified to the Registrar-General record the Marriages in each case.

The Marriage Act, 1898, provided that under specified conditions, marriages might be solemnized in registered buildings in the presence of duly authorised persons without the attendance of a Registrar of Marriages. The governing bodies of some of the registered buildings have availed themselves of this provision, and at the end of the year 1909 the number of such buildings which had been brought under the operation of the Act, and so remained, was 2,832 out of the total of 15,534; the numbers of these buildings and the denominations to which they belonged, were as follows:—

1,291	Wesleyan Methodists.
462	Congregationalists.
321	Primitive Methodists.
275	Baptists.
259	United Methodist Church.
70	Calvinistic Methodists.
154	Other Denominations, and Unsectarian.
<hr/>	
2,832	Total.
<hr/>	

These 2,832 registered buildings were distributed among 482 of the registration districts. In the remaining 152 registration districts there was no registered building under the operation of the Act.

Mode of Solemnization.—The following table shows the changes in the mode of solemnization of marriages that have taken place since 1851.

TABLE XVII.

Period.	Of 1000 Marriages.					Civil Marriages in Superintendent Registrars' Offices.			
	With Religious Ceremonial.								
	Anglican.	Non- conformist.	Roman Catholic.	Jewish.	Total.				
1851-55	842	62	48	1·7	954	46
1856-60	820	71	46	1·8	939	61
1861-65	788	85	47	1·8	922	78
1866-70	769	96	43	1·8	910	90
1871-75	752	103	41	2·3	898	102
1876-80	727	113	42	2·4	884	116
1881-85	711	114	44	2·7	872	128
1886-90	702	116	42	3·8	864	136
1891-95	692	118	41	4·9	856	144
1896-1900	681	123	40	5·9	850	150
1901-05	650	131	41	7·3	829	171
1906	631	131	42	8·3	812	188
1907	624	132	42	7·2	805	195
1908	616	132	41	6·6	796	204
1909	614	132	42	6·8	795	205

Almost four-fifths of the marriages contracted in England and Wales during 1909 were solemnized with religious ceremonial. This proportion has been steadily decreasing since 1851 in favour of the growing tendency to resort to superintendent registrars' offices for purely civil marriage, and was smaller in 1909 than in any previous year. The proportion of Established Church marriages is the lowest on record, and those of civil and Nonconformist marriages the highest, but the bulk of the population still prefers marriage according to the rites of the Church of England.

With regard to marriages in the Established Church it will be of further interest to give a statement showing what proportion were by Licence, Banns, and Superintendent Registrar's Certificate respectively.

TABLE XVIII.

—	Proportional Numbers of Marriages according to the Rites of the Established Church.					
	Total.	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.
1851-55	100	0·01	14·94	78·17	2·77	4·11
1856-60	100	0·01	15·54	78·51	3·01	2·93
1861-65	100	0·01	14·56	79·85	3·04	2·54
1866-70	100	0·01	13·29	81·79	2·94	1·97
1871-75	100	0·01	11·50	85·08	2·68	0·73
1876-80	100	0·02	11·12	85·96	2·46	0·44
1881-85	100	0·05	8·84	88·29	2·48	0·34
1886-90	100	0·02	7·26	90·15	2·30	0·27
1891-95	100	0·02	6·23	91·64	1·88	0·23
1896-1900	100	0·01	5·10	93·32	1·40	0·17
1901-05	100	0·02	4·80	93·97	1·09	0·12
1906	100	0·02	4·43	94·41	1·05	0·09
1907	100	0·01	4·41	94·46	1·02	0·10
1908	100	0·02	4·46	94·46	0·96	0·10
1909	100	0·02	4·61	94·26	0·97	0·14

These figures show that speaking generally while the proportion of marriages by Licence and by Superintendent Registrar's Certificate has steadily declined, the proportion of marriages by Banns has steadily increased.

It has already been stated that under the provisions of the Marriage Act, 1898, marriages may be solemnized in registered buildings in the presence of duly authorised persons without the attendance of a registrar of marriages. The proportions per 1000 of such marriages from the date when the Act came into operation and the proportions of marriages before registrars (including marriages of Roman Catholics, but not those of Quakers) have been as follows :—

TABLE XIX.—PROPORTION PER 1000 OF TOTAL MARRIAGES.

Year.	In Registered Buildings.		Year.	In Registered Buildings.	
	Before Registrar.	Before Authorised Person.		Before Registrar.	Before Authorised Person.
1899 ...	154	11	1905 ...	141	32
1900 ...	146	22	1906 ...	139	33
1901 ...	145	24	1907 ...	138	35
1902 ...	142	26	1908 ...	136	37
1903 ...	143	28	1909 ...	134	40
1904 ...	142	30			

Of the 1760 Jewish marriages contracted in the year 1909 in England and Wales, 1296, or 74 per cent. were registered in London, 147, or 8 per cent. in the city of Manchester, and 92, or 5 per cent. in the city of Leeds. Of the Jewish marriages in London, no fewer than 1053 or 81 per cent. were registered in a

group of three registration districts—London City, Whitechapel, and Mile End Old Town.

Table II gives particulars as to the forms under which marriages have been contracted in the various counties during 1909.

BIRTHS.

The births registered in the year 1909 numbered 914,472 ; of these 876,963 were legitimate, and 37,509 were illegitimate.

In proportion to the total population of both sexes and all ages, the total births were equal to a rate of 25·6 per 1,000 living ; this rate was 0·9 per 1,000 less than that recorded in 1908, and was no less than 2·2 per 1,000 below the average of the low rates in the ten years 1899–1908.

In the year 1876 the birth-rate in this country attained the highest point on record, viz., 36·3 per 1,000 living, since which date the ratio has, with a few insignificant exceptions, fallen year by year.

The birth-rate, stated in terms of total population (crude birth-rate), must obviously vary considerably with the proportion of females of conceptive ages in the population, and with the proportion of these married.

The following statement shows the changes in these proportions and in the age constitution of the married female population at the four past Censuses :—

TABLE XX.—ENGLAND AND WALES.

Census Years.	Proportion per cent. of Women aged 15-45 years in the Total Population of both sexes and all ages.	Proportion per cent. of Married Women in the Female Population aged 15-45 years.	Of the Married Women aged 15-45 years, the proportion per cent. at four groups of ages.				Persons Married to 1000 Marriage- able Persons* in the Population.
			Aged 15-20 years.	Aged 20-25 years.	Aged 25-35 years.	Aged 35-45 years.	
1871 ...	23·1	49·6	1·3	13·9	45·5	39·3	56·9
1881 ...	23·1	49·1	1·1	13·7	45·6	39·6	51·1
1891 ...	23·8	47·1	0·9	12·8	46·0	40·3	49·8
1901 ...	25·0	46·8	0·7	11·8	46·8	40·7	48·6

Measuring the Birth-rate.—The crude birth-rate, or ratio of births recorded to population at all ages, is the appropriate form of statement when the object in view is to record the net result of the various factors governing reproduction—proportionate number of potential mothers, number of these married, age, and fertility in relation to age, of married and single women, &c. It sums up the results of all the influences governing the rate at which a community is reproducing itself, and is therefore, in conjunction with the corresponding form of mortality statement, the crude death-rate, the appropriate means of measuring natural increase.

Birth-rates, however, are often studied for the sake of the light they throw upon the fertility of communities, and for this purpose also the crude birth-rate is the form of statement ordinarily employed ; in fact, none other is as a rule available. But as the fertility of potential mothers is only one of the several factors mentioned

* *i.e.*—unmarried and widowed persons over 15 years of age : see p. xi.

TABLE XXI.—ENGLAND AND WALES.—BIRTH-RATES, 1876-1909.

Period.	(a.)		(b.)		(c.)		(d.)	
	Birth-rate calculated on Total Population at All Ages.		Birth-rate calculated on the Female Population aged 15-45 years.		Legitimate Birth-rate calculated on the Married Female Population aged 15-45 years.		Illegitimate Birth-rate calculated on the Unmarried and Widowed Female Population aged 15-45 years.	
	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.
1876-1880	35·3	100·0	153·3	100·0	296·3	100·0	14·4	100·0
1881-1885	33·5	94·9	144·3	94·1	282·4	95·3	13·5	93·8
1886-1890	31·4	89·0	133·4	87·0	267·1	90·1	11·8	81·9
1891-1895	30·5	86·4	126·8	82·7	258·3	87·2	10·1	70·1
1896-1900	29·3	83·0	118·8	77·5	242·9	82·0	9·2	63·9
1901-1905	28·1	79·6	112·5	73·4	230·7	77·9	8·4	58·3
1876 ...	36·3	102·8	157·5	102·7	304·1	102·6	14·6	101·4
1877 ...	36·0	102·0	155·9	101·7	301·1	101·6	14·6	101·4
1878 ...	35·6	100·8	154·5	100·8	298·8	100·8	14·4	100·0
1879 ...	34·7	98·3	150·5	98·2	291·1	98·2	14·2	98·6
1880 ...	34·2	96·9	148·3	96·7	287·0	96·9	14·1	97·9
1881 ...	33·9	96·0	147·0	95·9	284·9	96·2	14·1	97·9
1882 ...	33·8	95·8	145·8	95·1	283·9	95·8	13·8	95·8
1883 ...	33·5	94·9	144·1	94·0	281·9	95·1	13·4	93·1
1884 ...	33·6	95·2	144·2	94·1	283·7	95·7	13·2	91·7
1885 ...	32·9	93·2	140·7	91·8	277·6	93·7	13·0	90·3
1886 ...	32·8	92·9	140·2	91·5	278·0	93·8	12·8	88·9
1887 ...	31·9	90·4	135·5	88·4	269·9	91·1	12·4	86·1
1888 ...	31·2	88·4	132·3	86·3	265·0	89·4	11·7	81·3
1889 ...	31·1	88·1	131·7	85·9	265·1	89·5	11·5	79·9
1890 ...	30·2	85·6	127·6	83·2	258·2	87·1	10·7	74·3
1891 ...	31·4	89·0	132·1	86·2	268·8	90·7	10·6	73·6
1892 ...	30·4	86·1	127·3	83·0	259·3	87·5	10·1	70·1
1893 ...	30·7	87·0	127·9	83·4	260·4	87·9	10·3	71·5
1894 ...	29·6	83·9	122·4	79·8	249·4	84·2	9·9	68·8
1895 ...	30·3	85·8	124·8	81·4	254·5	85·9	9·9	68·8
1896 ...	29·6	83·9	121·5	79·3	247·8	83·6	9·7	67·4
1897 ...	29·6	83·9	120·7	78·7	246·4	83·2	9·5	66·0
1898 ...	29·3	83·0	118·9	77·6	243·0	82·0	9·3	64·6
1899 ...	29·1	82·4	117·7	76·8	241·0	81·3	8·9	61·8
1900 ...	28·7	81·3	115·6	75·4	236·8	79·9	8·6	59·7
1901 ...	28·5	80·7	114·2	74·5	234·2	79·0	8·4	58·3
1902 ...	28·5	80·7	114·1	74·4	234·2	79·0	8·4	58·3
1903 ...	28·4	80·5	113·8	74·2	233·3	78·7	8·4	58·3
1904 ...	27·9	79·0	111·8	72·9	229·1	77·3	8·4	58·3
1905 ...	27·2	77·1	108·9	71·0	223·2	75·3	8·2	56·9
1906 ...	27·1	76·8	108·3	70·6	222·0	74·9	8·1	56·3
1907 ...	26·3	74·5	105·1	68·6	215·6	72·8	7·8	54·2
1908 ...	26·5	75·1	106·1	69·2	217·6	73·4	8·0	55·6
1909 ...	25·6	72·5	102·3	66·7	209·4	70·7	7·9	54·9

Note.—In the absence of precise information as to the changes in the number and constitution of the population from year to year, the estimates of total population at all ages are calculated by geometrical progression, on the assumption that the rate of increase in each intercensal period was maintained regularly throughout the period; the estimates for the several sections of the population are based on the further assumption that the proportion which each section bore to the total population changed uniformly during each intercensal period, and has remained constant since 1901. In view of the necessity of these, or similar assumptions, the figures for intercensal years are inevitably less accurate than those for years in which censuses were taken.


above as governing the rate of reproduction in a community, it follows that the crude birth-rate is an imperfect measure of the community's fertility, *i.e.*, of its rate of reproduction in proportion to opportunity for reproduction. Fertility may be regarded as a force, and reproduction as the outcome of that force modified in its results by the various circumstances which govern its action. If it is desired to measure the result of the operation of the force the crude birth-rate must be used; but if the force itself is to be studied correction must be made for the modification of its results by the variations in opportunity for its action, in precisely the same way as the tendency to death is measured by the corrected death-rate, not by the crude death-rate, which represents the result of the action of this tendency upon a population of a certain age and sex constitution.

In Table XXI. the results are shown of calculating the following proportions:—

- (a) Of total births to the total population of both sexes and all ages;
- (b) Of total births to the female population aged 15-45 years;
- (c) Of legitimate births to the married female population aged 15-45 years; and
- (d) Of illegitimate births to the unmarried and widowed female population aged 15-45 years.

These calculations have also been illustrated in the accompanying diagram, which affords a ready means of gauging the fall in the birth-rate during the past thirty years. In view of the changing constitution of the population and the time that has elapsed since the last Census, special attention is directed to the note at the foot of the Table with reference to the trustworthiness of the figures for intercensal years.

DIAGRAM II.—ENGLAND AND WALES.—BIRTH-RATES, 1881-1909.
RATIO per cent. of the RATE in each YEAR to the MEAN RATE in 1876-80.



As already stated, the birth-rate in England and Wales attained the highest point on record in the year 1876; and for the purpose of measuring the decrease that has since occurred, the mean annual rate in the quinquennial period 1876-80 has been taken as a standard.

Calculated on the total population the fall in the birth-rate in the period under review amounted to $27\frac{1}{2}$ per cent. Based on the proportion of births to the number of possible mothers, *i.e.*, the total number of women living at child-bearing ages, the fall in the rate amounted to 33 per cent. in the same period ; while the fertility of married women, based on the ratio of legitimate births to wives of conceptive ages, showed a decrease amounting to 29 per cent.

Put in another way, if the fertility of married women in proportion to their numbers had been as high in 1909 as in 1876-80 the legitimate births would have numbered 1,240,649 instead of the 876,963 actually recorded, giving a legitimate birth-rate of 34·70, or 10·18 in excess of that recorded.

But if the population in 1909 had not only shown the same fertility for wives aged 15-45, but had contained them in the same proportion as that of 1876-80, the resulting birth-rate would of course have been the same as in 1876-80, namely, 33·67. Therefore the proportionate increase in wives aged 15-45 in the 1909 population, assuming it to be constituted as in 1901, is sufficient to account for a *rise* of 1·03 in the legitimate birth-rate.

The fall in the legitimate birth-rate since 1876-80 is 9·15, therefore this net fall must be made up of a potential rise of 1·03 due to increased proportion of wives aged 15-45, and a fall of 10·18 due to diminished fertility of wives from whatever cause.

The fall due to decrease of illegitimacy is 0·63, making up the total fall of 9·78. The fall in the illegitimate rate is compounded similarly to that in the legitimate rate of a potential rise due to (1) increased proportion of unmarried and widowed women aged 15 to 45 years, and a fall due to (2) their diminished fertility. Had the latter remained as in 1876-80, 68,253 births would have resulted, giving an illegitimate birth-rate of 1·91, or 0·86 more than that actually recorded. This figure then represents the effect of (2), so the difference between it and 0·63, the actual fall in illegitimate birth rate must represent the potential rise, 0·23, due to (1).

The effects of the increased proportions of wives and of spinsters, &c. in the population may be further analysed into the separate effects of the larger proportion of women aged 15-45, and of the smaller proportion of these women now married. This is done in the subjoined Table :—

TABLE XXII.

	Birth-rate.		
	Total.	Legitimate.	Illegitimate.
Potential effect of increased proportion of women aged 15-45 in the population.	+ 2·97	+ 2·83	+ 0·14
Potential effect of change in proportion of married to total women aged 15-45.	— 1·71	— 1·80	+ 0·09
Effect of diminished fertility	— 11·04	— 10·18	— 0·86
Recorded fall 1876-80 to 1909	— 9·78	— 9·15	— 0·63

It will be understood that when a potential rise is spoken of what is meant is that if the factor referred to had been the only one whose influence was altered the rise in question would have occurred,

TABLE XXIII.—ANNUAL FERTILITY RATES OF MARRIED WOMEN in each REGISTRATION COUNTY, 1870-1909.

Registration Counties.	Legitimate Births per 1000 Married Women aged 15-45 years.*							Decrease per cent. in each County between the period 1870-72 and 1909.
	Census periods.				Five-year period.	Years.		
	1870-72.	1880-82.	1890-92.	1900-02.		1903-07.	1908.	
England and Wales..	292·5	286·0	263·8	235·5	224·5	217·6	209·4	28·4
London	269·9	272·6	250·4	227·8	213·3	198·2	191·3	29·1
Surrey	285·1	284·3	244·4	208·2	214·7	213·1	204·9	28·1
Kent	288·8	287·6	255·6	221·2	208·9	193·7	186·6	35·4
Sussex	284·6	279·2	235·9	203·3	190·5	180·3	171·9	39·6
Hampshire ..	272·9	273·9	243·3	211·6	208·6	204·7	199·2	27·0
Berkshire ..	294·5	290·0	257·6	219·0	212·5	205·6	199·0	32·4
Middlesex ..	288·0	293·6	252·3	224·1	229·0	219·8	211·7	26·5
Hertfordshire ..	300·0	291·7	264·0	224·8	222·8	221·4	216·6	27·8
Buckinghamshire ..	299·5	291·9	270·4	230·4	223·8	214·6	205·4	31·4
Oxfordshire ..	295·7	294·7	271·1	228·0	220·8	228·9	219·0	25·9
Northamptonshire ..	297·5	290·6	265·8	222·0	191·6	175·5	168·3	43·4
Huntingdonshire ..	302·3	274·9	262·5	236·0	234·2	229·0	232·1	23·2
Bedfordshire ..	296·0	283·1	256·8	219·1	207·2	219·3	201·6	31·9
Cambridgeshire ..	294·3	276·6	255·0	223·9	216·6	210·5	211·9	28·0
Essex	293·7	300·4	270·0	238·5	221·8	204·6	194·4	33·8
Suffolk	290·2	293·6	269·5	236·5	226·4	218·3	210·7	27·4
Norfolk	273·1	279·3	257·2	229·5	217·5	210·7	204·4	25·2
Wiltshire	297·9	291·6	261·3	225·1	226·5	221·1	213·4	28·4
Dorsetshire ..	288·8	286·8	254·7	219·2	218·3	206·5	202·6	29·9
Devonshire ..	284·5	284·5	252·2	208·4	200·9	192·7	190·7	33·0
Cornwall	294·0	287·7	262·0	219·6	201·1	204·0	196·2	33·3
Somersetshire ..	293·0	292·0	267·6	221·0	215·3	206·1	198·6	32·2
Gloucestershire ..	285·7	281·5	259·3	224·6	214·1	195·5	190·2	33·4
Herefordshire ..	285·6	279·2	272·3	235·0	227·0	219·1	215·0	24·7
Shropshire	302·7	286·8	275·3	257·0	248·0	236·9	231·8	23·4
Staffordshire ..	320·2	311·1	298·7	270·1	251·1	241·5	229·4	28·4
Worcestershire ..	296·6	288·3	268·2	239·0	219·9	207·6	197·7	33·4
Warwickshire ..	291·5	287·3	264·5	243·2	232·3	226·6	216·3	25·8
Leicestershire ..	300·6	295·0	268·4	232·7	211·3	196·9	187·3	37·7
Rutlandshire ..	295·9	297·9	258·5	227·5	217·6	210·6	239·5	19·1
Lincolnshire ..	293·4	284·1	255·3	228·3	224·5	232·9	224·3	23·6
Nottinghamshire ..	285·6	287·8	260·5	242·9	236·8	240·0	234·8	17·8
Derbyshire	296·6	293·2	270·8	243·9	229·0	233·9	217·2	26·8
Cheshire	292·8	286·0	266·9	230·8	221·2	214·0	207·7	29·1
Lancashire	297·1	285·0	264·3	233·7	221·6	216·5	207·1	30·3
West Riding ..	293·0	272·7	249·3	223·0	207·3	201·4	191·8	34·5
East Riding ..	281·9	274·9	258·1	238·7	222·8	218·4	212·1	24·8
North Riding ..	313·6	304·2	274·5	260·4	257·0	266·0	248·9	20·6
Durham	324·1	307·9	299·7	282·7	269·5	271·2	257·0	20·7
Northumberland ..	313·0	300·1	290·0	266·8	255·8	251·2	239·1	23·6
Cumberland	311·8	309·7	288·6	256·5	248·7	241·1	233·5	25·1
Westmorland ..	305·9	300·2	267·4	218·9	207·6	186·7	190·1	37·9
Monmouthshire ..	304·1	298·7	304·6	283·5	287·2	301·6	294·8	3·1
South Wales :—								
Glamorganshire ..	313·1	303·4	303·5	274·0	264·0	266·2	268·7	14·2
Carmarthenshire ..	344·1	321·7	309·4	274·9	283·7	290·6	295·4	14·2
Pembrokeshire ..	319·6	320·4	291·9	253·8	254·1	235·1	242·9	24·0
Cardiganshire ..	315·2	296·4	277·3	245·4	238·0	218·7	228·5	27·5
Brecknockshire ..	310·6	296·4	292·1	272·9	269·2	257·9	248·3	20·1
Radnorshire ..	308·6	302·5	282·6	264·2	223·7	184·8	188·7	38·9
North Wales :—								
Montgomeryshire ..	308·7	292·5	273·2	253·0	244·6	230·2	224·5	27·3
Flintshire	310·4	284·0	285·7	246·4	272·5	281·4	273·5	11·9
Denbighshire ..	301·2	289·6	282·8	265·3	251·0	236·9	230·5	23·5
Merionethshire ..	311·0	287·2	255·5	247·7	224·1	188·5	180·2	42·1
Carnarvonshire ..	289·9	271·8	237·2	226·7	209·8	186·2	176·3	39·2
Anglesey	277·2	275·1	240·7	224·2	221·6	198·9	208·8	24·7

* See note to Table XXI.

It will be seen that the effect of decrease in fertility of married women—due in some measure probably to their greater average age, but largely no doubt to deliberate restriction of child-bearing—is masked to some extent by the net result of the changes in the constitution of the population, so that these cannot be appealed to as helping to explain the fall in birth-rate. It should be noted too that while the age constitution of the population in 1909 has been assumed in the above comparison to be the same as at the 1901 Census, it is probable that the increase in proportion of wives aged 15-45, which had occurred between 1876-80 and 1901, has continued since that date. If this is so the effect of diminished fertility is masked in the recorded birth-rate to a somewhat greater extent than that shown in the table.

The fact is also significant that at the last Census period, 1900-02, the fertility of English wives was lower than that recorded in any European country except France. (See page cxii.)

Rates of Fertility among Married Women in Counties.—Table XXIII., on page xxx, shows the proportions of legitimate births per 1000 married women aged 15-45 years in each registration county. The number of married women of conceptive ages in England and Wales in the middle of the year 1909 is estimated at 4,186,981, and the children born alive to these women numbered 876,963, so that 209·4 living children were born to every 1000 married women at these ages. It will be seen, however, from the following statement that the proportions vary considerably in different parts of the country. Among registration counties with populations exceeding 100,000 persons the counties with the highest and lowest fertility rates in the year 1909 were as follows :—

TABLE XXIV.

Registration Counties with the Highest Fertility Rates.	Legitimate Birth-rates per 1000 Married Women aged 15-45 years.	Registration Counties with the Lowest Fertility Rates.	Legitimate Birth-rates per 1000 Married Women aged 15-45 years.
England and Wales, 209·4.			
Carmarthenshire ...	295·4	Northamptonshire ...	168·3
Monmouthshire ...	294·8	Sussex ...	171·9
Glamorganshire ...	268·7	Carnarvonshire ...	176·3
Durham ...	257·0	Kent ...	186·6
North Riding of Yorkshire.	248·9	Leicestershire ...	187·3

It will be noted that the fertility rates are highest in the mining and lowest in the agricultural counties, but these disparities are in a considerable measure due to differences in the age constitution of the married female population in the several counties.

High and low fertility rates coincide with high and low proportions of young married women in the several counties. Although however such coincidence is the general rule there are some exceptions, notably London and the West Riding of Yorkshire, where, notwithstanding the fact that the proportions of young wives were above the mean for the whole country, the fertility rates are below it; on the other hand, in North Wales, in South Wales (less Glamorganshire) in

Cumberland and in Shropshire, in spite of low proportions of young wives, the fertility rates are comparatively high. (See Table E, page xxviii of the Annual Report for 1907.)

Birth-rates and age distribution of married women in Urban and Rural Districts.—From Tables XXIII. and XXIV. it might be inferred that the fertility of married women is greater in urban than in rural areas. That such is not the case is shown by the following figures, which enable a more accurate comparison to be made of birth rates in town and country areas than is furnished by selecting groups of urban and rural counties. The figures show that the fertility of married women living in the country districts is about seven per cent. greater than that of women residing in the selected towns.

TABLE XXV.—LEGITIMATE BIRTH-RATES and AGE CONSTITUTION of MARRIED FEMALE POPULATION in ENGLAND and WALES, in 21 large Towns and in the aggregate of 112 Rural Registration Districts, 1901.

	Legitimate Birth-rate per 1000 Married Women aged 15-45 years, 1901.	Of the Married Women aged 15-45 years, the proportion per 1000 at three groups of ages at the Census of 1901.		
		15-25 years.	25-35 years.	35-45 years.
England and Wales	234·2	125	468	407
Aggregate of 112 Rural Registration Districts.*	244·0	102	446	452
Aggregate of 21 large Towns†	228·9	135	474	391
Rhondda	298·9	189	485	326
Newcastle-on-Tyne	256·4	151	476	373
Liverpool	251·2	146	473	381
Hull	251·1	154	475	371
Birmingham	246·1	147	480	373
Preston	243·4	120	466	414
Sheffield	238·6	164	473	363
Cardiff	236·7	133	473	394
Norwich	230·2	124	456	420
London	228·4	131	474	395
Bristol	222·4	124	480	396
Leeds	221·7	127	482	391
Manchester	220·6	136	483	381
Leicester	218·1	129	477	394
Nottingham	213·3	137	450	413
Portsmouth	210·7	138	472	390
Plymouth	207·3	129	476	395
Blackburn	205·0	116	457	427
Brighton	198·9	114	463	423
Oldham	184·9	116	468	416
Bradford	176·1	112	468	420

* 112 entirely Rural Registration Districts with an aggregate population of 1,330,319 persons at the date of the Census of 1901.

† 21 large Towns with an aggregate population of 9,799,866 persons at the date of the Census of 1901.

The greater fertility in rural districts would be still more marked if the age constitution in the two areas were identical. The rural districts labour however under a disadvantage in this respect because

owing to the migration of young persons from rural to industrial areas the proportion of young married women in the rural districts is considerably below the proportion in the towns or in the country as a whole.

Sex Proportions at Birth.—In 1909 the births of males in England and Wales numbered 466,463 and the births of females 448,009; the male births were therefore to the female births in the proportion of 1041 to 1000. The proportions in successive groups of years 1838–1905 are shown in Table 4, page 6; since the commencement of birth registration the ratios have ranged from 1032 to 1054 per 1000. The proportion of boys to girls at birth is lower in England and Wales than in any European country. The excess in the proportional number of boys in the several counties of England and Wales varies considerably; in registration counties with populations exceeding 100,000 the highest and lowest proportions borne by male to female births during the ten years 1899–1908, were as follows:—

TABLE XXVI.

Registration Counties.	Highest proportion of Male to 1000 Female births, 1899–1908.	Registration Counties.	Lowest proportion of Male to 1000 Female births, 1899–1908.
England and Wales, 1038.			
Carnarvonshire ...	1066	Herefordshire ...	1015
Bedfordshire ...	1059	Shropshire ...	1026
Denbighshire ...	1058	Leicestershire ...	1027
Buckinghamshire ...	1056	Hertfordshire ...	1028
Cambridgeshire ...	1056	Berkshire ...	1029
Cumberland ...	1056	Nottinghamshire ...	1030
North Riding of Yorkshire.	1053	Warwickshire ...	1031
Monmouthshire ...	1048	Wiltshire ...	1031
Suffolk ...	1048	Oxfordshire ...	1032
		West Riding of Yorkshire.	1032

Illegitimate Births.—The births registered during the year 1909 included 37,509 of illegitimate children.

Illegitimacy is usually stated in the form of the proportion of illegitimate births either to total births or to total population. The first method of statement is objectionable as expressing one variable (the rate of illegitimacy) in terms of another (the total birth-rate). A four per cent. rate of illegitimacy for instance in a district where the total birth-rate is 30 implies more illegitimacy than a five per cent. rate where the total birth-rate is 20. The second method of statement yields a crude illegitimate birth-rate corresponding to the crude total birth-rate, and the remarks on p. xxvi as to the latter apply to it.

In order to study the fertility of unmarried women we may compare the number of illegitimate children with the number of single and widowed women of conceptive ages. Except for census years, however, such ratios must be used with caution, because estimates of such sections of the population as the number of unmarried and widowed females are, as already pointed out, specially liable to error (see note to Table xxi).

The following table shows for a series of years the results of the different methods of calculating the ratio of illegitimacy.

TABLE XXVII.—ENGLAND AND WALES.—ILLEGITIMATE BIRTH-RATES, 1876-1909.

Period.	In proportion to total Births.		In proportion to total Population.		In proportion to the Unmarried and Widowed Female population aged 15-45 years.	
	Rate per 1000.	Compared with rate in 1876-80 taken as 100.	Rate per 1000.	Compared with rate in 1876-80 taken as 100.	Rate per 1000.	Compared with rate in 1876-80 taken as 100.
1876-1880 ...	47·5	100·0	1·7	100·0	14·4	100·0
1881-1885 ...	48·0	101·1	1·6	94·1	13·5	93·8
1886-1890 ...	46·3	97·5	1·5	88·2	11·8	81·9
1891-1895 ...	42·4	89·3	1·3	76·5	10·1	70·1
1896-1900 ...	41·0	86·3	1·2	70·6	9·2	63·9
1901-1905 ...	39·5	83·2	1·1	64·7	8·4	58·3
1876... ..	46·8	98·5	1·7	100·0	14·6	101·4
1877... ..	47·5	100·0	1·7	100·0	14·6	101·4
1878... ..	47·2	99·4	1·7	100·0	14·4	100·0
1879... ..	47·9	100·8	1·7	100·0	14·2	98·6
1880... ..	48·3	101·7	1·6	94·1	14·1	97·9
1881... ..	48·8	102·7	1·7	100·0	14·1	97·9
1882... ..	48·5	102·1	1·6	94·1	13·8	95·8
1883... ..	47·9	100·8	1·6	94·1	13·4	93·1
1884... ..	47·1	99·2	1·6	94·1	13·2	91·7
1885... ..	47·9	100·8	1·6	94·1	13·0	90·3
1886... ..	47·4	99·8	1·6	94·1	12·8	88·9
1887... ..	47·5	100·0	1·5	88·2	12·4	86·1
1888... ..	46·3	97·5	1·4	82·4	11·7	81·3
1889... ..	45·9	96·6	1·4	82·4	11·5	79·9
1890... ..	44·2	93·1	1·3	76·5	10·7	74·3
1891... ..	42·4	89·3	1·3	76·5	10·6	73·6
1892... ..	41·9	88·2	1·3	76·5	10·1	70·1
1893... ..	42·5	89·5	1·3	76·5	10·3	71·5
1894... ..	43·1	90·7	1·3	76·5	9·9	68·8
1895... ..	42·1	88·6	1·3	76·5	9·9	68·8
1896... ..	42·3	89·1	1·3	76·5	9·7	67·4
1897... ..	41·7	87·8	1·2	70·6	9·5	66·0
1898... ..	41·5	87·4	1·2	70·6	9·3	64·6
1899... ..	40·0	84·2	1·2	70·6	8·9	61·8
1900... ..	39·7	83·6	1·1	64·7	8·6	59·7
1901... ..	38·9	81·9	1·1	64·7	8·4	58·3
1902... ..	39·0	82·1	1·1	64·7	8·4	58·3
1903... ..	39·3	82·7	1·1	64·7	8·4	58·3
1904... ..	39·9	84·0	1·1	64·7	8·4	58·3
1905... ..	40·2	84·6	1·1	64·7	8·2	56·9
1906... ..	40·0	84·2	1·1	64·7	8·1	56·3
1907... ..	39·4	82·9	1·0	58·8	7·8	54·2
1908... ..	39·9	84·0	1·1	64·7	8·0	55·6
1909... ..	41·0	86·3	1·0	58·8	7·9	54·9

Comparing the proportion of illegitimate births in England and Wales in the year 1909 with that obtaining in the quinquennial period 1876-80, it will be seen that based on the standard of total births the rate of illegitimacy had decreased by only about 14 per cent. The crude

TABLE XXVIII.—ANNUAL ILLEGITIMATE BIRTH-RATES in each REGISTRATION COUNTY, 1870-1909.

Registration Counties.	Illegitimate Births to 1000 Unmarried and Widowed Females, aged 15-45 years.*							Decrease per cent, in each County between the period 1870-2 and 1909.
	Census periods.				Five-year period.	Years.		
	1870-72.	1880-82.	1890-92.	1900-02.		1903-07.	1908.	
England and Wales..	17'0	14'1	10'5	8'5	8'2	8'0	7'9	53'5
London	10'3	9'8	8'1	6'9	6'8	6'7	6'4	37'9
Surrey	9'5	8'5	6'6	5'9	5'7	5'5	5'8	38'9
Kent	14'7	12'1	9'3	7'5	7'5	7'1	6'8	53'7
Sussex	13'7	11'5	8'7	7'2	6'7	6'7	6'3	54'0
Hampshire ..	13'6	11'8	8'5	7'3	7'0	6'8	6'8	50'0
Berkshire ..	16'8	13'4	10'3	8'7	8'4	9'2	8'0	52'4
Middlesex ..	9'4	9'4	6'5	5'9	5'9	5'4	5'3	43'6
Hertfordshire..	18'4	15'3	10'4	7'0	7'2	6'3	7'0	62'0
Buckinghamshire	19'0	16'5	12'6	9'1	8'6	7'5	7'8	58'9
Oxfordshire ..	19'0	15'4	10'4	9'0	9'1	10'1	9'0	52'6
Northamptonshire	18'7	15'9	11'7	9'1	8'6	8'0	7'9	57'8
Huntingdonshire	19'8	14'0	12'9	10'9	9'7	11'3	12'5	36'9
Bedfordshire ..	21'1	18'0	11'2	8'4	8'2	7'6	7'6	64'0
Cambridgeshire ..	19'3	15'6	12'4	9'6	10'1	9'9	11'1	42'5
Essex	16'2	12'7	9'1	7'3	6'9	6'8	6'7	58'6
Suffolk	22'0	17'8	14'0	12'0	12'0	11'8	12'1	45'0
Norfolk	27'3	22'6	16'7	13'4	13'1	12'3	13'0	52'4
Wiltshire	17'1	14'7	10'3	9'2	8'8	8'6	8'2	52'0
Dorsetshire ..	14'2	13'1	9'6	7'2	7'2	7'4	6'4	54'9
Devonshire ..	14'0	10'6	8'1	6'7	6'5	6'5	6'4	54'3
Cornwall	16'5	14'8	11'2	8'6	7'9	7'7	7'1	57'0
Somersetshire..	13'3	11'3	7'4	6'0	5'8	6'0	5'3	60'2
Gloucestershire ..	12'9	11'6	8'2	6'3	6'2	5'7	6'0	53'5
Herefordshire..	21'4	19'0	13'4	11'2	11'2	10'7	10'6	50'5
Shropshire ..	28'2	21'8	16'6	12'8	13'0	11'4	11'4	59'6
Staffordshire ..	24'6	19'4	14'5	11'2	11'0	10'1	10'4	57'7
Worcestershire ..	16'3	13'7	9'2	7'2	6'7	6'7	6'4	60'7
Warwickshire ..	14'9	13'2	9'7	7'6	7'2	6'8	6'5	56'4
Leicestershire ..	19'9	16'1	11'4	8'6	7'7	6'9	7'3	63'3
Rutlandshire ..	18'1	12'7	7'9	7'2	8'2	9'1	5'2	71'3
Lincolnshire ..	22'3	18'5	14'2	12'2	12'2	12'2	13'3	40'4
Nottinghamshire	24'5	21'7	15'4	12'7	12'3	12'3	12'4	49'4
Derbyshire ..	22'5	17'7	12'8	10'0	9'9	9'2	9'2	59'1
Cheshire	17'5	14'2	10'3	7'7	7'2	6'7	6'8	61'1
Lancashire ..	16'2	13'6	10'2	7'9	7'6	7'3	7'2	55'6
West Riding ..	20'4	16'1	11'4	9'4	8'9	8'6	8'4	58'8
East Riding ..	23'0	18'2	14'3	12'2	11'6	12'1	11'8	48'7
North Riding..	27'7	20'2	15'4	12'1	11'3	11'9	11'8	57'4
Durham	24'0	18'0	13'8	11'1	11'1	11'9	11'7	51'3
Northumberland	21'1	17'9	12'4	10'2	9'9	10'1	10'2	51'7
Cumberland ..	29'2	23'9	18'6	12'3	12'0	12'3	12'0	58'9
Westmorland..	21'9	17'9	13'1	8'6	8'7	8'3	7'6	65'3
Monmouthshire ..	18'6	15'9	11'3	10'2	9'2	9'2	10'0	46'2
South Wales :—								
Glamorganshire ..	17'7	13'5	10'3	8'5	8'9	8'8	9'2	48'0
Carmarthenshire ..	18'2	13'9	9'4	7'7	8'2	7'0	8'4	53'8
Pembrokeshire ..	21'6	15'9	12'4	8'9	9'9	10'0	9'1	57'9
Cardiganshire ..	16'0	14'8	11'8	8'9	7'4	8'3	7'2	55'0
Brecknockshire ..	19'9	18'0	12'5	10'1	9'0	6'6	8'6	56'8
Radnorshire ..	41'8	33'2	20'1	14'4	11'9	10'0	7'2	82'8
North Wales :—								
Montgomeryshire..	29'5	24'3	16'7	13'1	12'9	11'3	13'2	55'3
Flintshire ..	18'7	18'4	13'1	9'7	11'3	10'6	11'9	36'4
Denbighshire ..	21'1	17'6	13'4	12'3	11'7	10'9	11'1	47'4
Merionethshire ..	24'4	19'5	16'4	13'5	13'2	12'5	12'3	49'6
Carnarvonshire ..	18'3	13'9	12'7	10'3	9'7	8'9	10'0	45'4
Anglesey	19'7	16'7	15'7	16'1	14'2	14'3	16'5	16'2

* See note to Table XXI.

illegitimate birth-rate however, based on the total population, showed during the same period a decline of 41 per cent., while the rate based on the numbers of unmarried and widowed women of conceptive ages fell by 45 per cent. The last-quoted figure represents most nearly the decrease of illegitimate fertility since 1876–80.

In the section of this report dealing with International Statistics, a table will be found (page cxiii) from which a comparison can be made between the proportion of illegitimacy in this country and in certain European and Colonial States. It will be noted from the figures in the table that in 1900–1902 the ratio of illegitimate births in proportion to the unmarried and widowed section of the population aged 15–45 years was in every country (except in the Netherlands and in Ireland) above the proportion recorded in England and Wales.

Illegitimate Births in Counties.—Table XXVIII. exhibits the rates of illegitimate fertility in the several counties at different periods. It will be noticed that, speaking generally, the rates in certain counties remain consistently high throughout, as in the four northern counties, East Anglia (except Essex, which is largely London) and North Wales. These counties, on the whole, contain few large towns.

Natural Increase.—The natural increase, or excess of crude birth-rate over crude death-rate, is seen from Table XXIX. to have fallen from 14·56 per 1000 living in the quinquennium 1876–80 to 11·08, the lowest figure on record, in the year 1909. Should the birth-rate continue to decrease it is to be feared that the diminution in natural increase may become accelerated, as the comparatively low death-rates now attained offer less scope than formerly for compensation in this direction.

TABLE XXIX.

—				Mean Annual Birth-rate per 1000 living.	Mean Annual Death-rate per 1000 living.	Mean Annual rate of increase, by excess of Births over Deaths, per 1000 living.
1876–1880		35·35	20·79	14·56
1881–1885		33·51	19·40	14·11
1886–1890		31·44	18·89	12·55
1891–1895		30·48	18·71	11·77
1896–1900		29·27	17·69	11·58
1901–1905		28·10	16·00	12·10
1906	27·07	15·38	11·69
1907	26·27	15·00	11·27
1908	26·53	14·68	11·85
1909	25·57	14·49	11·08

DEATHS.

The deaths of 518,003 persons were registered in England and Wales during the year 1909; 265,203 of these persons being males and 252,800 females.

These deaths correspond to a rate of 14·5 per 1000 of the estimated population, or 0·2 per 1000 below that for the year 1908, which was the lowest recorded up to that time. Compared with the average

in the ten years 1899-1908, the death-rate in 1909 shows a decrease of 1·6 per 1000.

It is not improbable that favourable climatic conditions—especially the very cool summer—may have contributed to a considerable extent to the production of this unprecedentedly low mortality. A description of these conditions is contained in Dr. Shaw's report upon the Meteorology of the year.

During the nine years of the present century, the death-rate, with slight fluctuations, fell from 16·9 per 1000 in 1901 to 14·5 per 1000 in 1909. In six of these nine years, viz., 1902, 1903, 1905, 1907, 1908 and 1909, the rate has been successively the lowest recorded up to the year in question. This remarkable record is in accordance with the general experience of European countries. (See page cxiii.)


Looking back over the mortality statistics since the commencement of death registration in 1838, it will be seen from the following Table and the accompanying diagram that, after correction for variations of sex and age constitution,* the annual rate of mortality reached its highest recorded point for both sexes in the quinquennium 1846-50, when it stood at 22·4 per 1000 persons living. From that time it fell gradually and intermittently till 1891-95, when it stood at 18·5, but since then the fall has been steadier and much more rapid, the total decline since recorded being almost exactly equal to that exhibited during the preceding 45 years. The death-rate in 1909 was 65 per cent. only of that recorded in the later "forties."

It will be observed that the passing of the Public Health Act in 1875 was followed by a considerable decline in the two succeeding quinquennia; but that this improvement was arrested during the two succeeding periods, only to be renewed, however, with increased vigour, from the period 1896-1900 onwards.†

* In recent Annual Reports attention has been drawn to the fact that the comparison of mortality rates as ordinarily stated per 1000 population may be very fallacious. The census returns show that the proportion of persons living at each age-group varies considerably in different localities and at different periods in the same locality. As the mortality both from all causes and from individual diseases varies greatly with age, and to a less degree with sex, it follows that crude death-rates at all ages, computed without allowance for these variations, are untrustworthy for the purpose of comparing the records of different localities or of the same locality at considerable intervals of time. For several years past, therefore, the death-rates in these Reports have been reduced to a common standard, showing the rates which would have obtained had the age and sex constitution of the populations in question been similar to that of England and Wales in 1901. In the Annual Report for 1905 (pp. xxxviii-xxxix) a full description was given of two methods used in this office for applying to crude death-rates the correction for differences of age and sex constitution: (1) the "direct" method (when the death-rates at the several age-groups are known) used in the Annual Reports; and (2) the "indirect" method (when the death-rates at the several age-groups are not known) used in the Annual Summaries. (See also page li.)

† The small-pox epidemic of 1871-72 appreciably increased the mortality for the years 1871-75, and if the small-pox mortality (see Table 29) be deducted from the calculation, the fall in mortality of the years 1871-75 was about equal to that of 1876-80. Similarly the elimination of mortality due directly or indirectly to influenza lowers the death-rate for the years 1891-95 by an amount which may be very roughly estimated at about 0·7 or more per 1000 living, deducting which the decline of the mortality curve from 1886-90 to 1891-95 would be greater than that from 1891-5 to 1896-1900.

DIAGRAM III.—ENGLAND AND WALES.—CORRECTED DEATH-RATES
from ALL CAUSES in QUINQUENNIA, 1838-1909.*



* The death-rates throughout the entire period are based upon the sex and age constitution of the population as enumerated in 1901. For method of correction, see page xxxvii.

TABLE XXX.—ENGLAND AND WALES.—ANNUAL RATE of MORTALITY per 1000 LIVING, corrected for SEX and AGE CONSTITUTION, 1838-1909.

(The figures in this table differ somewhat from those in Table 4, the latter table relating to crude death-rates.)

Period.	Persons.	Males.	Females.	Ratio, Male to Female.*	Period.	Persons.	Males.	Females.	Ratio, Male to Female.*
1838-40 ...	21.6	22.4	20.9	107	1876-80 ...	19.8	21.0	18.7	112
1841-45 ...	20.6	21.3	20.1	106	1881-85 ...	18.7	19.7	17.8	111
1846-50 ...	22.4	23.1	21.9	105	1886-90 ...	18.5	19.6	17.5	112
1851-55 ...	21.7	22.4	21.0	107	1891-95 ...	18.5	19.6	17.5	112
1856-60 ...	20.7	21.4	20.1	106	1896-1900...	17.6	18.8	16.5	114
1861-65 ...	21.4	22.3	20.6	108	1901-05 ...	16.0	17.1	15.0	114
1866-70 ...	21.2	22.2	20.3	109	1906-09 ...	14.9	15.9	14.0	114
1871-75 ...	20.9	22.0	19.8	111	1909 only ...	14.5	15.4	13.7	112

* i.e., the ratio of the male to the female mortality, the latter taken as 100.

Mortality of each Sex.—Diagram III. shows that the excess of male over female mortality gradually increased up to about the period 1871-75, since when it has remained approximately constant, the

absolute difference between the male and female death-rates in Table XXX. being as a rule slightly over 2 per 1000 population. The increase in the proportional excess of male mortality has, of course, been greater than that in the actual excess, owing to the fall in both rates which has occurred. Prior to 1861 the percentage excess of the male over the female corrected death-rate was about 6 per cent. (Table XXX.), whereas since 1895 it has been as much as 14 per cent. Since 1838-40 the death-rate of females has shown a decline of 34·4 per cent., as against 31·3 per cent. only in that of males. It is interesting to note that the greater decline in the mortality of females from phthisis more than accounts for the whole of this excess in the decline of female mortality from all causes.

Table XXXI. sets forth the causes of death which mainly account for the difference in mortality between the sexes. It shows that the excess of mortality of males in infancy (see page xlvii), and from phthisis, pneumonia and violence, accounts for the great bulk of the excess in the mortality in the male sex. The mortality of infants from pneumonia, tubercle, and other causes specified in the table is necessarily excluded from the figure inserted for infantile deaths, the excess in infantile mortality from all causes accounting for 53 per cent. of the total excess among males. The influence of alcohol is probably under-stated in the table. For instance, much of the excess of male mortality from pneumonia may be due to this cause, though the fact does not appear in the certificates.

TABLE XXXI.—ANALYSIS by CAUSES of DEATH of the EXCESS of MALE over FEMALE MORTALITY, 1909.

	Male mortality.	Female mortality.	Excess or deficiency of (1) compared with (2).	Per- centage of total male excess.
—	(1)	(2)	(3)	(4)
Phthisis	1·270	·903	+ ·367	21·7
Other forms of Tuberculosis ...	·479	·407	+ ·072	4·3
Pneumonia (all forms)	1·490	1·102	+ ·388	23·0
Alcoholism and Cirrhosis of Liver...	·177	·116	+ ·061	3·6
Cancer (excluding generative and mammary organs).	·812	·646	+ ·166	9·8
Violence	·766	·320	+ ·446	26·4
Infantile deaths not included above	2·742	1·983	+ ·759	45·0
Causes of death not particularised in this table.	7·610	7·587	+ ·023	1·3
Total	15·346	13·064	+ 2·282	135·1
Diseases incident to Pregnancy and Child-bearing.	—	·183	— ·183	10·8
Cancer (generative and mammary)	·014	·425	— ·411	24·3
All Causes	15·360	13·672	+ 1·688	100·0

Had it not been for the female mortality from child-bearing and from cancer of the generative organs, which is shared by males either not at all or to a very slight extent, the excess of male over female mortality would have been 35·1 per cent. greater than it actually was.

Mortality at Different Ages.—Table XXXII. analyses the fall in mortality at all ages recorded above, showing how the different age-groups in each sex have contributed to the total result and in what proportions the total change shown against each group has been distributed over the intervening decades. It might be represented by a series of curves in which the mortalities of the various age-groups, all starting together at a fixed point—100 per cent. of their mortality at the commencement of the period—would diverge fanwise in accordance with the varying degrees of reduction (or increase) since experienced.

TABLE XXXII.—ENGLAND AND WALES.—Ratio of the DEATH-RATES at TWELVE GROUPS of AGES to those recorded for the Period 1838-40.*

Ages.	1841- 1850.	1851- 1860.	1861- 1870.	1871- 1880.	1881- 1890.	1891- 1900.	1901- 1909.	1909.
<i>Males.</i>								
All Ages ...	99·1	97·8	99·6	96·0	87·9	85·7	74·1	68·8
Under 5 years...	98·1	99·7	101·2	94·2	84·8	86·4	68·6	55·5
5— ...	94·8	87·6	84·5	69·1	54·6	44·3	36·1	33·0
10— ...	96·2	92·5	84·9	69·8	56·6	45·3	37·7	35·8
15— ...	97·3	91·8	84·9	72·6	58·9	52·1	41·1	38·4
20— ...	100·0	92·6	89·5	77·9	60·0	53·7	43·2	38·9
25— ...	97·1	94·1	97·1	91·2	76·5	66·7	55·9	52·0
35— ...	100·0	96·9	104·7	107·0	96·1	89·1	75·2	70·5
45— ...	100·0	98·9	106·0	110·4	106·6	103·8	94·0	91·8
55— ...	99·1	96·3	103·1	108·7	108·1	108·7	102·8	102·2
65— ...	102·6	99·2	102·0	105·9	107·1	107·0	104·6	111·7
75— ...	103·0	101·9	102·2	104·7	101·8	101·5	95·8	98·5
85— ...	102·0	100·7	102·9	106·9	99·9	93·7	97·1	105·0
<i>Females.</i>								
All Ages ...	100·5	98·6	97·6	92·3	84·2	81·3	69·4	65·6
Under 5 years...	97·9	100·5	102·1	93·4	83·2	84·6	66·3	53·2
5— ...	94·7	89·4	83·0	66·0	56·4	46·8	38·3	35·1
10— ...	93·1	87·9	77·6	63·8	53·4	44·8	36·2	34·5
15— ...	95·2	89·2	79·5	66·3	53·0	44·6	33·7	31·3
20— ...	100·0	93·4	87·9	74·7	60·4	49·5	37·4	34·1
25— ...	102·9	96·1	94·2	83·5	71·8	59·2	46·6	42·7
35— ...	101·6	96·1	95·3	91·3	83·5	75·6	62·2	58·3
45— ...	101·3	96·2	98·7	98·7	95·6	93·0	83·5	82·3
55— ...	101·1	96·1	99·3	102·1	101·4	101·1	91·1	91·5
65— ...	106·5	102·4	103·1	106·5	105·4	105·9	100·2	107·2
75— ...	104·5	103·5	103·8	104·2	100·5	100·5	95·1	99·9
85— ...	105·4	103·8	102·4	106·5	97·3	93·9	98·7	107·8

* For the actual death-rates upon which the figures in this table are based, see Tables 15-17.

In studying this table it should be borne in mind that the estimates of population at various ages since 1900 are liable to revision as the result of the approaching Census. This will certainly affect the later portion of the table to some extent but not in all probability sufficiently to modify its character very materially.

The facts set forth in this table are perhaps so familiar that their remarkable nature attracts less attention than it might otherwise be

expected to receive. Whilst the mortality amongst boys aged 5-10 and girls aged 15-20 is less than one-third now of what it was seventy years ago, that of men over 55 and of women over 65 years of age has actually increased, according to the records.

A certain proportion of this apparent failure of the mortality of the elderly to decline concurrently with the advent of those improved health conditions which have had such an enormous influence upon the mortality at lower ages may not improbably be due to greater overstatement of age by the elderly in the earlier than in the later periods. It is stated in the Report on the Census of 1901 (page 56) that "The ages of old people are probably still on the whole overstated, both in the death registers and in the census returns; but they were overstated to a much greater extent from 30 to 60 years ago." Reasons are given in that Report for believing that the effect of such overstatement, if approximately equal in death registers and census returns, is to lower the recorded mortalities at the higher age-groups. These mortalities accordingly were probably more understated in former years than at the present time. Consideration of the mortalities at ages 75 and over recorded for Russia and Bulgaria in Tables lxxxviii and lxxxix confirms this conclusion, as it suggests that in those countries at all events the effect of overstatement of the age of old people is to reduce their recorded mortality.

A general tendency to decline may be noticed in the mortalities of these higher age-groups during the present decade. This is common to both sexes and is more pronounced than at any previous period.

It is interesting to note that the mortality of children under five years of age, which during the nineteenth century had declined less than that of any other of the age-groups of children or young adults, and in the last decade of the century showed an actual increase in both sexes, has during the present century declined more than that of any other group.

While the present is the era of greatest decline in the mortality of the youngest group of children, that of their immediate elders (5-15) declined most so far back as the "seventies" of last century, while for adolescents and young adults up to age 25 the "eighties" were the period of greatest decline. All the above statements apply to both sexes—a fact which evidences the striking uniformity of the diminution of mortality in the two sexes, as already illustrated by Diagram III. Not only does the fall in the mortality of the two sexes vary in the same manner from period to period when all ages are considered together, but individual age-groups keep pace with the corresponding groups of the opposite sex with surprising accuracy. Up to age 55 there is only one age-group, 25-35, of which the greatest decline in mortality is not shown by both sexes in the same decennial period. From 35 to 55 the greatest improvement has occurred, as in the case of the youngest children, during the decade now closing. The question suggests itself whether any relationship exists between these spurts in the amount of improvement shown by the various age-groups of the two sexes, occurring as they do simultaneously for each sex but at widely different periods in different age-groups, and changes in the environment having a selective influence upon different ages but a uniform influence upon the two sexes.

Table XXXIII., however, which might be represented by a series of logarithmic curves corresponding to the curves of arithmetical ratios which would represent Table XXXII., shows that when the comparison is made, not between the proportions of the total decline

which occurred at different periods, but between the declines in each decade as compared with the position in the previous decade, the current period shows the most rapid improvement at almost every age. The chief exception is at age 5-10, where the period of maximum improvement in the male sex was the "eighties" and in the female the "seventies." There are only six out of the twelve age-periods which do not show for males a more rapid fall in mortality during the current decade than in any previous one, and only two for females, although nine years only can as yet be brought into the comparison.

TABLE XXXIII.—ENGLAND AND WALES.—Ratio per cent. of the MORTALITIES in SEX and AGE-GROUPS, to those in the same groups in the immediately preceding period.

Ages.	1841- 1850.*	1851- 1860.	1861- 1870.	1871- 1880.	1881- 1890.	1891- 1900.	1901- 1909.	1909.*
<i>Males.</i>								
All Ages ...	99	99	102	96	92	97	86	93
0— ...	98	102	102	93	90	102	79	81
5— ...	95	92	96	82	79	81	81	91
10— ...	96	96	92	82	81	80	83	95
15— ...	97	94	93	85	81	88	79	93
20— ...	100	93	97	87	77	89	80	90
25— ...	97	97	103	94	84	87	84	93
35— ...	100	97	108	102	90	93	84	94
45— ...	100	99	107	104	97	97	90	98
55— ...	99	97	107	105	99	101	95	99
65— ...	103	97	103	104	101	100	98	107
75— ...	103	99	100	102	97	100	94	103
85 years and up- wards.	102	99	102	104	93	94	104	108
<i>Females.</i>								
All Ages ...	100	98	99	95	91	97	85	94
0— ...	98	103	102	92	89	102	78	80
5— ...	95	94	93	79	85	83	82	92
10— ...	93	94	88	82	84	84	81	95
15— ...	95	94	89	83	80	84	76	93
20— ...	100	93	94	85	81	82	76	91
25— ...	103	93	98	89	86	82	79	92
35— ...	102	95	99	96	91	91	82	94
45— ...	101	95	103	100	97	97	90	98
55— ...	101	95	103	103	99	100	90	100
65— ...	106	96	101	103	99	100	95	107
75— ...	105	99	100	100	96	100	95	105
85 years and up- wards.	105	98	99	104	91	97	105	109

* The rates in 1841-50 are compared with those in the three years 1838-40, and those in 1909 with 1901-9.

The similarity between the records for the two sexes is less complete when this form of comparison is employed, but is still sufficiently striking, as is well shown by comparing the changes for the single year 1909.

The year 1909, compared with the average for the years 1901-09, shows by far the greatest fall in mortality at age 0-5, and an appreciable increase in mortality at ages 65 and upwards.

Infantile Mortality.—Of the 518,003 deaths registered during the year in England and Wales, 99,430, or 19 per cent., were those of infants under one year of age, corresponding to a mortality rate of 109 per 1000 births. This rate was 29 per 1000 births, or 21 per cent., below the average in the ten years 1899–1908; and was 9 per 1000 births, or 8 per cent., below the lowest rate previously recorded, that for the year 1907.


It is well known that an important element in the total infantile mortality—that part of it due to diarrhoeal diseases—fluctuates widely from year to year in accordance with the heat and drought, or the reverse, experienced in the summer months. As the summers from that of 1907 on have all been cold and for the most part rainy, and therefore favourable to low diarrhoeal mortality, it is advisable to distinguish between the reduction in total infantile mortality due to diminution in mortality from diarrhoeal diseases and that due to diminished mortality from other causes. This is done both in Diagram IV., and in Table XXXIV., which shows for each year from 1891 onwards the mortality of infants per 1000 births from diarrhoeal diseases and from all other diseases respectively, as well as the total infantile mortality. This table shows that the great fall in infantile mortality which has marked the last ten years is not due mainly to the fact that fewer infants have died from diarrhoeal diseases. When the diarrhoeal deaths are put on one side the fall remains a very considerable one, though somewhat less considerable as well as less fluctuating than the fall in mortality from all causes, including diarrhoeal diseases. The table, in fact, supports the conclusion arrived at by Dr. Newsholme, in his recent report on Infant and Child Mortality,* that “the improvement experienced has not been entirely due to “more favourable climatic conditions.”

TABLE XXXIV.—ENGLAND AND WALES.—INFANTILE MORTALITY, 1891–1909.

Year.	Deaths under one year of age per 1000 births.		
	Total.	Diarrhoeal Diseases.	Total less Diarrhoeal Diseases.
1891	149	13	136
1892	148	15	133
1893	159	28	131
1894	137	12	125
1895	161	28	133
1896	148	21	127
1897	156	31	125
1898	160	36	124
1899	163	40	123
1900	154	28	126
1901	151	32	119
1902	133	15	118
1903	132	18	114
1904	145	30	115
1905	128	21	107
1906	132	31	101
1907	118	12	106
1908	120	20	100
1909	109	13	96

* Thirty-ninth Annual Report of the Local Government Board, 1909–10. Supplement to the Report of the Board's Medical Officer, containing a Report by the Medical Officer on Infant and Child Mortality.

DIAGRAM IV.—ENGLAND AND WALES.—INFANTILE MORTALITY both from ALL CAUSES and from ALL CAUSES other than DIARRHŒAL DISEASES, and METEOROLOGY, 1870-1909.



It will be seen from Table XXXIV. also that real progress may be masked by unfavourable climatic conditions resulting in high diarrhœal mortality, as in 1906, and that conversely apparent improvement may have to be discounted as being entirely due to a diminution in diarrhœal deaths probably attributable to climatic conditions. Fortunately the improvement recorded for 1909 survives the application of this test, since the rate is the lowest on record whether diarrhœal deaths be included or not, but with diarrhœal diseases eliminated the degree of improvement is less, and it is noteworthy that the improvement in non-diarrhœal mortality upon 1906 is only 5 per 1000 births as against 23 per 1000 when diarrhœal deaths also are reckoned.

It will be seen also that although the diminution in mortality from all causes has been fairly steady since 1899, yet, when diarrhœal deaths are eliminated, the improvement up to 1904 is found to have been comparatively slight, though very considerable since that year. It is impossible to avoid associating this decline with the simultaneous increase of effort to reduce infant mortality.

If the records for a long series of years are examined it will be noticed that the fluctuations in infantile mortality are most marked in the third quarter of the year, when epidemic diarrhœa most influences the death-rate. A notable rise in the rate of mortality in the third quarter corresponds with high summer temperature,

especially if accompanied by deficient rainfall, and a preponderant share in bringing about the exceptionally low diarrhœal mortality of 13 per 1000 births in 1909 must be attributed to the unusually cold and wet summer experienced.

Previously to 1909 there had been only four years since 1869 with a mean earth temperature at Greenwich in the third quarter below 60°, namely, 1879, 1888, 1902, and 1907. The temperature and rainfall (at Greenwich) for the five years, and their total and diarrhœal infantile mortalities, compare as follows :—

TABLE XXXV.

				Third Quarter.			Year.		
				Earth Tem- perature at depth of 3 ft. 2 ins.	Rain- fall.	Days with Rain- fall.	Infantile Mortality.		
							All Causes.	Diarrhœal Diseases.	All Causes less Diarrhœal Diseases.
				°	Ins.				
1879	59·4	11·7	53	135	8	127
1888	59·3	11·2	50	136	11	125
1902	59·6	5·7	39	133	15	118
1907	59·2	3·5	32	118	12	106
1909	59·2	7·4	46	109	13	96
Average since 1869				61·5	6·7	38	144	20	124

This statement clearly shows that in previous years with similar summers to that of 1909, the diarrhœal mortality has been almost as low if not lower, but that in these years the infant mortality from causes other than diarrhœal diseases was never nearly so low as in 1909. The decline then must be regarded as largely due to causes other than the recurrence of summers unfavourable to the development of fatal diarrhœa. (See also Diagram IV.)

Table 39 contrasts the mortality of 1909 with the average for the five preceding years, and Table XXXVI. presents an analysis of the fall of 16 per cent. shown.

TABLE XXXVI.—INFANTILE MORTALITY.—ENGLAND AND WALES, 1909.—
Percentage reduction as compared with 1904–08.

Cause of Death.				Under 3 Months.	3–6 Months.	6–12 Months.	Under 1 Year.
All Causes	10	24	20	16
Common Infectious Diseases	28	26	9	14
Diarrhœal Diseases	36	46	49	45
Developmental and Wasting Diseases	4	10	2	4
Tuberculous Diseases	28	24	18	21
Convulsions	16	18	18	17
Bronchitis and Pneumonia	13	12	8	10

The mortalities in each portion of the first year of life were the lowest on record. That for the first three months, 60·12, is 10 per cent. lower than the average for the five preceding years, while the corresponding fall at ages 3-6 months is no less than 24 per cent., and at 6-12 months 20 per cent., the resultant mortalities being respectively 19·20 and 29·41 per 1000 births. The improvement shown in the second three months of life especially is remarkable. If these rates are compared with those of ten years ago, *i.e.*, the year 1899, we find falls of 22, 46 and 41 per cent. respectively, for the three age-periods, so that the mortality at 3-6 months of age is little more than half what it was only ten years ago.

All the important causes of death except measles and congenital defects contributed to the decline shown in Table 39. The greatest fall was that from diarrhœal diseases, 45 per cent., and next to it tuberculous diseases, 21 per cent., convulsions, 17 per cent., common infectious diseases as a whole, 14 per cent., and the principal respiratory diseases (bronchitis and pneumonia), 10 per cent. The large group of developmental and wasting diseases, which find their victims almost entirely amongst young infants, shows the small reduction of 4 per cent. only. This accounts for the comparative smallness of the reduction from all causes at this age, as from most other causes, except diarrhœal diseases, the reduction at 0-3 months compares not unfavourably with those at the later periods. The deaths from developmental and wasting diseases formed 61 per cent. of all deaths at this age, so it is evident that without a substantial improvement under this head comparatively little reduction can be looked for in the mortality at this period, which is so much the most important of the three, as contributing more than half the total mortality.

Even here, however, some grounds for hoping that real progress is being made are afforded by Table XXXVII., which compares the mortalities from these diseases both separately and in the aggregate

TABLE XXXVII.—ENGLAND and WALES.—DEATHS of CHILDREN under ONE YEAR of AGE from DEVELOPMENTAL and WASTING DISEASES per 1000 BIRTHS, 1886-1909.

		Proportion of Deaths to 1000 Births of each Sex.							
		1886-1890.	1891-1895.	1896-1900.	1901-1905.	1906.	1907.	1908.	1909.
Premature Birth.	Both Sexes	16·1	18·4	19·6	20·2	20·4	19·8	19·9	19·9
	Males ...	17·8	20·3	21·7	22·4	22·6	21·8	22·1	21·9
	Females...	14·4	16·4	17·5	18·1	18·1	17·8	17·6	17·9
Congenital Defects.*	Both Sexes	4·2	4·7	4·9	5·9	6·6	6·6	6·7	6·6
	Males ...	4·7	5·2	5·5	6·6	7·2	7·4	7·5	7·2
	Females...	3·7	4·1	4·3	5·2	5·9	5·8	5·9	5·9
Atrophy, Debility, Marasmus.	Both Sexes	21·7	21·5	20·5	17·9	16·1	15·0	15·0	14·4
	Males ...	23·5	23·7	22·5	19·8	17·8	17·0	16·8	16·1
	Females...	19·7	19·4	18·4	15·8	14·3	13·0	13·1	12·8
Total : Developmental and Wasting Diseases.	Both Sexes	42·0	44·6	45·0	44·0	43·1	41·4	41·6	40·9
	Males ...	46·0	49·2	49·7	48·8	47·6	46·2	46·4	45·2
	Females...	37·8	39·9	40·2	39·1	38·3	36·6	36·6	36·6

* Excluding Injury at Birth.

since the year 1885. It will be seen that the total mortality under these headings reached its maximum for both sexes in the period 1896-1900 and has since then declined to the extent of 9 per cent. in each sex. It may be mentioned also that, as pointed out by Dr. Newsholme in his recent report upon infantile mortality, it is very possible that the real decline somewhat exceeds this figure, owing to decrease in the practice of omitting to register births of living premature children, which have been in many instances reported as still-births (see the Annual Report for 1909 of the Medical Officer of Health for Leeds for remarks on this subject).

The decrease in recorded mortality from the indefinite heading atrophy, debility, marasmus, and increase in that from premature birth and congenital defects suggest that deaths formerly attributed to the less, are now frequently attributed to the more definite headings, and that it is safer, at all events when considering the records of the earlier years, to study the mortality from this group of causes as a whole than to attempt its analysis.

TABLE XXXVIII.—INFANTILE MORTALITY.—ENGLAND AND WALES, 1909.—
MORTALITY OF MALE AND FEMALE INFANTS.

Cause of Death.	Under 3 Months.			3 to 6 Months.			6 to 12 Months.			Under 1 Year.		
	Proportion per 1000 Births.		Ratio.*	Proportion per 1000 Births.		Ratio.*	Proportion per 1000 Births.		Ratio.*	Proportion per 1000 Births.		Ratio.*
	Males.	Fe-males.		Males.	Fe-males.		Males.	Fe-males.		Males.	Fe-males.	
All Causes	67·48	52·49	129	21·10	17·21	123	31·53	27·18	116	120·11	96·88	124
Whooping-cough ..	0·72	0·76	95	0·78	0·85	92	1·81	2·20	82	3·31	3·81	87
Diarrhoeal Diseases ..	4·47	3·26	137	4·69	3·69	127	4·88	4·25	115	14·04	11·20	125
Premature Birth ..	21·66	17·64	123	0·17	0·19	89†	0·05	0·03	167†	21·88	17·86	123
Congenital Defects ..	6·39	5·18	123	0·44	0·44	100	0·40	0·31	129	7·23	5·93	122
Atrophy, Debility, Marasmus.	12·03	9·00	134	2·50	2·29	109	1·54	1·46	105	16·07	12·75	126
Tuberculous Diseases..	0·71	0·46	154	1·33	1·04	128	2·50	1·94	129	4·54	3·44	132
Convulsions	7·45	5·40	138	2·18	1·75	125	1·66	1·31	127	11·29	8·46	133
Bronchitis and Pneumonia.	5·78	4·32	134	5·16	3·91	132	10·31	8·54	121	21·25	16·77	127

* *i.e.*, the ratio of Male to Female mortality, the latter taken as 100.

† These rates are of little or no significance owing to the paucity of the data upon which they are founded.


Table XXXVIII. contrasts the mortality of male with that of female infants, and shows that as in 1908 the mortality of males was 24 per cent. above that of females, and that all the principal causes of death except whooping-cough display the same feature, and on the whole to a very uniform extent. The excess of mortality amongst males from premature birth is almost exactly the same, 23 per cent. The difference in the case of these deaths cannot well be attributed to greater difficulty in the births of males, as premature births are easy. Neither, assuming equal care for both sexes, can the difference depend upon the post-natal environment. It seems necessary therefore to attribute the difference to pre-natal influence in the case

TABLE XLI.—INFANTILE MORTALITY RATES in each REGISTRATION COUNTY in QUINQUENNIAL PERIODS 1876-1905, and in the YEARS 1906, 1907, 1908, and 1909.

Registration Counties.	Deaths of Children under 1 year to 1000 Births.										Increase (+) or Decrease (-) per cent. in each County between the period 1876-80 and 1909.
	Quinquennial Periods.						Years.				
	1876- 1880.	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.	
England and Wales	145	139	145	151	156	138	132	118	120	109	-24·8
England, exclud- ing Monmouth- shire.	146	139	145	150	156	137	132	117	119	108	-26·0
Wales, including Monmouthshire.	129	128	141	153	157	145	137	125	137	113	-12·4
London	154	150	154	156	163	140	133	117	116	110	-28·6
Surrey	115	110	109	116	127	105	109	88	84	80	-30·4
Kent	123	114	119	123	135	118	114	96	91	81	-34·1
Sussex	114	107	111	115	121	101	96	89	86	81	-28·9
Hampshire ..	116	108	116	122	132	110	103	93	91	84	-27·6
Berkshire ..	117	102	108	110	118	101	97	83	83	86	-26·5
Middlesex ..	130	127	130	130	146	121	118	98	93	86	-33·8
Hertfordshire ..	115	108	109	109	111	92	104	80	81	73	-36·5
Buckinghamshire	129	115	117	113	114	98	94	84	83	74	-42·6
Oxfordshire ..	125	109	116	114	113	99	87	92	79	87	-30·4
Northamptonshire	141	129	134	134	132	115	106	95	93	89	-36·9
Huntingdonshire	121	107	106	120	116	95	99	73	83	84	-30·6
Bedfordshire ..	146	130	131	124	128	106	118	101	93	85	-41·8
Cambridgeshire ..	135	120	123	124	124	107	108	88	107	82	-39·3
Essex	125	124	128	132	150	127	123	101	98	90	-28·0
Suffolk	123	112	116	121	121	111	105	99	95	85	-30·9
Norfolk	147	131	138	141	143	128	123	106	109	97	-34·0
Wiltshire ..	108	101	104	103	102	91	84	77	79	74	-31·5
Dorsetshire ..	107	97	96	100	103	92	91	77	78	79	-26·2
Devonshire ..	126	116	125	128	134	118	112	103	105	95	-24·6
Cornwall ..	145	133	142	144	137	117	101	99	105	99	-31·7
Somersetshire ..	119	110	110	114	115	95	89	90	83	85	-28·6
Gloucestershire ..	135	123	125	132	131	114	110	96	108	94	-30·4
Herefordshire ..	117	104	114	115	108	101	100	87	74	91	-22·2
Shropshire ..	124	114	120	115	114	105	98	91	100	90	-27·4
Staffordshire ..	155	152	160	168	176	151	144	133	134	131	-15·5
Worcestershire ..	135	129	139	141	141	124	116	110	104	104	-23·0
Warwickshire ..	152	145	154	160	178	152	152	126	127	118	-22·4
Leicestershire ..	169	161	168	167	161	140	142	114	121	110	-34·9
Rutlandshire ..	120	110	113	113	108	97	88	89	89	85	-29·2
Lincolnshire ..	135	127	136	141	144	131	127	114	112	108	-20·0
Nottinghamshire	159	154	155	156	170	153	145	146	134	126	-20·8
Derbyshire ..	137	131	138	144	148	133	120	119	115	112	-18·2
Cheshire	140	137	146	155	157	138	130	113	120	105	-24·3
Lancashire ..	165	161	170	177	181	161	157	138	144	130	-21·2
West Riding ..	158	152	160	164	165	152	143	131	135	114	-27·8
East Riding (with York).	156	147	152	164	168	149	140	121	129	104	-33·3
North Riding ..	135	132	138	144	149	140	142	127	129	121	-10·4
Durham	153	150	154	166	169	158	154	135	147	125	-18·3
Northumberland ..	142	139	146	155	167	151	143	118	143	118	-16·9
Cumberland ..	131	120	125	128	132	127	124	125	127	113	-13·7
Westmorland ..	107	102	99	109	104	89	88	87	102	73	-31·8
Monmouthshire ..	133	132	148	149	154	142	129	126	136	103	-22·6
Glamorganshire ..	138	143	159	173	175	158	150	136	151	121	-12·3
Carmarthenshire ..	117	115	124	141	143	142	112	113	139	127	+ 8·5
Pembrokeshire ..	115	111	120	124	122	116	115	102	103	100	-13·0
Cardiganshire ..	99	93	100	120	119	119	116	104	114	110	+11·1
Brecknockshire ..	128	124	137	140	134	124	96	114	116	100	-21·9
Radnorshire ..	124	115	113	125	114	105	119	74	109	79	-36·3
Montgomeryshire	111	104	108	106	114	103	96	97	75	88	-20·7
Flintshire	120	106	112	120	126	101	120	104	106	81	-32·5
Denbighshire ..	134	123	131	139	153	136	154	113	125	110	-17·9
Merionethshire ..	129	120	122	141	152	130	123	127	118	90	-30·2
Carnarvonshire ..	132	122	118	135	138	136	144	108	115	104	-21·2
Anglesey	114	113	120	115	128	131	132	94	96	120	+ 5·3

DIAGRAM V.—INFANTILE MORTALITY IN EACH REGISTRATION COUNTY OF ENGLAND & WALES, 1909.

= 0-1mo.
 = 1-3mos.
 = 3-6mos.
 = 6-12mos.



NOTE:—THE THICK VERTICAL LINE MARKS THE PROPORTION OF DEATHS UNDER ONE YEAR OF AGE TO 1000 BIRTHS IN ENGLAND AND WALES AS A WHOLE.

Among counties with populations of more than 100,000 persons the highest and lowest proportions in the year 1909 of deaths of children under one year to 1000 births were as follows :—

TABLE XLII.

Registration Counties with Highest Rates of Infantile Mortality.	Deaths of Children under 1 year to 1000 Births.	Registration Counties with Lowest Rates of Infantile Mortality.	Deaths of Children under 1 year to 1000 Births.
England and Wales 109.			
Staffordshire	131	Hampshire	84
Lancashire	130	Cambridgeshire	82
Carmarthenshire	127	Kent	81
Nottinghamshire	126	Sussex	81
Durham	125	Surrey	80
North Riding of Yorkshire	121	Dorsetshire	79
Glamorganshire	121	Buckinghamshire	74
Warwickshire	118	Wiltshire	74
Northumberland	118	Hertfordshire	73

Centenarians.—Among the deaths registered during the year there were 61 of reputed centenarians, 16 of whom were males and 45 females. In the preceding three years the numbers had been 65, 59, and 64, respectively.

Death-rates in Counties.—In Table XLIII. the crude death-rate of each county during the year 1909 is compared with its death-rate as corrected on the basis of the sex and age constitution of the population of the whole country as enumerated at the last census. This correction has increased the crude death-rate in 14 counties, all of a predominantly urban character, with an aggregate estimated population of 22,976,833, and has diminished the crude rate in 41 counties, largely or mainly rural in type of population, and with an aggregate population of only 12,779,782. Table XLIII. may be compared with Table XLV. upon this point. The greatest increase, 1·9 per 1000, is in the case of Lancashire, and the greatest decrease, 3·7, in that of Cardiganshire. Contrasting these extreme examples, the mortality of the essentially urban county of Lancashire is found to have been increased by correction from 16·6 to 18·5, whilst that of Cardiganshire, which is mainly rural, has been reduced from 18·0 to 14·3 per 1000. In other words, whilst the crude rate of Lancashire is lower by 7·8 per cent. than that of Cardiganshire, the corrected rate shows an excess of 29·4 per cent. The explanation is that whilst Lancashire contains an abnormally small proportion of persons at the more advanced ages, at which the rate of mortality is high, Cardiganshire contains an abnormally large proportion of old people ; in the former county less than $3\frac{1}{2}$ per cent. of the population in 1901 exceeded the age of 65 years, whereas in the latter county the proportion amounted to nearly 9 per cent. From this it is evident that crude death-rates in counties cannot properly be used for comparative purposes.*

* See footnote, page xxxvii.

TABLE XLIII.—ENGLAND and WALES : COMPARISON of CRUDE and CORRECTED DEATH-RATES in REGISTRATION COUNTIES, 1909.

Registration County.	Crude Death-rates.	Corrected Death-rates.*	Increase or Decrease of Death-rate due to Correction.
England and Wales	14·5	14·5	—
London	14·2	14·9	+ 0·7
Surrey	12·9	12·8	— 0·1
Kent	12·0	11·4	— 0·6
Sussex	13·5	11·9	— 1·6
Hampshire	13·4	12·5	— 0·9
Berkshire	13·3	11·8	— 1·5
Middlesex	11·7	12·5	+ 0·8
Hertfordshire	14·0	12·3	— 1·7
Buckinghamshire	12·8	11·0	— 1·8
Oxfordshire	14·8	12·5	— 2·3
Northamptonshire	12·5	11·6	— 0·9
Huntingdonshire	14·2	10·8	— 3·4
Bedfordshire	13·9	12·3	— 1·6
Cambridgeshire	14·2	11·6	— 2·6
Essex	11·9	12·1	+ 0·2
Suffolk	13·6	11·2	— 2·4
Norfolk	14·2	11·5	— 2·7
Wiltshire	13·1	11·0	— 2·1
Dorsetshire	13·1	11·2	— 1·9
Devonshire	14·3	12·4	— 1·9
Cornwall	14·9	12·4	— 2·5
Somersetshire	13·7	11·5	— 2·2
Gloucestershire	13·6	12·6	— 1·0
Herefordshire	14·7	11·6	— 3·1
Shropshire	14·8	12·5	— 2·3
Staffordshire	15·7	16·2	+ 0·5
Worcestershire... ..	13·5	13·1	— 0·4
Warwickshire	15·4	15·7	+ 0·3
Leicestershire	13·2	13·1	— 0·1
Rutlandshire	15·5	12·3	— 3·2
Lincolnshire	14·4	12·6	— 1·8
Nottinghamshire	15·3	15·4	+ 0·1
Derbyshire	13·6	13·9	+ 0·3
Cheshire... ..	14·5	15·1	+ 0·6
Lancashire	16·6	18·5	+ 1·9
West Riding of Yorkshire	14·6	15·8	+ 1·2
East Riding of Yorkshire	14·1	13·7	— 0·4
North Riding of Yorkshire	16·1	15·6	— 0·5
Durham	15·3	16·2	+ 0·9
Northumberland	15·2	15·9	+ 0·7
Cumberland	15·4	15·0	— 0·4
Westmorland	12·8	11·2	— 1·6
Monmouthshire	15·5	15·6	+ 0·1
Glamorganshire	15·7	17·0	+ 1·3
Carmarthenshire	16·5	15·9	— 0·6
Pembrokeshire... ..	16·0	14·2	— 1·8
Cardiganshire	18·0	14·3	— 3·7
Brecknockshire	16·6	14·8	— 1·8
Radnorshire	10·7	9·4	— 1·3
Montgomeryshire	14·7	11·6	— 3·1
Flintshire	15·6	14·4	— 1·2
Denbighshire	15·6	14·6	— 1·0
Merionethshire... ..	14·5	12·7	— 1·8
Carnarvonshire... ..	14·4	13·0	— 1·4
Anglesey	15·7	13·1	— 2·6

* Based on the sex and age-constitution of the population of England and Wales at the Census of 1901. See page xxxvii.

Among Registration Counties the highest and lowest corrected death-rates during the year were as follows :—

TABLE XLIV.

Registration Counties.	Highest Corrected Death-rates.	Registration Counties.	Lowest Corrected Death-rates.
Lancashire	18·5	Kent	11·4
Glamorganshire	17·0	Suffolk	11·2
Staffordshire	16·2	Dorsetshire	11·2
Durham	16·2	Westmorland	11·2
Northumberland	15·9	Buckinghamshire	11·0
Carmarthenshire	15·9	Wiltshire	11·0
West Riding of Yorkshire	15·8	Huntingdonshire	10·8
Warwickshire	15·7	Radnorshire	9·4

In addition to Table XLI. which deals with infantile mortality, Tables 18 to 21 give the death-rates at various age-groups for males and females separately in each of the registration counties of England and Wales. Tables 18 and 19, showing the age and sex mortality in the several counties during the quinquennium immediately preceding the year under review, are inserted in this Report for the first time.

They afford in some respects an improved means of comparison, but it should be borne in mind with regard to all tables of this description that, at a period so remote from the last census, the estimated populations upon which the rates are based must be somewhat unreliable.

Mortality in Urban and Rural Districts.—In order to show the incidence of mortality in the chief centres of industry as compared with that of the rural areas, the selection from the English and Welsh counties, first made in 1901, has been retained since that date. The counties in each selected group are enumerated at foot.*

Table XLV. states the annual rates of mortality at all ages and from all causes in the year 1909, side by side with the corresponding average rates for the quinquennium, 1904-08, for these two groups of counties. It shows that both in the year 1909 and in the previous quinquennium the urban rates of mortality were higher than the

* (i) *Urban Registration Counties.*

Glamorgan.
Lancaster.
London.
Middlesex.
Monmouth.
Northumberland.
Nottingham.
Stafford.
Warwick.
East Riding } Yorks.
West Riding }

(ii) *Rural Registration Counties.*

Buckingham.
Cambridge.
Cornwall.
Hereford.
Huntingdon.
Lincoln.
Norfolk.
Oxford.
Rutland.
Salop.
Somerset.
Suffolk.
Welsh Division (less Monmouth and Glamorgan).
Westmorland.
Wilts.

Estimated population of Urban Counties,
middle of 1909—19,414,388.

Estimated population of Rural Counties,
middle of 1909—4,403,139.

rural, and that in both areas the rates for males were considerably above those for females. In each county group there has been a fairly uniform fall in the general death-rate for each sex, compared with the average in the previous five years. From this table it appears that correction for age and sex constitution of population (*see* page li) has increased the average general death-rate in the urban group of counties by 4·7 per cent., and has reduced the average rate in the rural group by 12·7 per cent., thus greatly augmenting the urban excess.

TABLE XLV.

All Causes.		Crude Rates.		Corrected Rates.*		
		Average 1904-08.	Year 1909.	Average 1904-08.	Year 1909.	Ratio.†
Mortality per Thousand Living at All Ages.						
Both Sexes	{ England and Wales.	15·298	14·487	15·298	14·487	95
	{ Urban Counties ...	16·010	15·075	16·768	15·904	95
	{ Rural Counties ...	14·901	14·371	13·013	12·400	95
Males	{ England and Wales.	16·314	15·360	16·314	15·360	94
	{ Urban Counties ...	17·144	16·066	17·940	16·934	94
	{ Rural Counties ...	15·633	14·997	13·719	13·008	95
Females	{ England and Wales.	14·349	13·672	14·349	13·672	95
	{ Urban Counties ...	14·948	14·149	15·670	14·940	95
	{ Rural Counties ...	14·220	13·789	12·351	11·831	96

* See footnote, p. xxxvii.

† *i.e.*, the ratio of the corrected death-rates in 1909 to those in 1904-08, the latter taken as 100.

Table XLVI. shows the death-rates of each sex per 1000 living at several groups of ages, the areas dealt with being those specified in the preceding table. Speaking generally the rates in 1909 show a reduction, as compared with the average for the previous five years, at all age-groups below 55 years, the reduction being greatest among children under five years of age. The rates at different ages in both county groups show variations from the previous average very similar to those in the country generally.

The experience of 1904-08 and of 1909 confirms that of previous years in showing that in both sexes the mortality in the urban area generally exceeds that in the rural at the several stages of life. This is especially true respecting children under the age of 10 years, and adults at ages 35-65 years; the greatest difference, both actual and proportional, occurring among children under five years of age. On the other hand, the rates for 1904-08 and for 1909 agree with those of recent previous years in showing excess of mortality in the rural counties among young adults of both sexes—in men at ages 20-25, and in women at ages 15-35. This feature has been strongly marked in the case of young adults dying of pulmonary tuberculosis.*

* For further remarks on this point *see* page lxxiii of this Report and page lxxiv of the Annual Report for 1906.

TABLE XLVI.


All Causes. Mortality at Age-groups, per Thousand Living.		Average 1904-1908.			Year 1909.		
		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	44·542	50·634	32·705	36·780	41·902	27·553
	5—	3·397	3·688	2·851	3·275	3·603	2·564
	10—	2·017	2·145	1·857	1·940	2·092	1·780
	15—	2·827	2·858	2·950	2·706	2·743	2·753
	20—	3·592	3·504	4·104	3·349	3·301	3·816
	25—	5·114	5·183	5·194	4·837	4·915	4·988
	35—	8·551	9·288	7·244	8·231	8·934	7·147
	45—	14·805	16·604	11·760	14·738	16·565	12·063
	55—	29·041	32·853	23·521	29·046	32·842	22·933
	65—	87·390	92·546	83·716	92·138	98·329	86·187
Males	0—	48·640	55·098	36·255	40·340	45·820	30·794
	5—	3·353	3·657	2·834	3·225	3·508	2·497
	10—	1·963	2·104	1·783	1·877	2·010	1·753
	15—	2·931	3·023	2·866	2·829	2·907	2·675
	20—	3·937	3·804	4·411	3·658	3·597	4·122
	25—	5·582	5·639	5·478	5·271	5·311	5·212
	35—	9·414	10·188	7·854	9·102	9·792	7·784
	45—	16·758	18·823	13·197	16·664	18·825	13·436
	55—	33·063	37·639	26·536	32·824	37·472	25·631
	65—	92·644	99·019	88·040	97·281	105·100	90·451
Females	0—	40·465	46·204	29·161	33·241	38·017	24·322
	5—	3·440	3·719	2·869	3·325	3·696	2·631
	10—	2·071	2·185	1·933	2·003	2·174	1·807
	15—	2·725	2·700	3·037	2·585	2·586	2·833
	20—	3·283	3·237	3·833	3·074	3·037	3·545
	25—	4·695	4·768	4·948	4·447	4·554	4·793
	35—	7·745	8·433	6·688	7·418	8·119	6·567
	45—	12·998	14·513	10·475	12·958	14·436	10·836
	55—	25·519	28·669	20·893	25·741	28·795	20·583
	65—	83·343	87·756	80·254	88·180	93·321	82·778

CAUSES OF DEATH.

As in previous Annual Reports, the causes of death of males and females at specified age-groups will be found in the abstracts at pages 294 to 313 of the present volume; and in the tables on pages 24 to 65 the deaths are shown at all ages, from the same causes, for a series of 20 years. In the lower part of these tables the facts have been reduced to rates per million living of the respective sexes. On page 23 Table 22 is continued from previous reports; it shows the average mortality from certain causes in each of seven quinquennia, beginning with the year 1871. On page 66 Table 29 is likewise continued from previous reports; this table traces back the mortality from the principal epidemic diseases during a period of 50 years.

The proportions in which the more prevalent diseases contribute to the death roll are shown by Diagram VI., in which the whole area of the circle represents deaths from all causes, and the various segments deaths from particular causes or groups of causes. It will be noted what a large proportion of the whole number of deaths is attributed to a few of the more important diseases, especially tuberculosis, pneumonia, bronchitis, and cancer, which together contribute more than one-third of the total mortality.

DIAGRAM VI.—ENGLAND AND WALES.—PROPORTIONS OF DEATHS from the PRINCIPAL CAUSES to TOTAL DEATHS, 1909.



	Proportion per 1000 deaths from All Causes.	Rate per 1000 living.
Measles	24.4	0.35
Influenza	17.4	0.25
Whooping-cough	13.9	0.20
Diphtheria	10.1	0.15
Diarrhoea and Dysentery	19.9	0.29
Pneumonia	89.0	1.29
Tuberculosis (all forms)	105.1	1.52
Phthisis	(74.6)	(1.08)
Cancer	65.7	0.95
Premature Birth and Congenital Defects	44.7	0.65
Diseases of Nervous System	62.2	0.90
Diseases of Heart	98.3	1.42
Diseases of Blood Vessels	62.9	0.91
Diseases of Respiratory System	94.1	1.36
Bronchitis	(78.8)	(1.14)
Diseases of Digestive System	52.2	0.76
Diseases of Urinary System	33.9	0.49
Atrophy, Debility	27.0	0.39
Old Age	65.6	0.95
Violence	37.0	0.53
Other Causes	76.6	1.13
All Causes	1000.0	14.49


It has already been mentioned that the death-rate from all causes was lower during 1909 than in any previous year. The same remark holds good of the death-rates from tuberculosis of all forms, pulmonary tuberculosis, enteric fever, whooping-cough, and from both diarrhoea as stated in Table 29 and the diarrhoeal diseases in general as defined on page lxvii. The mortality from diphtheria was the lowest experienced since 1881, and was the lowest on record if the deaths ascribed to diphtheria and croup are considered conjointly as representing most nearly the true mortality due to this disease. The main factor in the reduction of the total death-rate was, as in several recent years, the unprecedentedly low mortality of children under five years of age, which much more than counterbalanced the slightly increased mortality of the aged (*see* Table XXXIII.). On the other hand, measles, pneumonia and cancer caused increased mortality during the year, that from cancer being once more the highest recorded.

It is desirable to extend the comparison so as to indicate which diseases have contributed most to the great fall in mortality of recent years. Diagram VII. does this for a period of about 30 years, comparison being made with the average for the quinquennium 1876-80, when the Public Health Act had just come into force. It will be seen that the principal contribution to the general decrease comes from the mortality attributed to bronchitis, but reasons will be given later for believing this to be largely due to transfer of many of these deaths to pneumonia, under which heading is recorded the only large increase except that due to cancer. But although the increase under pneumonia is probably fictitious, and the decrease under bronchitis has to be considerably discounted, still, when allowance is made for transfer between the two headings by considering them jointly, a very large balance remains on the side of diminution in mortality from inflammation of the lungs and bronchi. The most notable diminutions, however, are those from the diseases against which the efforts of sanitarians have been chiefly directed—phthisis, diarrhoeal diseases, scarlet and enteric fevers especially. The decrease in diarrhoeal mortality is largely due to the accident of a cool wet summer, but in the other three cases the improvement is regularly sustained from year to year. The decrease from whooping-cough resembles that from diarrhoeal diseases in being in great measure attributable to the accident of a year of exceptionally low mortality having been selected for comparison, but any recent year would show a very considerable lessening of mortality from this cause as compared with the earlier period selected. There has been considerable improvement in mortality from both whooping-cough and measles of late years, though both diseases are generally regarded as refractory to the influences of preventive medicine. The explanation may lie in a more general realisation of their gravity, and consequent greater care in nursing, as well as in the effect of improvement of the sanitary surroundings of patients attacked by these diseases which would tend to lessen their fatality. On the other hand, it is necessary to bear in mind that diseases of the epidemic type are liable to cyclical changes in virulence acting independently of any known modification of the conditions affecting their spread and course.

Cancer stands out as the one cause of death accounting for a really important and significant increase of mortality, as the increases shown as due to pneumonia and kidney disease are readily explicable by changes in the practice of certification. How far improvement in

diagnosis and certification accounts for the cancer increase it is difficult to say. Doubtless it does so to a very large extent, but in the section on cancer facts will be mentioned which seem to point to the reality of increase in the case, at all events, of certain organs.

DIAGRAM VII.—ENGLAND AND WALES.—CAUSES OF DEATH showing the greatest INCREASE or DECREASE in 1909, as compared with 1876-80.



GENERAL DISEASES.

Small-pox.—The deaths attributed to small-pox numbered 21, comparing with 2,464, 760, 507, 116, 21, 10, and 12 in the years from 1902 to 1908 respectively. Nine of the 21 deaths occurred in Gloucestershire, four in Kent, two each in Somersetshire, the East Riding of Yorkshire and Glamorganshire, and one each in Devonshire and Cheshire. Of the nine deaths in Gloucestershire, seven belonged to the City of Bristol, and of the four deaths in Kent, two belonged to London. Eleven deaths have been tabulated under the heading cow-pox and other effects of vaccination; but these include not only the deaths which were stated by medical practitioners or by coroners to have been due to vaccination, but also those in which vaccination appeared from the certificates to have been in any way connected with the cause of death.

Measles.—The death-rate at all ages from measles, which in 1908 was the lowest on record, 226 per million, increased in 1909 to 353. Reference to Table 29 will show that the alternation of years of high and low mortality is somewhat characteristic of measles, though, on the whole, the death-rate attributed to this disease has been considerably lower since the commencement of the present century than in previous years.

Dealing with children under five years of age, who furnished no less than 92 per cent. of the deaths at all ages, Table 39 shows that the mortality, 2·85 per 1000 living at that age, was somewhat above the average for the preceding quinquennium. The urban rate, 3·64 (Table 37), was above, but that in the rural group of counties, 1·00 (Table 38), was below the quinquennial average. It may be assumed that the contrast in mortality between the purely urban and the purely rural areas is still more remarkable. The highest county rates among children were experienced by Worcestershire, 4·58 per 1000, Staffordshire 5·26, and Warwickshire 5·40. In all these counties the mortality was above the average in the preceding quinquennium, the rates in Worcestershire and Warwickshire being more than twice the average. The deaths under one year of age numbered 2,674, and the distribution of this mortality throughout the year, as well as the mortality of each year of the first quinquennium of life, is set out in Table 34. As in many previous years, measles was most destructive to infants during the second year of life, the mortality for which amounted to 6·23 per 1000 living. Infantile mortality from measles in the several counties is shown in Table 42, where the deaths under one year appear in terms of the total births.

Scarlet Fever.—The deaths referred to scarlet fever in the year 1909 numbered 3,215 at all ages and of both sexes, and corresponded to a rate of 90 per million living. This rate is 10 per million above the rate in the preceding year, which was the lowest on record, but is 9 per million below the average in the five years immediately preceding.

Table 22 shows there has been an uninterrupted and very large decrease in the mortality from scarlet fever—the death-rate in 1901–05 being less than one-sixth of that in 1871–75. In the recently issued report for 1909 of the Metropolitan Asylums Board, which mainly relates to London, there appears a table showing the case-fatality among the admissions for scarlet fever in each of the years since the opening of the first hospital in 1870. If the period of 35 years last

ended be divided into quinquennia, the following data may be derived from that table :—

TABLE XLVII.

Scarlet Fever. (Quinquennia.)	Metropolitan Asylums Board Hospitals.			County of London.
	Admissions.	Deaths.	Fatality. (Ratio per cent. of deaths to admissions.)	Mean Annual Mortality per 1000 living.
1875-1879 ...	4,480	606	13.5	0.67
1880-1884 ...	9,041	1,067	11.8	0.55
1885-1889 ...	17,959	1,637	9.1	0.24
1890-1894 ...	51,038	3,324	6.5	0.24
1895-1899 ...	67,781	2,743	4.0	0.16
1900-1904 ...	60,885	2,064	3.4	0.10
1905-1909 ...	92,668	2,570	2.8	0.11

Although the mortality and the hospital fatality in London have declined to the striking and very similar extents shown, so that the decline in mortality would seem from the table to be due principally to that in fatality, it should be borne in mind that in earlier years the cases admitted were for the most part severe, with high fatality; whereas in recent years most of the known cases, including the milder ones, have been treated in hospital. It will be noticed, however, that in the latest quinquennium the decline in mortality has been arrested though that in fatality amongst hospital cases has continued.

The local distribution of mortality from scarlet fever varies widely. Table 33 shows that among the several counties with populations exceeding 100,000, the highest crude death-rates at all ages in 1909 were 162 per million in Cheshire, 167 in Dorsetshire, and 194 in Lancashire. The county rates in this table have not been adjusted for deaths in public institutions, otherwise the death-rate in Middlesex would be comparatively low and that in London would be raised from 72 to 79 per million.

The deaths among children under five years of age amounted to 59 per cent. of the total, and yielded a mortality of 0.59 per 1,000 living at this age in the urban counties, as against only 0.21 in the rural (Tables 37 and 38). The mortality was greatest in the fourth year of life (Table 34). Table 43 shows the incidence of fatal scarlet fever upon children under five years of age in the several registration counties of England and Wales.

Influenza.—From 1890, the year in which influenza reappeared as a serious factor in English mortality, onwards, the death-rate has averaged 286 annually per million living. It was 251 per million in 1909, and was, as usual, about equal for each sex, namely 249 per million for males and 254 for females. The previously noted excess in influenza mortality of the rural as compared with the urban counties is again observable, the crude death-rate in the former group being 39 per cent. above that in the latter. Among counties containing populations exceeding 100,000, the highest rates were 524 per million in Sussex and 651 in Buckinghamshire; while the lowest were 125 in Northumberland, 162 in Durham, and 163 in the East Riding of Yorkshire.

Whooping-cough.—The death-rate from whooping-cough at all ages was 201 per million and was much the lowest on record, the nearest approach to this figure in previous years having been 241 in 1906.

About 97 per cent. of the total deaths occurred among children under the age of five years. The mortality per 1,000 children of this age was 1·70, or no less than 0·71 below the average of the previous five years. As usual, the mortality amongst females has exceeded that amongst males, the death-rate having been 1·50 for boys and 1·90 for girls; and the mortality in the urban group of counties has been considerably greater than that in the rural, though the relative excess is not nearly so great as in the cases of measles and scarlet fever. Table 43 shows that among counties containing more than 100,000 inhabitants at all ages, the highest death-rates from this disease in each 1,000 children under five years of age were 2·44 in Glamorganshire, 2·74 in Staffordshire, and 4·22 in the North Riding of Yorkshire. The rate in Glamorganshire was below the quinquennial average, while those for Staffordshire and the North Riding of Yorkshire were above. In the last-named county the mortality was nearly double the average. Table 34 shows that this disease is especially destructive to children in the first two years of life.

Diphtheria and Croup.—Although it may be taken for granted that the deaths now certified as due to diphtheria represent the true mortality from the disease much more accurately than in earlier years, when the means of diagnosis was less perfect, still it is probable that even now the mortality is somewhat understated, and that many of the deaths ascribed to croup, as well as some of those ascribed to tonsillitis, laryngitis, ulcerated throat, &c., are really caused by diphtheria. For this reason it is advisable to study the mortality ascribed to diphtheria and croup conjointly, as representing more accurately than any other figure the total sacrifice of life from diphtheria. The age incidence of croup is much the same as that of diphtheria, and the deaths ascribed to it in 1909, 241 in number, were less than one-third of the number so referred as recently as 1901.

The death-rate from diphtheria and croup in 1909 is the lowest recorded since 1855, when diphtheria was first shown separately from scarlet fever in the tables, and in this connexion it must be borne in mind that the effect of increasing accuracy in diagnosis is to minimize the fall in mortality. If the mortalities from "diphtheria" only are compared, as in Table 29, that for 1909 is by no means the lowest, though we have to go back to 1881 to find a lower, but when the croup deaths are added the advantage of the earlier year disappears.

Tables XLVIII. and XLIX. show in detail the diminution in mortality from diphtheria and croup in 1909 as compared with the preceding quinquennium.

Table XLVIII. shows that the urban death-rate from diphtheria and croup at present somewhat exceeds the rural, but that this excess is less in 1909 than in the preceding quinquennium owing to more rapid decline of mortality in the urban than in the rural counties.

From Table XLIX. it further appears that the rural rate exceeded the urban at most ages above five years, but that for the first five years of life the urban mortality was so greatly in excess of the rural as more than to neutralise the rural excess at higher ages.

In both the urban and the rural counties the mortality in the first five years of life has approximately been halved since 1901, but while in the urban group the diminution is almost as great for children aged 5-10, the rural counties show little decline at this age.

TABLE XLVIII.

Diphtheria and Croup. Mortality per Million Living at all Ages.		Crude Rates.		Corrected Rates.*		
		Average 1904-08.	Year 1909.	Average 1904-08.	Year 1909.	Ratio.†
Both Sexes	England and Wales	178	153	178	153	86
	Urban Counties ...	185	159	184	158	86
	Rural Counties ...	154	136	157	138	88
Males ...	England and Wales	180	154	180	154	86
	Urban Counties ...	188	160	187	159	85
	Rural Counties ...	158	127	160	128	80
Females ...	England and Wales	175	153	175	153	87
	Urban Counties ...	182	158	181	156	86
	Rural Counties ...	151	144	155	146	94

* See footnote, page xxxvii.

† *i.e.*, the ratio of the corrected death-rates in 1909 to those in 1904-08, the latter taken as 100.

TABLE XLIX.

Diphtheria and Croup. Mortality at Age-groups, per Million Living.		Average 1904-1908.			Year 1909.		
		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	932	1,038	661	775	883	509
	5—	527	494	558	487	433	563
	10—	84	69	122	74	63	119
	15—	17	13	30	17	9	32
	20—	10	8	17	6	5	5
	25—	8	7	10	7	6	8
	35—	7	7	11	5	5	10
	45—	6	5	9	3	3	5
	55—	7	7	8	3	6	—
	65—	6	6	5	6	7	3
Males ...	0—	947	1,052	710	801	904	526
	5—	486	458	511	432	394	436
	10—	82	70	105	68	55	114
	15—	17	13	29	15	6	23
	20—	11	9	18	4	2	—
	25—	7	6	6	6	5	7
	35—	7	6	13	5	3	16
	45—	5	3	9	3	2	5
	55—	6	6	5	3	6	—
	65—	7	8	6	4	6	7
Females ...	0—	918	1,024	613	750	861	492
	5—	568	529	605	541	471	689
	10—	87	68	138	80	70	124
	15—	16	12	30	19	11	42
	20—	9	7	17	8	7	10
	25—	8	8	14	7	6	9
	35—	7	8	9	6	8	4
	45—	7	7	9	4	3	5
	55—	8	7	11	3	5	—
	65—	5	5	4	7	7	—

TABLE L.

Diphtheria. (Quinquennia.)	Metropolitan Asylums Board Hospitals.			County of London.
	Admissions.	Deaths.	Fatality. (Ratio per cent. of deaths to admissions.)	Mean Annual Mortality per 1000 living.
1890-1894	10,777	3,196	29·7	0·49
1895-1899	29,058	4,928	17·0	0·49
1900-1904	31,774	3,549	11·2	0·24
1905-1909	24,943	2,278	9·1	0·14

Table L., condensed from a more extended table in the last report of the Metropolitan Asylums Board, shows the alteration in case-fatality among patients admitted to hospital for diphtheria and in the general London mortality from that disease in the four quinquennia that have elapsed since 1889. As in the case of scarlet fever (Table XLVII.), there has been a very great decline in the ratio of diphtheria deaths to admissions, and also in the general London mortality from the disease—both being about 70 per cent. lower in 1905-09 than in 1890-94, *i.e.*, less than one-third of the earlier figure.

It is pointed out in the Annual Report of the Metropolitan Asylums Board for 1909 (page 152) that the London mortality from diphtheria reached a maximum (0·76 per 1000) in 1893, since when the rate has fallen, “and this fall has been coincident with the introduction and “ increasing use of the antitoxic serum treatment of diphtheria.”

Of the 5476 deaths at all ages from diphtheria and croup, 3168, or 58 per cent., occurred within the first five years of life. These deaths correspond to a rate of 0·78 per 1000 children living at that age, or 0·15 per 1000 below the average in the previous quinquennium (Table 39). In the year 1909, as in recent previous years, the mortality steadily increased from birth to the fourth year of age (Table 34). Table 43 shows the distribution of these deaths in the several counties of England and Wales. Among counties containing more than 100,000 inhabitants at all ages, the highest death-rates in each 1000 children were 1·01 in the East Riding of Yorkshire, 1·03 in Lancashire and in the North Riding of Yorkshire, 1·04 in Monmouthshire, and 1·54 in Carmarthenshire.


Cerebro-spinal Fever.—To this disease there were ascribed in the year under notice 130 deaths, 81 of which were eventually referred to this heading as the result of medical enquiry respecting deaths originally certified as from cerebro-spinal meningitis. In the preceding five years the deaths classed to cerebro-spinal fever averaged 111 annually.

Enteric (Typhoid) Fever.—In the course of the year 1909 the deaths of 2142 persons at all ages and of both sexes were ascribed to enteric fever. These deaths correspond to a rate of 60 per million persons living, which is the lowest on record, and is 23 per million below the average for the quinquennium immediately preceding. Among males the death-rate was equal to 74 per million, and among females to 47 per million (Table LII.). During the 41 years which have elapsed since the disease was first differentiated in these reports enteric fever

mortality has fallen to less than a sixth of its former amount, namely, from a rate of 390 per million in 1869 to 60 per million in 1909 (Table 29).

The progress of this great decline can be traced in Diagram VIII. It will be seen that the statistical history of enteric fever mortality can be divided into three main periods, two of decline, from 1869 to 1885 inclusive, and from 1900 to the present date, and one showing no decline, from 1886 to 1899. The first period, however, may be subdivided into two portions, that prior to and including 1875, the date of the Public Health Act, which shows very slight decline, and that from 1876 to 1885 inclusive, which shows a sudden and relatively enormous reduction in the mortality. The decline in the ten years following the passage of the Public Health Act was from 371 to 175 per million persons living, a reduction equal to 196 deaths annually per million living, or 53 per cent. of the earlier total. The fourteen years of arrested decline which followed increased the death-rate slightly, from 175 to 198 per million persons, though it may be noted that this increase was almost wholly confined to males. The second period of ten years decline has reduced the mortality by 138 per million persons, from 198 to 60 per million, a reduction of no less than 70 per cent.

DIAGRAM VIII.—ENGLAND AND WALES.—ENTERIC FEVER.
CORRECTED DEATH-RATES at ALL AGES, 1869-1909.*



* The death-rates throughout the entire period are based upon the sex and age constitution of the population as enumerated in 1901. For method of correction, see page xxxvii.

The arrest in the decline of mortality from enteric fever during the last years of the nineteenth century may be compared with that shown in Diagram III. to have occurred at about the same time in mortality from all causes. It will be seen also from comparison with Diagram IV.

that the same period was one of increasing infantile mortality, and that the present period of decline in mortality from enteric fever corresponds precisely with the similar period of recent improvement in regard to infantile mortality, both commencing with the year 1900.

While, however, the experience of this country in regard to infantile mortality has been paralleled by that of most other European countries, in that considerable declines in them also have dated from about the same year, there is no such parallelism in the case of enteric fever. Continuous decline in mortality has been the prevailing rule in the more progressive countries of Europe, and the interruption in the line of descent during the last fifteen years or so of the last century finds no place in the curves of their mortality. It is, on the other hand, well marked in the Scottish curve, though the cessation of decline was not absolute (Table XCVII.), while in Ireland the mortality actually increased up to the period 1895-1900, since when the fall has been greater than in either England or Scotland.

Diagram VIII. also shows the changes which have taken place in the sex incidence of enteric fever mortality. Prior to 1881 the mortality of both sexes was about equal, but since then that of males has been uniformly and, at times, very much higher. The maximum of actual excess is shown by the diagram to have been reached about the year 1900, when the relative excess was 51 per cent. In 1909, however, the relative excess was 57 per cent., and in 1908 as high as 68 per cent. This alteration in the sex incidence of enteric fever may be compared with the like change which has occurred in regard to tuberculosis. (See page lxxii.)

In Table LI., which is condensed from a more extended table in the last report of the Metropolitan Asylums Board, the ratio of deaths to admissions on account of enteric fever, and the general London mortality from that disease are given for the same period, 1875-1909. This table shows that the diminished mortality is due in the main to diminished prevalence rather than diminished fatality of the disease.

TABLE LI.

Enteric Fever. (Quinquennia.)	Metropolitan Asylums Board Hospitals.			County of London.
	Admissions.	Deaths.	Fatality. (Ratio per cent. of deaths to admissions)	Mean Annual Mortality per 1,000 living.
1875-1879	1,828	390	21·3	0·24
1880-1884	2,157	405	18·8	0·23
1885-1889	1,734	257	14·8	0·15
1890-1894	2,761	470	17·0	0·13
1895-1899	4,329	722	16·7	0·14
1900-1904	5,994	898	15·0	0·11
1905-1909	2,665	387	14·5	0·04

As is the case with many other diseases, the mortality from enteric fever is partly determined by the density of the population. In Table LII. urban and rural mortalities are contrasted for each sex and those for 1909 compared with the average of the preceding quinquennium.

TABLE LII.

Enteric Fever. Mortality per Million Living at all Ages.		Crude Rates.		Corrected Rates.*		
		Average 1904-08.	Year 1909.	Average 1904-08.	Year 1909.	Ratio.†
Both Sexes	England & Wales ...	83	60	83	60	72
	Urban Counties ...	94	70	93	69	74
	Rural Counties ...	64	43	67	44	66
Males ...	England & Wales ...	101	74	101	74	73
	Urban Counties ...	114	88	112	86	77
	Rural Counties ...	74	47	77	48	62
Females ...	England & Wales ...	67	47	67	47	70
	Urban Counties ...	75	53	75	53	71
	Rural Counties ...	55	39	57	41	72

* See footnote, p. xxxvii.

† *i.e.*, the ratio of the corrected death-rates in 1909 to those in 1904-08, the latter taken as 100.

Taking both sexes together the mortality in the urban group of counties in 1904-08 exceeded that in the rural by 39 per cent. Among males the excess was 45 per cent., whilst among females it amounted to only 32 per cent.

From Table 33 it appears that among registration counties with populations exceeding 100,000, the highest crude death-rates‡ from enteric fever were 121 per million in Carnarvonshire, 112 in Lancashire, and 108 in Carmarthenshire.

Compared with the respective decennial averages, Lancashire and Carmarthenshire showed considerable decreases and Carnarvonshire an increase. In all these counties the mortality in 1909 was more or less general, and was not in the main determined by any particular local outbreak.

In Table LIII. the sex and age incidence of the mortality from enteric fever in recent years is shown for England and Wales and for the urban and rural groups of counties.

From this table it appears that both in the year 1909 and in the previous quinquennium the male rates of mortality from enteric fever considerably exceeded the female rates at all periods of life above the age of 15 years. As in several previous years the highest mortality was met with between the ages of 25 and 35 years. In each age-group the urban rates usually greatly exceed the rural rates, the chief exception being among young women aged 20-25 years.

‡ In the case of enteric fever, correction does not greatly modify the death-rates.

TABLE LIII.

Enteric Fever.		Average 1904-1908.			Year 1909.		
Mortality at Age-groups, per Million Living.		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	27	31	18	18	21	17
	5—	48	56	31	38	48	33
	10—	68	79	55	42	56	19
	15—	101	106	88	73	80	56
	20—	117	120	117	76	76	74
	25—	127	139	95	95	102	70
	35—	108	127	78	84	103	38
	45—	86	101	65	60	76	44
	55—	61	70	53	52	66	44
	65—	30	35	28	19	19	33
Males	0—	28	32	17	20	23	21
	5—	46	54	25	36	48	25
	10—	65	74	54	42	55	25
	15—	120	126	101	83	96	50
	20—	152	156	128	101	103	76
	25—	169	185	115	121	132	76
	35—	137	158	102	113	140	56
	45—	107	125	83	82	106	51
	55—	77	89	63	62	87	47
	65—	37	46	39	21	19	44
Females	0—	26	30	19	15	19	12
	5—	49	58	37	40	47	42
	10—	71	83	56	41	57	13
	15—	84	87	74	62	65	61
	20—	86	89	108	54	51	72
	25—	89	98	77	71	74	66
	35—	82	97	56	57	68	22
	45—	67	78	48	40	48	37
	55—	48	53	44	43	47	41
	65—	24	27	20	18	19	24

Diarrhœal Diseases.—This term includes the following headings of the extended list of causes of death (Tables 23-28 and pages 296-313 &c.) :

- (1) Diarrhœa due to food ;
- (2) Infective Enteritis, Epidemic Diarrhœa ;
- (3) Diarrhœa not otherwise defined (including Gastro-intestinal Catarrh) ;
- (4) Ulceration of intestines ;
- (5) Enteritis ;
- (6) Gastro-enteritis.

It corresponds to the “diarrhœa and enteritis” of the International List of Causes of Death.*

* For an account of the changes made in the grouping of these diseases *see* Annual Report, 1908, pages xcv-xcvi. In addition to the alterations there described it has been found necessary to include deaths from intestinal ulceration under the heading diarrhœal diseases.

The number of deaths at all ages ascribed to these causes during 1909 was 17,468, equal to a rate of 490 per million living, or 376 per million below the average rate in the preceding quinquennium.

More than four-fifths of these deaths occurred among children under five years of age. The following table shows the mortality per 1000 children living at this age :—

TABLE LIV.—MORTALITY from DIARRHOEAL DISEASES among CHILDREN aged 0-5 years.

—			England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	{ 1909	3·51	4·30	2·02
	{ 1904-08	...	6·64	8·13	3·10
Males ...	{ 1909	3·92	4·79	2·31
	{ 1904-08	...	7·21	8·80	3·41
Females ...	{ 1909	3·11	3·80	1·72
	{ 1904-08	...	6·06	7·46	2·79

From this table it will be seen that in the year 1909, as compared with the quinquennium 1904-08, the diarrhoeal mortality of children under five years declined by 47 per cent. in England and Wales as a whole. In the urban area (page liii) the decline was also 47 per cent. against 35 per cent. in the rural area. The same table shows that the child mortality during 1909 in the urban group of counties was more than twice as great as that in the rural group. Table 43 shows that among counties with populations above 100,000 the lowest death rates from diarrhoeal diseases were 1·19 per 1,000 children living in Hertfordshire and 1·25 in Wiltshire. The highest death rates were 5·08 in Glamorganshire and 5·34 in Nottinghamshire.

Rabies (Hydrophobia).—Not a single death from this disease has been reported either in the year 1909 or in any of the six years immediately preceding. In the course of the last eleven years only two deaths from hydrophobia have been reported in England and Wales, and these were registered in the year 1902. In the closing ten years of the nineteenth century the deaths from this disease averaged seven annually.

Pyæmia, Septicæmia, Septic Intoxication.—The deaths of 81 males and 40 females were referred to pyæmia, and the deaths of 210 males and 159 females to septicæmia, in the year under notice ; the deaths of females from puerperal affections of this nature being excluded from this heading. The parts of the body medically certified as invaded by infective processes are given in the supplementary tables on pages 314 and 315. Before the commencement of the present century the deaths from pyæmia were included with those from septicæmia in the returns of the Registrar-General. The death-rate from these diseases does not vary greatly from year to year.

Puerperal Fever.—The deaths referred to one or other of the definite headings comprised under this term (*i.e.*, puerperal septicæmia and septic intoxication, puerperal pyæmia, and phlegmasia alba dolens) numbered 1239. In addition to these 190 deaths were indefinitely certified as due to "Puerperal Fever" (variety unspecified), a term

no longer recognised by the Royal College of Physicians as adequate for the description of the cause of any individual death. The total number, 1429, is 34 in excess of that so returned in 1908. The number of deaths certified as due to "puerperal fever" (190) is the same as in 1908, but compares with 478 so recently as 1901. It is much to be hoped that this satisfactory improvement in certification will continue.

Of the 1429 deaths referred to puerperal septic affections 208 were further complicated; the complicating cause was stated to be scarlet fever in 4 cases, influenza in 10, infective endocarditis in 6, pneumonia in 79, tuberculous disease in 8, inflammation of the brain in 3, diseases of the heart in 5, cerebral hæmorrhage in 7, embolism or thrombosis in 39, bronchitis in 7, pleurisy in 6, liver disease in 3, and kidney disease in 11 cases. In addition to the 1429 mentioned above there occurred in connexion with pregnancy or childbirth 3171 other deaths, of which particulars are given in Tables LXIX. and LXX.


Pneumonia.—There is much reason to believe that many deaths are now certified as due to pneumonia which in former years would have been ascribed to bronchitis (*see* p. lvii). In the decade 1871–80 the average death-rate from pneumonia was 1012 and that from bronchitis 2299 per million living of both sexes and at all ages, whereas the averages for the first nine years of the present century have been 1264 for pneumonia and 1185 for bronchitis. It has recently been pointed out* that comparison of the proportions between pneumonia and bronchitis mortality as recorded by the children's hospitals in London, where post-mortem examinations are as a rule secured, and as certified in general medical practice, shows them to be widely different. Whereas in general practice about 50 per cent. of all deaths of young children from the combined diseases are ascribed to pneumonia, the results of a series of post-mortem examinations in two London hospitals for children showed 525 deaths at age 0–5 from pneumonia as against 29 from bronchitis.

Such differences of view are bound in time to influence general certification in the direction of the position taken up in the hospitals, as the opinions prevalent there are constantly being spread amongst the medical profession in general. The statistical evidence goes far to show that this has in fact occurred. Going back to the years 1861–70, and tracing the mortality at each age-period decade by decade since then, Diagram IX. shows that when the two diseases are considered together the mortality of every age-group shows an increase in the earlier portion of the period, followed by a decrease in the later portion. The curves of increase and decrease are very similar at different ages. But when the curves for pneumonia and bronchitis are plotted separately and those for either disease at different ages compared with each other, there is found to be wide dissimilarity between them. The history of pneumonia mortality at ages 0–5 is absolutely unlike that of pneumonia mortality at ages 75 and upwards, and the curves for bronchitis also vary greatly.

It would seem that the custom of certifying in one or the other way has varied from time to time in different directions for deaths at different ages, though when the two diseases are considered together the general rule of increase during the earlier portion of the period

* A. G. R. Foulerton, F.R.C.S., "Pneumonia in Young Children," Annual Report of the Medical Officer of the Local Government Board for 1908–09.

DIAGRAM IX.—ENGLAND AND WALES.—PNEUMONIA and BRONCHITIS.
Subsequent MORTALITIES per cent. of those for 1861-70.



considered, followed by decrease later, holds good of all age-periods. It is only at ages 0-5, and to a less extent at 5-10 that initial decrease in recorded pneumonia mortality (as compared with 1861-70) occurred, but as about 40 per cent. of all deaths from the two diseases are those of children under five this initial decrease markedly affected the total death-rate. For persons of all ages and for children under five the curves of the separate diseases are exactly converse. When the bronchitis death-rate rose that from pneumonia fell, and when the bronchitis rate began to come down that from pneumonia began to go up. The evidence all seems to point to the conclusion that in comparing the mortality of the present day with that of former periods the only safe course is to study the combined records of the two diseases.

While the figures suggest transfer from bronchitis to pneumonia they are none the less impressed with the distinctive characteristics of the two diseases. The age and sex distributions differ very considerably. Nearly 60 per cent. of all deaths attributed to bronchitis occur at ages over 55, as against about 24 per cent. of pneumonia deaths; and the mortality of males considerably exceeds that of females in the case of pneumonia, but not of bronchitis. Approximate equality of mortality between the sexes is the rule at all ages in the case of bronchitis, but in that of pneumonia there is a large excess of male mortality except at ages 5 to 15 and from 75 onwards.

The deaths referred to pneumonia during 1909 numbered 46,108, of which 25,734 were of males and 20,374 of females. Of these deaths 6,072 were referred to lobar pneumonia, 19,795 to broncho-pneumonia, and 11 to epidemic pneumonia, whilst 20,230 were assigned to "pneumonia" without further qualification; in the case of the deaths of 264 males and 169 females the condition was stated to be septic.

The following table shows that the corrected death-rate of males from pneumonia of all forms considerably exceeds that of females, and that in both sexes the mortality is much higher in the urban than in the rural group of counties :—

TABLE LV.

Pneumonia.		Crude Rates.		Corrected Rates.*		
		Average 1904-08.	Year 1909.	Average 1904-08.	Year 1909.	Ratio.†
Mortality per Million Living at all Ages.						
Both Sexes	England & Wales ...	1,262	1,290	1,262	1,290	102
	Urban Counties ...	1,453	1,511	1,484	1,553	105
	Rural Counties ...	922	905	864	835	97
Males	England & Wales ...	1,472	1,490	1,472	1,490	101
	Urban Counties ...	1,695	1,742	1,730	1,789	103
	Rural Counties ...	1,064	1,037	1,000	966	97
Females	England & Wales ...	1,066	1,102	1,066	1,102	103
	Urban Counties ...	1,226	1,295	1,254	1,333	106
	Rural Counties ...	790	783	737	712	97

* See footnote, page xxxvii.
† *i.e.*, the ratio of the corrected death-rates in 1909 to those in 1904-08, the latter taken as 100.


Compared with the average in the quinquennium 1904-08 the mortality from pneumonia in 1909 showed an increase in the urban group of counties and a slight decrease in the rural.

The mortality from the principal types of pneumonia varies considerably in age and sex incidence, that from broncho-pneumonia being much more concentrated upon the extremes of life than that from lobar, while the excess of male mortality is much greater in the case of lobar pneumonia. In both these respects lobar is more widely differentiated from bronchitis than is broncho-pneumonia.

Tuberculosis.—The mortality from this cause continues to decrease, and was lower in 1909 than in any previous year. The deaths assigned to tuberculous affections in the aggregate numbered 54,425, or 4,496 below the average number in the previous five years, corrected for estimated increase of population. Tuberculosis was responsible for 10·5 per cent. of the mortality from all causes, and for a death-rate of 1,523 per million living, at all ages and of both sexes.

Diagram X. shows the incidence of the mortality in each sex, both from all forms of the disease and from phthisis, in each quinquennium since 1851. It will be apparent from the diagram that although there has been a steady decrease in the mortality from tuberculosis in both sexes, the decrease has been much greater among females than males. In the first quinquennium the rates were the same in each sex (3,637 per million), but in the four-year period, 1906-09, while the rate among males had fallen to 1,825 per million, that among females had

DIAGRAM X.—ENGLAND AND WALES.—TUBERCULOSIS (all forms) and PHTHISIS. CORRECTED DEATH-RATES at ALL AGES, in quinquennia 1851-1909.*



* The death-rates throughout the entire period are based upon the sex and age constitution of the population as enumerated in 1901. For method of correction, see p. xxxvii.

fallen to 1,367 per million, or 25 per cent. lower. In the case of phthisis it will be seen that the mortality among females did not fall below that of males till a later period (1866-70), but that since then the excess in decrease of female mortality has been more marked than in the case of tuberculosis generally, the death-rate from phthisis among females during the four years, 1906-09, being 29 per cent. lower than that among males.

Among counties containing populations above 100,000 the highest uncorrected death-rates from tuberculosis in 1909 were 1,861 in Northumberland, 2,099 in Carnarvonshire and 2,115 in Carmarthen-shire.

Phthisis (including tuberculous laryngitis).—In the year under notice tuberculous phthisis accounted for the deaths of 20,656 persons, and “phthisis” not otherwise defined, for the deaths of 17,983 persons, at all ages and of both sexes. Together these deaths were equal to 71 per cent. of the total deaths from tuberculosis, and to a rate of 1,081 per million of the population, or 7·5 per cent. of the total death-rate. This rate is the lowest on record, as were those also of 1905, 1907, and 1908. It is 6 per cent. below the average for the five years 1904-08.

TABLE LVI.

Phthisis.		Crude Rates.		Corrected Rates.*		
		Average 1904-08.	Year 1909.	Average 1904-08.	Year 1909.	Ratio.†
Both Sexes	England & Wales ...	1,156	1,081	1,156	1,081	94
	Urban Counties ...	1,236	1,148	1,231	1,145	93
	Rural Counties ...	1,079	1,015	1,112	1,042	94
Males	England & Wales ...	1,362	1,270	1,362	1,270	93
	Urban Counties ...	1,500	1,390	1,495	1,389	93
	Rural Counties ...	1,175	1,105	1,210	1,131	93
Females	England & Wales ...	963	903	963	903	94
	Urban Counties ...	989	921	984	916	93
	Rural Counties ...	990	931	1,021	958	94

* See foot-note to page xxxvii.

† *i.e.*, the ratio of the corrected death-rates in 1909 to those in 1904-08, the latter taken as 100.

The phthisis mortality has fallen during the past half century by more than 50 per cent. at all ages, and by about 70 per cent. at ages 0-25. From that age onwards the fall has been considerably less marked, and has been more pronounced in females than in males.

Table LVI. shows that in 1904-08 the corrected phthisis death-rate at all ages was 41 per cent. higher amongst males than among females, and was higher in the urban group of counties than in the rural by 24 per cent. among males, but lower by 4 per cent. among females. When, however, examination is made of the mortality at the several ages, Table LVII. shows this to be higher in the rural area than in the urban among males at ages 15-35, and among females at ages 10-35; whilst, at all other ages, the reverse holds true.

TABLE LVII.

Phthisis.		Average 1904-1908.			Year 1909.		
Mortality at Age-groups, per Million Living.		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	323	385	235	248	302	159
	5—	163	181	131	149	168	115
	10—	273	278	284	267	268	290
	15—	846	821	970	795	803	864
	20—	1,307	1,203	1,704	1,208	1,135	1,570
	25—	1,719	1,674	1,951	1,629	1,583	1,827
	35—	2,048	2,251	1,726	1,882	2,029	1,625
	45—	2,092	2,454	1,534	1,944	2,216	1,492
	55—	1,727	2,056	1,349	1,664	1,953	1,261
	65—	952	1,166	746	997	1,229	831
Males	0—	348	423	234	263	324	150
	5—	133	149	102	123	144	80
	10—	162	175	147	161	166	157
	15—	735	743	753	662	690	653
	20—	1,443	1,319	1,842	1,315	1,248	1,622
	25—	1,988	1,950	2,158	1,859	1,813	1,995
	35—	2,532	2,834	2,018	2,367	2,591	1,934
	45—	2,871	3,438	1,988	2,671	3,104	2,008
	55—	2,481	3,063	1,763	2,394	2,971	1,653
	65—	1,316	1,725	913	1,385	1,854	1,008
Females	0—	298	348	236	232	281	167
	5—	192	212	160	175	192	150
	10—	383	381	423	372	368	424
	15—	955	896	1,194	925	910	1,081
	20—	1,185	1,100	1,583	1,113	1,035	1,525
	25—	1,477	1,422	1,772	1,423	1,374	1,682
	35—	1,596	1,697	1,460	1,430	1,496	1,343
	45—	1,371	1,526	1,129	1,272	1,379	1,030
	55—	1,067	1,176	989	1,025	1,063	920
	65—	671	752	612	698	766	689

This table also shows that, as compared with the average in the previous quinquennium, there has been a general fall in England and Wales as a whole in phthisis mortality of each sex at age-groups below 65 years; but that above this age there has been a slight increase. Generally speaking, similar variations are shown in the urban group of counties. In the rural group, however, the reduction is confined to a smaller number of age-groups. Both in the county groups and in the country generally, the greatest proportional fall in mortality under this head appears to have occurred among children under five years of age. The greatest saving of life, however, can be shown (assuming present estimates of population to be correct) to have occurred at ages 35-45 years.

In Tables 31, 32 and 33, the crude rates of mortality from phthisis in 1909 are shown in the several registration counties of England and Wales. In order to secure sufficiently reliable rates even in the smallest counties for purposes of comparison, examination has been made of the phthisis mortality in all the registration counties during the quinquennium ended 1909. In Table LVIII. a list is given of all those English and Welsh counties where the mortality from phthisis is in excess of the mean for the country generally. These rates are

corrected for age differences of the several populations, but not for deaths in public institutions.

TABLE LVIII.

Phthisis. 1905-1909.	Corrected Death-rates per million.		
	Persons.	Males.	Females.
England and Wales	1,125	1,325	938
England (excluding Monmouthshire)	1,120	1,333	920
Wales (including Monmouthshire) ...	1,213	1,195	1,229
Cardiganshire	2,237	2,320	2,159
Carmarthenshire	1,525	1,409	1,633
Merionethshire	1,512	1,567	1,462
Carnarvonshire	1,501	1,588	1,420
Pembrokeshire	1,393	1,383	1,401
Anglesey	1,356	1,167	1,534
London	1,325	1,729	946
Northumberland	1,308	1,417	1,206
Lancashire	1,294	1,567	1,038
Cornwall	1,245	1,594	918
Montgomeryshire	1,217	1,316	1,125
Hampshire	1,184	1,454	931
Warwickshire	1,172	1,524	843
Flintshire	1,151	1,284	1,026
Brecknockshire	1,148	1,031	1,257
Suffolk	1,137	1,227	1,053
Glamorganshire	1,134	1,122	1,145
Devonshire	1,128	1,275	990

From this table it appears that ten of the eighteen counties suffering the highest mortality from phthisis were Welsh, and that no fewer than six of these had a higher mortality than any English county. Cardiganshire experienced a death-rate nearly double the average for England and Wales. The excess in these Welsh counties is shown in the table to affect female much more than male mortality.

This table also shows that the mortality of males from phthisis is lower in Wales than in England, but that the mortality of females is very much higher, with the result that in Wales female exceeds male mortality, though in England and Wales as a whole the converse has held good for the last forty years.

Tuberculous Meningitis.—Under this head, or else under that of acute hydrocephalus, there were returned last year 5,774 deaths at all ages—being fewer by 496 than the average number in the previous five years, after allowance for increase of population. As the deaths from simple meningitis were also below the quinquennial average, there appears no reason to doubt the reality of the decrease in the mortality from meningeal tuberculosis.

The Tables on pages 300-301 illustrate the fact that tuberculous meningitis is, for the most part, a disease of early life. Of the deaths at all ages registered last year 3,794, or 66 per cent. occurred within the first five years of life—a number corresponding to a rate of 93 per 100,000 living at that age. The deaths under one year were equal to 135 in every 100,000 infants born.

The following table shows the mortality from tuberculous meningitis and tuberculous peritonitis since the year 1847, before which there are no data available for comparison :—

TABLE LIX.—TUBERCULOUS MENINGITIS and TUBERCULOUS PERITONITIS.—
DEATH-RATES per 100,000 among CHILDREN under 5 years of age.

Quinquennia.	Tuberculous Meningitis.			Tuberculous Peritonitis.		
	Boys.	Girls.	Both Sexes.	Boys.	Girls.	Both Sexes.
1847-1849 (3 years) ...	308	238	273	168	143	156
1850-1854	311	231	271	175	148	162
1855-1859	280	209	245	175	152	164
1860-1864	277	194	236	178	152	165
1865-1869	249	182	215	210	183	196
1870-1874	225	160	192	208	174	191
1875-1879	228	155	191	224	190	207
1880-1884	186	133	160	220	180	200
1885-1889	163	120	142	192	155	173
1890-1894	157	119	138	179	145	162
1895-1899	146	116	131	156	125	140
1900-1904	122	105	113	126	99	113
1905-1909	106	92	99	88	70	79

Note.—The figures for tuberculous meningitis are not strictly comparable throughout. Previous to 1881 deaths from chronic hydrocephalus were classed to tuberculous meningitis.

The continuous decline in the mortality attributed to tuberculous meningitis is striking, notwithstanding the alteration in classification mentioned in the footnote to Table LIX., which does not appear to have affected the figures very profoundly.

The malady is generally more destructive to young children in the town than in the country. Tables 37 and 38 show that in the selected urban counties the mortality of children under five years of age was equal in 1909 to a rate of 103, and in the rural counties to a rate of 63 per 100,000 living at this age.

Tuberculous Peritonitis (including *Tabes Mesenterica*).—Under this head there were returned last year 4,399 deaths at all ages, or fewer by 808 than the corrected average number in the preceding five years. Of this total 3,522 were definitely ascribed to tuberculous peritonitis, the remaining 877 being indefinitely assigned to *tabes mesenterica*.* The deaths of children under five years amounted to 64 per cent. of the total mortality. Among 100,000 boys living at this age the deaths were 79 in number ; while among the same number of girls living, the deaths numbered 58.

The mortality ascribed to tuberculous peritonitis is seen from Table LIX. to have displayed since 1875-79 a continuous decline, which since 1890-94 has become remarkably rapid. This is the more noteworthy in contrast with the tendency to increase up to about 1879. The death-rate of boys has exceeded that of girls by about 25 per cent. of late years, as against 15-20 per cent. in the earlier periods dealt with in the table.

* In the year 1901 more than half of the deaths under this head were thus indefinitely returned.

From Tables 37 and 38 it will be seen that as in previous years the mortality amongst young children from tuberculous peritonitis (as from tuberculous meningitis) is far higher in the town than in the country. In the year 1909 the death-rate from this disease among children under five years of age was 75 per 100,000 living in the urban counties, and 43 in the rural counties.

Other Tuberculous Diseases.—The deaths at all ages returned under this head were 5,613 in number, and corresponded to a rate of 157 per million living, which is 14 per million below the average rate in the preceding five years (*see* Table 24). This total consists of 3,639 deaths from general tuberculosis, and of 1,974 deaths from scrofula and the local tuberculous affections, such as lupus and tuberculous diseases of the bones and joints, not dealt with in the preceding sections. Of the 5,613 deaths at all ages from “other tuberculous diseases,” 1,795 were those of children under five years of age (*see* pages 300 and 301).

The mortality ascribed to lupus and to tuberculous disease of the bones and joints is stationary or slightly on the increase; that from general tuberculosis tends to decrease; and that ascribed to scrofula has almost disappeared (*see* Table 24).

Alcoholism and Cirrhosis of Liver.—The deaths of 1,671 persons, 998 males and 673 females, were returned in 1909 under the heading “Alcoholism, delirium tremens”; of this total, 43 had been originally certified as from hæmatemesis, hæmoptysis, peritonitis, mania, paralysis, or some other indefinite cause, the true nature of the fatal malady having been ascertained subsequently in each case by correspondence with the medical attendant. Among males the deaths at all ages were equal to a rate of 58 per million, and among females to a rate of 36 per million, or 26 and 29 per cent., respectively, below the average in the preceding five years. Nine-tenths of the deaths directly ascribed to alcoholism occur within the main working period of life, *i.e.*, at ages from 25 to 65 years.

The mortality ascribed to alcoholism and cirrhosis of the liver, which had been increasing for many years, and especially in the years 1896–1900, reached its highest point in the last year of that quinquennium. Since that year there has been a steady decline in the mortality ascribed to these causes.

Rheumatic Fever (Acute and Sub-acute Rheumatism).—The deaths referred to this disease numbered 1,970, corresponding to a death-rate of 56 per million among males and 55 per million among females. Few deaths of young children are ascribed to rheumatic fever, but after the age of five years or so there is comparatively little variation in the death-rate at different ages. The maximum mortality occurs in later childhood, and about this period of life females suffer more than males, the reverse being generally the case at other ages.

Cancer.—*Increase in Total Recorded Mortality.*—The deaths ascribed to cancer or malignant disease during 1909 numbered 34,053, of which 19,513 were referred to carcinoma, 1,974 to sarcoma, and 12,566 less definitely to “cancer” not otherwise defined. The latter number remains about stationary year by year, but the deaths ascribed to carcinoma are rapidly increasing. The mortality amongst males was 826 per million living as compared with 813 in 1908, and that amongst females 1,071 as compared with 1,027. The greater increase in the mortality of the female sex is contrary to the general rule which has obtained of late years.

Diagram XI. shows that from 1860 to about 1880 the increase in female mortality was greater than that in the mortality of males, but that since 1890 the reverse has been the case, male mortality (as recorded) having increased by 303 and female by 219 per million living.

Previously to 1909 the annual increase in female mortality had not been greater than that in male since the year 1900, and never since 1851† has the excess of increase amongst females been so great as in 1909.

Table LX., which shows the increase of mortality from cancer during 1909 as compared with the average of the preceding five years, indicates cancer to be more destructive in the urban than in the rural group of counties, although the crude rates would seem to show the reverse. It must be borne in mind, however, that the figures upon which this table is based are uncorrected for deaths in institutions. A considerable number of cancer patients die in hospitals situated mainly in large towns and drawing their patients from rural as well as urban counties. The death-rates for urban counties may be slightly overstated and those for rural correspondingly understated on this account.

TABLE LX.

Cancer.			Crude Rates.		Corrected Rates.*		
Mortality per Million Living at all Ages.			Average 1904-08.	Year 1909.	Average 1904-08.	Year 1909.	Ratio.†
Both Sexes	England and Wales	902	952	902	952	106
	Urban Counties	860	902	942	990	105
	Rural Counties	1,061	1,153	840	914	109
Males ...	England and Wales	777	826	777	826	106
	Urban Counties	741	783	820	867	106
	Rural Counties	925	992	720	769	107
Females ...	England and Wales	1,019	1,071	1,019	1,071	105
	Urban Counties	972	1,013	1,056	1,106	105
	Rural Counties	1,187	1,302	953	1,049	110

* See footnote, p. xxxvii.


† *i.e.*, the ratio of the corrected death-rates in 1909 to those in 1904-08, the latter taken as 100.

Relation of Increase in Mortality to age and sex.—Table LXI. shows the mortality from cancer at each age-period. It further shows that as compared with the preceding quinquennium the mortality in each sex exhibited an appreciable increase in 1909 at every age-period at which cancer is an important cause of death, except the earliest (35-45).

† Corrected death-rates from cancer have not been calculated for years prior to 1851.

DIAGRAM XI - ENGLAND & WALES - CANCER; CORRECTED DEATH-RATES AT ALL AGES 1860-1909. *

NOTE.-THE PORTION SHADED VERTICALLY REPRESENTS THE MORTALITY ASCRIBED TO CANCER OF THE GENERATIVE AND MAMMARY SYSTEMS DURING THE YEARS 1897-1909.



* THE DEATH-RATES THROUGHOUT THE ENTIRE PERIOD ARE BASED UPON THE AGE CON-
STITUTION OF THE POPULATION AS ENUMERATED IN 1901. FOR METHOD OF CORRECTION
SEE PAGE XXXVII.


TABLE LXI.

Cancer.		Average 1904-1908.			Year 1909.		
Mortality at Age-groups, per Million Living.		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	31	33	28	31	31	27
	5—	15	17	15	14	16	10
	10—	16	17	15	14	14	17
	15—	30	34	27	26	20	42
	20—	45	46	47	46	45	44
	25—	141	151	130	135	143	123
	35—	663	713	578	654	705	684
	45—	2,019	2,169	1,773	2,108	2,241	1,951
	55—	4,312	4,565	3,960	4,513	4,783	4,150
	65—	7,117	7,254	6,989	7,836	7,947	7,891
	75—	8,153	7,906	8,070	8,823	8,736	8,389
Males	0—	34	38	29	32	34	25
	5—	18	21	16	18	21	13
	10—	18	20	14	17	22	8
	15—	32	39	28	26	24	55
	20—	52	53	45	53	54	53
	25—	113	119	118	108	113	96
	35—	431	463	391	434	463	411
	45—	1,617	1,786	1,359	1,684	1,841	1,478
	55—	4,086	4,366	3,718	4,333	4,718	3,835
	65—	7,136	7,336	6,945	7,957	8,065	7,804
	75—	8,068	7,933	7,989	8,503	8,224	8,446
Females	0—	27	29	27	29	29	29
	5—	13	14	14	9	12	8
	10—	15	14	16	11	7	26
	15—	27	29	27	26	16	28
	20—	38	40	49	40	37	36
	25—	167	180	140	159	171	147
	35—	879	951	749	859	934	932
	45—	2,390	2,530	2,143	2,500	2,618	2,373
	55—	4,510	4,740	4,170	4,670	4,840	4,425
	65—	7,102	7,190	7,025	7,740	7,857	7,963
	75—	8,213	7,888	8,130	9,049	9,071	8,347

Diagrams XII. and XIII. illustrate the relation to age of the increase since the year 1851 of the mortality attributed to cancer. As pointed out in the Annual Report for 1908 the increase in mortality of women bears a remarkable relation to their age. The increase is least at the lowest age-period dealt with (35-45), and becomes greater by almost regular increments till it reaches a maximum at the period 75 and upwards, at which the increase is 280 per cent. as against only 49 per cent. at 35-45. Further, at the first of the five periods the increase has entirely, and at the second almost entirely, ceased since the years 1891-95; at the third period (55-65), while the increase is still very considerable, it has slackened of late years; at the fourth and fifth periods there is as yet no evidence of slackening in the rate of increase. A similar character appears in the diagram relating to male mortality in regard to the first two age-periods only. At each age the relative increase is very much greater in the male sex.

It follows from Diagram XIII. that amongst women the average age of the known victims of cancer is considerably higher now than sixty

DIAGRAM XII.—ENGLAND AND WALES.—CANCER. Ratio per cent. of MORTALITY at several AGE-GROUPS in quinquennia since 1851-5 to the MORTALITY at the same AGE-GROUPS in 1851-5.
MALES.



years ago. It has increased approximately from 54·9 in 1851 to 60·0 in 1909.

Parts of the Body affected.—Tables LXII. and LXIII. show, for males and females respectively, the deaths attributed during 1901-09 to cancer of the various parts of the body. It is probable, however, that in many cases the organ mentioned in the certificate was not the primary seat of disease. The excess of female over male mortality is accounted for by the enormously greater frequency with which the female generative and mammary organs are affected than are those

of men. In the nine-year period ending with 1909 the recorded deaths of males from cancer, other than that of the generative and mammary organs, were equal to a rate of 747 per million, whilst the corresponding deaths of females amounted only to 602 per million. In the same period the death-rate from cancer of all parts of the body was 760 per million among males against 1,016 among females. Mortality from cancer of the generative and mammary organs is represented by distinctive shading in Diagram XI. The information, upon which this distinction is based, was not regularly abstracted prior to 1897.

In Tables LXIV. and LXV. the mortalities per million living from cancer of different parts of the body are set forth. These tables afford a ready means of studying the differences in mortality from cancer of the same organ at different ages and in the two sexes, while Table LXVI. shows the relative frequency of deaths from cancer of the more important organs in persons of the same sex and age.

DIAGRAM XIII.—ENGLAND AND WALES.—CANCER. Ratio per cent. of MORTALITY at several AGE-GROUPS in quinquennia since 1851-5 to the MORTALITY at the same AGE-GROUPS in 1851-5.




TABLE LXII.—ENGLAND and WALES.—DEATHS from CANCER,

MALES.

Part of the Body Affected.*	All Ages.	Ages								
		Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—
TOTAL	112,964	120	112	133	135	104	604	291	268	439
Skin of—										
Face	2,101	1	2	1	1	2	7	2	—	8
Lip	1,768	—	1	—	—	—	1	—	—	—
Nose	205	—	—	—	—	—	—	1	3	5
Scalp	107	—	2	2	—	—	4	1	—	1
Ear	236	2	—	1	2	—	5	1	1	1
Stomach	24,153	1	—	—	1	—	2	1	2	5
Intestines	8,995	3	2	2	2	3	12	8	5	15
Rectum	11,473	—	2	—	—	—	2	—	4	14
Breast	205	—	—	—	—	—	—	—	—	1
Œsophagus	7,351	—	—	—	—	—	—	—	1	1
Liver and Gall Bladder	14,139	9	6	9	13	4	41	24	13	20
Pancreas	2,107	1	1	—	1	—	3	—	1	3
Bladder and Urethra	3,514	—	—	2	9	1	12	7	2	2
Pharynx, Throat	2,583	3	—	—	—	2	5	7	12	17
Larynx and Trachea	2,230	1	—	—	1	—	2	1	1	—
Thyroid	209	—	—	—	—	1	1	1	1	2
Tongue	6,257	—	—	—	—	—	—	1	—	1
Mouth	1,986	—	1	1	2	1	5	—	1	4
Prostate	1,526	—	1	—	—	—	1	1	—	3
Peritoneum	956	6	6	3	4	5	24	4	5	7
Pleura	87	—	—	—	—	—	—	—	2	—
Brain	976	3	4	7	12	15	41	49	44	49
Spinal Cord	62	1	—	1	—	—	2	—	1	1
Heart and Pericardium	11	—	—	—	—	—	—	—	—	—
Globe of Eye, Orbit	336	5	3	27	20	10	65	26	7	5
Axilla	145	—	—	1	—	1	2	3	1	—
Groin	222	—	—	—	1	—	1	—	—	1
Lymphatic Glands	214	3	—	1	—	2	6	5	5	2
Shoulder	182	—	1	—	1	1	3	5	5	6
Arm, Leg	1,521	6	6	2	4	2	20	14	31	88
Hip	80	—	—	—	—	—	—	—	1	6
Skull	142	—	3	4	5	2	14	10	5	2
Rib, Sternum	181	—	1	—	—	—	1	5	4	8
Spinal Column	285	—	2	—	1	—	3	2	3	10
Jaw	3,272	5	6	2	5	3	21	13	11	15
Buttock	28	1	—	—	—	—	1	—	—	1
Pelvic Bones	605	4	6	1	2	2	15	13	9	19
Kidney and Supra-Renals	1,224	30	37	41	22	25	155	32	11	6
Testes and Penis	1,707	2	—	2	3	1	8	3	2	14
Parotid Gland	355	3	—	—	1	1	5	2	1	—
Lung	1,482	2	—	3	4	1	10	6	10	18
Mediastinum	1,166	—	1	2	2	1	6	8	13	24
Mesentery	243	3	—	—	1	1	5	5	2	3
Lymphatic Glands of Neck	3,218	8	2	1	2	6	19	13	20	18
Spleen	224	1	6	2	—	—	9	3	2	4
Abdomen	1,486	3	7	4	10	6	30	5	5	12
Thorax	317	3	1	—	—	3	7	3	3	7
Part not stated	1,092	10	2	11	3	2	28	6	18	10

* The arrangement of this column has been fixed in consultation

1901-1909, CLASSIFIED according to AGE, and PART AFFECTED.

MALES.

at Death.								Part of the Body Affected.*
20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
697	2,546	7,772	21,001	34,298	31,516	12,235	1,297	TOTAL.
5	22	112	261	413	607	524	140	Skin of—
1	4	53	155	380	560	490	124	Face
2	6	9	28	43	57	40	11	Lip.
2	6	4	12	26	23	23	5	Nose.
—	5	8	21	29	57	84	24	Scalp.
27	385	1,627	4,514	7,684	7,274	2,466	166	Ear.
36	228	618	1,505	2,592	2,791	1,099	86	Stomach.
70	253	671	1,885	3,550	3,507	1,389	128	Intestines.
1	3	10	37	53	63	31	6	Rectum.
1	30	386	1,674	2,709	1,925	579	45	Breast.
38	205	825	2,324	4,545	4,325	1,622	157	Œsophagus.
14	59	213	430	674	545	153	12	Liver and Gall Bladder.
2	34	160	510	984	1,251	491	59	Pancreas.
15	41	176	599	888	622	188	13	Bladder and Urethra.
3	11	132	561	801	567	141	10	Pharynx, Throat.
2	1	19	53	63	48	18	—	Larynx and Trachea.
2	33	427	1,626	2,143	1,485	498	41	Thyroid.
7	12	118	410	625	570	207	27	Tongue.
2	2	20	111	418	652	287	29	Mouth.
16	61	90	173	270	218	82	6	Prostate.
1	7	11	11	27	21	7	—	Peritoneum.
64	150	188	188	142	55	5	1	Pleura.
5	7	10	16	10	8	2	—	Brain.
—	2	—	6	2	1	—	—	Spinal Cord.
2	10	19	28	45	72	46	11	Heart and Pericardium.
—	11	13	14	30	37	30	4	Globe of Eye, Orbit.
3	15	30	51	62	38	17	4	Axilla.
9	11	27	35	54	43	16	1	Groin.
10	15	19	25	39	34	17	4	Lymphatic Glands.
85	108	121	182	292	307	230	43	Shoulder.
3	9	10	15	13	13	9	1	Arm, Leg.
16	7	13	16	26	22	9	2	Hip.
8	12	18	36	39	36	13	1	Skull.
9	22	22	61	86	55	11	1	Rib, Sternum.
12	39	230	729	1,007	825	344	26	Spinal Column.
—	4	1	2	8	7	4	—	Jaw.
21	52	67	91	140	135	41	2	Buttock.
14	48	117	226	308	231	74	2	Pelvic Bones.
38	187	246	325	327	335	195	27	Kidney and Supra-Renals.
4	8	26	66	100	99	41	3	Testes and Penis.
51	94	220	366	392	247	59	9	Parotid Gland.
22	86	144	289	314	210	46	4	Lung.
9	10	31	48	51	57	20	2	Mediastinum.
32	73	237	761	1,023	702	291	29	Mesentery.
1	14	21	41	62	49	16	2	Lymphatic Glands of Neck
14	63	107	243	413	429	153	12	Spleen.
3	25	40	60	94	55	18	2	Abdomen.
15	56	106	181	302	246	109	15	Thorax.
								Part not stated.

with Dr. Bashford, Director of the Imperial Cancer Research Fund.

TABLE LXIII.—ENGLAND and WALES.—DEATHS from CANCER,

FEMALES.

Part of the Body Affected.*	All Ages.	Ages									
		Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	
TOTAL	161,570	87	94	109	106	87	483	205	230	408	
Skin of—											
Face	1,419	1	—	1	2	2	6	2	4	2	
Lip	154	1	1	—	—	—	2	—	—	—	
Nose	183	1	—	—	—	—	1	1	—	—	
Scalp... ..	159	—	—	1	—	1	2	—	1	—	
Ear	78	—	—	—	—	—	—	—	—	—	
Stomach	22,969	—	—	—	—	1	1	—	1	3	
Intestines	12,289	—	—	—	—	—	—	2	4	15	
Rectum	9,643	—	1	1	—	—	2	—	—	18	
Uterus	35,516	—	4	1	—	—	5	—	2	11	
Breast	27,065	1	—	—	—	—	1	—	1	3	
Œsophagus	2,457	—	—	—	—	—	—	—	—	—	
Liver and Gall Bladder ...	21,488	11	6	8	9	9	43	11	6	13	
Pancreas	1,970	—	—	1	—	—	1	2	2	2	
Bladder and Urethra	1,500	—	1	—	3	—	4	1	—	—	
Pharynx, Throat	729	—	—	—	1	—	1	5	6	7	
Larynx and Trachea	715	—	—	—	—	—	—	1	—	2	
Thyroid	531	1	—	1	—	—	2	—	—	3	
Tongue	782	1	—	—	—	—	1	—	—	—	
Mouth	342	—	—	—	1	1	2	2	2	7	
Peritoneum	2,400	2	3	1	3	2	11	4	5	7	
Pleura	83	—	—	1	—	—	1	—	—	2	
Brain	725	3	6	5	7	10	31	32	26	34	
Spinal Cord	52	—	1	—	—	—	1	1	—	1	
Pericardium	1	—	—	—	—	—	—	—	—	—	
Globe of Eye, Orbit	333	6	6	15	23	9	59	12	7	3	
Axilla	222	—	—	—	—	—	—	—	—	1	
Groin	194	—	—	—	—	—	—	1	—	—	
Lymphatic Glands	168	—	1	—	—	1	2	3	6	1	
Shoulder	155	—	—	—	1	1	2	2	6	5	
Arm, Leg	1,527	8	2	3	1	6	20	21	43	68	
Hip	65	—	—	—	1	—	1	1	3	3	
Skull	116	3	1	3	3	1	11	2	2	5	
Rib, Sternum	145	—	—	—	1	—	1	1	4	2	
Spinal Column	234	3	1	1	2	—	7	—	2	7	
Jaw	1,200	1	3	1	4	2	11	5	12	9	
Buttock	39	1	—	4	—	—	5	—	—	3	
Pelvic Bones	1,011	5	4	3	1	—	13	5	11	26	
Ovary	3,220	—	2	2	—	1	5	7	9	39	
Kidney and Supra-Renals	1,261	17	42	38	28	31	156	41	10	8	
Parotid Gland	182	1	—	—	—	1	2	2	1	4	
Lung	1,174	2	1	—	3	1	7	9	16	21	
Mediastinum	739	—	—	—	—	—	—	2	4	9	
Mesentery	365	—	1	1	—	—	2	3	1	3	
Lymphatic Glands of Neck	972	9	1	2	2	1	15	7	14	30	
Spleen	245	—	—	1	2	—	3	2	—	2	
Abdomen	2,917	1	2	9	4	2	18	6	6	11	
Thorax	339	—	1	1	1	1	4	1	2	5	
Part not stated	1,497	8	3	4	3	3	21	8	11	13	

* The arrangement of this column has been fixed in consultation

1901-1909, CLASSIFIED according to AGE, and PART AFFECTED.

FEMALES.

at Death.								Part of the Body Affected.*
20—	25—	35—	45—	55—	65—	75—	85 and up- wards.	
577	4,447	17,189	34,434	44,020	39,763	17,465	2,349	TOTAL.
3	18	47	136	220	390	450	141	Skin of—
—	1	3	10	21	50	53	14	Face.
4	3	3	14	30	62	55	10	Lip.
—	3	6	18	32	44	42	11	Nose.
—	4	10	21	14	14	10	5	Scalp.
18	360	1,523	3,984	6,788	7,138	2,890	263	Ear.
33	258	781	1,991	3,431	3,831	1,741	202	Stomach.
46	280	791	1,693	2,706	2,710	1,255	142	Intestines.
49	1,378	6,182	10,193	9,478	6,002	1,992	224	Rectum.
20	557	3,367	6,666	6,963	5,756	3,090	641	Uterus.
4	116	309	474	576	648	300	30	Breast.
24	229	1,178	3,629	6,677	6,676	2,739	263	Œsophagus.
4	47	139	359	637	558	201	18	Liver and Gall Bladder.
—	17	91	206	402	489	255	35	Pancreas.
8	43	110	152	178	141	73	5	Bladder and Urethra.
—	52	133	163	182	135	41	6	Pharynx, Throat.
4	20	50	94	149	140	61	8	Larynx and Trachea.
3	53	85	128	167	209	121	15	Thyroid.
2	12	30	49	88	104	37	7	Tongue.
6	80	204	498	702	632	231	20	Mouth.
2	3	7	21	23	17	6	1	Peritoneum.
44	91	153	154	103	44	12	1	Pleura.
1	3	12	14	8	10	1	—	Brain.
—	—	—	—	—	1	—	—	Spinal Cord.
1	6	16	41	59	64	48	17	Pericardium.
—	4	17	27	50	66	47	10	Globe of Eye, Orbit.
2	8	24	36	47	38	32	6	Axilla.
5	12	21	33	33	38	12	2	Groin.
4	12	16	23	33	33	17	2	Lymphatic Glands.
44	88	103	182	279	345	260	74	Shoulder.
9	5	6	11	10	13	3	—	Arm, Leg.
3	10	10	17	24	19	10	3	Hip.
8	12	14	26	28	32	14	3	Skull.
5	15	34	47	60	38	17	2	Rib, Sternum.
19	38	95	209	320	297	165	20	Spinal Column.
2	2	2	4	8	7	6	—	Jaw.
30	55	147	219	225	206	65	9	Buttock.
45	206	557	956	833	440	113	10	Pelvic Bones.
10	47	110	225	304	246	94	10	Ovary.
4	8	15	30	38	46	26	6	Kidney and Supra-Renals.
24	61	168	304	307	203	51	3	Parotid Gland.
18	41	90	150	214	156	51	4	Lung.
4	9	33	69	91	103	41	6	Mediastinum.
23	54	66	162	217	226	138	20	Mesentery.
2	4	33	44	71	70	13	1	Lymphatic Glands of Neck.
15	51	180	544	750	888	406	42	Spleen.
6	12	31	70	97	65	35	11	Abdomen.
19	59	187	338	347	323	145	26	Thorax.
								Part not Stated.

with Dr. Bashford, Director of the Imperial Cancer Research Fund.

TABLE LXIV.—ENGLAND and WALES.—MALES.—MORTALITY per MILLION LIVING at several AGES from CANCER of specified ORGANS or PARTS of the BODY, 1901-09.


Part of Body Affected.	All Ages.	Ages at Death.							85 and upwards.
		0—35	35—	45—	55—	65—	75—		
TOTAL	759·8	47·3	425·6	1591·3	3996·3	6977·1	7833·6	7635·2	
Skin of—									
Face	14·1	0·4	6·1	19·8	48·1	134·4	335·5	824·2	
Lip	11·9	0·1	2·9	11·7	44·3	124·0	313·7	730·0	
Nose	1·4	0·2	0·5	2·1	5·0	12·6	25·6	64·8	
Scalp... ..	0·7	0·1	0·2	0·9	3·0	5·1	14·7	29·4	
Ear	1·6	0·1	0·4	1·6	3·4	12·6	53·8	141·3	
Stomach	162·5	4·1	89·1	342·0	895·3	1610·3	1578·9	977·2	
Intestines	60·5	3·0	33·8	114·0	302·0	617·9	703·6	506·3	
Rectum	77·2	3·4	36·7	142·8	413·6	776·4	889·3	753·5	
Breast	1·4	0·0	0·5	2·8	6·2	13·9	19·8	35·3	
Esophagus	49·4	0·3	21·1	126·8	315·6	426·2	370·7	264·9	
Liver and Gall Bladder	95·1	3·3	45·2	176·1	529·6	957·5	1038·5	924·2	
Pancreas	14·2	0·8	11·7	32·6	78·5	120·7	98·0	70·6	
Bladder and Urethra ...	23·6	0·6	8·8	38·6	114·7	276·9	314·4	347·3	
Pharynx, Throat	17·4	0·9	9·6	45·4	103·5	137·7	120·4	76·5	
Larynx and Trachea ...	15·0	0·2	7·2	42·5	93·3	125·5	90·3	58·9	
Thyroid	1·4	0·1	1·0	4·0	7·3	10·6	11·5	—	
Tongue	42·1	0·4	23·4	123·2	249·7	328·8	318·8	241·4	
Mouth	13·4	0·3	6·5	31·1	72·8	126·2	132·5	158·9	
Prostate	10·3	0·1	1·1	8·4	48·7	144·3	183·8	170·7	
Peritoneum	6·4	1·1	4·9	13·1	31·5	48·3	52·5	35·3	
Pleura	0·6	0·1	0·6	0·8	3·1	4·6	4·5	—	
Brain	6·6	3·9	10·3	14·2	16·5	12·2	3·2	5·9	
Spinal Cord	0·4	0·2	0·5	1·2	1·2	1·8	1·3	—	
Heart and Pericardium	0·1	0·0	—	0·5	0·2	0·2	—	—	
Globe of Eye, Orbit ...	2·3	1·1	1·0	2·1	5·2	15·9	29·5	64·8	
Axilla	1·0	0·2	0·7	1·1	3·5	8·2	19·2	23·5	
Groin	1·5	0·2	1·6	3·9	7·2	8·4	10·9	23·5	
Lymphatic Glands	1·4	0·4	1·5	2·7	6·3	9·5	10·2	5·9	
Shoulder	1·2	0·4	1·0	1·9	4·5	7·5	10·9	23·5	
Arm, Leg	10·2	3·4	6·6	13·8	34·0	68·0	147·3	253·1	
Hip	0·5	0·2	0·5	1·1	1·5	2·9	5·8	5·9	
Skull	1·0	0·5	0·7	1·2	3·0	4·9	5·8	11·8	
Rib, Sternum	1·2	0·4	1·0	2·7	4·5	8·0	8·3	5·9	
Spinal Column	1·9	0·5	1·2	4·6	10·0	12·2	7·0	5·9	
Jaw	22·0	1·1	12·6	55·2	117·3	182·6	220·2	153·1	
Buttock	0·2	0·1	0·1	0·2	0·9	1·5	2·6	—	
Pelvic Bones	4·1	1·3	3·7	6·9	16·3	29·9	26·3	11·8	
Kidney and Supra-Renals	8·2	2·6	6·4	17·1	35·9	51·1	47·4	11·8	
Testes and Penis	11·5	2·5	13·5	24·6	38·1	74·2	124·9	158·9	
Parotid Gland	2·4	0·2	1·4	5·0	11·7	21·9	26·3	17·7	
Lung	10·0	1·8	12·0	27·7	45·7	54·7	37·8	53·0	
Mediastinum	7·8	1·6	7·9	21·9	36·6	46·5	29·5	23·5	
Mesentery	1·6	0·3	1·7	3·6	5·9	12·6	12·8	11·8	
Lymphatic Glands of Neck,	21·6	1·7	13·0	57·7	119·2	155·4	186·3	170·7	
Spleen	1·5	0·3	1·1	3·1	7·2	10·8	10·2	11·8	
Abdomen	10·0	1·3	5·9	18·4	48·1	95·0	98·0	70·6	
Thorax	2·1	0·5	2·2	4·5	11·0	12·2	11·5	11·8	
Part not stated	7·3	1·0	6·2	14·1	35·6	54·5	69·6	88·3	

TABLE LXV.—ENGLAND and WALES.—FEMALES.—MORTALITY per MILLION LIVING at several AGES from CANCER of specified ORGANS or PARTS of the BODY, 1901-09.

Part of Body Affected.	All Ages.	Ages at Death.							85 and up-wards.
		0-35	35—	45—	55—	65—	75—		
TOTAL	1016'0	59'2	879'7	2415'4	4491'6	7022'6	8091'5	8128'4	
Skin of—									
Face	8'9	0'3	2'4	9'5	22'4	68'9	208'5	487'9	
Lip	1'0	0'0	0'2	0'7	2'1	8'8	24'6	48'4	
Nose	1'2	0'1	0'2	1'0	3'1	10'9	25'5	34'6	
Scalp... ..	1'0	0'1	0'3	1'3	3'3	7'8	19'5	38'1	
Ear	0'5	0'0	0'5	1'5	1'4	2'5	4'6	17'3	
Stomach	144'4	3'6	77'9	279'5	692'6	1260'7	1338'9	910'1	
Intestines	77'3	2'9	40'0	139'7	350'1	676'6	806'6	699'0	
Rectum	60'6	3'2	40'5	118'8	276'1	478'6	581'4	491'4	
Uterus	223'3	13'5	316'4	715'0	967'1	1060'0	922'9	775'1	
Breast	170'2	5'4	172'3	467'6	710'5	1016'6	1431'6	2218'1	
Œsophagus	15'5	1'1	15'8	33'2	58'8	114'4	139'0	103'8	
Liver and Gall Bladder	135'1	3'0	60'3	254'6	681'3	1179'1	1269'0	910'1	
Pancreas	12'4	0'5	7'1	25'2	65'0	98'5	93'1	62'3	
Bladder and Urethra ...	9'4	0'2	4'7	14'5	41'0	86'4	118'1	121'1	
Pharynx, Throat	4'6	0'7	5'6	10'7	18'2	24'9	33'8	17'3	
Larynx and Trachea ...	4'5	0'5	6'8	11'4	18'6	23'8	19'0	20'8	
Thyroid	3'3	0'3	2'6	6'6	15'2	24'7	28'3	27'7	
Tongue	4'9	0'5	4'4	9'0	17'0	36'9	56'1	51'9	
Mouth	2'2	0'3	1'5	3'4	9'0	18'4	17'1	24'2	
Peritoneum	15'1	1'1	10'4	34'9	71'6	111'6	107'0	69'2	
Pleura	0'5	0'1	0'4	1'5	2'3	3'0	2'8	3'5	
Brain	4'6	2'4	7'8	10'8	10'5	7'8	5'6	3'5	
Spinal Cord	0'3	0'1	0'6	1'0	0'8	1'8	0'5	—	
Pericardium	0'0	—	—	—	—	0'2	—	—	
Globe of Eye, Orbit ...	2'1	0'8	0'8	2'9	6'0	11'3	22'2	58'8	
Axilla	1'4	0'0	0'9	1'9	5'1	11'7	21'8	34'6	
Groin	1'2	0'1	1'2	2'5	4'8	6'7	14'8	20'8	
Lymphatic Glands	1'1	0'3	1'1	2'3	3'4	6'7	5'6	6'9	
Shoulder	1'0	0'3	0'8	1'6	3'4	5'8	7'9	6'9	
Arm, Leg	9'6	2'6	5'3	12'8	28'5	60'9	120'5	256'1	
Hip	0'4	0'2	0'3	0'8	1'0	2'3	1'4	—	
Skull	0'7	0'3	0'5	1'2	2'4	3'4	4'6	10'4	
Rib, Sternum	0'9	0'3	0'7	1'8	2'9	5'7	6'5	10'4	
Spinal Column	1'5	0'3	1'7	3'3	6'1	6'7	7'9	6'9	
Jaw	7'5	0'9	4'9	14'7	32'7	52'5	76'4	69'2	
Buttock	0'2	0'1	0'1	0'3	0'8	1'2	2'8	—	
Pelvic Bones	6'4	1'3	7'5	15'4	23'0	36'4	30'1	31'1	
Ovary	20'2	2'9	28'5	67'1	85'0	77'7	52'4	34'6	
Kidney and Supra-Renals	7'9	2'5	5'6	15'8	31'0	43'4	43'6	34'6	
Parotid Gland	1'1	0'2	0'8	2'1	3'9	8'1	12'0	20'8	
Lung	7'4	1'3	8'6	21'3	31'3	35'9	23'6	10'4	
Mediastinum	4'6	0'7	4'6	10'5	21'8	27'6	23'6	13'8	
Mesentery	2'3	0'2	1'7	4'8	9'3	18'2	19'0	20'8	
Lymphatic Glands of Neck.	6'1	1'3	3'4	11'4	22'1	39'9	63'9	69'2	
Spleen	1'5	0'1	1'7	3'1	7'2	12'4	6'0	3'5	
Abdomen	18'3	1'0	9'2	38'2	76'5	156'8	188'1	145'3	
Thorax	2'1	0'3	1'6	4'9	9'9	11'5	16'2	38'1	
Part not stated	9'7	1'3	9'5	23'3	35'5	56'9	67'1	89'8	

Age and Sex Distribution of Mortality from Cancer of different parts of the Body.—This is illustrated by Diagram XIV., which represents by means of broken and continuous lines the male and female mortality, at the seven age periods dealt with, of cancer of the regions principally attacked. The situations dealt with in the diagram account for 76 per cent. of all male and 85 per cent. of all female cancer mortality during the years 1901-09.

DIAGRAM XIV.—ENGLAND AND WALES.—CANCER. AGE and SEX MORTALITY from CANCER of various parts of the body. 1901-9.



The relation of mortality to age varies considerably for cancer of different organs, but little for the same organ in the two sexes. Even where the incidence of mortality is confined almost entirely to one sex, as in cancer of the breast, the curve of incidence upon the other sex is essentially similar in type, increasing in the case mentioned throughout life in males as in females, though deaths in the male sex are so few that this cannot be clearly brought out in the diagram.

The two organs giving rise to the highest cancer mortality in the female sex may be contrasted in order to illustrate the variations in age incidence of the disease. Though the total mortality from uterine cancer is much higher than that from cancer of any other organ in either sex, its curve of age incidence has less than half the vertical extent of that for cancer of the breast. This is due to the fact that the mortality at the earlier ages from uterine cancer is very much greater, though at later very much less, than that from cancer of the breast. More than half the victims of the former, and less than 40 per cent. of those of the latter disease are under 55 years of age. Stated in this way the differences in age distribution are much less than might at first sight be inferred from the diagram. This is because the high mortalities above 75, and especially above 85, are based upon a comparatively small number of deaths. But while this must be borne in mind, the differences in type of the curves in the diagram do represent very definite differences in the age incidence of the disease, which may perhaps, as our knowledge advances, assume a significance not at present apparent.

Table LXVI. presents the same contrast in a different way. It shows that whereas in the first two age-periods dealt with cancer of the uterus causes 22·8 and 36·0 per cent. of all the deaths of women from cancer at these ages as against 9·2 and 19·6 caused by disease of the breast, in the last two age-periods the percentages are only 11·4 and 9·5 for uterine as against 17·7 and 27·3 for mammary cancer.

This table also shows that whereas in almost every other instance there is some one period of life (generally the same for both sexes) at which cancer of any particular organ is especially characteristic, there are two such periods in regard to cancer of the female breast, viz., 35-55 and 75 onwards, with an intermediate period at which it is less common relatively to other cancers. The earlier maximum of relative prevalence corresponds with that for cancer of the uterus, towards the close of the period of functional activity of both organs, when it may well be supposed that both old age of the special tissues concerned—occurring in advance of general senility—and the effects of irritation incidental to functional activity are operative in predisposing towards cancer. The second and greater maximum is in sharp contrast with the facts as to relative prevalence of uterine disease. It may be added that the very small male mortality is greatly concentrated upon the end of life, the first period of characteristic prevalence in the female sex being unrepresented.

Diagram XIV. shows that cancer of the face and lip may be taken as representing the extreme of one type of age distribution, in which mortality is concentrated upon the extreme end of life; and cancer of the tongue (in males) as the best marked example of comparatively early age incidence. If irritation from smoking be taken as accounting for the age and sex distribution of tongue cancer, this may be compared with cancer of the uterus and with the earlier period of comparative prevalence of cancer of the female breast.

TABLE LXVI.—ENGLAND and WALES.—CANCER: PARTS of BODY, 1901-9.—
PERCENTAGE of DEATHS at each AGE-GROUP to TOTAL DEATHS from CANCER
in the same SEX and AGE-GROUP.

	0-35	35—	45—	55—	65—	75—	85 and up- wards.	All Ages.
MALES.								
Face	0·9	1·4	1·2	1·2	1·9	4·3	10·8	1·9
Lip	0·1	0·7	0·7	1·1	1·8	4·0	9·6	1·6
Stomach	8·7	20·9	21·5	22·4	23·1	20·2	12·8	21·4
Intestines	6·3	8·0	7·2	7·6	8·9	9·0	6·6	8·0
Rectum	7·1	8·6	9·0	10·4	11·1	11·4	9·9	10·2
Breast	0·1	0·1	0·2	0·2	0·2	0·3	0·5	0·2
Œsophagus	0·7	5·0	8·0	7·9	6·1	4·7	3·5	6·5
Liver and Gall Bladder	7·0	10·6	11·1	13·3	13·7	13·3	12·1	12·5
Bladder and Urethra ...	1·2	2·1	2·4	2·9	4·0	4·0	4·5	3·1
Tongue	0·8	5·5	7·7	6·2	4·7	4·1	3·2	5·5
Mouth	0·6	1·5	2·0	1·8	1·8	1·7	2·1	1·8
Jaw	2·3	3·0	3·5	2·9	2·6	2·8	2·0	2·9
Other organs	64·2	32·6	25·5	22·1	20·1	20·2	22·4	24·4
FEMALES.								
Face	0·6	0·3	0·4	0·5	1·0	2·6	6·0	0·9
Lip	0·0	0·0	0·0	0·0	0·1	0·3	0·6	0·1
Stomach	6·0	8·9	11·6	15·4	18·0	16·5	11·2	14·2
Intestines	4·9	4·5	5·8	7·8	9·6	10·0	8·6	7·6
Rectum	5·4	4·6	4·9	6·1	6·8	7·2	6·0	6·0
Uterus	22·8	36·0	29·6	21·5	15·1	11·4	9·5	22·0
Breast	9·2	19·6	19·4	15·8	14·5	17·7	27·3	16·8
Œsophagus	1·9	1·8	1·4	1·3	1·6	1·7	1·3	1·5
Liver and Gall Bladder	5·1	6·9	10·5	15·2	16·8	15·7	11·2	13·3
Bladder and Urethra ...	0·3	0·5	0·6	0·9	1·2	1·5	1·5	0·9
Tongue	0·9	0·5	0·4	0·4	0·5	0·7	0·6	0·5
Mouth	0·4	0·2	0·1	0·2	0·3	0·2	0·3	0·2
Jaw	1·5	0·6	0·6	0·7	0·7	0·9	0·9	0·7
Other organs	41·0	15·6	14·7	14·2	13·8	13·6	15·0	15·3


The mortality curves for the principal cancers of the digestive system—stomach, liver and gall bladder, intestines and rectum—are very similar, but males suffer more from cancers of the stomach and rectum, females from those involving the liver and intestines. It is possible, of course, that many of the cancers of the liver in women may be secondary to cancer of the breast and uterus, as in both sexes to cancer of the stomach. In these four cases the period of maximum comparative prevalence is much the same, 65-75 for diseases of liver and stomach, and 75-85 for diseases of intestines and rectum (Table LXVI.).

Organs Principally Affected at Different Ages.—Table LXVI. shows that amongst males cancer of the stomach, and next to it, cancer of the liver, cause most deaths at each age-period after 35. Cancer of the rectum takes third place except at the latest age-period, when cancer of the face causes rather more deaths. Amongst women the uterus is the principal seat of fatal cancer up to 65, the stomach from 65 to 75, and the breast after 75. The breast comes second up to 65, but only fourth from 65 to 75. Apart from the reproductive system the stomach and liver come first, as in men.

Increase in Mortality from Cancer of Different Organs.—The changes in mortality at all ages from cancer of the different organs during the

last 13 years are contrasted in Diagrams XV. and XVI., which also indicate the relative amount of mortality in each case.


DIAGRAM XV.—ENGLAND AND WALES.—CANCER of various parts of the body ; MORTALITY at ALL AGES, 1897-1909. MALES.



Amongst males, cancer of the stomach is not only the most important but the most rapidly growing form of the disease. Its apparent increase may be to some extent due to transference from the liver, the next commonest site in the male sex. Secondary growths in the liver, many of them due to primary growths in the stomach, being exceedingly common, it is possible that with improvement of certification the primary seat is returned now in a number of instances where some years ago the disease would have been referred to in its seat of secondary occurrence. This surmise is suggested by the fact that the returns of cancer of the stomach are rapidly increasing in both sexes, whereas those from cancer of the liver show little increase of recent years.

There is also a marked contrast in this respect between the two chief seats of the disease in the female sex, the uterus and the breast. Cancer of the former organ shows little or no increase during the 13 years, but the mortality from mammary cancer has increased by about 28 per cent., notwithstanding lives saved by improved methods of operation.

DIAGRAM XVI.—ENGLAND AND WALES. CANCER of various parts of the body; MORTALITY at ALL AGES, 1897-1909. FEMALES.



In both sexes the greatest relative increase, and in the female sex the greatest absolute increase, has been that from cancer of the intestines, the mortality attributed to which amongst women has practically doubled during the last 13 years. Doubtless this is very largely due to improved diagnosis. In the case of rectal cancer, on the other hand, the increase has been greater amongst men.

Table LXVII. enables us to trace these changes in mortality further back. Though yearly records of the part of the body attacked have only been kept since 1897, the Annual Report for 1889 contained a comparison of the mortalities from cancer of the various parts of the body as recorded in 1868 and 1888. The figures for 1868 were tabulated at the same time as those for 1888 and are therefore comparable with them, but this is not entirely true of the figures for 1909, as the methods by which these have been classified differ slightly from those used on the former occasion. In the earlier years also the number of cases in which the organ was unstated was larger than now.

Bearing in mind these possibilities of defective comparability, the Table may be used to compare the various mortalities of to-day with those recorded 21 and 41 years ago.

TABLE LXVII.—MORTALITY from CANCER of SEVERAL PARTS of the BODY.—
ANNUAL DEATH-RATE per MILLION LIVING, 35 YEARS of AGE and UPWARDS.

Part of Body.	1868.		1888.*		1909.	
	Males.	Females.	Males.	Females.	Males.	Females.
Face	45'70	20'48	42'82	22'61	43'53	24'62
Lip	18'12	0'76	28'55	2'31	37'95	4'99
Stomach	283'65	193'45	346'15	277'75	547'83	468'23
Intestines	32'30	33'38	96'35	124'57	233'08	286'76
Rectum	63'82	59'93	128'98	112'12	247'41	195'11
Uterus, Ovary† ...	—	617'53	—	737'29	—	717'23
Breast	1'58	394'48	3'06	428'16	3'91	550'90
Œsophagus	14'18	12'14	71'37	31'37	185'83	53'73
Liver and Gall Bladder	96'13	103'93	215'13	298'51	303'03	409'01
Bladder, Urethra ...	16'55	9'10	44'86	17'99	82'59	29'94
Tongue	46'49	17'45	77'49	12'46	152'54	14'97
Mouth	18'12	6'83	28'04	5'08	40'92	5'16
Jaw	13'39	10'62	42'82	13'38	69'94	23'12
Kidney†	3'94	3'03	17'33	15'69	25'30	19'96
Other and Unspecified Parts.	148'15	144'90	312'02	243'13	575'54	371'40
ALL PARTS ...	802'12	1,628'01	1,454'97	2,342'42	2,549'40	3,175'13

* The death-rates for this year are identical with those published in the Annual Report for 1889. Recalculation on the estimates of population at that time as revised in the light of the results of the 1891 census would very slightly increase the rates in these columns.

† 1868 and 1888 = Uterus, Ovary, Vagina, Vulva,

‡ 1909 = Kidney and Supra-Renals.

In 1888 the mortality from uterine and ovarian disease was apparently at least as high as at present, whereas that from cancer of the breast was much lower, these changes corresponding with those shown in Diagram XVI. Since 1868, however, the mortality from cancer of the uterus had in 1888 increased considerably more than that from cancer of the breast. Clearly, if any reliance is to be attached to the records, there has been a remarkable reversal of the relative position of the two chief sites of female cancer in regard to rate of increase in mortality.

The increase amongst males from cancer of the jaw, and especially of the tongue, is remarkable, and can scarcely be explained by improved diagnosis. Although cancer of the tongue in its later stages presents little difficulty in diagnosis, the recorded mortality has increased amongst males by no less than 228 per cent. in 41 years. Moreover the increase is entirely confined to the male sex.

Cancer of the Œsophagus was returned almost as frequently in the one sex as in the other in 1868, but now it would seem to be over three times as frequent in males as in females. This alteration in sex ratio applies also to the tongue, mouth, and jaw, but not to other portions of the alimentary canal, the ratio having altered little in the case of the stomach, intestines, and rectum.

Changes at Different Age-periods in Mortality from Cancer of Different Organs.—When the increase since 1901 in mortality ascribed to cancer of the stomach is analysed according to the age at death, it is found that in the female sex the same variation with age obtains as in the case of total cancer mortality (Diagram XIII.). At ages 35–55 the mortality has, with fluctuations, remained at much the same level as in 1901, while the increases at other ages for 1909 as compared with 1901 are as follows:—55–65, 11 per cent.; 65–75, 23 per cent.; and 75 and upwards, 42 per cent. The same remarkable relation to age is manifested in the recent records of female mortality from cancer of the liver and gall-bladder. At 35–45 this now shows a decrease of 35 per cent. as compared with 1901; at 45–55 a decrease of 14 per cent.; at 55–65 a decrease of 1 per cent.; at 65–75 an increase of 2 per cent.; and at 75 and upwards an increase of 17 per cent. In the case of cancers of the uterus and intestines the same relationship is clearly but less perfectly marked, while the increase in female mortality from cancers of the breast and rectum has been without any clearly marked relationship to age.

The same relation of increase in mortality to age is discernible in the case of the principal seats of male cancer, though much less marked than in those of the female stomach and liver.

Diabetes Mellitus was the certified cause of death in 3,698 instances in the year under notice—this number being in excess of the quinquennial average, corrected for increase of population, by 262. Nearly three-quarters (71 per cent.) of the total mortality occurred at ages above 45 years. From a table published in the Annual Report for 1905, it appears that in recent years there has been an increase in the loss of life from this disease, which has been greatest among women; and that in both sexes the increase has been mainly at ages beyond mid-life.

DISEASES OF PARTICULAR ORGANS.

Convulsions.—The number of deaths referred to this indefinite heading during 1909 was 10,315, corresponding to a mortality of 288 per million living at all ages. Deaths of infants under one year of age accounted for 9,057 out of this total, the corresponding infantile mortality being 9.9 per 1000 births. One death out of 11 at this age is attributed to convulsions.

As the term is merely the name of a symptom, not of a disease, it is to be hoped that its use on the scale indicated above will not be continued. There has already been very great improvement in this respect. Going back a quarter of a century we find that the proportion of infantile deaths so certified in 1884 was one in seven, corresponding to a mortality of 21 per 1000 births. The mortality at all ages was 854 per million living, or three times as high as at present. It must also be borne in mind that convulsions as a cause of death cannot be expected to disappear altogether from our records. In a very large number of cases lack of opportunity for more exact diagnosis, or its intrinsic difficulty, must continue to stand in the way of satisfactory certification of some of these deaths, and it is much to be preferred that indefinite certificates should be issued in cases where no evidence has been obtained on which to found a definite diagnosis. But though we cannot hope to get rid of this unsatisfactory heading altogether, the restriction of its use is still being continued at such a rate as to indicate that it will probably be carried much further than the point at present attained.

Diseases of the Heart.—In the year under notice diseases of the heart are reported to have caused the deaths of 50,918 persons, the corresponding death-rate being 1,423 per million living, or 1,396 for males and 1,451 for females. These rates vary little from year to year as a rule, but were appreciably increased in the earlier years of influenza prevalence, that for persons reaching 1,701 per million in 1891. Diagram VI. shows the large proportion of all deaths due to this class of diseases, and Diagram VII. shows how little they have contributed to the fall in the death-rate. The reduction of mortality which has occurred has been much more marked in the male sex.

According to the experience of the last nine years the mortality from valvular disease of the heart has been greater in the female than the male sex up to the age of 55 years, whilst after that age the reverse has been the case. During the first twenty years of life the mortality increases gradually, and from the 35th year onward very rapidly.

Tables 23 and 24 indicate that valvular disease, including endocarditis, has been in recent years the most frequent of all the definite forms of this malady. The fact that the mortality from valvular affections and also from angina pectoris, dilatation, and fatty degeneration of the heart is apparently increasing from year to year must be considered in relation to the associated fact that the death-rate from indefinite forms of heart disease is decreasing.

Diseases of the Blood Vessels.—About four-fifths of the deaths under this heading are referred to cerebral hæmorrhage or to its symptoms apoplexy or hemiplegia. On the average of the last nine years the deaths at all ages from cerebral hæmorrhage (together with apoplexy and hemiplegia) correspond to a rate of 667 per million for males, and of 762 per million for females. The mortality from this cause is low until after the age of puberty, but at ages above 35 years it accounts for the deaths of 2,092 in a million men, and of 2,296 in a million women. In the 20 years intervening between the 35th and the 55th year women fall victims to this disease in greater proportion than do men, whilst at ages above 55 years the mortality is higher among men.

Laryngitis.—During 1909 1,022 deaths at all ages were referred to laryngitis; membranous laryngitis, not ascertained upon inquiry to be diphtheritic, being responsible for 31 of these deaths.

Table 24 shows that in proportion to population the deaths referred to "laryngitis" are at the present time fewer than they were 20 years ago. But it must not be inferred that the mortality from laryngitis is correspondingly less now than it was formerly, as improved diagnosis, particularly in the case of diphtheria, may not improbably account for a part of the decrease. It has been pointed out in previous reports that the age distribution of laryngitis corresponds somewhat closely to that of diphtheria and "croup," and this was the case in the year 1909, when about two-thirds of the deaths from laryngitis were those of children under the age of five years.

Bronchitis.—More deaths are still attributed to this than to any other single cause of death, although the mortality assigned to it has fallen greatly since 1871–80 (*see* Table 22 and Diagram VII.). For the past eight years the deaths referred to the various forms of pneumonia have exceeded those referred to bronchitis. The question of possible transfer to pneumonia of deaths formerly assigned to bronchitis is discussed on pages lxix–lxxi.

Gastric Ulcer.—The number of deaths from gastric ulcer varies little from year to year. In the year 1909 the deaths so returned amounted to 1,728, against 1,775 and 1,713, respectively, in the two years immediately preceding. Eighty-two of the deaths now classed to gastric ulcer had originally been certified as from peritonitis or some other indefinite cause, but were transferred to this heading after correspondence with the medical attendants.

In the nine years ended 1909 the death-rate at all ages from gastric ulcer averaged 36 per million for males, and 63 per million for females, but the difference between the rates for the two sexes has been diminishing throughout the period. Among women seven-tenths of the deaths occur at ages from 15 to 45 years, whilst among men at the same ages the proportion is only four-tenths. Women experience the highest mortality from gastric ulcer at ages from 20 to 25, when it accounts for the deaths of 110 in each million living, or more than six times the rate experienced by men at the same time of life. At all ages after the 45th year the male death-rate exceeds the female, the mortality attaining its maximum among men at ages above 65 years.

Appendicitis.—The mortality for this disease prior to 1901 cannot be stated. The recorded death-rate has increased from 38 per million in 1901 to 64 in 1909 (74 in males and 54 in females). Disregarding the ages above 75 years, when the rates are of doubtful value, the period of highest mortality in both sexes appears to be that of later childhood and adolescence.

Peritonitis.—Under this heading 615 deaths are classed, and of these the infective nature has been medically attested in 58 instances (*see* supplementary tables, pages 314-315). The deaths attributed to peritonitis would have been considerably more numerous but for inquiries addressed to medical practitioners respecting the cause of this condition. In all cases where peritonitis is known to depend on hernial or other obstruction, on ulceration of the stomach or intestines, on appendicitis, puerperal septic infection, or other definite cause, the death is referred to that cause, and not to peritonitis. Fortunately the precision of certification in these cases is increasing.

The deaths ultimately referred to peritonitis in the year under notice were equal to a rate of 17 per million living, or less than a third of the rate recorded even so recently as the year 1900. The mortality was 16 per million among males and 18 per million among females. It may be presumed that many of the deaths which ten years ago would have been ascribed to peritonitis are now referred to gastric ulcer, appendicitis, intestinal obstruction, or some other definite disease.

Diseases of the Liver.—To these diseases in the aggregate there were ascribed in the year under notice 5,491 deaths, corresponding to a rate of 154 per million living at all ages and of both sexes. Tables 26 and 28 show that at the present time among both men and women the mortality ascribed to liver diseases is much lower than it was twenty years ago. In the year 1890, for example, the rates were 312 per million living among males, and 279 among females; whereas in 1909 they were only 167 and 141 respectively.

Acute Nephritis, Chronic Nephritis or Bright's Disease.—These conditions together account for the greater part of the mortality from diseases of the urinary system. In the year under notice 14,340 deaths were referred to this heading—a number correspond-

ing to a rate of 402 per million living, without distinction of age or of sex. Diagram VII. shows that this rate represents a considerable increase on those prevalent thirty years ago.

Diseases and Accidents of Pregnancy and Childbirth.—From Table LXVIII. it will be seen that, apart from 1,429 deaths from puerperal sepsis, 1,950 deaths were attributed to diseases and accidents of pregnancy and childbirth. Particulars of these deaths will be found in Table LXIX., and of 1,221 other deaths not assigned to, but definitely stated to have been connected with pregnancy and parturition, in Table LXX.

TABLE LXVIII.—SUMMARY of DEATHS of WOMEN in ENGLAND and WALES during 1909 either caused by or associated with PREGNANCY and CHILDBEARING.

—	All Ages.	Ages.				
		15—	20—	25—	35—	45 and up- wards.
Diseases and Accidents of Preg- nancy and Childbearing (Table LXIX.).	1,950	64	286	843	732	25
Puerperal Septic Diseases (p. 299).*	1,429	34	265	728	389	13
Other Diseases associated with, but not classed to, Pregnancy and Childbirth (Table LXX.).	1,221	16	160	587	441	17
Total	4,600	114	711	2,158	1,562	55

* For secondary causes associated with puerperal septic diseases, *see* remarks, page lxix.

The total deaths assigned to pregnancy or childbirth numbered 3,379, and corresponded to a rate of 3·70 per 1000 births. In the ten years immediately preceding the average proportion had been 4·22. Inclusion of the 1,221 deaths in Table LXX. raises this proportion to 5·03 per 1000 births. The mortality amongst women aged 15-45 years from all the causes included in Table LXVIII. was 508 per million living, or 5 per million more than in the preceding year.

TABLE LXIX.—DEATHS of WOMEN in ENGLAND and WALES during 1909, other than those due to SEPSIS, which were definitely returned as caused by PREGNANCY and CHILDBEARING.

(Deaths classed to Diseases and Accidents of Pregnancy and Childbirth in Tables 27 and 28, and on page 311.)

Cause of Death.	All Ages.	Ages.				
		15—	20—	25—	35—	45 and up-wards.
Abortion, Miscarriage	85	2	7	33	41	2
Placenta Prævia, Flooding	574	4	46	230	282	12
Ectopic Gestation	74	1	5	43	25	—
Ruptured Uterus... ..	22	—	1	9	12	—
Inversion of Uterus	11	1	4	5	1	—
Retroflexion of Uterus	2	—	1	—	1	—
Contracted Pelvis	24	2	1	11	10	—
Instrumental Delivery	3	—	—	3	—	—
Adherent Placenta	30	—	6	14	10	—
Calcareous Placenta	1	—	1	—	—	—
Cæsarian Section	12	—	3	6	3	—
Craniotomy	3	—	—	1	2	—
Mal-presentation... ..	1	—	—	—	1	—
Hydrocephalic Foetus	3	—	—	1	2	—
Molar Pregnancy	4	—	—	3	1	—
Embolism, Thrombosis	176	1	19	94	62	—
Puerperal Mania... ..	42	1	4	29	8	—
Puerperal Convulsions	462	43*	137	181	96	5
Vomiting	12	4	1	3	4	—
Rupture of Spleen	1	—	—	—	1	—
Administration of Chloroform	4	—	—	2	2	—
Pregnancy and Childbirth, apart from the above complications :—						
(a) With Secondary Causes as follows :—						
Diarrhœa	4	—	—	3	1	—
Anæmia	6	1	—	2	3	—
Inflammation of Brain	3	1	—	1	1	—
Other Diseases of Nervous System... ..	1	—	—	—	1	—
Valvular Disease, Endocarditis	1	—	—	—	1	—
Dilatation of Heart	3	—	1	1	1	—
Heart Disease	3	—	—	3	—	—
Cerebral Hæmorrhage	23	1	3	12	7	—
Apoplexy	3	—	1	—	2	—
Bronchitis	10	—	—	3	7	—
Asthma	1	—	1	—	—	—
Pleurisy	5	—	—	3	2	—
Other Diseases of Respiratory System	8	—	1	4	2	1
Tonsillitis, Quinsy	1	—	—	—	1	—
Gastric Catarrh	2	1	—	—	1	—
Other Diseases of Stomach	1	—	—	1	—	—
Enteritis	1	—	—	—	1	—
Gastro-enteritis	2	—	2	—	—	—
Appendicitis	1	—	—	1	—	—
Obstruction	2	—	—	—	2	—
Other Diseases of Liver	3	—	—	2	1	—
Nephritis	38	—	5	23	10	—
Chronic Bright's Disease	2	—	—	1	1	—
Other Diseases of Bladder	1	—	—	1	—	—
(b) Without stated Secondary Cause	279	1	36	114	123	5
Total	1,950	64	286	843	732	25

* The age of the deceased in one of these cases was 14 years.

TABLE LXX.—DEATHS of WOMEN in ENGLAND and WALES during 1909,
definitely returned as associated with PREGNANCY and CHILDBEARING.
(Deaths not classed to Diseases and Accidents of Pregnancy and Childbirth in
Tables 27 and 28, and page 311.)

Cause of Death.	All Ages.	Ages.				
		15—	20—	25—	35—	45 and up- wards.
Measles	2	—	—	1	1	—
Scarlet Fever	16	1	6	6	3	—
Influenza	60	—	6	34	20	—
Whooping-cough	1	—	1	—	—	—
Diphtheria	4	—	—	2	2	—
Enteric Fever	13	1	2	6	4	—
Diarrhœa	8	—	1	4	3	—
Syphilis	1	1	—	—	—	—
Gonorrhœa	1	—	—	1	—	—
Infective Endocarditis	4	—	1	—	3	—
Lobar Pneumonia	91	—	13	50	28	—
Broncho-Pneumonia	34	—	5	12	17	—
Pneumonia (not defined)	203	3	25	107	65	3
Tuberculous Phthisis	70	1	6	39	23	1
Phthisis (not otherwise defined)	57	1	10	33	13	—
Tuberculous Meningitis... ..	1	—	—	—	1	—
Tuberculous Peritonitis	3	—	1	1	1	—
Other Tuberculous Diseases	14	—	1	9	4	—
Alcoholism	2	—	—	1	1	—
Rheumatic Fever, Rheumatism of Heart	16	—	3	8	5	—
Cancer	11	—	1	3	7	—
Purpura	3	—	1	2	—	—
Anæmia	13	—	1	6	6	—
Diabetes Mellitus... ..	7	—	—	2	5	—
Meningitis, Inflammation of Brain	3	—	—	2	1	—
Chorea	5	—	2	3	—	—
Epilepsy	9	—	—	5	4	—
Other Diseases of Nervous System	5	—	—	2	3	—
Valvular Disease, Endocarditis	92	—	11	43	35	3
Pericarditis	2	—	—	1	1	—
Dilatation of Heart	12	—	—	6	6	—
Fatty Degeneration of Heart	13	—	—	5	7	1
Other Diseases of Heart	81	—	10	40	30	1
Cerebral Hæmorrhage, Apoplexy, Hemiplegia.	16	—	2	4	10	—
Laryngitis	2	—	—	1	1	—
Bronchitis	34	—	5	12	15	2
Emphysema, Asthma	10	—	—	7	3	—
Pleurisy	6	—	2	2	2	—
Other Diseases of Respiratory System	2	—	1	—	1	—
Gastric Ulcer	9	—	2	4	2	1
Other Diseases of Stomach	7	—	—	5	2	—
Enteritis, Gastro-enteritis, Ulceration of Intestines.	15	—	4	6	5	—
Appendicitis	4	—	—	4	—	—
Intestinal Obstruction	6	—	1	3	2	—
Diseases of Liver	14	1	1	5	7	—
Diseases of Thyroid Body	2	—	—	2	—	—
Acute Nephritis	96	7	14	43	31	1
Chronic Bright's Disease	98	—	14	41	40	3
Other Urinary Diseases	5	—	1	1	3	—
Ovarian Tumour	2	—	—	2	—	—
Uterine Tumour and other Diseases of Uterus.	15	—	3	6	5	1
Violence	5	—	1	1	3	—
Other Causes	16	—	2	4	10	—
Total	1,221	16	160	587	441	17

CAUSES OF DEATH ILL-DEFINED OR NOT SPECIFIED.

In the year 1909 the deaths of 49,210 persons, or 9·5 per cent. of the total deaths, were referred to the headings in the list of causes of death grouped under the above title. This number, however, does not include all deaths from ill-defined causes, since many others can be referred to the system attacked by disease, though the disease itself is unstated.

As in previous years inquiries have been sent to medical practitioners asking for further information respecting deaths certified as due to some indefinite condition. The number of replies received was 4,760.

The inquiries chiefly related to certificates of peritonitis, tumours of various organs, septicæmia, pyæmia, hydrocephalus, cerebro-spinal meningitis, paralysis, and hæmatemesis.

The 511 replies respecting deaths from peritonitis resulted in the transference of 124 deaths to appendicitis, 38 to tuberculous peritonitis, 34 to generative diseases, 32 to gastric ulcer, 23 to ulcer of intestines, 40 to other diseases of the digestive system, 28 to puerperal sepsis, 15 to cancer, and 31 to other definite causes. The 657 replies respecting tumours of various organs led to the transference of 352 deaths to cancer, 28 to tuberculous diseases, 20 to syphilis, and 35 to other definite headings. The 238 replies respecting septicæmia, pyæmia, and other septic diseases resulted in the transference of 24 deaths to puerperal sepsis and 96 to other definite headings. The 208 replies respecting hydrocephalus led to the addition of 154 deaths to congenital hydrocephalus, and 34 to tuberculous meningitis. The 160 replies respecting cerebro-spinal meningitis led to the addition of 81 deaths to cerebro-spinal fever, and 60 to tuberculous meningitis. The 130 replies respecting paralysis led to the addition of 69 deaths to cerebral hæmorrhage, 35 to diseases of the spinal cord, and 22 to other definite causes. The 116 replies respecting hæmatemesis led to the addition of 38 deaths to gastric ulcer, 18 to cirrhosis of liver, 13 to cancer, 9 to alcoholism, and 20 to other definite headings.

Inquiries were also sent relating to deaths described as due to cancer, in which no mention was made of the organ or part affected, and as a result this information was supplied in 559 out of 565 cases.

The total additions to certain definite headings resulting from these inquiries were as follows :—To tuberculous diseases 653 deaths, to cancer 600, to congenital defects 158, to appendicitis 141, to cerebral hæmorrhage 90, to venereal diseases 83, to cerebro-spinal fever 82, to gastric ulcer 82, and to alcoholism 43.

VIOLENCE.

The deaths caused by different forms of accident or negligence are enumerated in the abstracts on pages 312 and 313, and also in the special Tables relating to violent deaths on pages 451 to 469. These tables show that 15,260 deaths were referred to this heading during the year 1909, corresponding to a rate of 425 per million living. Among males the deaths numbered 10,383, and were equal to a rate of 602 per million; the deaths of females numbered 4,877, and were equal to 264 per million. Of the 10,383 deaths of males from

accident, 1,913 were stated to be caused by vehicles and horses ; 1,793 by drowning ; 1,339 by falls other than those in mines, quarries, &c., on railways, in ships, boats, and docks, and during building operations ; 1,367 by accidents in mines, quarries, and excavations ; and 1,088 by conflagrations, burns, scalds, and explosions other than those in mines, &c., on railways, and in ships, boats, and docks. Of the deaths of females due to accident, 1,571 were caused by conflagrations, burns, scalds, and explosions, and 1,271 by falls. It will be seen that, as in previous years, the deaths of males exceeded those of females under every heading except that of burns, and the exception under this heading is considerably modified if account is taken of the burns, scalds, and explosions occurring in mines, railways, ships, boats, and docks. The deaths caused by "vehicles other than railway" numbered 1,549, being 1,256 of males and 293 of females. The different kinds of vehicles are shown on pages 454-5 and 464-5, together with the number of deaths caused by each. The coroners' certificates do not in all cases show whether the vehicles were mechanically propelled or not, but simply state that death was caused by "tramcar," "omnibus," "wagon, &c." These deaths have consequently been included in the class of "other and undefined vehicles." The tables show that 395 deaths were caused by vehicles (other than railway) propelled by mechanical power, 556 deaths were caused by horse-drawn vehicles and horses, and 598 were caused by other or undefined vehicles.

The deaths from violence (apart from those attributed to homicide) of infants under the age of one month numbered 677, *viz.*, 334 males, and 343 females. Of the 677 deaths, the number attributed to suffocation in bed was 397, to other forms of suffocation 55, and to neglect 194. The number of infants at this age returned as "found drowned" was 13.

In the case of 14,944 out of the 15,260 deaths stated to be due to accident or negligence, coroners' inquests were held ; the causes of 278 deaths were certified by medical practitioners, and in 38 cases the causes remained uncertified ; 3 of these were not reported to the coroner.

The deaths at all ages of 2,683 men and 894 women were attributed to suicide, details of which will be found on pages 470 and 471.

Of the 287 deaths by homicide, 132 were those of males and 155 of females. The Tables on pages 472 to 475 show that 166 of these were returned by coroners' juries as murder, and 121 as manslaughter (of which 4 were returned as justifiable homicide). The 287 deaths due to homicide include 45 of infants under one month, 39 of which were described as murder and 6 as manslaughter.

There were 19 executions (all males) during the year, the numbers in the preceding three years having been 8, 10 and 12 respectively.

CERTIFICATION OF CAUSES OF DEATH.

Of the 518,003 deaths registered in England and Wales during the year 1909, the causes of 474,546, or 91·61 per cent., were certified by registered medical practitioners ; inquests were held respecting 36,436, or 7·03 per cent. ; whilst the causes of the remaining 7,021, or 1·36 per cent., were uncertified. This is again the lowest proportion of uncertified deaths hitherto recorded.

Of the 7,021 uncertified deaths, 690, or 9·8 per cent., were not reported to coroners, as compared with 740, or 9·9 per cent. in the year 1908.

The subjoined table shows the changes in the proportion to total deaths of certified deaths, inquest cases, and uncertified deaths in the course of the nine years 1901-1909 :—

TABLE LXXI.

Year.	Proportion per 100 Deaths.				
	Certified by Registered Medical Practitioners.	Inquest Cases.	Uncertified Deaths.		
			Total.	Reported to Coroners.	Not reported to Coroners.
1901... ..	91·52	6·67	1·81	1·50	0·31
1902... ..	91·52	6·68	1·80	1·54	0·26
1903... ..	91·40	6·91	1·69	1·47	0·22
1904... ..	91·85	6·53	1·62	1·42	0·20
1905... ..	91·52	6·86	1·62	1·43	0·19
1906... ..	91·64	6·83	1·53	1·36	0·17
1907... ..	91·59	6·96	1·45	1·29	0·16
1908... ..	91·52	7·04	1·44	1·30	0·14
1909... ..	91·61	7·03	1·36	1·23	0·13

In six English counties—Berkshire, Derbyshire, Warwickshire, Herefordshire, Durham, and Westmorland, and in six Welsh counties—Carmarthenshire, Carnarvonshire, Radnorshire, Cardiganshire, Pembrokeshire, and Anglesey, the proportions of uncertified deaths were unduly high, ranging from 2·66 to 6·25 per cent. of the total deaths, compared with 1·36 per cent. in the whole of England and Wales (Table LXXII.).

An analysis of the uncertified deaths shows that in the English counties the average proportion of such deaths registered without previous reference to coroners was 8 per cent., as against 34 per cent. in the Welsh counties.

Table LXXIII. shows the uncertified deaths registered during 1909, arranged according to sex, age, and assigned cause of death, distinguishing the cases reported from those not reported to coroners.

It will be noted that about one-fourth of the uncertified cases which were referred to coroners, and about one-half of those which were not so referred were of infants under three months of age, and that premature birth, convulsions and debility were the assigned causes of most of these deaths.

TABLE LXXII.—CERTIFIED DEATHS, INQUEST CASES, and UNCERTIFIED DEATHS
IN 1909, PROPORTIONS per 100 DEATHS in each REGISTRATION COUNTY.

COUNTY.	Certified by Registered Medical Prac- titioners.	Inquest Cases.	Uncertified Deaths.		
			Total.	Reported to Coroners.	Not Reported to Coroners.
England and Wales	91·61	7·03	1·36	1·23	0·13
London { North of Thames ..	89·08	10·88	0·04	0·02	0·02
{ South of Thames ..	91·31	8·51	0·18	0·16	0·02
Surrey	91·61	7·60	0·79	0·49	0·30
Kent	91·42	6·37	2·21	2·08	0·13
Sussex	92·63	6·91	0·46	0·39	0·07
Hampshire	91·37	7·80	0·83	0·73	0·10
Berkshire	91·51	5·83	2·66	2·46	0·20
Middlesex	91·79	7·91	0·30	0·20	0·10
Hertfordshire	93·70	4·85	1·45	1·37	0·08
Buckinghamshire	92·42	6·18	1·40	1·36	0·04
Oxfordshire	91·55	6·89	1·56	1·41	0·15
Northamptonshire	92·48	5·05	2·47	2·01	0·46
Huntingdonshire	93·64	4·77	1·59	1·27	0·32
Bedfordshire	93·58	4·98	1·44	1·01	0·43
Cambridgeshire	93·23	5·03	1·74	1·71	0·03
Essex	91·36	6·71	1·93	1·88	0·05
Suffolk	91·88	6·42	1·70	1·64	0·06
Norfolk	92·50	5·88	1·62	1·40	0·22
Wiltshire	92·21	7·14	0·65	0·59	0·06
Dorsetshire	92·68	5·90	1·42	1·35	0·07
Devonshire	91·93	7·20	0·87	0·82	0·05
Cornwall	92·62	6·73	0·65	0·48	0·17
Somersetshire	93·15	6·04	0·81	0·69	0·12
Gloucestershire	91·58	7·75	0·67	0·54	0·13
Herefordshire	91·72	5·36	2·92	2·86	0·06
Shropshire	92·27	5·08	2·65	2·60	0·05
Staffordshire	91·87	6·53	1·60	1·55	0·05
Worcestershire	93·18	4·93	1·89	1·86	0·03
Warwickshire	92·02	5·17	2·81	2·74	0·07
Leicestershire	92·61	6·26	1·13	0·96	0·17
Rutlandshire	92·56	6·15	1·29	1·29	—
Lincolnshire	92·03	5·93	2·04	1·93	0·11
Nottinghamshire	92·87	5·38	1·75	1·60	0·15
Derbyshire	90·39	6·81	2·80	2·73	0·07
Cheshire	92·20	7·22	0·58	0·51	0·07
Lancashire	92·04	6·23	1·73	1·67	0·06
West Riding of Yorkshire	91·85	7·29	0·86	0·80	0·06
East Riding of Yorkshire	89·72	9·64	0·64	0·60	0·04
North Riding of Yorkshire	92·61	6·46	0·93	0·47	0·46
Durham	90·21	6·33	3·46	2·92	0·54
Northumberland	91·57	6·96	1·47	1·37	0·10
Cumberland	92·54	4·92	2·54	2·44	0·10
Westmorland	91·35	5·19	3·46	3·46	—
Monmouthshire	91·75	7·10	1·15	1·04	0·11
Glamorganshire	90·78	8·92	0·30	0·09	0·21
Carmarthenshire	92·73	4·59	2·68	1·55	1·13
Pembrokeshire	88·26	6·28	5·46	5·01	0·45
Cardiganshire	91·72	4·14	4·14	2·14	2·00
Brecknockshire	91·67	7·11	1·22	0·89	0·33
Radnorshire	91·10	5·26	3·64	1·62	2·02
Montgomeryshire	93·72	4·30	1·98	1·65	0·33
Flintshire	92·44	5·62	1·94	1·74	0·20
Denbighshire	93·91	3·93	2·16	1·69	0·47
Merionethshire	94·97	3·85	1·18	1·07	0·11
Carnarvonshire	93·48	3·80	2·72	1·88	0·84
Anglesey	90·36	3·39	6·25	0·71	5·54

TABLE LXXIII.—UNCERTIFIED DEATHS REGISTERED in 1909, ARRANGED according to SEX, AGE, and ASSIGNED CAUSE of DEATH.

Assigned Cause of Death.	Total.	Whether Reported to Coroners.				AGES.							
		Reported.		Not Reported.		Under 3 months	3 months and under 1 year.	YEARS.					
		Males.	Females.	Males.	Females.			1—	5—	15—	25—	45—	65 and upwards.
Small-pox ..	2	1	—	—	1	—	1	—	1	—	—	—	—
Measles ..	96	42	45	4	5	1	21	72	2	—	—	—	—
Scarlet Fever ..	3	3	—	—	—	—	—	3	—	—	—	—	—
Whooping-cough	26	10	13	1	2	5	10	11	—	—	—	—	—
Diphtheria ..	16	6	9	1	—	—	1	4	11	—	—	—	—
Enteric Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa ..	53	22	20	7	4	7	20	16	6	—	—	1	3
Pneumonia ..	126	73	40	9	4	9	31	36	9	5	12	20	4
Tuberculous Diseases.	144	66	50	9	19	1	8	7	10	25	55	34	4
Alcoholism ..	5	5	—	—	—	—	—	—	—	—	3	1	1
Cancer ..	34	8	22	—	4	—	—	—	—	—	3	19	12
Premature Birth and Congenital Defects.	863	386	256	126	95	854	8	1	—	—	—	—	—
Dentition..	99	47	42	6	4	1	61	37	—	—	—	—	—
Epilepsy ..	109	46	62	—	1	—	2	2	7	16	37	30	15
Convulsions ..	1165	600	475	46	44	617	396	141	11	—	—	—	—
Other Nervous Diseases.	78	33	37	4	4	1	4	9	7	3	7	26	21
Cerebral Hæmorrhage and Apoplexy, Hemiplegia.	256	118	125	6	7	—	1	2	2	1	21	106	123
Other Circulatory Diseases.	1649	846	737	40	26	1	—	8	17	33	217	830	543
Bronchitis ..	426	208	183	21	14	24	69	59	2	2	15	100	155
Other Respiratory Diseases.	107	50	47	6	4	7	2	15	3	3	9	38	30
Digestive Diseases.	130	52	58	11	9	10	20	14	6	6	18	32	24
Childbirth ..	21	—	19	—	2	—	—	—	—	2	19	—	—
Violence ..	38	13	22	3	—	12	2	1	2	—	5	2	14
Atrophy, Debility, &c.	287	126	95	39	27	228	47	8	1	2	1	—	—
Old Age ..	830	394	391	18	27	—	—	—	—	—	—	3	827
Other stated Causes.	399	201	169	12	17	76	27	27	15	10	36	97	111
Causes not stated	59	34	24	—	1	11	7	2	1	1	6	10	21
All Causes ..	7021	3390	2941	369	321	1865	738	475	113	109	464	1349	1908
All Causes	Reported to Coroners.					877	361	238	50	52	219	688	905
	Males ..					3390	625	308	194	57	46	219	600
	Females					2941	308	194	57	46	219	600	892
	Not Reported to Coroners.					197	43	27	2	3	14	33	50
All Causes	Males ..					369	166	26	16	4	8	12	28
	Females					321	166	26	16	4	8	12	28
Total ..	7021	3390	2941	369	321	1865	738	475	113	109	464	1349	1908

DEATHS IN PUBLIC INSTITUTIONS.

Of the 518,003 deaths registered during the year, no fewer than 103,701 or 20·02 per cent. occurred in Workhouses and Workhouse Infirmaries, in Hospitals, or in Asylums for the Insane, the proportion during the 10 years immediately preceding having averaged 16·74 per cent.

Thus the present figures confirm those of previous reports to the effect that the proportion of deaths occurring in public Institutions has a distinct tendency to increase. The following table shows the proportions of deaths occurring in Workhouses, Hospitals, and Lunatic Asylums (*a*) to total deaths, and (*b*), to total population.

TABLE LXXIV.

Public Institutions.	Percentage of Total Deaths.		Rate per 1,000 living.	
	Ten years, 1899-1908.	1909.	Ten years, 1899-1908.	1909.
Workhouses and Workhouse Infirmaries.	8·95	10·82	1·44	1·57
Hospitals	6·03	7·13	0·96	1·03
Lunatic and Idiot Asylums	1·76	2·07	0·28	0·30

A table, showing the names and descriptions of the several institutions and the numbers of deaths occurring therein, is given on pages 231 to 282 of this Report.

UNITED KINGDOM.

Population.

The first complete Census of the United Kingdom was taken in 1821, when the population numbered 20,893,584 persons; during the eighty years, 1821-1901, the population nearly doubled itself, the numbers enumerated at the end of March, 1901, amounting to 41,458,721 persons.

From that date until the middle of 1909 the number of births exceeded the number of deaths by 3,999,105; had neither emigration nor immigration occurred this surplus would have raised the population in the middle of the year 1909 to 45,457,826. The method adopted, in the absence of precise information as to migration, for estimating the population of England and Wales, has been described on p. ix. The populations of the several divisions of the United Kingdom are provisionally estimated as follows:—

TABLE LXXV.—POPULATION ESTIMATED to the MIDDLE of the YEAR 1909.

—	Persons.	Males.	Females.
England and Wales	35,756,615	17,265,780	18,490,835
Scotland	4,877,648	2,384,907	2,492,741
Ireland	4,371,570	2,172,398	2,199,172
United Kingdom ...	45,005,833	21,823,085	23,182,748

Marriages.

The marriages in the United Kingdom during the year 1909 numbered 313,286, corresponding to a rate of 13·9 persons married per 1000 of the population at all ages.

This rate was 0·4 per 1000 below the corresponding rate in 1908 and 1·0 below the average rate in the ten years, 1899–1908.

TABLE LXXVI.

—	Marriages, 1909.	Persons married to 1000 living.	
		Ten years, 1899–1908.	1909.
England and Wales	260,544	15·7	14·6
Scotland	30,092	14·0	12·3
Ireland	22,650	10·2	10·4
United Kingdom ...	313,286	14·9	13·9

Births.

The births registered in the United Kingdom in the year 1909 numbered 1,145,813 and were in the proportion of 25·5 per 1000 of the population at all ages.

TABLE LXXVII.

—	Births, 1909.	Births to 1000 living.	
		Ten years, 1899–1908.	1909.
England and Wales	914,472	27·8	25·6
Scotland	128,582	28·6	26·4
Ireland	102,759	23·2	23·5
United Kingdom ...	1,145,813	27·4	25·5

This rate was 0·8 per 1000 below the corresponding rate in 1908 ; compared with the average in the ten years 1899–1908 the birth-rate in 1909 showed a decrease of 1·9 per 1000.

Deaths.

The deaths registered in the United Kingdom in the year 1909 numbered 667,570, and were in the proportion of 14·8 per 1000 of the population at all ages.

This rate was 0·3 per 1000 below the corresponding rate in 1908 ; compared with the average in the ten years 1899–1908 the death-rate in 1909 showed a decrease of 1·6 per 1000.

TABLE LXXVIII.

—	Deaths, 1909.	Deaths to 1000 living.	
		Ten years, 1899–1908.	1909.
England and Wales	518,003	16·1	14·5
Scotland	74,594	16·9	15·3
Ireland	74,973	17·8	17·2
United Kingdom	667,570	16·4	14·8

Infantile Mortality.

The following Table shows the proportion of deaths of infants under one year of age to 1000 births in each division of the United Kingdom. At the time of going to press the figures for Scotland relating to the year 1909 were not available.

TABLE LXXIX.

—	Deaths under 1 year to 1000 Births.	
	1899–1908.	1909.
England and Wales	138	109
Scotland	120	121*
Ireland	99	92
United Kingdom	132	—

* This proportion relates to the year 1908.

In Tables 58–61, pages 114–117, the population, marriages, births, deaths and principal causes of death are given for each of the years 1881–1909 for the United Kingdom and for each of its three divisions.

MORTALITY IN THE ARMY.

The average regimental strength of the British Army at home and abroad during the year 1909 was 252,105, and the deaths during the year numbered 985, giving a death-rate of 3·9 per 1000, as compared with 5·5, 4·7, and 4·8 per 1000, respectively, in the three preceding years. The mortality in the Army abroad was 4·8 per 1000, against 7·8, 6·4, and 6·9 in the three preceding years; whilst the mortality in the Army at home was 3·1 per 1000, against 3·1, 3·1, and 2·6 (Table 48).

MORTALITY IN THE NAVY.

The average strength of the service afloat during the year 1909 was 112,700, and the deaths during the year numbered 362, being in the proportion of 3·21 per 1000 of the strength, against an average of

3·82 per 1000 in the six years immediately preceding. Of the 362 deaths in 1909, 258 were caused by disease and 104 by violence ; the death-rate from disease was therefore 2·28 per 1000, and that from violence 0·92 per 1000. Of the 104 deaths by violence, 58 were due to drowning, and 3 to heatstroke, while 10 were cases of suicide.

BIRTHS AND DEATHS AT SEA.

Marine Register Book.—In accordance with the Births and Deaths Registration Act of 1874 and the Merchant Shipping Act of 1894, Commanding Officers of Ships trading to or from British Ports are required, under penalty, to transmit returns of all births and deaths occurring on board their ships to the Registrar-General of Shipping and Seamen, who furnishes certified copies of such returns to the Registrars-General of Births and Deaths for England, Scotland, and Ireland. Similar returns are furnished to the Registrars-General of Births and Deaths by Officers in charge of His Majesty's Ships. These returns of births and deaths at sea constitute the "Marine Register Book." During the year 1909, this register was increased by the addition of 181 entries of birth and 3,268 entries of death.

Mercantile Marine.—A Return received from the Marine Department of the Board of Trade shows the number of, and the mortality among, masters and seamen employed in sea-going vessels (excluding fishing vessels and yachts) registered in the United Kingdom and the Isle of Man under the Merchant Shipping Act in the years 1891–1909. In the year 1908 the number employed was 243,189, of whom 23,478 were employed in sailing vessels, being 2,343 fewer than in the preceding year, and 219,711 in steam vessels, being 1,381 fewer than in the preceding year.

The reported deaths from all causes in sailing or steam vessels during the year ended 30th June, 1909, numbered 2,143, of which 1,155 resulted from disease, suicide, &c., 487 from wreck or casualty to ship, and 501 from accident other than wreck or casualty to ship, showing a death-rate from all causes of 8·8 per 1000 of the strength ; this rate was 0·9 per 1000 below the mean rate in the previous five years. (Table 50.)

INTERNATIONAL VITAL STATISTICS.

The information given in this section of the Report is based on returns courteously furnished by the Registrars-General of Scotland and Ireland, by the several Colonial Authorities, and by the Presidents of the several Foreign Statistical Bureaux.

Marriages.—Table LXXX. compares the crude marriage rates (persons married annually stated in terms of total population) in the several countries and states dealt with from the years 1881–85 onwards. In the first period, 1881–85, the position of this country was fifteenth out of 30 in the list ; in 1896–1900 the position had risen to eleventh out of 31 ; but in 1906–08 it had fallen to seventeenth out of 30.

TABLE LXXX.—ANNUAL MARRIAGE-RATES per 1000 persons living, 1881-1909.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.			
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.
Bulgaria	17·9	17·4	16·4	16·6	19·8	19·1	19·8	17·7	—
Servia	22·1	21·6	20·2	19·9	19·7	20·4	21·2	18·4	18·7
Western Australia ...	14·2	14·3	14·0	19·8	18·4	17·4	16·0	15·0	14·5
Russia (European) ...	18·0	17·1	17·9	17·8	—	—	—	—	—
Ontario, Province of ...	14·2	13·5	13·2	13·9	17·5	17·9	19·7	18·9	—
Hungary	20·4	17·8	18·0	17·0	17·2	17·4	19·6	18·2	17·0
Japan	—	16·6	17·0	18·1	16·3	14·6	17·7	18·7	—
New Zealand	13·6	12·0	12·2	14·2	16·3	17·0	18·0	18·0	16·7
Roumania	17·9	15·1	15·8	15·2	16·3	20·6	21·3	18·4	18·7
Belgium	13·7	14·2	15·1	16·6	16·1	16·1	16·0	15·6	—
German Empire... ..	15·4	15·8	15·9	16·8	16·1	16·3	16·3	15·9	—
Prussia	15·9	16·2	16·1	16·9	16·1	16·4	16·4	16·1	15·7
Spain	12·6	13·3	16·2	15·3	16·0	14·2	13·9	14·3	13·0
Austria	15·8	15·5	15·8	16·2	15·7	15·8	15·0	15·2	—
England and Wales...	15·2	14·7	15·1	16·1	15·6	15·6	15·8	14·9	14·6
France	15·0	14·4	15·0	15·1	15·3	15·6	16·0	16·1	15·7
Tasmania... ..	16·3	13·8	11·9	13·5	15·2	15·5	15·8	15·7	16·3
Switzerland	13·7	14·1	14·5	15·5	15·0	15·6	15·6	15·6	—
The Netherlands ...	14·3	14·0	14·5	14·9	14·9	14·9	15·0	14·4	14·1
Italy	16·1	15·5	14·8	14·3	14·7	15·5	15·4	16·6	15·4
New South Wales ...	17·0	14·9	13·3	13·9	14·7	15·3	15·7	15·9	16·1
Denmark	15·4	14·0	13·9	15·0	14·3	14·9	15·3	14·8	14·6
Scotland	13·8	13·0	13·6	14·6	13·9	14·0	13·9	13·1	12·3
Victoria	14·7	16·3	12·9	13·3	13·7	14·6	15·4	14·8	14·7
South Australia ...	16·9	13·5	12·9	12·5	13·3	14·2	15·9	15·8	16·1
Finland	14·9	14·5	13·0	14·9	13·0	13·6	13·7	13·4	12·8
Norway	13·4	12·8	12·9	13·7	12·3	11·8	12·1	12·2	12·0
Queensland	17·3	16·3	12·6	12·7	12·2	13·5	15·2	14·4	15·9
Sweden	12·8	12·2	11·5	12·2	11·8	12·3	12·4	12·2	11·9
Ireland	8·7	8·7	9·5	9·9	10·4	10·3	10·3	10·4	10·4
Chili	12·6	7·4	9·2	9·3	10·3	11·4	13·0	13·0	11·8

Table LXXXI. sets forth the relative positions when the number of persons married annually is stated in proportion to total marriageable persons (*see* Tables I. and II.). Calculated in this way the relative position of England and Wales in 1900-02 is much the same as in Table LXXX.

In England and Wales and in the Netherlands there was a decline of about 5 per cent. in the twenty years; in Denmark, Sweden and Scotland the decline was slightly less, but it amounted to 7 per cent. in Finland and to 10 per cent. in Norway and in Hungary. In New Zealand and in the Australian Commonwealth a serious decrease in the marriage-rate is apparent, being no less than 16 per cent. in New South Wales, 23 per cent. in Queensland, and 35 per cent. in South Australia. On the other hand, Ireland, France and Austria each showed an increase of 5 per cent., Switzerland of 11 per cent., the German Empire of 13 per cent., and Belgium of 24 per cent.

TABLE LXXXI.—MARRIAGE RATES PER 1000 OF THE UNMARRIED AND WIDOWED POPULATION AGED 15 YEARS AND UPWARDS.

Countries (Arranged in order of rates in 1900-2).	Approximate periods.		
	1880-82.	1890-92.	1900-02.
Servia	—	118·7	119·4
Bulgaria	—	—	87·3
Hungary	80·9	73·1	73·1
Spain... ..	—	41·1	59·3
Prussia	50·5	53·7	56·5
German Empire	48·7	51·6	55·0
Belgium	40·3	41·6	50·0
Austria	46·6	44·3	49·1
Italy	48·5	—	48·8
England and Wales	51·5	49·8	48·7
France	45·4	43·9	47·7
Denmark	47·9	45·0	46·2
The Netherlands	48·6	43·7	46·2
Finland	46·6	45·5	43·3
Switzerland	38·1	39·7	42·2
Norway	46·5	40·6	41·9
Scotland	40·7	40·1	39·7
Sweden	36·6	35·6	35·3
Ireland	21·9	22·0	23·0
<i>Australian Commonwealth—</i>			
Western Australia	—	—	52·3
Tasmania	48·5	43·5	46·8
New South Wales	53·7	45·0	45·3
Victoria	43·4	43·6	39·6
Queensland	50·0	45·1	38·3
South Australia... ..	58·1	45·8	37·8
New Zealand	49·8	40·0	44·2

Births.—In several previous Reports attention has been drawn to the general decline in the birth-rate that has taken place in the principal European countries, and in New Zealand and the States of the Australian Commonwealth.

If the average crude birth-rates in the quinquennium 1901-05 are compared with those recorded twenty years earlier (1881-85), it will be seen from Table LXXXII. that, with few exceptions, the fall has been very marked. While the decline did not exceed 2 per cent. in Switzerland, 3 per cent. in Ireland, and 4 per cent. in Spain, it reached 14 per cent. in France and in Italy, 16 per cent. in Servia and in England and Wales, and 17 per cent. in Hungary.

Among the Australasian Colonies the decline ranged from 12 per cent. in Western Australia to 36 per cent. in South Australia.

Taking as a standard the average crude birth-rate recorded in England and Wales in the quinquennium 1901-05, viz., 28·1 per 1000, it will be seen that twelve Continental countries had rates above, and only three (Belgium, Sweden, and France) had rates below this standard.

Since the quinquennium ending 1905 there has been a further general decline in the birth-rate throughout the European countries, with the exception of Ireland, Bulgaria and Roumania.

TABLE LXXXII.—ANNUAL BIRTH-RATES per 1000 persons living, 1881-1909.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.			
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.
Russia (European) ...	49.1	48.2	48.2	49.3	—	—	—	—	—
Bulgaria ...	37.2	35.9	37.5	41.0	40.6	44.0	43.6	40.4	—
Roumania ...	41.8	40.9	41.0	40.2	39.4	40.5	41.7	40.8	41.7
Jamaica ...	—	36.8	38.6	38.9	39.0	38.1	35.0	37.6	37.8
Ceylon ...	—	30.3	31.7	37.2	38.8	35.7	32.8	40.1	36.7
Servia ...	46.3	43.7	43.3	40.1	38.7	41.3	40.0	36.8	36.5
Hungary ...	44.6	43.7	41.7	39.4	37.2	36.0	36.0	36.3	37.0
Chili ...	39.1	35.5	37.0	35.0	36.1	36.6	38.6	39.3	38.8
Austria ...	38.2	37.8	37.4	37.3	35.6	34.9	33.8	33.5	—
Spain ...	36.4	36.0	35.3	34.3	35.0	33.4	32.9	33.2	32.6
Prussia ...	37.4	37.3	37.0	36.5	34.8	33.8	33.0	32.8	31.8
German Empire...	37.0	36.5	36.3	36.0	34.3	33.1	32.3	32.1	—
Italy ...	38.0	37.5	36.0	34.0	32.6	31.9	31.5	33.4	32.4
Japan ...	—	28.5	28.6	31.1	31.7	28.9	33.0	33.9	—
The Netherlands ...	34.8	33.6	32.9	32.1	31.5	30.4	30.0	29.7	29.1
Finland ...	35.5	34.5	31.8	32.6	31.3	31.4	31.3	30.8	31.3
Western Australia ...	34.5	36.9	30.7	28.3	30.3	30.0	29.2	28.9	27.7
Denmark ...	32.4	31.4	30.4	30.0	29.0	28.5	28.3	28.3	28.0
Tasmania ...	35.0	34.1	32.7	28.2	29.0	29.5	29.6	30.8	29.9
Scotland ...	33.3	31.4	30.5	30.0	28.9	27.9	27.0	27.2	26.4
Norway ...	31.2	30.8	30.2	30.1	28.6	26.7	26.3	26.2	26.1
England and Wales...	33.5	31.4	30.5	29.3	28.1	27.1	26.3	26.5	25.6
Switzerland ...	28.6	27.5	27.7	28.5	28.1	27.4	26.8	27.1	—
Belgium ...	30.7	29.3	28.9	28.9	27.7	25.7	25.3	24.9	—
New South Wales ...	37.7	36.4	32.9	28.0	26.7	27.0	27.1	26.8	26.9
Queensland ...	36.5	37.4	34.1	29.1	26.7	26.3	26.9	26.7	27.2
New Zealand ...	36.3	31.2	27.7	25.7	26.6	27.1	27.3	27.4	27.3
Sweden ...	29.4	28.8	27.4	26.9	26.1	25.7	25.5	25.7	25.6
Victoria ...	30.8	32.7	30.9	26.2	25.0	25.1	25.2	24.6	24.6
South Australia ...	38.5	34.7	32.0	27.0	24.5	23.7	23.9	24.7	24.7
Ireland ...	23.9	22.8	23.0	23.3	23.2	23.6	23.2	23.3	23.5
Ontario, Province of ...	22.4	22.0	19.9	20.1	21.8	22.9	23.3	24.9	—
France ...	24.7	23.1	22.3	21.9	21.2	20.6	19.7	20.2	19.6

Legitimate Fertility.—In order to eliminate the more serious inequalities of circumstance which render crude birth-rates unsuitable for purposes of comparison (*see pp. xxvi-xxviii*), the basis of fertility of married women is adopted in Table LXXXIII. On this basis England and Wales occupies a still lower position, the recorded fertility in 1890-92 and 1900-02 being below that of any other European country except France. Ireland, on the other hand, occupies a position near the top of the list, whereas in Table LXXXII. it stands almost last.

TABLE LXXXIII.—LEGITIMATE FERTILITY. PROPORTION OF LEGITIMATE BIRTHS per 1000 WIVES aged 15-45 YEARS.

Countries (Arranged in order of rates in 1900-02).	Approximate periods.			Increase (+) or Decrease (—) per cent. in Fertility during 20 years.
	1880 82.	1890-92.	1900-02.	
<i>European Countries.</i>				
The Netherlands	347·5	338·8	314·6	— 9·5
Norway	314·5	306·8	302·8	— 3·7
Prussia	312·6	307·6	290·4	— 7·1
Ireland	282·9	287·6	289·4	+ 2·3
German Empire	310·2	300·9	284·2	— 8·4
Austria	281·4	292·4	283·7	+ 0·8
Scotland	311·5	296·4	271·8	— 12·7
Italy	276·2	—	269·4	— 2·5
Sweden	293·0	280·0	269·0	— 8·2
Switzerland	284·1	274·0	265·9	— 6·4
Denmark	287·1	278·1	259·1	— 9·8
Spain	257·7	263·9	258·7	+ 0·4
Belgium	312·7	285·1	250·7	— 19·8
England and Wales	286·0	263·8	235·5	— 17·7
France	196·2	173·5	157·5	— 19·7
<i>Australian Commonwealth.</i>				
Tasmania	?	311·0	256·4	?
Queensland	329·0	320·6	252·8	— 23·2
Western Australia	323·9*	338·8*	246·4	— 23·9
South Australia	326·5	307·5	235·0	— 28·0
New South Wales	337·8	298·5	234·3	— 30·6
Victoria	299·2	297·8	226·8	— 24·2
New Zealand	322·1	277·5	243·2	— 24·5

* The legitimate births in Western Australia are not precisely known for these periods, but are estimated to be 95 per cent. of the total births.

Illegitimate Fertility.—Table LXXXIV. presents the same information with regard to illegitimate as Table LXXXIII. with regard to legitimate fertility. Except in the cases of the German Empire, Sweden, France, Belgium, and the Australian Commonwealth, the falls shown in illegitimate fertility in Table LXXXIV. are greater than the corresponding falls in legitimate fertility.

During the period 1900-02, the ratio of illegitimate births per 1000 single and widowed women aged 15-45 years did not exceed 3·8 in Ireland, 6·8 in the Netherlands, 8·5 in England and Wales, and 8·9 in New Zealand, but the proportion reached 24·2 per 1000 in Denmark, 24·3 in Sweden, 27·4 in the German Empire, and 40·1 in Austria.

There is probably no single explanation of the wide variations in the rates of illegitimacy, but differences of religion, of social conditions, of race, and of the marriage laws—particularly in regard to the possibility of legitimization by subsequent marriage—must all be taken into account.

TABLE LXXXIV.—ILLEGITIMATE FERTILITY. PROPORTION of ILLEGITIMATE BIRTHS per 1000 UNMARRIED and WIDOWED WOMEN aged 15-45 YEARS.

Countries (Arranged in order of rates in 1900-02).	Approximate periods.			Increase (+) or Decrease (—) per cent. in Illegitimacy during 20 years.
	1880-82.	1890-92.	1900-02.	
Austria	43·4	42·7	40·1	— 7·6
German Empire	29·6	28·7	27·4	— 7·4
Sweden	22·6	22·9	24·3	+ 7·5
Denmark... ..	26·9	24·5	24·2	— 10·0
Prussia	25·8	25·1	23·7	— 8·1
Italy	25·4	—	19·4	— 23·6
France	17·6	17·7	19·1	+ 8·5
Belgium	20·0	20·6	17·8	— 11·0
Norway	19·7	16·9	17·2	— 12·7
Spain	16·0	17·5	15·5	— 3·1
Scotland	21·4	17·1	13·4	— 37·4
Australian Commonwealth	14·5	15·9	13·2	— 9·0
Switzerland	10·8	10·0	9·8	— 9·3
New Zealand	13·4	9·0	8·9	— 33·6
England and Wales	14·1	10·5	8·5	— 39·7
The Netherlands	9·7	9·0	6·8	— 29·9
Ireland	4·4	3·9	3·8	— 13·6

Deaths.—During the last four years the crude death-rates have been, on the whole, lower than in any of the earlier periods shown in Table LXXXV. In England and Wales the rates in successive quinquennia since 1881-5 show a continuous decrease, although at the period when the fall in corrected death-rate was arrested (*see* Diagram, p. xxxviii) the fall in crude death-rate also was very slight. The decrease continued uninterruptedly in the years 1906-09. All the principal countries of Europe have experienced lower death-rates during the present century than were ever recorded for them before. In the case of England and Wales and the Netherlands this has happened in no less than six out of the nine years; Austria, Belgium, and Spain have had five “lowest death-rates on record” since 1900; Denmark, Norway, Prussia, and Switzerland, four; Italy, three; and France, Hungary, Russia, Scotland, and Sweden, two each. The countries showing the greatest declines are Spain and the Netherlands, while France shows the least. The lowest death-rate recorded for Ireland was that for the year 1896.

The crude death-rates given in Table LXXXV. are useful because they present facts in a convenient form and enable a comparison to be made of the death-rates year by year, or in small groups of years in the same country; but, as already stated, crude death-rates should be supplemented by rates in which the sex and age distribution of the respective populations is taken into account.

This more accurate comparison is made possible by means of Table 56, inserted for the first time in the Annual Report for 1908, which shows the age constitution of the principal Foreign and Colonial populations as enumerated in or about the year 1901. A few examples extracted from that table will show at a glance the wide variations in the relative proportions of young, middle-aged, and old persons in the populations in some of the countries (*see* Table LXXXVI.).

TABLE LXXXV.—ANNUAL CRUDE DEATH-RATES per 1000 persons living, 1881-1909

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.			
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.
Russia (European) ...	35.4	33.2	35.8	31.9	—	—	—	—	—
Chili ...	27.8	35.2	32.6	28.8	30.0	32.9	29.6	31.6	31.5
Ceylon ...	—	25.1	28.3	27.0	26.7	34.3	30.1	29.4	30.3
Hungary ...	33.1	32.1	31.8	27.9	26.2	24.8	25.2	24.8	25.1
Spain ..	32.6	30.9	30.1	28.8	25.8	25.6	24.0	23.3	23.4
Roumania ...	26.2	28.7	31.0	27.4	25.5	24.3	26.7	27.7	27.8
Austria ...	30.1	28.9	27.9	25.6	24.2	22.4	22.6	22.3	—
Jamaica ...	—	23.5	22.0	22.1	22.6	26.2	28.3	22.4	21.7
Bulgaria ...	17.7	18.9	27.8	23.9	22.5	22.3	22.3	24.3	—
Servia ...	24.5	25.9	28.9	24.8	22.4	24.0	22.8	23.7	29.3
Italy ...	27.3	27.2	25.5	22.9	21.9	20.8	20.7	22.6*	21.4
Japan ...	—	20.6	21.1	20.7	20.9	19.8	20.9	21.0	—
German Empire ...	25.3	24.4	23.3	21.2	19.9	18.2	18.0	18.1	—
France ...	22.2	22.0	22.3	20.7	19.6	19.9	20.2	19.0	19.3
Prussia ...	25.4	24.0	22.8	21.0	19.6	17.9	17.8	17.9	17.0
Finland ...	22.2	20.0	20.5	19.0	18.6	17.5	17.9	18.5	16.7
Switzerland ...	21.3	20.4	19.8	18.1	17.7	17.0	16.8	16.2	—
Ireland ...	18.0	17.9	18.5	18.1	17.6	17.0	17.7	17.6	17.2
Belgium ...	20.6	20.2	20.1	18.1	17.0	16.4	15.7	16.5	—
Scotland ...	19.6	18.8	19.0	18.0	16.9	16.0	16.2	16.1	15.3
England and Wales...	19.4	18.9	18.7	17.7	16.0	15.4	15.0	14.7	14.5
The Netherlands ...	21.4	20.5	19.6	17.2	16.0	14.8	14.6	15.0	13.7
Sweden ...	17.5	16.4	16.6	16.1	15.5	14.4	14.6	14.9	13.7
Denmark ...	18.4	18.7	18.6	16.4	14.8	13.5	14.2	14.5	13.1
Norway ...	17.2	17.0	16.8	15.6	14.5	13.6	14.2	14.3	13.5
Ontario, Province of ...	11.4	11.0	10.6	11.6	13.0	14.1	14.3	13.9	—
Victoria ...	14.7	16.1	14.0	13.7	12.7	12.4	11.7	12.5	11.2
Western Australia ...	17.1	16.0	16.3	15.1	12.4	11.9	11.1	10.7	9.9
Queensland ...	19.2	14.9	12.4	12.0	11.4	9.6	10.4	10.2	9.7
New South Wales ...	15.7	13.8	12.8	11.9	11.2	9.9	10.6	10.1	9.6
South Australia ...	14.7	12.6	12.3	12.0	10.8	10.3	9.7	9.7	9.3
Tasmania ...	16.0	14.9	13.3	12.4	10.8	11.2	11.2	11.7	10.0
New Zealand ...	10.9	9.9	10.1	9.6	9.9	9.3	10.9	9.5	9.2

* Excluding the deaths in the earthquake at Messina and Reggio the death-rate was 20.3 per 1000.

In view of the wide variations in the sex and age constitution of the several populations, corrected death-rates have been calculated for the periods indicated in Table LXXXVII. for all countries that were able to furnish the requisite data.

The International Statistical Institute has recommended that the particular constitution, in respect of age and sex, of the population of Sweden in 1890 should be taken as a basis of comparison, and that the following five age-groups should be used for the purpose of correcting death-rates, viz. : under 1 year, 1 year and under 20, 20 years and under 40, 40 years and under 60, 60 years and upwards.

In England and Wales, owing to the tendency of persons in all countries to return their ages as some exact multiple of ten, that is as 30, 40, 50, 60, etc., it has always been deemed advisable, for the purposes of calculating rates of mortality, to make use of decennial periods arranged in such a way that the year which is a multiple of ten shall come in the middle of the period, that is to say, 25-35, 35-45, etc. It is maintained that corrected death-rates based on

eleven age-groups in harmony with this rule should be of far greater value than those founded on the five age-groups of the Swedish standard population.

It will probably be possible, however, in future years, to give the death-rate of England and Wales also as corrected on the basis adopted by the International Institute.

TABLE LXXXVI.—PROPORTIONS IN A MILLION PERSONS AT ALL AGES.—CENSUS 1901.

—	England and Wales.	Ireland.	France.	New South Wales.	German Empire. (Census, 1900.)	Russia. (Census, 1897.)
Persons.						
All ages... ..	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
Under 15 years ...	324,206	303,492	261,073	359,923	347,983	385,521
15—65	629,133	632,700	656,877	605,581	603,223	572,312
65 years and upwards.	46,661	63,808	82,050	34,496	48,794	42,167
Males.						
All ages... ..	483,543	493,418	491,977	524,199	492,082	489,599
Under 15 years ...	161,871	154,189	130,576	182,294	174,404	191,691
15—65	301,349	307,405	323,878	321,846	295,918	277,430
65 years and upwards.	20,323	31,824	37,523	20,059	21,760	20,478
Females.						
All ages... ..	516,457	506,582	508,023	475,801	507,918	510,401
Under 15 years ...	162,335	149,303	130,497	177,629	173,579	193,830
15—65	327,784	325,295	332,999	283,735	307,305	294,882
65 years and upwards.	26,338	31,984	44,527	14,437	27,034	21,689

In the following calculations the population of England and Wales at the census of 1901 has been adopted as a standard and the corrected death-rates for the various countries have been calculated on the rates of mortality in the eleven age-groups specified in Tables LXXXVIII. and LXXXIX.

It will be observed from the figures in Table LXXXVII. that while the death-rates of the several countries are very diversely affected by differences of sex and age constitution, no other European population was ten years ago so favourably constituted, with regard to mortality, as that of this country. In every instance the crude death-rate has to be diminished by correction in order to secure fair comparison with that of England and Wales. The reverse holds good of Australia, but this is due to the small proportion of aged persons in the Australian population (*see* Table 56, p. 110), which, in that respect, is affected by the large immigration of earlier years, and cannot be compared with those of older countries.

The exceptionally favourable constitution of the population of this as compared with other European countries is sufficiently remarkable to attract special attention. Leaving aside variations as to sex, which are of minor importance with regard to this matter, attention may be

TABLE LXXXVII.—MEAN ANNUAL CRUDE and CORRECTED DEATH-RATES* per 1000 living in ENGLAND and WALES and in certain EUROPEAN COUNTRIES and BRITISH COLONIES.

COUNTRIES (arranged in order of their Corrected Death-rates —Persons).	Deaths to 1000 living.						Comparative Mortality Figures (Persons), England and Wales, taken as 1000 (Corrected Death-rates).	Mean age† of popu- lation. Per- sons.
	Persons.		Males.		Females.			
	Cor- rected Death- rates.	Crude Death- rates.	Cor- rected Death- rates.	Crude Death- rates.	Cor- rected Death- rates.	Crude Death- rates.		
Russia (European) (1896-8) ..	28·61	32·80	29·80	34·59	27·49	31·09	1667	25·50
Spain (1900-02)	26·53	27·63	27·37	28·97	25·74	26·36	1546	28·48
Hungary (1899-01)	24·87	26·34	24·96	26·87	24·79	25·81	1449	26·98
Austria (1899-01)	23·12	24·83	23·86	25·80	22·42	23·90	1347	27·50
Bulgaria (1899-01)	20·92	23·26	20·89	23·47	20·96	23·03	1219	25·72
Italy (1900-02)	20·23	22·72	20·09	23·13	20·36	22·31	1179	28·53
Prussia (1899-01)	19·70	21·08	21·03	22·42	18·45	19·77	1148	26·84
German Empire (1901)	19·52	20·84	20·78	22·10	18·34	19·61	1138	27·14
Finland (1899-01)	19·12	20·54	19·98	21·26	18·32	19·84	1114	27·58
Scotland (1900-02)	17·61	17·91	18·56	18·50	16·73	17·36	1026	27·20
France (1900-02)	17·50	20·80	18·56	21·95	16·51	19·69	1020	32·28
England and Wales (1900-02)	17·16	17·16	18·37	18·37	16·04	16·04	1000	27·50
Switzerland (1899-01)	16·86	18·22	17·57	18·99	16·20	17·48	983	28·90
Belgium (1899-01)	16·78	18·53	17·80	19·55	15·82	17·52	978	28·69
Ireland (1900-02)	16·59	18·27	16·25	18·31	16·90	18·23	967	29·22
Western Australia (1900-02) ..	15·83	13·72	17·80	14·68	14·00	12·21	922	26·42
The Netherlands (1898-00) ..	15·40	17·32	16·03	18·06	14·81	16·60	897	27·74
Sweden (1899-01)	13·88	16·78	14·45	17·24	13·36	16·35	809	29·83
Denmark (1900-02)	13·63	15·80	14·41	16·66	12·90	14·98	794	28·38
Queensland (1900-02)	13·29	11·89	14·88	13·61	11·80	9·74	774	25·08
New South Wales (1900-02) ..	13·10	11·72	13·79	13·01	12·44	10·29	763	25·59
Victoria (1900-02)	13·08	13·12	13·99	14·80	12·22	11·43	752	26·98
South Australia (1900-02) ..	11·73	11·02	12·33	11·78	11·16	10·23	684	26·01
Tasmania (1900-02)	11·44	10·88	11·55	11·59	11·33	10·11	667	25·29
New Zealand (1900-02)	10·80	10·01	11·12	11·05	10·51	8·86	629	26·41

* The corrected death-rates are the death-rates at all ages that would have resulted from the rates prevailing at the various age-groups if the sex and age constitution of the populations in the several countries had been identical with that of the population of England and Wales as enumerated at the Census of 1901.

† Excluding cases in which the age was not stated.

directed to age variations alone, as displayed in Table 56, pp. 110 and 111. From this it is seen that some European countries, as Russia and Bulgaria, have a younger population than England and Wales, and others, as France, Sweden and Ireland, have an older. Yet all are less favourably constituted, and that to a degree which, to some extent, corresponds with the difference of the mean age of their populations from that of England and Wales. The two oldest populations, those of France and Sweden, are shown by the extent

of the difference between their crude and corrected death-rates to be less favourably constituted than any of the other populations older than our own ; and amongst the populations younger than ours the corresponding position is held by the two youngest, those of Russia and Bulgaria.

It would seem to follow that the average age of the English population in 1901, 27·5 years, approximates to that most favourable for a low death-rate amongst populations of the European type. Comparison of Tables 3 and 14 shows that since about 1875 the constitution of the English population had been becoming more and more favourable up to 1901, since the difference between crude and corrected death-rates as given in these tables diminishes from 1875 onwards. This change has been accompanied by a very considerable increase in the mean age of the population, *i.e.*, from 26·31 in the year 1881. There can be little doubt that this increase has continued since 1901, and, if so, we may very possibly find that in 1911 some other country has displaced England and Wales from the most advantageous position, the population of this country having, by continued increase in age beyond the most favourable point, become less favourably constituted than in 1901.

Mean age alone, however, cannot be taken as a test of the degree to which any population is favourably or unfavourably constituted in this matter, though a certain relationship to age can be traced in comparing the populations of European countries. But if comparison is made between Russia and New South Wales, both young populations of approximately equal mean age, it can be seen from Table LXXXVII that correction increases the crude death-rate of New South Wales to almost exactly the same proportional extent as it diminishes that of Russia. Table 56, p. 110, shows that the explanation lies mainly in the very high proportion of children under five years of age in the Russian population, comparing with a very moderate proportion in the case of New South Wales, where the low mean age is due to the large proportion of children and young adults, with an abnormally small proportion of persons over 45 years of age. Further, the mean age of the English and Austrian populations in Table LXXXVII is exactly the same, yet the constitution of the Austrian population was much less favourable, because the proportion of persons at both extremes of life included in the Austrian population was higher. In fact, not only the mean age, but the age distribution of our population in 1901 was favourable to low death-rates. The proportion of persons aged 15-45 was very high, owing largely, no doubt, to the rapid fall in the birth-rate which had then been in progress for a little over 20 years. Three continental countries, as well as Scotland and Ireland, had a larger proportion of persons aged 15-20, and three of persons aged 35-45. No European country except Scotland and Ireland included a larger proportion of those aged 20-25, and none at all of those aged 25-35. It was this preponderance of young adults, with mortalities below the average for persons of all ages (*see* Tables LXXXVIII and LXXXIX), together with a very moderate proportion of children under five years and of old people, which gave the English population of 1901 its great advantage in this connexion. Up to and at the census of 1881 the proportion of young children had been much higher and that of young adults considerably lower, while that of old people was approximately as in 1901. Till 1891 the age distribution of the population showed little change. At that census, however, the effect of the falling birth-rate was clearly shown by decrease of young children and increase of

young adults, and in 1901 this had become more marked. In 1911 it may, perhaps, be anticipated that the decrease in young children will have continued, but that the increase in adults will extend to a later age than heretofore. Whether the increase in the elderly and decrease in children over five (working in the same direction) will be found to more than neutralize decrease in children under five or not in 1911, it seems almost certain that sooner or later continued fall in the birth-rate, if it occurs, will result in an unfavourable age distribution of the French type, where a small proportion of children over five, and a very large proportion of persons over middle age, much more than counterbalance the favourable effect of a small

TABLE LXXXVIII.—MALES :—DEATH-RATES per 1000 living at ELEVEN GROUPS of AGES in ENGLAND and WALES and in certain EUROPEAN COUNTRIES and BRITISH COLONIES.

COUNTRIES (arranged in order of their Corrected Death-rates at all Ages —Persons),	Deaths to 1000 living—MALES.											
	All Ages.*	Under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 year and upward
Russia (European) (1896-8) ..	29'80	144'25	12'88	5'37	5'59	7'45	8'14	11'18	18'44	32'31	65'66	116'59
Spain (1900-02)	27'37	109'85	8'49	4'03	6'93	10'07	9'07	11'76	18'04	35'07	80'43	210'22
Hungary (1899-01)	24'96	98'40	11'13	4'90	5'98	8'55	7'61	10'78	17'80	34'00	70'69	169'05
Austria (1899-01)	23'86	93'95	6'88	3'52	4'89	7'47	7'85	11'10	18'68	34'54	72'53	170'53
Bulgaria (1899-01)	20'89	80'45	12'74	5'94	6'67	10'15	8'67	10'55	16'06	23'87	41'35	85'58
Italy (1900-02)	20'09	76'86	5'98	3'15	4'68	6'73	6'73	8'44	13'59	26'99	65'56	177'30
Prussia (1899-01)	21'03	79'84	4'94	2'69	4'19	5'74	6'13	10'38	18'32	33'28	69'47	164'11
German Empire (1901)	20'78	80'33	4'47	2'59	4'06	5'57	6'16	10'10	17'69	32'49	67'56	161'97
Finland (1899-01)	19'98	68'02	11'18	5'24	5'45	7'48	7'34	9'27	14'30	27'96	64'28	152'00
Scotland (1900-02)	18'56	52'13	4'34	2'82	4'64	6'14	7'55	11'68	19'50	37'95	71'61	159'22
France (1900-02)	18'56	51'74	4'69	3'00	5'08	8'10	8'19	11'56	17'54	31'50	69'50	183'78
England and Wales (1900-02)	18'37	58'29	4'06	2'28	3'49	4'77	6'38	10'94	18'67	34'80	70'25	158'1
Switzerland (1899-01)	17'57	50'62	3'80	2'39	3'90	5'75	6'58	10'40	18'83	34'30	70'79	160'83
Belgium (1899-01)	17'80	59'39	4'02	2'19	3'72	5'64	6'17	9'14	16'37	30'11	66'52	162'40
Ireland (1900-02)	16'25	39'36	3'90	2'86	4'83	7'19	8'96	10'62	15'63	29'52	63'07	169'19
Western Australia (1900-02) ..	17'80	53'81	2'47	2'00	3'66	7'24	7'54	10'93	17'82	32'03	65'07	169'16
The Netherlands (1898-00) ..	16'03	55'43	3'59	2'28	3'96	5'82	5'70	7'60	12'92	25'40	59'15	142'15
Sweden (1899-01)	14'45	40'30	5'62	3'52	4'96	6'93	6'91	8'28	12'42	21'95	48'98	134'95
Denmark (1900-02)	14'41	42'13	3'67	2'52	3'55	5'34	5'52	8'10	13'54	24'71	55'43	148'53
Queensland (1900-02)	14'88	31'84	2'21	2'11	5'24	8'55	8'95	10'83	16'49	29'31	61'97	132'06
New South Wales (1900-02) ..	13'79	34'23	2'18	2'02	3'46	4'76	5'62	8'86	14'71	27'86	60'82	151'02
Victoria (1900-02)	13'99	34'01	2'69	2'10	3'11	4'90	6'27	8'82	15'38	29'88	61'58	141'57
South Australia (1900-02) ..	12'33	32'18	2'81	1'85	2'90	4'21	5'24	7'61	11'96	24'76	54'71	122'31
Tasmania (1900-02)	11'55	26'50	1'71	2'34	2'66	4'11	4'23	7'36	11'27	23'32	52'52	156'07
New Zealand (1900-02)	11'12	25'02	2'35	1'72	2'89	3'90	4'55	6'88	11'94	22'04	51'34	137'86

* Corrected Death-rates. See Note * at foot of Table LXXXVII.

proportion of children under five. Two conclusions may be drawn from these considerations, that comparison of crude death-rates is not likely to remain permanently so advantageous to this country as at the present time, and that in order to institute useful comparisons correction of national death-rates for differences in age and sex constitution is essential.

Tables LXXXVIII and LXXXIX enable detailed comparisons to be made of the mortality in different countries of persons of the same age and sex, of the mortality of the two sexes at various ages in the different countries, of ages at which mortality is relatively high or low in one country as compared with others, &c.

TABLE LXXXIX.—FEMALES :—DEATH-RATES per 1000 living at ELEVEN GROUPS of AGES in ENGLAND and WALES and in certain EUROPEAN COUNTRIES and BRITISH COLONIES.

COUNTRIES (arranged in order of their Corrected Death-rates at all Ages —Persons).	Deaths to 1000 living —FEMALES.											
	All Ages.*	Under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 years and upwards.
Russia (European) (1896-8) ..	27'49	125'05	12'61	5'48	6'04	7'74	8'81	11'10	16'07	32'54	66'52	116'88
Spain (1900-02)	25'74	98'29	8'70	4'60	7'31	8'70	9'38	10'60	13'99	30'02	76'36	211'06
Hungary (1899-01)	24'79	85'54	11'40	6'25	7'73	9'42	9'75	11'36	15'86	34'11	74'36	172'10
Austria (1899-01)	22'42	79'59	7'43	4'33	5'57	7'46	8'66	10'62	14'96	31'18	72'51	165'83
Bulgaria (1899-01)	20'96	73'19	12'31	6'60	7'58	11'04	11'53	12'61	14'18	22'12	43'75	93'80
Italy (1900-02)	20'36	72'93	6'55	3'76	5'43	6'92	7'77	8'87	11'24	24'13	65'72	182'17
Russia (1899-01)	18'45	68'08	5'06	2'94	3'71	4'76	6'23	8'11	11'79	25'37	62'16	156'19
German Empire (1901)	18'34	68'07	4'58	2'75	3'72	4'86	6'43	8'24	11'73	25'13	60'60	154'67
Ireland (1899-01)	18'32	59'44	10'97	5'93	5'95	6'69	7'37	8'78	10'74	21'54	56'07	141'87
Scotland (1900-02)	16'73	43'91	4'77	3'23	4'69	5'59	7'25	10'04	15'56	30'47	60'17	142'78
France (1900-02)	16'51	43'55	4'81	3'55	5'27	6'88	7'75	9'08	12'72	24'35	58'81	163'58
England and Wales (1900-02)	16'04	48'76	4'16	2'40	3'21	3'94	5'44	8'84	14'26	27'45	59'03	143'48
Switzerland (1899-01)	16'20	41'50	3'87	2'71	4'45	5'62	6'61	8'46	12'80	28'32	68'85	160'35
Belgium (1899-01)	15'82	50'11	4'14	2'49	4'08	5'49	6'24	7'76	11'25	22'70	54'98	149'89
Ireland (1900-02)	16'90	35'01	4'82	3'92	5'99	6'65	8'58	10'81	14'98	29'65	67'15	168'01
Western Australia (1900-02) ..	14'00	42'38	2'03	2'05	3'42	6'18	6'88	9'29	10'44	21'56	41'18	126'17
The Netherlands (1898-00) ..	14'81	47'01	3'59	2'52	3'71	4'42	5'86	7'82	10'29	21'69	52'22	139'31
Sweden (1899-01)	13'36	34'58	5'75	4'21	5'24	6'00	6'52	7'51	9'78	17'35	42'71	126'30
Denmark (1900-02)	12'90	34'21	3'69	3'25	4'21	4'52	5'53	7'09	10'05	18'74	46'36	133'97
Queensland (1900-02)	11'80	27'69	1'92	1'76	2'55	3'75	5'83	8'32	10'98	20'60	47'81	117'25
New South Wales (1900-02) ..	12'44	30'58	2'01	1'69	2'51	3'84	5'48	7'58	10'43	20'15	46'49	155'21
Victoria (1900-02)	12'22	29'06	2'63	1'92	2'92	4'10	6'00	8'33	11'46	21'50	44'64	122'82
South Australia (1900-02) ..	11'16	27'25	2'03	1'62	3'47	4'16	5'30	7'35	9'34	17'03	43'33	118'06
Tasmania (1900-02)	11'33	22'13	2'30	1'62	3'97	4'78	4'86	7'74	9'13	18'28	51'52	136'03
New Zealand (1900-02)	10'51	21'36	1'93	1'80	2'97	3'74	4'74	6'56	10'11	18'95	43'48	122'87

* Corrected Death-rates. See Note * at foot of Table LXXXVII.

The position occupied by England and Wales in relation to the other 24 countries, included in these Tables, is as follows :—

TABLE XC.

—	All Ages.	Under 5 years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
Males	12	11	13	17	20	21	15	6	4	3	6	13
Females	14	11	14	18	21	22	22	11	6	8	11	12

It will be seen that from ages 10 to 35 our mortality experience was very favourable, but that from 35 to 75 it was almost equally unfavourable, especially in the male sex, Spain and Scotland alone having a higher mortality than England and Wales amongst males aged 55-65, at which age the Scottish mortality is much the highest in the Table. Reference to page lv shows that there is a marked degree of correspondence between the ages at which mortality in towns is highest as compared with rural mortality, and those at which English mortality is highest as compared with that of other countries. Although the improvement of conditions which has so greatly reduced the mortality of the young in this country has diminished that of elderly persons but slightly (*see* Table XXXII), it would seem from Table LXXXVIII that much of the mortality amongst our middle-aged and elderly men must be preventable, though not yet prevented. For even if our condition of industrialism and urbanization tell with especial severity upon these ages, it can scarcely be possible that Great Britain must accept as inevitable a death-rate amongst men of 45-55, exceeded only by Austria and Switzerland, and one amongst those ten years older exceeded only by Spain. In the case of males aged 10-25 and females aged 10-35, however, the English mortalities are less than those of any other European country in the Tables, and the relative position of this country with regard to children under five is by no means unfavourable when it is borne in mind to what an extent mortality at this age depends upon urbanization (*see* Tables 37 and 38).

Natural Increase.—Assuming the registration of births and deaths in the countries dealt with to be reasonably complete, the rates of natural increase of population in the several States can be compared by taking the difference between the birth- and death-rates.

The average annual rate in England and Wales in the quinquennium 1901-1905 was 12.1 per 1000 of the total population; the natural increment was above that rate in the Australasian Colonies, in the Balkan States, in Russia, in the Netherlands, in the German Empire, in Denmark, and in Norway; while it was about equal to the English average in Scotland, and below it in Austria, Hungary, Japan, Belgium, Italy, Sweden, Switzerland, Spain, and the Province of Ontario. In Ireland the rate was exceptionally low, being only 5.6 per 1000 of population. In France the average birth-rate exceeds but slightly the average death-rate, and it may be of interest to note that in six of the past twenty years the number of deaths exceeded the births.

TABLE XCI.—NATURAL INCREASE.—Mean Annual rate of increase, by excess of Births over Deaths, per 1000 living, 1881-1909.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.			
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.
Tasmania... ..	19.0	19.2	19.4	15.8	18.2	18.3	18.4	19.1	19.9
Bulgaria	19.5	17.0	9.7	17.1	18.1	21.7	21.3	16.1	—
Western Australia	17.4	20.9	14.4	13.2	17.9	18.2	18.1	18.2	17.8
Russia (European)	13.7	15.0	12.4	17.4	—	—	—	—	—
New Zealand	25.4	21.3	17.6	16.1	16.7	17.8	16.4	17.9	18.1
Servia	21.8	17.8	14.4	15.3	16.3	17.3	17.2	13.1	7.2
New South Wales	22.0	22.6	20.1	16.1	15.5	17.1	16.5	16.7	17.3
The Netherlands	13.4	13.1	13.3	14.9	15.5	15.6	15.4	14.4	15.4
Queensland	17.3	22.5	21.7	17.1	15.3	16.7	16.5	16.5	17.5
Prussia	12.0	13.3	14.2	15.5	15.2	15.8	15.2	14.9	14.8
German Empire	11.7	12.1	13.0	14.8	14.4	14.9	14.3	14.0	—
Denmark	14.0	12.7	11.8	13.6	14.2	15.0	14.1	13.8	14.9
Norway	14.0	13.8	13.4	14.5	14.1	13.1	12.1	11.9	12.6
Roumania	15.6	12.2	10.0	12.8	13.9	16.2	15.0	13.1	13.9
South Australia	23.8	22.1	19.7	15.0	13.7	13.4	14.2	15.0	15.4
Finland	13.3	14.5	11.3	13.6	12.7	13.9	13.4	12.3	14.6
Victoria	16.1	16.6	16.9	12.5	12.3	12.7	13.5	12.1	13.4
England & Wales	14.1	12.5	11.8	11.6	12.1	11.7	11.3	11.8	11.1
Scotland	13.7	12.6	11.5	12.0	12.0	11.9	10.8	11.1	11.1
Austria	8.1	8.9	9.5	11.7	11.4	12.5	11.2	11.2	—
Hungary	11.5	11.6	9.9	11.5	11.0	11.2	10.8	11.5	11.9
Japan	—	7.9	7.5	10.4	10.8	9.1	12.1	12.9	—
Belgium	10.1	9.1	8.8	10.8	10.7	9.3	9.6	8.4	—
Italy	10.7	10.3	10.5	11.1	10.7	11.1	10.8	10.8	—
Sweden	11.9	12.4	10.8	10.8	10.6	11.3	10.9	10.8	11.9
Switzerland	7.3	7.1	7.9	10.4	10.4	10.4	10.0	10.9	—
Spain	3.8	5.1	5.2	5.5	9.2	7.8	8.9	9.9	9.2
Ontario, Province of	11.0	11.0	9.3	8.5	8.8	8.8	9.0	11.0	—
Chili	11.3	0.3	4.4	6.2	6.1	3.7	9.0	7.7	7.3
Ireland	5.9	4.9	4.5	5.2	5.6	6.6	5.5	5.7	6.3
France	2.5	1.1	0.0	1.2	1.6	0.7	-0.5	1.2	0.3

Infantile Mortality.—The accompanying Table shows the relative incidence of infantile mortality in those countries that have been able to furnish returns, although the comparison is to a certain extent vitiated by differences of practice in regard to the registration of stillbirths. With few exceptions the populations in which a high rate of infantile mortality prevails are those in which a high birth-rate obtains. Austria, Hungary, Prussia, and Spain come under this category; while France appears to be a notable exception, the birth-rate being low and the infantile mortality comparatively high.

In Ireland, Norway, Sweden, and Australasia the rates of infantile mortality are exceptionally low.

TABLE XCII.—INFANTILE MORTALITY.—DEATHS of children under one year to 1000 births, 1881-1909.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.			
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.
Chili	—	264	336	333	331	328	297	320	—
Russia (European) ...	271	264	276	261	—	—	—	—	—
Austria	—	—	—	226	215	209	204	—	—
Hungary	—	—	250	219	212	205	208	199	212
Prussia	207	208	205	201	190	177	168	173	164
Jamaica	—	170	171	175	174	197	223	175	174
Spain	193	—	—	—	173	173	—	—	—
Ceylon	—	158	169	168	171	198	186	183	202
Italy	—	—	185	168	168	160	155	153	—
Japan	—	—	147	153	154	153	151	157	—
Servia	157	158	172	159	149	144	147	158	—
Belgium	156	163	164	158	148	153	132	147	—
Bulgaria	—	—	140	143	148	154	154	170	—
France	167	166	171	159	139	143	135	—	—
England & Wales ...	139	145	151	156	138	132	118	120	109
The Netherlands ...	181	175	165	151	136	127	112	125	99
Switzerland	171	159	155	143	134	127	121	108	—
Finland	162	144	145	139	131	119	112	125	111
Western Australia ...	—	123	130	160	126	110	98	85	78
Scotland	117	121	126	129	120	115	110	121	—
Denmark	135	136	138	132	119	109	106	123	—
Ontario, Province of ...	—	—	—	—	114	137	121	124	—
Ireland	94	95	102	106	98	93	92	97	92
New South Wales ...	124	115	111	113	97	75	89	76	74
Victoria	122	131	111	111	96	93	73	86	71
Queensland	137	119	103	103	94	75	77	70	72
Sweden	116	105	103	101	91	81	77	85	—
Tasmania	109	103	94	98	90	91	82	75	65
South Australia	—	105	99	112	87	76	66	70	61
Norway	99	96	98	96	81	69	67	76	—
New Zealand	90	84	87	80	75	62	89	68	62

Mortality from certain Epidemic Diseases.—The accompanying tables give some indication of the incidence of measles, scarlet fever, diphtheria, whooping cough, and enteric fever in the several countries.

In comparing the rates of mortality from these diseases it must be borne in mind that methods of classification vary, and that the certification of causes of death is more complete or more accurate in some States than in others: also that differences in the age constitution of the several populations affect the comparison of the figures. In the case of measles, scarlet fever, diphtheria, and whooping cough, diseases mainly confined to childhood, it will be noted from the tables that in several instances considerable fluctuations occur in the mortality rates; doubtless this is due to cycles of greater or lesser prevalence of these disorders. Generally speaking, however, appreciable reductions in the rates of mortality from these diseases have taken place in many European countries.

TABLE XCIII.—MEASLES.—DEATH-RATES per 1000 persons living, 1881-1909.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.			
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.
Spain	—	—	—	—	0·66	0·45	0·35	0·36	0·39
Hungary	—	—	—	0·43*	0·40	0·49	0·42	0·45	0·39
Belgium	0·52	0·58	0·60	0·40	0·37	0·34	0·27	0·40	—
The Netherlands ...	0·26	0·38	0·20	0·17	0·37	0·25	0·26	0·27	0·17
Austria	0·48	0·56	0·42	0·38	0·34	0·33	0·24	0·28	—
England & Wales ...	0·41	0·47	0·41	0·42	0·33	0·27	0·36	0·23	0·35
Scotland	0·36	0·41	0·51	0·43	0·32	0·31	0·24	0·52	—
Roumania	—	0·13	0·18	0·17	0·26	0·03	0·21	0·25	0·10
Prussia	0·42	0·42	0·27	0·26	0·25	0·24	0·18	0·19	0·17
Italy	—	0·61*	0·42	0·25	0·21	0·29	0·24	0·34	0·32
Switzerland	0·11	0·14	0·16	0·13	0·20	0·16	0·17	0·06	—
Ireland	0·18	0·20	0·17	0·18	0·16	0·09	0·13	0·20	0·10
South Australia ...	0·16	0·01	0·18	0·05	0·13	0·00	0·01	0·04	0·00
Sweden	0·21	0·18	0·13	0·11	0·08	0·04	0·08	0·09	—
New Zealand	0·09	0·03	0·16	0·06	0·07	0·01	0·11	0·02	0·03
Western Australia ...	0·82	—	0·08	0·05	0·06	0·02	0·02	0·10	0·03
Ontario, Province of ...	0·06	0·07	?	0·04	0·04	0·06	0·07	0·02	—
New South Wales ...	0·05	0·06	0·15	0·11	0·03	0·01	0·06	0·02	0·01
Victoria	0·08	0·03	0·12	0·14	0·03	0·01	0·03	0·02	0·00
Queensland	0·08	0·00	0·14	0·11	0·02	0·01	0·04	0·07	0·01
Tasmania... ..	—	0·00	0·06	0·07	0·01	0·02	0·01	0·02	0·01

* 4 years.

TABLE XCIV.—SCARLET FEVER.—DEATH-RATES per 1000 persons living, 1881-1909.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.			
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.
Servia	—	—	—	—	0·99	1·72	1·43	1·41	—
Hungary	—	—	—	0·56*	0·66	0·43	0·57	0·65	0·51
Austria	0·62	0·56	0·54	0·56	0·45	0·38	0·36	0·53	—
Roumania	—	0·15	0·32	0·26	0·45	0·20	0·35	0·78	1·08
Prussia	0·58	0·30	0·23	0·27	0·30	0·21	0·22	0·22	0·22
Belgium	0·27	0·17	0·15	0·22	0·13	0·11	0·13	0·16	—
England & Wales ...	0·44	0·24	0·18	0·13	0·13	0·10	0·09	0·08	0·09
Ontario, Province of ...	0·22	0·08	?	0·08	0·13	0·03	0·05	0·07	—
Scotland	0·35	0·22	0·20	0·17	0·09	0·05	0·05	0·08	—
Sweden	0·57	0·44	0·28	0·09	0·09	0·07	0·04	0·05	—
Spain	—	—	—	—	0·06	0·07	0·12	0·11	0·09
Tasmania... ..	—	0·01	0·01	0·05	0·06	—	—	—	0·01
Italy	—	0·31*	0·20	0·11	0·05	0·08	0·09	0·10	0·08
New Zealand	0·12	0·03	0·01	0·00	0·05	0·02	0·03	0·06	0·03
Switzerland	0·09	0·09	0·07	0·02	0·05	0·04	0·04	0·04	—
Ireland	0·27	0·14	0·10	0·09	0·04	0·03	0·02	0·02	0·03
The Netherlands ...	0·15	0·07	0·04	0·03	0·03	0·03	0·05	0·05	0·03
New South Wales ...	0·11	0·08	0·08	0·04	0·03	0·03	0·02	0·03	0·02
South Australia ...	0·10	0·02	0·03	0·03	0·02	0·03	0·01	—	—
Victoria	0·06	0·03	0·03	0·03	0·02	0·00	0·00	0·02	0·03
Queensland	0·01	0·04	0·01	0·06	0·01	0·00	0·01	—	0·00
Western Australia ...	—	—	0·00	0·01	0·01	0·01	—	0·01	—

* 4 years.

TABLE XCV.—DIPHTHERIA and CROUP.—DEATH-RATES per 1000 persons living, 1881-1909.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.			
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.
Servia	—	—	—	—	0·66	0·52	0·41	0·32	—
Hungary	—	—	—	0·67*	0·47	0·35	0·35	0·45	0·44
Austria	1·46	1·34	1·22	0·80	0·43	0·33	0·25	0·28	—
Prussia	1·72	1·57	1·34	0·59	0·40	0·27	0·24	0·25	0·25
Sweden	0·85	0·52	0·61	0·44	0·34	0·22	0·16	0·12	—
Ontario, Province of ...	0·70	0·65	0·44	0·34	0·30	0·19	0·17	0·20	—
Spain	—	—	—	—	0·25	0·17	0·18	0·20	0·21
Belgium	0·78	0·66	0·49	0·27	0·21	0·16	0·16	0·17	—
Switzerland	0·64	0·34	0·46	0·29	0·21	0·15	0·15	0·16	—
England & Wales† ...	0·16	0·17	0·25	0·27	0·20	0·18	0·16	0·16	0·15
Scotland†	0·21	0·22	0·22	0·16	0·15	0·17	0·14	0·14	—
Italy	—	0·74*	0·51	0·24	0·14	0·13	0·17	0·17	0·17
Roumania	—	0·19	0·20	0·29	0·13	0·07	0·06	0·04	0·05
The Netherlands† ...	0·12	0·15	0·16	0·10	0·10	0·06	0·06	0·06	0·06
Victoria†	0·15	0·41	0·20	0·15	0·10	0·04	0·07	0·09	0·06
Western Australia† ...	0·18	0·09	0·11	0·10	0·10	0·23	0·24	0·40	0·27
Japan	0·03	0·04	0·07	0·13	0·09	0·09	0·09	0·10	—
Ireland†	0·06	0·08	0·07	0·08	0·08	0·08	0·06	0·09	0·09
New South Wales† ...	0·24	0·26	0·29	0·09	0·08	0·07	0·09	0·08	0·10
Queensland†	0·17	0·28	0·26	0·11	0·08	0·07	0·10	0·05	0·09
South Australia	0·57	0·50	0·40	0·11	0·07	0·04	0·04	0·03	0·04
Tasmania†	—	0·26	0·27	0·08	0·05	0·02	0·04	0·06	0·06
New Zealand†	0·20	0·18	0·17	0·08	0·04	0·04	0·06	0·04	0·07

* 4 years.

† Excluding Croup.

TABLE XCVI.—WHOOPIING COUGH.—DEATH-RATES per 1000 persons living, 1881-1909.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.			
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.
Servia	—	—	2·42*	2·27	1·96	1·52	1·79	2·08	—
Scotland	0·60	0·61	0·52	0·51	0·49	0·29	0·52	0·44	—
Austria	1·10	0·97	0·71	0·53	0·44	0·48	0·38	0·32	—
Hungary	—	—	—	0·59*	0·42	0·40	0·43	0·31	0·34
Belgium	0·68	0·63	0·55	0·48	0·38	0·35	0·32	0·36	—
Prussia	0·52	0·51	0·45	0·42	0·36	0·31	0·23	0·28	0·25
England & Wales ...	0·46	0·44	0·40	0·36	0·30	0·24	0·29	0·28	0·20
Ireland	0·30	0·28	0·26	0·27	0·24	0·21	0·18	0·22	0·27
Spain	—	—	—	—	0·23	0·23	0·17	0·24	0·18
The Netherlands ...	0·35	0·30	0·32	0·26	0·21	0·18	0·18	0·23	0·17
Italy	—	0·37*	0·26	0·23	0·20	0·18	0·18	0·16	0·15
Switzerland	0·24	0·22	0·19	0·17	0·20	0·19	0·12	0·14	—
Sweden	0·19	0·17	0·17	0·20	0·18	0·17	0·12	0·18	—
Roumania	—	0·04	0·12	0·17	0·16	0·20	0·16	0·35	0·16
Tasmania	—	0·13	0·10	0·11	0·13	0·01	0·26	0·12	0·01
New South Wales ...	0·15	0·19	0·19	0·14	0·12	0·01	0·38	0·04	0·01
South Australia	0·23	0·17	0·17	0·15	0·10	0·04	0·19	0·05	0·05
Queensland	0·14	0·16	0·18	0·19	0·09	0·02	0·22	0·07	0·06
Victoria	0·15	0·13	0·15	0·08	0·09	0·20	0·10	0·05	0·13
Western Australia ...	0·12	0·31	0·17	0·10	0·09	0·04	0·39	0·07	0·01
New Zealand	0·22	0·15	0·23	0·07	0·08	0·03	0·33	0·04	0·04
Ontario, Province of ...	0·10	0·09	?	0·07	0·08	0·11	0·10	0·11	—
Japan	—	—	—	—	0·05	0·07	0·07	0·08	—

* 4 years.

TABLE XCVII.—ENTERIC FEVER.—DEATH-RATES per 1000 persons living, 1881-1909.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.			
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.
Servia	—	—	1·53	1·13	0·68	0·16	0·13	0·13	—
Western Australia ...	0·39	0·28	1·50	1·74	0·57	0·49	0·47	0·28	0·30
Spain	—	—	—	—	0·44	0·41	0·35	0·32	0·27
Italy	—	0·79*	0·51	0·50	0·35	0·28	0·25	0·27	0·28
Hungary	—	—	—	0·38*	0·28	0·27	0·26	0·24	0·30
Queensland	0·96	0·53	0·24	0·31	0·25	0·17	0·16	0·19	0·15
New South Wales ...	0·51	0·45	0·24	0·30	0·22	0·18	0·12	0·19	0·18
Ontario, Province of ...	0·27	0·24	?	0·21	0·20	0·40	0·23	0·30	—
Austria	0·73	0·58	0·44	0·27	0·19	0·15	0·15	0·15	—
Belgium	0·56	0·40	0·34	0·24	0·17	0·12	0·12	0·11	—
South Australia	0·43	0·37	0·22	0·29	0·16	0·13	0·10	0·10	0·09
Victoria	0·52	0·61	0·27	0·29	0·16	0·13	0·07	0·14	0·10
Tasmania	—	0·58	0·30	0·30	0·15	0·20	0·21	0·20	0·20
Ireland	0·16	0·17	0·17	0·21	0·13	0·09	0·08	0·08	0·07
Roumania	—	—	0·16	0·12	0·13	0·16	0·17	0·21	0·29
England & Wales ...	0·22	0·18	0·17	0·17	0·11	0·09	0·07	0·07	0·06
Scotland	0·27	0·19	0·18	0·16	0·11	0·09	0·08	0·06	—
The Netherlands† ...	0·18	0·13	0·12	0·10	0·09	0·08	0·07	0·06	0·05
Prussia	0·47	0·25	0·18	0·13	0·09	0·06	0·06	0·05	0·05
Sweden‡	0·27	0·23	0·20	0·15	0·09	0·06	0·06	0·09	—
New Zealand	0·23	0·22	0·17	0·14	0·08	0·05	0·06	0·10	0·06
Switzerland	0·29	0·16	0·11	0·08	0·06	0·05	0·05	0·04	—

* 4 years. † Including Typhus. ‡ Including Brain Fever and acute Poliomyelitis.

Pulmonary Tuberculosis.—Disregarding variations in the methods of classification of the deaths, as well as in the sex and age constitution of the populations, it is possible to make a rough comparison among several countries as regards mortality from this disease. Several States were unable to furnish complete returns of mortality under this heading. For example, no comparison can be instituted as regards France, Denmark, Sweden, Roumania, or Bulgaria, as the statistics of those countries have been limited to towns only; again in Hungary, in Prussia, and in Ontario the returns comprise deaths from all forms of tuberculosis, while in Italy deaths from general tuberculosis are included under pulmonary tuberculosis.

In Prussia, Scotland, the Netherlands, England and Wales, and Belgium a marked diminution in the rate of mortality has taken place in recent years. In proportion to the total population the death-rate from pulmonary tuberculosis in England and Wales in the quinquennium 1901-5 was 1·22 per 1000 living. This rate was exceeded in five continental countries, while in only two others were the average rates below that recorded in this country.

TABLE XCV.—DIPHTHERIA and CROUP.—DEATH-RATES per 1000 persons living, 1881-1909.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.			
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.
Servia	—	—	—	—	0·66	0·52	0·41	0·32	—
Hungary	—	—	—	0·67*	0·47	0·35	0·35	0·45	0·44
Austria	1·46	1·34	1·22	0·80	0·43	0·33	0·25	0·28	—
Prussia	1·72	1·57	1·34	0·59	0·40	0·27	0·24	0·25	0·25
Sweden	0·85	0·52	0·61	0·44	0·34	0·22	0·16	0·12	—
Ontario, Province of ...	0·70	0·65	0·44	0·34	0·30	0·19	0·17	0·20	—
Spain	—	—	—	—	0·25	0·17	0·18	0·20	0·21
Belgium	0·78	0·66	0·49	0·27	0·21	0·16	0·16	0·17	—
Switzerland	0·64	0·34	0·46	0·29	0·21	0·15	0·15	0·16	—
England & Wales† ...	0·16	0·17	0·25	0·27	0·20	0·18	0·16	0·16	0·15
Scotland†	0·21	0·22	0·22	0·16	0·15	0·17	0·14	0·14	—
Italy	—	0·74*	0·51	0·24	0·14	0·13	0·17	0·17	0·17
Roumania	—	0·19	0·20	0·29	0·13	0·07	0·06	0·04	0·05
The Netherlands† ...	0·12	0·15	0·16	0·10	0·10	0·06	0·06	0·06	0·06
Victoria†	0·15	0·41	0·20	0·15	0·10	0·04	0·07	0·09	0·06
Western Australia† ...	0·18	0·09	0·11	0·10	0·10	0·23	0·24	0·40	0·27
Japan	0·03	0·04	0·07	0·13	0·09	0·09	0·09	0·10	—
Ireland†	0·06	0·08	0·07	0·08	0·08	0·08	0·06	0·09	0·09
New South Wales† ...	0·24	0·26	0·29	0·09	0·08	0·07	0·09	0·08	0·10
Queensland†	0·17	0·28	0·26	0·11	0·08	0·07	0·10	0·05	0·09
South Australia	0·57	0·50	0·40	0·11	0·07	0·04	0·04	0·03	0·04
Tasmania†	—	0·26	0·27	0·08	0·05	0·02	0·04	0·06	0·06
New Zealand†	0·20	0·18	0·17	0·08	0·04	0·04	0·06	0·04	0·07

* 4 years.

† Excluding Croup.

TABLE XCVI.—WHOOPIING COUGH.—DEATH-RATES per 1000 persons living, 1881-1909.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.			
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.
Servia	—	—	2·42*	2·27	1·96	1·52	1·79	2·08	—
Scotland	0·60	0·61	0·52	0·51	0·49	0·29	0·52	0·44	—
Austria	1·10	0·97	0·71	0·53	0·44	0·48	0·38	0·32	—
Hungary	—	—	—	0·59*	0·42	0·40	0·43	0·31	0·34
Belgium	0·68	0·63	0·55	0·48	0·38	0·35	0·32	0·36	—
Prussia	0·52	0·51	0·45	0·42	0·36	0·31	0·23	0·28	0·25
England & Wales ...	0·46	0·44	0·40	0·36	0·30	0·24	0·29	0·28	0·20
Ireland	0·30	0·28	0·26	0·27	0·24	0·21	0·18	0·22	0·27
Spain	—	—	—	—	0·23	0·23	0·17	0·24	0·18
The Netherlands ...	0·35	0·30	0·32	0·26	0·21	0·18	0·18	0·23	0·17
Italy	—	0·37*	0·26	0·23	0·20	0·18	0·18	0·16	0·15
Switzerland	0·24	0·22	0·19	0·17	0·20	0·19	0·12	0·14	—
Sweden	0·19	0·17	0·17	0·20	0·18	0·17	0·12	0·18	—
Roumania	—	0·04	0·12	0·17	0·16	0·20	0·16	0·35	0·16
Tasmania	—	0·13	0·10	0·11	0·13	0·01	0·26	0·12	0·01
New South Wales ...	0·15	0·19	0·19	0·14	0·12	0·01	0·38	0·04	0·01
South Australia	0·23	0·17	0·17	0·15	0·10	0·04	0·19	0·05	0·05
Queensland	0·14	0·16	0·18	0·19	0·09	0·02	0·22	0·07	0·06
Victoria	0·15	0·13	0·15	0·08	0·09	0·20	0·10	0·05	0·13
Western Australia ...	0·12	0·31	0·17	0·10	0·09	0·04	0·39	0·07	0·01
New Zealand	0·22	0·15	0·23	0·07	0·08	0·03	0·33	0·04	0·04
Ontario, Province of ...	0·10	0·09	?	0·07	0·08	0·11	0·10	0·11	—
Japan	—	—	—	—	0·05	0·07	0·07	0·08	—

* 4 years.

TABLE XCVII.—ENTERIC FEVER.—DEATH-RATES per 1000 persons living, 1881-1909.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.			
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.
Servia	—	—	1·53	1·13	0·68	0·16	0·13	0·13	—
Western Australia ...	0·39	0·28	1·50	1·74	0·57	0·49	0·47	0·28	0·30
Spain	—	—	—	—	0·44	0·41	0·35	0·32	0·27
Italy	—	0·79*	0·51	0·50	0·35	0·28	0·25	0·27	0·28
Hungary	—	—	—	0·38*	0·28	0·27	0·26	0·24	0·30
Queensland	0·96	0·53	0·24	0·31	0·25	0·17	0·16	0·19	0·15
New South Wales ...	0·51	0·45	0·24	0·30	0·22	0·18	0·12	0·19	0·18
Ontario, Province of ...	0·27	0·24	?	0·21	0·20	0·40	0·23	0·30	—
Austria	0·73	0·58	0·44	0·27	0·19	0·15	0·15	0·15	—
Belgium	0·56	0·40	0·34	0·24	0·17	0·12	0·12	0·11	—
South Australia	0·43	0·37	0·22	0·29	0·16	0·13	0·10	0·10	0·09
Victoria	0·52	0·61	0·27	0·29	0·16	0·13	0·07	0·14	0·10
Tasmania	—	0·58	0·30	0·30	0·15	0·20	0·21	0·20	0·20
Ireland	0·16	0·17	0·17	0·21	0·13	0·09	0·08	0·08	0·07
Roumania	—	—	0·16	0·12	0·13	0·16	0·17	0·21	0·29
England & Wales ...	0·22	0·18	0·17	0·17	0·11	0·09	0·07	0·07	0·06
Scotland	0·27	0·19	0·18	0·16	0·11	0·09	0·08	0·06	—
The Netherlands† ...	0·18	0·13	0·12	0·10	0·09	0·08	0·07	0·06	0·05
Prussia	0·47	0·25	0·18	0·13	0·09	0·06	0·06	0·05	0·05
Sweden‡	0·27	0·23	0·20	0·15	0·09	0·06	0·06	0·09	—
New Zealand	0·23	0·22	0·17	0·14	0·08	0·05	0·06	0·10	0·06
Switzerland	0·29	0·16	0·11	0·08	0·06	0·05	0·05	0·04	—

* 4 years. † Including Typhus. ‡ Including Brain Fever and acute Poliomyelitis.

Pulmonary Tuberculosis.—Disregarding variations in the methods of classification of the deaths, as well as in the sex and age constitution of the populations, it is possible to make a rough comparison among several countries as regards mortality from this disease. Several States were unable to furnish complete returns of mortality under this heading. For example, no comparison can be instituted as regards France, Denmark, Sweden, Roumania, or Bulgaria, as the statistics of those countries have been limited to towns only; again in Hungary, in Prussia, and in Ontario the returns comprise deaths from all forms of tuberculosis, while in Italy deaths from general tuberculosis are included under pulmonary tuberculosis.

In Prussia, Scotland, the Netherlands, England and Wales, and Belgium a marked diminution in the rate of mortality has taken place in recent years. In proportion to the total population the death-rate from pulmonary tuberculosis in England and Wales in the quinquennium 1901-5 was 1·22 per 1000 living. This rate was exceeded in five continental countries, while in only two others were the average rates below that recorded in this country.

TABLE XCVIII.—PULMONARY TUBERCULOSIS, &c.—DEATH-RATES per 1000 persons living, 1881-1909.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.					Years.			
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906.	1907.	1908.	1909.
Pulmonary Tuberculosis :									
Austria	3.90	3.80	3.60	3.45	3.40	3.15	3.14	3.02	—
Servia	—	—	2.51*	2.31	2.80	2.87	2.92	3.12	—
Ireland	2.08	2.12	2.14	2.13	2.15	2.04	2.02	1.95	1.84
Switzerland	2.09	2.13	1.99	1.90	1.89	1.84	1.72	1.73	—
Spain	—	—	—	—	1.46	1.41	1.38	1.35	1.24
Japan	—	1.01	1.36	1.45	1.46	1.56	1.54	1.55	—
Scotland	2.11	1.89	1.74	1.65	1.45	1.38	1.35	1.26	—
The Netherlands	—	—	1.89	1.65	1.33	1.34	1.30	1.20	1.23
England & Wales ...	1.83	1.64	1.46	1.32	1.22	1.15	1.14	1.12	1.08
Belgium	—	—	1.56	1.42	1.18	1.05	1.01	1.01	—
Victoria	1.41	1.45	1.33	1.19	1.12	0.99	0.96	0.95	0.85
Queensland	1.74	1.29	1.06	0.87	0.81	0.68	0.64	0.63	0.60
New South Wales	1.14	0.99	0.87	0.80	0.80	0.67	0.62	0.63	0.64
South Australia	1.06	1.07	1.01	0.89	0.80	0.82	0.76	0.89	0.79
Western Australia	0.87	0.94	0.75	0.67	0.73	0.82	0.78	0.72	0.68
New Zealand	0.91	0.84	0.81	0.78	0.70	0.62	0.67	0.64	0.61
Tasmania	—	0.97	0.87	0.70	0.63	0.66	0.63	0.60	0.62
Pulmonary and General Tuberculosis :									
Italy	—	1.37*	1.29	1.25	1.16	1.22	1.24	1.22	1.22
Tuberculosis (all forms) :									
Hungary	—	—	—	3.64*	3.94	3.84	3.84	3.70	3.62
Prussia	3.13	2.90	2.47	2.08	1.91	1.71	1.70	1.65	1.55
England & Wales ...	2.54	2.32	2.12	1.91	1.74	1.64	1.61	1.58	1.52
Ontario, Province of ...	1.25	1.16	1.14	1.41	1.29	1.31	1.14	1.13	—

* 4 years.

Cancer.—In comparing the rates of mortality from cancer, it is necessary to bear in mind that the certification of causes of death is more complete or more accurate in some countries than in others, and that in most countries it has probably shown improvement in later years. Thus, in Norway only 50 per cent. of the causes of death were stated in 1881, against 85 per cent. in 1901; for the whole of the German Empire statistics of cancer are available only from 1908. For Hungary it is probable that the rates are understated, and in Ceylon the registration of causes of death is admittedly so imperfect that very little reliance can be placed on the returns; in France, Denmark, Sweden, Roumania, and Bulgaria deaths from cancer have been tabulated for the towns only, and the mortality is not, therefore, fairly comparable with that in the other States; these countries are consequently not included in the following Table.

Subject to the above important reservations, the general conclusion appears to be that this country occupies an unenviable position with respect to mortality from cancer; the rate in England and Wales, 1901-05, being exceeded only in Switzerland when correction is made for differences in age and sex constitution.

In all the countries from which returns have been received the proportionate mortality from cancer has shown a general tendency to increase in recent years.

TABLE XCIX.—CANCER.—DEATH-RATES per 1000 persons living, 1881-1909.

Countries (Arranged in Order of crude rates in 1901-5).	Crude Rates.					Corrected Rates.				
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1901- 1905.	1906.	1907.	1908.	1909.
Switzerland ...	1·03	1·14	1·22	1·27	1·30	1·10	1·12	1·06	1·11	—
The Netherlands ...	0·60	0·70	0·81	0·92	0·97	0·85	0·88	0·89	0·90	0·90
England & Wales	0·55	0·63	0·71	0·80	0·86	0·86	0·92	0·91	0·92	0·95
Scotland ...	0·54	0·62	0·69	0·77	0·84	0·83	0·94	0·94	0·94	—
Austria ...	0·44	0·50	0·59	0·69	0·74	0·69	0·73	0·72	0·72	—
Victoria ...	0·45	0·53	0·62	0·69	0·74	0·76	0·77	0·82	0·81	0·82
Ireland ...	0·38	0·43	0·49	0·58	0·69	0·56	0·64	0·62	0·62	0·65
New Zealand ...	0·30	0·42	0·52	0·59	0·67	0·75	0·79	0·82	0·79	0·82
South Australia ...	0·32	0·39	0·48	0·56	0·67	0·76	0·84	0·80	0·77	0·86
Prussia ...	0·34	0·41	0·50	0·57	0·65	0·64	0·69	0·72	0·73	0·74
New South Wales ...	0·27	0·36	0·43	0·54	0·64	0·80	0·85	0·87	0·84	0·90
Belgium ...	—	—	—	—	0·58†	0·49	0·49	0·51	0·54	—
Queensland ...	0·25	0·27	0·34	0·44	0·57	0·79	0·76	0·90	0·71	0·83
Tasmania ...	—	0·49	0·49	0·55	0·56	0·68	0·63	0·77	0·82	0·82
Italy ...	—	0·43*	0·44	0·51	0·55	0·45	0·51	0·50	0·53	0·53
Ontario, Province of	0·21	0·29	?	0·44*	0·52	—	—	—	—	—
Western Australia ...	0·33	0·41	0·31	0·31	0·45	0·74	0·98	0·83	0·86	1·09
Spain ...	—	—	—	—	0·44	0·38	0·41	0·41	0·44	0·44
Hungary ...	—	—	—	0·30*	0·39	0·38	0·39	0·41	0·42	0·43
Servia ...	—	—	0·06*	0·08	0·10	—	—	—	—	—

* 4 years.

† 3 years.

PROGRESS OF REGISTRATION.

The names in the alphabetical indexes of births, deaths, and marriages recorded in the national registers of England and Wales were increased during the year 1909 by 1,953,563, this addition raising the total of names in the indexes, which at the end of 1909 embraced a period of 72½ years, to 118,695,604.

The following statements as to the number of prosecutions for offences against the Registration Acts and searches in the Registers in connexion with Old Age Pensions have been prepared by the Chief Clerk :—

OFFENCES AGAINST THE REGISTRATION ACTS.

In 1909, 27 persons, on prosecution by order of the Registrar-General, were convicted of different offences against the Registration Acts. The offences for which convictions were obtained were as under :—

For failing to comply with a requisition to register a birth ...	1
For giving a false place of birth in order to avoid vaccination ...	9
For giving a false age when registering the death of an old-age pensioner ...	6
For otherwise giving false information to the registrar when registering a birth or death ...	2
For falsifying certificate of birth or death and using same as true ...	6
For causing the body of a live-born child to be buried as still-born...	3

Proceedings were taken by the Public Prosecutor (at the instance of the Registrar-General) for making a false declaration on a notice of marriage to the effect that a girl aged 17 years was of full age, and the man who gave the notice was sentenced to six calendar months' imprisonment with hard labour.

OLD AGE PENSION SEARCHES.

In the autumn of 1908 a special arrangement was made with the Board of Customs and Excise, under the sanction of His Majesty's Treasury, for verifying free of charge the ages of persons claiming Old Age Pensions. A form was drawn up providing for the entry of the particulars requisite for a search in the birth registers, and bearing a counterfoil for recording the result of the search; and local Pension Officers were supplied with copies of this form and were instructed to send one direct to this Office in the case of every claimant stated to have been born in England or Wales on or after 1st July, 1837, whose age required verification. A number of clerks were engaged (temporarily in the first place), and were trained as rapidly as possible to deal with the forms as they arrived here. The applications began to reach this Office early in October, 1908. The number received up to the end of December in that year was 20,855, and 39,155 more were received in 1909. Of these 60,010 cases 58,626 had been fully dealt with by the end of 1909, the remaining 1,384, consisting of some which had only been received in the last days of the year, and of others which had been unsuccessfully searched for, and were held over for further enquiry. Among the cases that were fully dealt with in the year 1909 were 23,929 in which the alleged dates of birth were found to be precisely or approximately correct, 970 in which the applicants proved to be older than they had stated, 225 in which they were younger but were still of pensionable age, 2,031 of applicants who were found to be less than 70 years old, and 10,618 which could not be traced although search had been carried back to the beginning of civil registration, and forward to dates varying from five to ten years later than the alleged dates of birth.

The proportion of cases, 18 per cent., not found is larger than was expected—a result which might seem to suggest that registration of births was much more incomplete in the first two and a half years of registration than had been supposed. The course of the searching, however, revealed other factors which have no doubt contributed to the result. Not only had many of the applicants no accurate knowledge of the date or place of their birth, but the names stated by others as those of their parents did not tally with the names found in the register. On this account alone, the cases not found would have been much more numerous than they were but for the care and ingenuity shown by the Searching Clerks in tracing misspelt surnames by means of the alphabetical indexes. In many cases the registers themselves were referred to after search in the indexes had failed, and in some of these the father's surname (under which of course every birth is indexed) was found to differ entirely from the name stated, while the agreement of other details was so close as to establish the identity of the case. Obviously this procedure could only be used when the district of birth was so small that a search in the register would not occupy too much time; therefore there are an unknown number of old persons whose births cannot be traced, because they were born in populous districts and have been known by other surnames than those used by their parents. It may be

expected that the number of untraceable cases will decrease year by year ; for no doubt registration became both more complete and more accurate in detail as it became more familiar to the public, and as the local Registrars gained experience in the performance of their work.

SEARCHES AND CERTIFICATES.

Besides the certified copies of the registered births, deaths, and marriages kept in England and Wales pursuant to the Registration Acts; a large number of other registers and records are deposited in this Office under statute or other arrangement. A list of these various registers and records will be found on pages xxix.-xxxii. of the Annual Report for 1895. Searches may be made in any of these registers, and certificates obtained on payment of the prescribed fees.

During the 52 weeks ended 1st January, 1910, the total number of searches was 73,543, and of certificates issued 54,674. The total amount received in fees was 10,568*l.* 8*s.*

TABLE C.

Years.	Total Searches.	Certificates Issued.	Amount Received.
			<i>£</i> <i>s.</i> <i>d.</i>
1866 (52 weeks)...	12,135	10,017	1,860 15 6
1875 (52 weeks)...	26,356	20,282	3,879 15 6
1885 (52 weeks)...	36,450	27,682	5,317 13 6
1895 (52 weeks)...	53,289	35,727	7,200 12 6
1896 (53 weeks)...	57,444	37,435	7,600 0 6
1897 (52 weeks)...	58,664	37,485	7,686 8 6
1898 (52 weeks)...	63,825	41,143	8,450 19 6
1899 (52 weeks)...	57,670	44,793	8,551 19 6
1900 (52 weeks)...	57,895	45,479	8,658 9 6
1901 (52 weeks)...	58,445	45,254	8,645 10 0
1902 (53 weeks)...	61,437	48,262	9,177 15 0
1903 (52 weeks)...	63,519	49,469	9,437 9 6
1904 (52 weeks)...	62,270	48,658	9,274 12 0
1905 (52 weeks)...	65,142	50,310	9,611 9 0
1906 (52 weeks)...	64,340	49,429	9,458 6 0
1907 (52 weeks)...	69,249	53,058	10,194 9 0
1908 (53 weeks)...	72,370	54,870	10,550 8 0
1909 (52 weeks)...	73,543	54,674	10,568 8 0

Table C. affords an indication of the extent to which the records in this Office have been utilized by the public for legal evidence of births, deaths, and marriages since 1866.

T. H. C. STEVENSON.

METEOROLOGY OF THE YEAR 1909.

REMARKS ON THE CONSPICUOUS METEOROLOGICAL OCCURRENCES
IN THE BRITISH ISLES IN 1909.

*(Prepared in the Meteorological Office under the direction of
W. N. Shaw, Esq., LL.D., Sc.D., F.R.S.)*

The following summary of the most notable meteorological features of the year 1909 has been prepared from various official reports, daily, weekly, and monthly returns, and the records of numerous rainfall observers :—

1. *Gales.*—On January 7th and 8th a North-Westerly gale blew in many parts of the British Isles, attaining the force of a strong gale (force 9) in several localities. A whole gale (force 10) was reported at Skerryvore, Butt of Lewis, Wick and Flamborough Head, and a storm (force 11) at the Outer Farne. On January 11th a Westerly to North-Westerly gale on our western and northern coasts, the wind rising to a whole gale at Pladda, the Rhinns of Islay and the Outer Farne, and to a storm at Sule Skerry. A deep system which was almost stationary in the neighbourhood of the Farøe on January 13th and 14th occasioned a whole gale from West and North-West at a number of places on the western coasts, between Swansea Bay and Islay. This disturbance was still in the vicinity of the Arctic Circle on the 16th, when the Westerly wind again increased on the western coasts, to a whole gale at the Scarweather (Swansea Bay), Bahama Bank, and the Rhinns of Islay, and to a storm at Pladda. From about 10 a.m. on the 13th the gale lasted 76 hours at Loop Head, and 120 hours at the Fastnet. On January 17th there was a South-Westerly gale on our western coasts generally, the force of a whole gale at Loop Head, Tearaght, Bahama Bank, and the Mull of Galloway. During the next eight months, February to September, there was a marked absence of general gales, a strong or whole gale was felt locally. With October the conditions assumed a very windy type, the force of a high wind being experienced at one or more places on our coasts on 29 consecutive days, gale force on 21 days, a strong or whole gale on 12 days. Between the 5th and the 9th a whole gale between South and West blew at Caldy, Malin Head, and Skerryvore, from North-West at Cape Wrath and Sule Skerry, a hurricane (force 12) at the Mull of Galloway. Between the 12th and 15th a whole South-Westerly gale. On the 23rd and 24th a whole gale from North at the Fastnet, and from South-West at Pembroke, Caldy, Scarweather, and Portland Bill. Between the 26th and 29th a whole gale from East or North-East at Aran Island North, the Fastnet, Caldy, the Owers, the Casquets, and Flamborough Head, a storm at Start Point. November was a much quieter month, but on the 12th and 13th a whole gale from between West and North blew at Bahama Bank, the Outer Dowsing, Spurn Head, and Flamborough Head, a storm at the Outer Farne. Very disturbed conditions prevailed during the greater part of December, nearly all the cyclonic systems being very deep, that of the 2nd and 3rd being the deepest of the year. The first five days had the wind mainly from between South-West and North-West, increasing to a whole gale at numerous points on the

western, southern and eastern coasts, to storm force at Caldy, the Scarweather and the Outer Farne on the 3rd, hurricane force at the Scarweather on the 2nd. (*See Weekly Weather Report*, p. 388.) A strong South-Easterly gale blew on many coasts on the 21st and 22nd, a whole gale at Malin Head, Bardsey, Pembroke, Spurn Head and Flamborough Head, a hurricane at Caldy. Self-registering anemometers at 25 stations recorded the following instances of mean hourly velocities of 55 or more miles of wind :—

January 16th, Scilly, 55 ; 18th, Edinburgh, 56.

October 7th, Pendennis, 56 ; 23rd, Scilly, 70 ; Pendennis, 55.

November 12th–13th, Fleetwood, 55 ; 18th, Pendennis, 56.

December 1st, Scilly, 56, 2nd, Pendennis, 55 ; 2nd–3rd, Southport, 58, Fleetwood, 66.

The highest velocity attained in a gust was 90 miles per hour at Scilly on October 23rd. (For more detailed records, *see Appendix III.* of the *Weekly Weather Report*.)

2. *Rainfall.*—There was a more equable distribution of precipitation over the kingdom than is usual, the wet districts in the south-west, west and north-west, receiving less than the normal, much less in many localities, and the drier eastern districts more than the normal. New-quay returns show a deficiency of 9·7 ins., Cally 9·9 ins., Valencia 11·4 ins., Fort William 11·7 ins., Killarney 12·2 ins., Roche's Point 15 ins., and Glencarron 17·8 ins. On the other side Southampton and Ventnor had an excess of 5·2 ins., Margate 5·3 ins., Tunbridge Wells 5·5 ins., Hillington 6·1 ins., Totland Bay 6·4 ins., Salisbury 6·5 ins., and Dungeness 12·7 ins. The largest totals in the returns communicated to the Office were 71·4 ins. at Glencarron, 66·9 ins. at Fort William, 56·6 ins. at Darwen, 54·2 ins. at Poltalloch, 52·9 ins. at Arlington, 50·6 ins. at Bettws-y-Coed, and 50·4 ins. at Blacksod Point—a very short list of falls exceeding 50 ins. The limit of 100 ins. was exceeded in the highlands of Western Scotland, Cumberland, and North Wales. There was not a score of instances of totals less than 25 ins., the smallest being 23·1 ins. at Cambridge, and 23 ins. at Shrewsbury. The frequency of precipitation ranged from 284 days at Balta Sound, 281 at Sumburgh Head, 275 at Foynes, 274 at Stornoway, 263 at Blacksod, and 261 at Wick to 153 at Tealby, 149 at Ampleforth, and 146 in the Forest of Dean (200 feet). Heavy falls of an inch and upwards in a day were exceptionally numerous. The following is a list of falls of 2 ins. and upwards in 24 hours :—January 17th, West of Scotland and North of Ireland ; February 2nd, West of Scotland ; 3rd, North Lancashire ; April 3rd, Dublin ; July 20th, Argyllshire ; August 1st, Hull ; 17th, South of England ; September 27th, County Clare ; 28th, South Wales and Devon ; October 15th, North Devon ; 26th to 28th, South of England, in places the rainfall amounted to nearly 6 ins. in three days ; November 11th and 28th, North of Scotland ; December 9th, North-west of Scotland ; 10th, North Lancashire ; 11th, Kincardine ; 16th, Portland Bill ; 21st, Gloucestershire and Monmouthshire. Some very heavy downpours in short periods were noted. April 27th, 0·14 ins. in 10 minutes at Camden Square, London ; May 26th, 0·16 ins. in 15 minutes at Rochford (Worcs.) ; June 24th, 0·18 ins. in 5 minutes at Camden Square ; July 30th, 0·13 ins. in 5 minutes at St. James's Park, London ; August 17th, 2·2 ins. in 5 hours at Salisbury, and nearly all of a total of 2·6 ins. at Maidenhead fell in 2 hours ; September 6th, 1·55 in. at Cromer in 55 minutes ; 17th, 0·14 in. in 2 minutes at Epsom, 0·8 in. in 15 minutes at Oxford, 0·3 in. in 20 minutes at Pyrton Hill, and 1·4 in. in 2 hours at Wisley ; 23rd, 1·55 in. in 4 hours at Belvoir Castle ; 25th, 0·24 in. in

3 minutes at Epsom ; October 5th, 0·1 in. in 10 minutes at Camden Square ; and 13th, 0·25 in. in 5 minutes at Norwich.

3. *Snowstorms*.—In the middle of January, under the influence of a very deep disturbance centred near Iceland, heavy snowstorms occurred in Scotland, Ireland, and the North of England, occasioning immense and widespread inconvenience, traffic by road and rail being suspended in many localities, and shipping seriously interfered with. In the first seven days of March there was snow in practically all parts of the country, but the distribution was very irregular, many observers measuring only from 1 in. to 4 ins., but on the 3rd Belvoir Castle $8\frac{1}{2}$ ins., and Epsom 10 ins. ; on the 3rd and 4th Tonbridge 22 ins. ; on the 6th Belvoir Castle 8 ins., and Tenbury $8\frac{1}{2}$ ins. ; and on the 7th Huddersfield 10 ins., and Birmingham 11 ins. The melted snow yielded from an inch to nearly 2 ins. of water at a number of stations. Snow and hail squalls were experienced extensively on the last day of April, and on the opening day of May snow fell generally, down to the shores of the English Channel. As late as May 12th to 15th there were falls of snow in many districts, as far as the southern counties. No further falls occurred until October 29th, when there was a heavy storm in Northumberland. The snows of the remainder of the year were light, Crathes reporting 6 ins. on November 13th, and there were various falls of from 6 ins. to 8 ins. in the course of December, the most extensive fall being on the 20th to the 22nd.

4. *Thunderstorms*.—In January electrical disturbances were rather numerous, visiting Western Scotland on the 6th, and many parts of England and Scotland on the following day. From the 13th to the 16th there were a number of thunderstorm records distributed over the whole kingdom. There were few records during February and March, and the first half of April, but they became very frequent over many districts in the last week of April, few, however, being described as heavy, and they did not result in any great rainfalls. The May thunderstorms were limited almost entirely to the few days 23rd to 26th, nearly all in England. On June 1st South-Eastern England was affected by an electrical disturbance which produced heavy rain all over the district. From the 20th to the 24th there were numerous storms distributed all over the Kingdom, with heavy rains in many places, while the storms of the 27th to 29th were marked by comparatively little rain. The storms of July were neither so frequent nor so extensive, and resulted in no great rainfalls, the heavy rainstorm over the southern half of England and Wales on the 27th was not attended by thunderstorms. A great rainstorm over the same region on August 17th was of a similar thunderless character, while the thunderstorms of the 16th and 25th were not marked by much rain. On September 17th a singular and very violent thunderstorm occurred over the western and middle regions of the Thames watershed, with very heavy rain and terrific thunder and lightning. There appear to have been no premonitory indications of its approach, and in the immediately surrounding districts there were no signs of a storm being in progress. A thunderstorm over the Straits of Dover on the 22nd gradually worked northward across Britain, and arrived in the Orkneys on the 24th, passing from a low into a high pressure system. Again, on the 25th, South-Eastern England was visited by a sharp thunderstorm, which was coincident with a magnetic storm. The thunderstorms of October and November were of minor importance, but those of December, like those of January, were very frequent for the season, thunder or lightning or both being reported on at least nineteen days.

5. *Dry Periods.*—Although the year was marked by an unusual frequency of great rainstorms there were many long spells either of absolute drought or with no rainfall worth mentioning. One of these dry intervals set in about January 19th over a great part of Britain, and was maintained generally until about February 8th, Portland Bill returning 21 successive rainless days. The break lasted only a couple of days, and between the 10th and 26th many localities had from 15 to 17 rainless days. February may thus be regarded as a very dry month, the total rainfall in several instances being less than $\frac{1}{2}$ in., at Cuckfield only 0·1 in. Western Scotland experienced a very remarkable drought during March, the district along the Caledonian Canal receiving less than an inch of rain in the whole month, or from 3 ins. to $6\frac{1}{2}$ ins. less than the normal. Fort Augustus totalled less than 0·8 in., and Fort William only 0·3 in. Over England generally there was little or no rain from March 31st to April 12th. From May 1st to 23rd, and June 1st to 24th were droughty periods over extensive areas, in the West as well as in the East. In the first 18 days of August there was a rainless fortnight over southern England, while in southern Ireland the month as a whole was dry, Ballinacurra, Cork, receiving 0·3 in. distributed over 6 days, as many as 17 successive days being rainless. September 7th to 29th was another dry spell over a large extent of country, with from 14 to 17 successive rainless days in many places, and only very trifling showers on one or two other days. Southern Ireland continued remarkably dry, the total rainfall at Ballinacurra in the 58 days, August 1st to September 27th, being only $\frac{1}{2}$ in. November, generally, was a dry month, with 12 to 14 consecutive rainless days in many places between the 13th and 27th. At Ampleforth rain fell on three days only, and the total fall at Bawtry and Lincoln throughout the month was less than $\frac{1}{4}$ in.

6. *Temperature.*—At nearly every station the *highest* temperature of the year was attained in the spell of hot weather experienced from the 6th to the 15th of August, 92° at Epsom on the 15th, 90° at Maidenhead on the 12th, 89° at Cullompton on the 9th, and 85° or 86° at a number of places on the 12th, 86° at Weymouth on the 9th. With this exception the only other maxima of 80° and upwards occurred on May 21st and 22nd, 83° at Epsom, 84° at London and Maidenhead. A very striking feature of the summer was the persistent cold, June providing few instances of maximum temperatures above 70°, many of these were below 55°, even as low as 50° at Totland Bay, 49° at Salisbury, Buxton and Woburn early in the month. July was only a little less cold than June, the maxima on many days being below 60°. There was some compensation for this in the many warm days in the winter months, the thermometer rising on February 4th to 58° at Cambridge and Epsom, and 59° at Killarney; passing 65° rather frequently in October, and touching 70° in some instances; 60° to 62° in Ireland and north Britain on November 3rd; and in December passing 55° in many cases, 58° at Torquay on the 3rd, and Kingstown on the 27th, and 59° at Kingstown on the 10th.

The *lowest* night temperatures were registered at various periods in February, March, November and December. Shade values below 20° were numerous, down to 9° at Hereford and Epsom in March, Phoenix Park in December, 8° at Rugby, Lewes, and Cirencester in March, Bawtry, Kilkenny and Thorntonhall in December; 7° at Wokingham in February, Wokingham, Llangammarch Wells and Nairn in March, Clongowes Wood in December; 6° at Stokesay in March; 4° at Crathes in November; Mayfield (Staffs) in December; 3° at Kingston-on-Soar and Swarraton in March, Worksop in

December ; 1° at West Linton in March, Garforth in December ; and 0° at Marlborough in March, Balmoral in December. Even in June there were some records of frost, the thermometer sinking to 29° at Llangammarch Wells, 30° at Garforth, and 31° at Burnley. There were, however, several very high night minima in the winter months, temperature at various southern stations, including London, not descending below 60° on October 4th and 17th. In December there were many minima as high as 50° to 52° . At Guernsey (Brooklyn) the thermometer did not descend below 32° all through the year, and at Scilly a minimum of 30° was registered on February 28th.

The range of temperature for the year amounted to 85° at Marlborough, 83° at Epsom, 82° at Swarraton, 81° at Worksop and Kingston-on-Soar, 80° at Garforth, and 75° and upwards at a number of other stations, all inland ones, while it was 50° or less at several places along the southern, western and northern coasts, 45° at Balta Sound, 43° at Holyhead, 43° at Scilly and Blacksod Point, 41° at Deerness, and only 36° (63° to 27°) at Castlebay. For the country as a whole the mean temperature for the year was about 1° below the normal, all districts showing a deficiency.

7. *Bright Sunshine*.—In the north-east of England the duration of bright sunshine was less than usual, York returning a deficiency of 131 hours for the year. East Scotland was more variable, Aberdeen showing a deficit of 96 hours, Edinburgh an excess of 157 hours. All other districts returned a general excess, in many localities more than 100 hours, the largest excesses being 203 hours at Pembroke, 208 at Torquay, 209 at Falmouth, 214 at Plymouth, 229 at Westminster, and 243 at Blackpool. The largest aggregates for the year were along the English Channel, where nearly all the stations had more than 1,900 hours, ranging up to 1,981 at Bognor, 1,990 at Guernsey (Villa Carey), 1,992 at Salcombe, and 1,999 at Jersey. In Scotland the largest total was 1,441 hours at Balruddery, and in Ireland 1,633 hours at Ballinacurra. The only cases of less than 1,000 hours were 999 at Manchester (City), 986 at Hull, and 966 at Fort Augustus, this last-mentioned being, however, 77 hours more than the normal. The percentage of the possible duration ranged from 45 at Jersey and other southern stations to 22 at Hull and Fort Augustus.

The months of June and July were notable for their deficiency of sunshine, June in particular being an exceptionally dull summer month, London's total sunshine of 91 hours being the lowest on record, and 76 hours less than the normal. March also was very dull. Generally speaking, the other nine months were more than usually sunny, the excess in April ranging up to between 50 and 95 hours, and in May to between 100 and 130 hours. January, November and December were marked by several brilliant days, the excess of sunshine being exceptionally large for the winter season.

8. *Fog*.—As in the previous year there was again a general absence of great fogs over the inland districts. On January 27th and 28th there was a good deal of fog over England, the latter date was unusually dark in London, yet there was brilliant sunshine in the suburbs. There were fairly frequent fogs in March, and for brief periods they were very dark in London on the 3rd, Tottenham on the 22nd, and Ampleforth on the 30th. November was a month of sunshine and of remarkable freedom from fog.

With the exception of October there were well-marked periods of fog on our western and eastern coasts in all months, but the south coast of England was not much affected, except in January and May. The longest spells were from July 27th to August 15th on the western

coasts, and from September 17th to October 3rd on the western and eastern coasts.

9. *Barometer*.—The mean distribution of pressure for the whole year was in very close agreement with the normal, the greatest differences being an excess of 0·025 in. at Stornoway, and a deficiency of 0·025 in. at Dungeness. From a mean of 30·01 ins. at Brest and Paris the values diminished to 29·95 ins. along the south coast of England, 29·8 ins. in Shetland, and 29·71 ins. at Reykjavik (Iceland). The highest pressures recorded were confined to January, February and December, the barometer rising to 30·78 ins. at Jersey on January 2nd, to 30·69 ins. at Roche's Point on February 14th, and to 30·73 ins. at Aberdeen on December 14th. In other months there were few instances as high as 30·5 ins. There were very numerous depressions in which pressure was below 29 ins., and on January 4th the barometer fell to 28·35 ins. at Wick, and on December 3rd to 28·03 ins. at Spurn Head, and 28·09 ins. at Shields. The range of pressure exceeded 2 ins., excepting in the extreme south-west of England. At Spurn Head it amounted to 2·66 ins., at Scilly 1·87 ins. Over Scotland and the north-east of England both the extreme readings occurred in December.

There was a reversal of the normal distribution during March, the lowest pressure being on the Bristol Channel, the highest over Iceland, in June the lowest pressure was over the North Sea and to the eastward, the highest out on the Atlantic and up to Iceland.

10. *High Tides*.—March 25th, exceptionally high on the north-east coast, but causing comparatively little damage.

11. *Floods*.—January 17th and 18th in Scotland and Ireland, following heavy snow and rainstorms. A bog slide in Galway caused loss of life, and much destruction of property. February 4th to 6th serious floods in the north of Ireland after very heavy rain. The great rainstorms of the autumn caused destructive floods in South Wales (twice) and in the south-east of England.

12. *Earthquakes*.—On July 28th and 29th earthquake shocks were felt at Laudale.

13. *Aurora Borealis*.—There were very numerous records of auroræ, but seldom noted as presenting any unusual features. On December 1^h a brilliant display was seen in many parts of Scotland.

14. *Magnetic Storm*.—A very severe magnetic disturbance occurred on September 25th, interfering seriously with the telegraphic services. The storm appears to have been general throughout the world. Aurora was seen in various countries the same evening, but it was not of an exceptional character.

15. *Observations in the Upper Air*.—In the Weekly Weather Report details have been published of 473 ascents of kites or captive balloons, 101 pilot balloons, and 74 registering balloons. Of the latter 68 reached the stratosphere. The greatest heights attained were, with kites 3,300 metres from the Howard Estate Observatory, Glossop, on May 5th; with pilot balloons 19 kilometres from Pyrton Hill on February 22nd, and with registering balloons 23 kilometres from Manchester on January 13th. The lowest temperature observed was 206°·5 A. or — 66°·5 C. at 13 kilometres on November 4th, in an ascent from Pyrton Hill.

In continuation of the remarks given in previous annual reports the following notes refer exclusively to the stations the results from

which are included in the tables already printed in the Quarterly Returns :—

The highest temperatures of the air were at Camden Square, Berkhamsted, Greenwich, Norwood, and Salisbury, 86° .

The lowest temperatures were at Stokesay, 6° ; Llangammarch Wells, 7° ; and at Salisbury, Shrewsbury, and York, 10° .

The heaviest falls of rain at any of the stations were at Bettws-y-Coed, 50·6 ins.; Stonyhurst, 48·8 ins.; and at Llangammarch Wells, 47·9 ins.

The least falls of rain were at Shrewsbury, 23·0 ins.; Cambridge, 23·1 ins.; and at Kew, 23·7 ins.

The greatest number of days of rain were at Norwich, 233; Cromer, 225; and at Llangammarch Wells, 224.

The least number of days of rain were at Wakefield, 159; Portsmouth, 162; and at Spurn Head, 166.

The highest temperatures in the sun were at the Royal Observatory, Greenwich, 151° ; and at Bath, 145° .

The lowest temperatures on the grass were at Llangammarch Wells, -4° and 2° ; and at Buxton, 5° .

The greatest number of days of temperature on the grass at 30° or below were at Llangammarch Wells, 180; Cambridge, 152; and at Berkhamsted and Buxton, 146.

T A B L E S.

TABLE 1.—United Kingdom: Population of its several portions estimated of the Islands in the British Seas, and of the portions

YEAR.	UNITED KINGDOM. AREA 77,497,227 ACRES.			ENGLAND AND WALES. AREA 37,327,479 ACRES.		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1860	28,778,411	13,997,137	14,781,274	19,902,713	9,704,394	10,198,319
1861	28,977,133	14,086,431	14,890,702	20,119,314	9,801,152	10,318,162
1862	29,243,610	14,218,788	15,024,822	20,371,013	9,923,272	10,447,741
1863	29,470,969	14,329,606	15,141,363	20,625,855	10,046,909	10,578,946
1864	29,680,437	14,431,943	15,248,494	20,883,889	10,172,089	10,711,800
1865	29,925,177	14,552,746	15,372,431	21,145,151	10,298,826	10,846,325
1866	30,147,755	14,656,115	15,491,640	21,409,684	10,427,146	10,982,538
1867	30,409,132	14,781,924	15,627,208	21,677,525	10,557,066	11,120,459
1868	30,689,977	14,917,163	15,772,814	21,948,713	10,688,600	11,260,113
1869	30,978,278	15,056,678	15,921,600	22,223,299	10,821,775	11,401,524
1870	31,256,535	15,189,549	16,066,986	22,501,316	10,956,608	11,544,708
1871	31,555,694	15,331,177	16,224,517	22,788,594	11,092,620	11,695,974
1872	31,874,183	15,485,219	16,388,964	23,096,495	11,242,495	11,854,000
1873	32,177,550	15,630,140	16,547,410	23,408,556	11,394,394	12,014,162
1874	32,501,517	15,788,489	16,713,028	23,724,834	11,548,346	12,176,488
1875	32,838,758	15,957,698	16,881,150	24,045,385	11,704,378	12,341,007
1876	33,199,994	16,138,194	17,061,800	24,370,267	11,862,519	12,507,748
1877	33,575,941	16,325,250	17,250,691	24,699,539	12,022,796	12,676,743
1878	33,943,773	16,508,370	17,435,403	25,033,259	12,185,238	12,848,021
1879	34,302,557	16,687,367	17,615,190	25,371,489	12,349,875	13,021,614
1880	34,622,930	16,844,178	17,778,752	25,714,288	12,516,737	13,197,551
1881	34,934,476	16,995,577	17,938,899	26,046,142	12,673,435	13,372,707
1882	35,206,617	17,122,482	18,084,135	26,334,942	12,808,460	13,526,482
1883	35,449,721	17,237,225	18,212,496	26,626,949	12,944,923	13,682,026
1884	35,724,231	17,367,248	18,356,983	26,922,192	13,082,837	13,839,355
1885	36,015,591	17,505,360	18,510,141	27,220,706	13,222,216	13,998,490
1886	36,313,582	17,646,573	18,667,009	27,522,532	13,363,079	14,159,453
1887	36,599,143	17,780,591	18,818,552	27,827,706	13,505,441	14,322,265
1888	36,881,271	17,912,256	18,969,015	28,136,258	13,649,314	14,486,944
1889	37,178,929	18,052,088	19,126,841	28,448,239	13,794,721	14,653,518
1890	37,484,764	18,196,143	19,288,621	28,763,673	13,941,671	14,822,002
1891	37,802,440	18,346,840	19,455,600	29,085,819	14,092,535	14,993,284
1892	38,134,110	18,504,779	19,629,331	29,421,392	14,252,190	15,169,202
1893	38,490,333	18,674,558	19,815,775	29,760,842	14,413,657	15,347,185
1894	38,859,067	18,851,843	20,007,224	30,104,201	14,576,948	15,527,253
1895	39,221,109	19,027,140	20,193,969	30,451,528	14,742,091	15,709,437
1896	39,599,072	19,209,015	20,390,057	30,802,858	14,909,104	15,893,754
1897	39,987,294	19,396,275	20,591,019	31,158,245	15,078,010	16,080,235
1898	40,380,792	19,586,134	20,794,658	31,517,725	15,248,823	16,268,902
1899	40,774,296	19,774,970	20,999,326	31,881,365	15,421,578	16,459,787
1900	41,154,646	19,956,716	21,197,930	32,249,187	15,596,283	16,652,904
1901	41,550,773	20,147,648	21,403,125	32,621,263	15,773,062	16,848,201
1902	41,961,199	20,347,886	21,613,313	32,997,626	15,952,154	17,045,472
1903	42,371,219	20,548,000	21,823,219	33,378,338	16,133,344	17,244,994
1904	42,793,272	20,753,466	22,039,806	33,763,434	16,316,647	17,446,787
1905	43,221,145	20,960,826	22,260,319	34,152,977	16,502,094	17,650,883
1906	43,661,092	21,172,539	22,488,553	34,547,016	16,689,707	17,857,309
1907	44,098,727	21,382,805	22,715,922	34,945,600	16,879,509	18,066,091
1908	44,546,822	21,600,381	22,946,441	35,348,780	17,071,524	18,277,256
1909	45,005,833	21,823,085	23,182,748	35,756,615	17,265,780	18,490,835

to the **middle** of each of the **Years 1860-1909**, exclusive of the **Population** of the **Army, Navy, and Merchant Service Abroad.**

SCOTLAND.* AREA 19,459,155 ACRES.			IRELAND.* AREA 20,710,593 ACRES.			YEAR.
Persons.	Males.	Females.	Persons.	Males.	Females.	
3,054,738	1,447,622	1,607,116	5,820,960	2,845,121	2,975,839	1860
3,069,404	1,453,496	1,615,908	5,788,415	2,831,783	2,956,632	1861
3,097,009	1,468,180	1,628,829	5,775,588	2,827,336	2,948,252	1862
3,126,879	1,483,008	1,643,871	5,718,235	2,799,689	2,918,546	1863
3,156,021	1,497,988	1,658,033	5,640,527	2,761,866	2,878,661	1864
3,185,437	1,513,120	1,672,317	5,594,589	2,740,800	2,853,789	1865
3,215,129	1,528,404	1,686,725	5,522,942	2,700,565	2,822,377	1866
3,245,098	1,543,843	1,701,255	5,486,509	2,681,015	2,805,494	1867
3,275,350	1,559,438	1,715,912	5,465,914	2,669,125	2,796,789	1868
3,305,885	1,575,190	1,730,695	5,449,094	2,659,713	2,789,381	1869
3,336,707	1,591,101	1,745,606	5,418,512	2,641,840	2,776,672	1870
3,368,921	1,607,775	1,761,146	5,398,179	2,630,782	2,767,397	1871
3,404,798	1,626,461	1,778,337	5,372,890	2,616,263	2,756,627	1872
3,441,056	1,645,361	1,795,695	5,327,938	2,590,385	2,737,553	1873
3,477,704	1,664,480	1,813,224	5,298,979	2,575,663	2,723,316	1874
3,514,744	1,683,821	1,830,923	5,278,629	2,569,409	2,709,220	1875
3,552,183	1,703,388	1,848,795	5,277,544	2,572,287	2,705,257	1876
3,590,022	1,723,180	1,866,842	5,286,380	2,579,274	2,707,106	1877
3,628,268	1,743,204	1,885,064	5,282,246	2,579,928	2,702,318	1878
3,665,443	1,762,787	1,902,656	5,265,625	2,574,705	2,690,920	1879
3,705,994	1,783,950	1,922,044	5,202,648	2,543,491	2,659,157	1880
3,742,564	1,802,923	1,939,641	5,145,770	2,519,219	2,626,551	1881
3,770,657	1,816,785	1,953,872	5,101,018	2,497,237	2,603,781	1882
3,798,961	1,830,754	1,968,207	5,023,811	2,461,548	2,562,263	1883
3,827,478	1,844,830	1,982,648	4,974,561	2,439,581	2,534,980	1884
3,856,207	1,859,016	1,997,191	4,938,588	2,424,128	2,514,460	1885
3,885,155	1,873,308	2,011,847	4,905,895	2,410,186	2,495,709	1886
3,914,318	1,887,711	2,026,607	4,857,119	2,387,439	2,469,680	1887
3,943,701	1,902,225	2,041,476	4,801,312	2,360,717	2,440,595	1888
3,973,305	1,916,851	2,056,454	4,757,385	2,340,516	2,416,869	1889
4,003,132	1,931,589	2,071,543	4,717,959	2,322,883	2,395,076	1890
4,036,245	1,948,183	2,088,062	4,680,376	2,306,122	2,374,254	1891
4,078,910	1,970,197	2,108,713	4,633,808	2,282,392	2,351,416	1892
4,122,029	1,992,461	2,129,568	4,607,462	2,268,440	2,339,022	1893
4,165,606	2,014,976	2,150,630	4,589,260	2,259,919	2,329,341	1894
4,209,645	2,037,746	2,171,899	4,559,936	2,247,303	2,312,633	1895
4,254,153	2,060,773	2,193,380	4,542,061	2,239,138	2,302,923	1896
4,299,132	2,084,060	2,215,072	4,529,917	2,234,205	2,295,712	1897
4,344,589	2,107,610	2,236,979	4,518,478	2,229,701	2,288,777	1898
4,390,530	2,131,427	2,259,103	4,502,401	2,221,965	2,280,436	1899
4,436,958	2,155,512	2,281,446	4,468,501	2,204,921	2,263,580	1900
4,483,880	2,179,870	2,304,010	4,445,630	2,194,716	2,250,914	1901
4,531,299	2,204,503	2,326,796	4,432,274	2,191,229	2,241,045	1902
4,579,223	2,229,414	2,349,809	4,413,658	2,185,242	2,228,416	1903
4,627,656	2,254,607	2,373,049	4,402,182	2,182,212	2,219,970	1904
4,676,603	2,280,085	2,396,518	4,391,565	2,178,647	2,212,918	1905
4,726,070	2,305,850	2,420,220	4,388,006	2,176,982	2,211,024	1906
4,776,063	2,331,907	2,444,156	4,377,064	2,171,389	2,205,675	1907
4,826,587	2,358,258	2,468,329	4,371,455	2,170,599	2,200,856	1908
4,877,648	2,384,907	2,492,741	4,371,570	2,172,398	2,199,172	1909

* The Estimates of Population for Scotland and Ireland have been supplied by the Registrars-General for those parts of the United Kingdom.

**TABLE 2.—ENGLAND AND WALES.—Marriages, Births, and Deaths,
1860-1909.**

YEAR.	MAR- RIAGES.	BIRTHS.					DEATHS.		
		Total.	Males.	Females.	Le- gitimate.	Ille- gitimate.	Persons.	Males.	Females.
1860	170,156	684,048	349,799	334,249	640,355	43,693	422,721	215,238	207,483
1861	163,706	696,406	355,972	340,434	652,249	44,157	435,114	222,281	212,833
1862	164,030	712,684	363,534	349,150	667,462	45,222	436,566	222,622	213,944
1863	173,510	727,417	372,019	355,398	680,276	47,141	473,837	242,203	231,634
1864	180,387	740,275	377,719	362,556	692,827	47,448	495,531	253,619	241,912
1865	185,474	748,069	381,444	366,625	701,484	46,585	490,909	252,218	238,691
1866	187,776	753,870	384,955	368,915	708,369	45,501	500,689	256,402	244,287
1867	179,154	768,349	392,224	376,125	723,163	45,186	471,073	242,588	228,486
1868	176,962	786,858	400,383	386,475	740,520	46,338	480,622	247,107	233,515
1869	176,970	773,381	394,570	378,811	728,690	44,691	494,828	254,863	239,965
1870	181,655	792,787	404,305	388,482	748,050	44,737	515,329	265,586	249,743
1871	190,112	797,428	405,605	391,823	752,653	44,775	514,879	265,563	249,316
1872	201,267	825,907	421,307	404,600	781,141	44,766	492,265	255,135	237,130
1873	205,615	829,778	422,757	407,021	786,617	43,161	492,520	254,985	237,535
1874	202,010	854,556	435,179	419,777	811,853	43,103	526,632	272,178	254,454
1875	201,212	850,607	434,225	416,382	809,794	40,813	546,453	282,202	264,251
1876	201,874	887,968	452,278	435,690	846,374	41,594	510,315	265,076	245,239
1877	194,352	888,200	451,896	436,304	846,045	42,155	500,496	260,567	239,929
1878	190,054	891,906	455,048	436,858	849,806	42,100	539,872	278,772	261,100
1879	182,082	880,389	447,914	432,475	838,200	42,189	526,255	271,496	254,759
1880	191,965	881,643	448,709	432,934	839,101	42,542	528,624	273,442	255,182
1881	197,290	883,642	450,180	433,462	840,522	43,120	491,935	253,605	238,330
1882	204,405	889,014	452,752	436,262	845,859	43,155	516,654	265,767	250,887
1883	206,384	890,722	453,076	437,646	848,076	42,646	522,997	269,262	253,735
1884	204,301	906,750	462,481	444,269	864,083	42,667	530,828	273,522	257,306
1885	197,745	894,270	455,809	438,461	851,477	42,793	522,750	268,305	254,445
1886	196,071	903,760	460,368	443,392	860,922	42,838	537,276	275,874	261,402
1887	200,518	886,331	451,603	434,728	844,197	42,134	530,758	272,137	258,621
1888	203,821	879,868	447,172	432,696	839,138	40,730	510,971	263,294	247,677
1889	213,865	885,944	451,218	434,726	845,317	40,627	518,353	266,102	252,251
1890	223,028	869,937	442,070	427,867	831,525	38,412	562,248	290,448	271,800
1891	226,526	914,157	465,660	448,497	875,376	38,781	587,925	302,494	285,431
1892	227,135	897,957	456,622	441,335	860,376	37,581	559,684	286,062	273,622
1893	218,689	914,572	465,711	448,861	875,714	38,858	569,953	291,889	278,069
1894	226,449	890,289	453,016	437,273	851,946	38,343	498,827	256,015	242,812
1895	228,204	922,291	468,886	453,405	883,455	38,836	568,997	290,704	278,293
1896	242,764	915,331	465,660	449,671	876,602	38,729	526,727	270,575	256,152
1897	249,145	921,683	469,180	452,503	883,274	38,409	541,487	280,211	261,276
1898	255,379	923,165	468,920	454,245	884,832	38,333	552,141	283,981	268,160
1899	262,334	928,646	473,172	455,474	891,522	37,124	581,799	299,472	282,327
1900	257,480	927,062	471,044	456,018	890,248	36,814	587,830	303,823	284,007
1901	259,400	929,807	473,944	455,863	893,608	36,199	551,585	285,618	265,967
1902	261,750	940,509	479,144	461,365	903,835	36,674	535,538	277,216	258,322
1903	261,103	948,271	482,229	466,042	910,969	37,302	514,628	266,290	248,338
1904	257,856	945,389	481,322	464,067	907,715	37,674	549,784	283,206	266,578
1905	260,742	929,293	472,886	456,407	891,978	37,315	520,031	267,601	252,430
1906	270,036	935,081	476,939	458,142	897,691	37,390	531,281	274,233	257,048
1907	276,421	918,042	467,728	450,314	881,853	36,189	524,221	269,259	254,962
1908	264,940	940,383	478,410	461,973	902,852	37,531	520,456	268,714	251,742
1909	260,544	914,472	466,463	448,009	876,963	37,509	518,003	265,203	252,800

TABLE 3.—ENGLAND AND WALES.—Annual Marriage-, Birth-, and Crude Death-rates and Infantile Mortality, 1860-1909.

YEAR.	MAR- RIAGES.	BIRTHS.					DEATHS.				
	Persons Married to 1000 Living.	Births to 1000 living.			Illegi- timate Births in 1000 Births.	Births of Males to 1000 Births of Females.	Deaths to 1000 living.			Deaths of Males to 1000 Deaths of Females, in equal Numbers Living.*	Deaths of Child- ren under one year to 1000 Births
		Total.	Legi- timate.	Illegi- timate.			Persons.	Males.	Females.		
1860	17.1	34.3	32.1	2.2	64	1047	21.2	22.1	20.3	1090	148
1861	16.3	34.6	32.4	2.2	63	1046	21.6	22.7	20.6	1099	153
1862	16.1	35.0	32.8	2.2	63	1041	21.4	22.4	20.5	1095	142
1863	16.8	35.3	33.0	2.3	65	1047	23.0	24.1	21.9	1101	149
1864	17.2	35.4	33.1	2.3	64	1042	23.7	24.9	22.5	1104	153
1865	17.5	35.4	33.2	2.2	62	1040	23.2	24.5	22.0	1113	160
1866	17.5	35.2	33.1	2.1	60	1043	23.4	24.6	22.2	1106	160
1867	16.5	35.4	33.3	2.1	59	1043	21.7	23.0	20.5	1118	153
1868	16.1	35.8	33.7	2.1	59	1036	21.8	23.1	20.7	1115	155
1869	15.9	34.8	32.8	2.0	58	1042	22.3	23.6	21.0	1119	156
1870	16.1	35.2	33.2	2.0	56	1041	22.9	24.2	21.6	1121	160
1871	16.7	35.0	33.0	2.0	56	1035	22.6	23.9	21.3	1123	158
1872	17.4	35.6	33.7	1.9	54	1041	21.3	22.6	19.9	1134	150
1873	17.6	35.4	33.6	1.8	52	1039	21.0	22.4	19.8	1132	149
1874	17.0	36.0	34.2	1.8	50	1037	22.2	23.6	20.9	1128	151
1875	16.7	35.4	33.7	1.7	48	1043	22.7	24.1	21.4	1126	158
1876	16.5	36.3	34.6	1.7	47	1038	20.9	22.3	19.6	1140	146
1877	15.7	36.0	34.3	1.7	47	1036	20.3	21.7	18.9	1145	136
1878	15.2	35.6	33.9	1.7	47	1042	21.6	22.9	20.3	1126	152
1879	14.4	34.7	33.0	1.7	48	1036	20.7	22.0	19.6	1124	135
1880	14.9	34.2	32.6	1.6	48	1036	20.5	21.8	19.3	1130	153
1881	15.1	33.9	32.2	1.7	49	1039	18.9	20.0	17.8	1123	130
1882	15.5	33.8	32.2	1.6	49	1038	19.6	20.7	18.5	1119	141
1883	15.5	33.5	31.9	1.6	48	1035	19.6	20.8	18.5	1122	137
1884	15.1	33.6	32.0	1.6	47	1041	19.7	20.8	18.5	1125	147
1885	14.5	32.9	31.3	1.6	48	1040	19.2	20.3	18.2	1116	138
1886	14.2	32.8	31.2	1.6	47	1038	19.5	20.6	18.5	1118	149
1887	14.4	31.9	30.4	1.5	48	1039	19.1	20.2	18.1	1116	145
1888	14.4	31.2	29.8	1.4	46	1033	18.1	19.2	17.0	1128	136
1889	15.0	31.1	29.7	1.4	46	1038	18.2	19.3	17.2	1121	144
1890	15.5	30.2	28.9	1.3	44	1033	19.5	20.8	18.3	1136	151
1891	15.6	31.4	30.1	1.3	42	1038	20.2	21.5	19.0	1128	149
1892	15.4	30.4	29.1	1.3	42	1035	19.0	20.0	18.0	1113	148
1893	14.7	30.7	29.4	1.3	42	1038	19.2	20.3	18.1	1118	159
1894	15.0	29.6	28.3	1.3	43	1036	16.6	17.6	15.6	1123	137
1895	15.0	30.3	29.0	1.3	42	1034	18.7	19.7	17.7	1113	161
1896	15.7	29.6	28.3	1.3	42	1036	17.1	18.1	16.1	1126	148
1897	16.0	29.6	28.4	1.2	42	1037	17.4	18.6	16.2	1143	156
1898	16.2	29.3	28.1	1.2	42	1032	17.5	18.6	16.5	1130	160
1899	16.5	29.1	27.9	1.2	40	1039	18.2	19.4	17.2	1132	163
1900	16.0	28.7	27.6	1.1	40	1033	18.2	19.5	17.1	1142	154
1901	15.9	28.5	27.4	1.1	39	1040	16.9	18.1	15.8	1147	151
1902	15.9	28.5	27.4	1.1	39	1039	16.2	17.4	15.2	1147	133
1903	15.6	28.4	27.3	1.1	39	1035	15.4	16.5	14.4	1146	132
1904	15.2	27.9	26.8	1.1	40	1037	16.2	17.3	15.2	1136	145
1905	15.3	27.2	26.1	1.1	40	1036	15.2	16.2	14.3	1134	128
1906	15.6	27.1	26.0	1.1	40	1041	15.4	16.4	14.4	1141	132
1907	15.8	26.3	25.3	1.0	39	1039	15.0	16.0	14.1	1130	118
1908	14.9	26.5	25.4	1.1	40	1036	14.7	15.7	13.7	1143	120
1909	14.6	25.6	24.6	1.0	41	1041	14.5	15.4	13.7	1123	109

* The figures in this column are based upon death-rates per million living.

TABLE 4.—ENGLAND AND WALES.—Annual Marriage-, Birth-, and Crude Death-rates, in Groups of Years, 1838-1909.

PERIOD.	MAR- RIAGES.	BIRTHS.					DEATHS.			
	Persons Married to 1000 Living.	Births to 1000 Living.			Illegi- timate Births in 1000 Births.	Births of Males to 1000 Births of Females.	Deaths to 1000 Living.			Deaths of Males to 1000 Deaths of Females, in equal Numbers Living.†
		Total.	Legi- timate.	Illegi- timate.			Persons.	Males.	Females.	
1838-1909	16·0	32·5	30·8*	1·7*	52*	1041	20·3	21·4	19·3	1107
1841-50	16·1	32·6	—	—	—	1049	22·4	23·1	21·6	1070
1851-60	16·9	34·1	31·9	2·2	65	1046	22·2	23·1	21·4	1079
1861-70	16·6	35·2	33·1	2·1	61	1042	22·5	23·7	21·4	1109
1871-80	16·2	35·4	33·6	1·8	50	1038	21·4	22·7	20·1	1130
1881-90	14·9	32·4	30·9	1·5	47	1037	19·1	20·3	18·1	1122
1891-1900	15·6	29·9	28·7	1·2	42	1036	18·2	19·3	17·1	1127
1841-45	15·7	32·3	—	—	—	1052	21·4	22·1	20·6	1074
1846-50	16·5	32·8	30·6	2·2	67	1045	23·3	24·1	22·6	1067
1851-55	17·1	33·9	31·7	2·2	66	1046	22·7	23·5	21·8	1079
1856-60	16·7	34·4	32·2	2·2	65	1046	21·8	22·6	21·0	1079
1861-65	16·8	35·1	32·9	2·2	64	1043	22·6	23·7	21·5	1103
1866-70	16·4	35·3	33·2	2·1	58	1041	22·4	23·7	21·2	1116
1871-75	17·1	35·5	33·7	1·8	52	1039	22·0	23·3	20·7	1129
1876-80	15·3	35·3	33·6	1·7	48	1038	20·8	22·1	19·5	1133
1881-85	15·2	33·5	31·9	1·6	48	1038	19·4	20·5	18·3	1121
1886-90	14·7	31·4	29·9	1·5	46	1036	18·9	20·0	17·8	1124
1891-95	15·1	30·5	29·2	1·3	42	1036	18·7	19·8	17·7	1119
1896-1900	16·1	29·3	28·1	1·2	41	1035	17·7	18·8	16·6	1135
1901-05	15·6	28·1	27·0	1·1	39	1037	16·0	17·1	15·0	1142

* For the period 1845-1909 only.
† The figures in this column are based upon death-rates per million living.

TABLE 5.—ENGLAND AND WALES.—Annual Marriage-, Birth-, and Crude Death-rates in each Quarter, in Groups of Years, 1838-1909, and in each Year, 1900-1909.

PERIOD.	PERSONS MARRIED TO 1000 LIVING.				BIRTHS TO 1000 LIVING.				DEATHS TO 1000 LIVING.			
	Quarter ended				Quarter ended				Quarter ended			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838-1909	12·8	16·5	15·9	18·6	33·6	33·4	31·7	31·2	22·8	19·9	18·7	20·0
1841-50	13·3	16·4	15·2	19·2	34·2	33·7	31·2	31·2	24·7	22·0	21·0	21·7
1851-60	14·1	17·1	16·3	20·1	35·8	35·5	32·8	32·5	24·7	22·1	20·3	21·9
1861-70	13·8	16·9	16·2	19·6	36·6	36·3	34·0	33·9	25·2	21·8	21·0	22·1
1871-80	13·4	16·5	15·8	19·2	36·6	36·1	34·6	34·5	23·7	20·9	19·6	21·3
1881-90	11·9	15·4	14·9	17·6	33·4	33·2	31·9	31·5	21·6	18·7	17·3	19·1
1891-1900	11·7	16·6	16·4	17·7	30·5	30·5	29·7	28·9	20·7	17·6	17·0	17·7
1900 ..	11·0	17·8	17·2	17·8	30·2	29·2	28·6	27·0	22·8	17·6	16·4	16·2
1901 ..	10·9	17·7	17·6	17·3	28·7	28·7	28·7	27·9	18·2	15·8	17·0	16·7
1902 ..	13·3	15·2	17·2	17·7	28·4	28·9	29·0	27·7	18·5	16·1	13·9	16·5
1903 ..	11·1	17·6	17·1	16·7	28·5	29·0	28·7	27·4	16·8	14·9	13·9	16·2
1904 ..	10·7	17·9	16·8	16·5	28·6	28·3	27·9	26·9	18·2	14·8	15·7	16·3
1905 ..	10·7	16·7	16·9	16·7	28·2	27·8	27·3	25·5	17·6	14·5	14·0	14·8
1906 ..	10·7	17·3	17·4	17·0	27·9	27·5	26·9	25·9	16·5	14·6	14·9	15·6
1907 ..	12·3	16·0	18·0	16·9	26·6	27·4	26·2	24·9	18·6	14·6	12·1	14·8
1908 ..	10·8	16·7	16·6	15·7	27·2	27·7	26·6	24·6	17·7	13·7	12·8	14·5
1909 ..	10·2	16·1	16·4	15·5	25·9	26·6	25·4	24·4	18·2	14·0	11·6	14·1

TABLE 6.—ENGLAND AND WALES.—Churches and Chapels of the Established Church, and Registered Buildings in which Marriages could be legally Solemnized, 31st December, 1909.

REGISTRATION COUNTY.	ALL RELIGIOUS DENOMI- NATIONS.	ESTABLISHED CHURCH.	Other Religious Denominations.													All Others.
			ALL OTHER RELIGIOUS DENOMINATIONS.	Roman Catholics.	Wesleyan Methodists.	Congregationalists.	Baptists.	Primitive Methodists.	United Methodist Church.*	Calvinistic Methodists.	Presbyterians.	Unitarians.	New Jerusalem Church.	Catholic Apostolic Church.	Countess of Hunting- don's Connexion.	
ENGLAND AND WALES	31,304	15,770	15,534	1298	3562	2852	2550	1579	1135	858	435	195	53	49	42	926
I.—LONDON.																
London	1405	635	770	107	106	147	165	44	31	10	50	17	6	7	1	79
II.—SOUTH EASTERN.																
Surrey	528	261	267	30	52	59	64	15	3	—	12	2	1	—	1	28
Kent	865	513	352	33	82	69	98	23	13	—	9	3	1	—	3	17
Sussex	684	418	266	30	49	69	54	10	7	—	9	3	—	1	6	28
Hampshire	796	454	342	27	68	76	56	37	27	—	7	4	—	1	2	37
Berkshire	403	270	133	14	31	21	29	21	—	—	4	1	—	—	2	10
III.—SOUTH MIDLAND.																
Middlesex	434	185	249	32	40	47	57	18	5	1	16	1	1	2	2	27
Hertfordshire	330	196	134	8	28	44	38	6	—	—	1	—	—	1	2	6
Buckinghamshire	319	199	120	5	21	21	46	16	—	—	—	—	—	—	—	11
Oxfordshire	380	269	111	12	33	23	28	6	3	—	1	—	—	1	—	4
Northamptonshire	513	324	189	7	43	43	62	14	3	—	—	1	1	—	—	15
Huntingdonshire	129	80	49	2	14	6	22	3	—	—	—	—	—	—	—	2
Bedfordshire	264	140	124	4	48	15	37	14	—	—	—	—	—	1	—	5
Cambridgeshire	336	198	138	5	33	21	43	21	5	—	1	—	—	—	1	3
IV.—EASTERN.																
Essex	815	452	363	29	63	114	63	24	17	—	8	5	2	3	2	33
Suffolk	706	509	197	11	35	56	56	21	5	—	3	2	—	—	—	8
Norfolk	945	710	235	12	47	34	45	64	17	—	2	2	1	1	2	8
V.—SOUTH WESTERN.																
Wiltshire	534	332	202	9	38	46	58	31	5	—	1	—	—	—	—	14
Dorsetshire	436	311	125	12	36	35	14	15	2	—	—	3	—	—	—	8
Devonshire	985	555	430	23	114	86	66	9	78	—	5	7	—	1	—	41
Cornwall	542	256	286	10	130	19	9	7	105	—	—	—	—	—	2	4
Somersetshire	917	561	356	18	110	78	60	17	38	—	3	4	1	1	1	25
VI.—WEST MIDLAND.																
Gloucestershire	740	429	311	14	59	76	74	17	23	2	5	4	1	1	3	32
Herefordshire	307	229	78	7	14	13	16	17	—	2	—	—	—	—	—	9
Shropshire	522	319	203	13	40	47	17	59	11	9	2	—	—	1	—	4
Staffordshire	852	379	473	48	149	58	38	86	59	1	7	6	1	3	—	17
Worcestershire	427	268	159	20	33	19	28	23	6	—	6	3	—	1	7	13
Warwickshire	594	336	258	38	54	53	51	12	10	2	3	6	—	2	—	27
VII.—NORTH MIDLAND.																
Leicestershire	563	306	257	19	71	36	67	35	9	—	1	4	—	—	—	15
Rutlandshire	74	56	18	2	3	4	7	2	—	—	—	—	—	—	—	—
Lincolnshire	993	663	330	14	146	25	35	68	32	—	1	3	1	—	—	5
Nottinghamshire	574	304	270	15	83	25	42	42	43	—	2	4	1	1	—	12
Derbyshire	527	221	306	22	91	40	28	59	43	—	3	3	2	—	1	14
VIII.—NORTH WESTERN.																
Cheshire	720	269	451	35	128	70	31	62	38	16	33	10	1	2	—	25
Lancashire	2677	838	1839	302	396	271	179	160	167	31	73	45	24	6	3	182
IX.—YORKSHIRE.																
West Riding	2073	721	1352	80	432	201	131	182	203	—	10	18	6	7	1	81
East Riding (with York)	449	255	194	18	70	23	9	52	9	—	6	1	1	1	—	4
North Riding	524	280	244	30	107	27	13	47	6	1	4	4	—	—	—	5
X.—NORTHERN.																
Durham	696	280	416	60	103	29	25	98	41	1	34	4	—	1	—	20
Northumberland	477	193	284	40	51	19	10	43	34	—	76	1	1	1	—	8
Cumberland	332	187	145	14	48	19	5	22	8	—	16	1	—	—	—	12
Westmorland	139	85	54	3	22	8	5	8	2	—	1	1	—	—	—	4
XI.—WELSH.																
Monmouthshire	442	181	261	14	31	52	101	20	8	23	—	1	—	1	—	5
Glamorganshire	927	241	686	22	59	200	192	8	14	163	5	8	—	—	—	15
Carmarthenshire	291	92	199	2	6	80	55	—	1	53	—	1	—	—	—	1
Pembrokeshire	263	135	128	5	9	46	42	1	—	25	—	—	—	—	—	—
Cardiganshire	314	117	197	1	12	66	33	—	—	73	—	12	—	—	—	—
Brecknockshire	205	104	101	3	8	34	27	2	—	27	—	—	—	—	—	—
Radnorshire	71	34	37	—	3	4	20	4	—	6	—	—	—	—	—	—
Montgomeryshire	202	76	126	1	22	29	17	5	—	52	—	—	—	—	—	—
Flintshire	130	37	93	4	18	19	4	5	2	36	5	—	—	—	—	—
Denbighshire	248	86	162	4	21	31	20	4	2	74	5	—	—	—	—	1
Merionethshire	226	61	165	1	19	39	18	—	—	88	—	—	—	—	—	—
Carnarvonshire	347	106	241	6	28	52	23	—	—	126	4	—	—	—	—	2
Anglesey	112	54	58	1	5	8	12	—	—	31	1	—	—	—	—	—

* In accordance with the provisions of the United Methodist Church Act, 1907, the Bible Christian Church, the Methodist New Connexion Church, and the United Methodist Free Churches, have become merged in the single Denomination of the United Methodist Church.

TABLE 7.—ENGLAND AND WALES.—**Marriages.**—**Manner of Solemnization,**
1860-1909.

YEAR.	OF 1000 MARRIAGES.												
	ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						NOT ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL IN ESTABLISHED CHURCH.	TOTAL NOT IN ESTABLISHED CHURCH.	In Registered Places.		Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.	
								Roman Catholics.	Other Christian Denominations.				
	Registrar.	Authorized Person.											
1860	0·1	122	638	25	22	807	193	46	79	0·4	1·8	66	
1861	0·1	123	628	25	22	798	202	48	80	0·4	1·6	72	
1862	0·1	119	627	24	21	791	209	45	84	0·4	1·8	78	
1863	0·1	111	632	25	20	788	212	47	84	0·3	1·8	79	
1864	0·1	110	629	24	19	782	218	48	87	0·3	1·9	81	
1865	0·1	112	629	22	19	782	218	47	89	0·3	1·9	80	
1866	0·1	108	630	23	17	778	222	48	91	0·3	1·6	81	
1867	0·1	108	628	22	17	775	225	44	95	0·4	1·8	84	
1868	0·1	103	627	23	16	769	231	42	97	0·4	1·7	90	
1869	0·1	98	627	23	15	763	237	41	99	0·3	1·9	95	
1870	0·1	94	634	22	10	760	240	41	99	0·3	2·0	98	
1871	0·1	89	642	22	8	761	239	40	100	0·3	2·1	97	
1872	0·1	85	645	21	6	757	243	42	100	0·2	2·1	99	
1873	0·1	85	642	20	5	752	248	40	102	0·4	2·4	103	
1874	0·1	87	637	19	4	747	253	40	105	0·2	2·3	105	
1875	0·1	87	635	18	4	744	256	42	107	0·3	2·4	104	
1876	0·2	87	630	18	3	738	262	42	110	0·3	2·3	107	
1877	0·1	84	627	18	4	733	267	43	112	0·4	2·2	109	
1878	0·1	82	623	18	3	726	274	42	113	0·3	2·7	116	
1879	0·2	78	624	18	3	723	277	41	113	0·3	2·5	120	
1880	0·2	73	623	18	3	717	283	43	111	0·3	2·4	126	
1881	0·3	68	626	18	3	715	285	45	111	0·3	2·5	126	
1882	0·4	65	631	17	2	715	285	45	111	0·3	2·5	126	
1883	0·3	63	629	18	2	712	288	44	113	0·3	2·6	128	
1884	0·3	60	628	17	2	707	293	43	116	0·3	2·9	131	
1885	0·3	58	630	17	3	708	292	41	118	0·2	3·2	130	
1886	0·2	56	632	17	2	707	293	42	117	0·2	3·4	130	
1887	0·1	53	629	17	2	701	299	43	116	0·3	3·2	136	
1888	0·1	51	632	16	2	701	299	42	116	0·3	3·9	137	
1889	0·1	48	632	16	2	698	302	42	116	0·3	4·1	140	
1890	0·1	47	637	15	2	701	299	43	115	0·3	4·0	137	
1891	0·1	46	637	14	2	699	301	42	118	0·3	4·6	136	
1892	0·1	45	637	14	2	698	302	40	118	0·3	4·6	139	
1893	0·1	44	634	13	1	692	308	41	118	0·4	5·1	143	
1894	0·1	41	630	13	2	686	314	42	119	0·3	5·0	148	
1895	0·1	39	633	13	1	686	314	41	120	0·3	5·3	147	
1896	0·1	38	637	11	1	687	313	41	120	0·4	5·2	146	
1897	0·1	35	640	10	1	686	314	41	121	0·4	5·7	146	
1898	0·1	34	641	9	1	685	315	40	121	0·4	5·7	148	
1899	0·1	34	634	9	1	678	322	41	113	11	0·3	6·4	150
1900	0·1	34	629	8·0	0·9	672	328	40	106	22	0·3	6·5	153
1901	0·1	33	624	7·7	1·0	666	334	41	104	24	0·3	7·0	158
1902	0·1	33	620	7·2	0·7	661	339	41	101	26	0·3	7·4	163
1903	0·1	31	612	6·8	0·8	651	349	41	102	28	0·4	7·3	170
1904	0·2	30	604	7·0	0·7	642	358	41	101	30	0·3	7·0	179
1905	0·1	29	600	6·7	0·6	636	364	41	100	32	0·3	7·6	183
1906	0·1	28	596	6·6	0·6	631	369	42	97	33	0·3	8·3	188
1907	0·1	27	590	6·4	0·6	624	376	42	96	35	0·4	7·2	195
1908	0·1	27	582	5·9	0·6	616	384	41	95	37	0·4	6·6	204
1909	0·1	28	579	6·0	0·9	614	386	42	92	40	0·4	6·8	205

TABLE 8.—LONDON.—Marriages.—Manner of Solemnization, 1860-1909.

YEAR.	OF 1000 MARRIAGES.											
	ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						NOT ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.					
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL IN ESTABLISHED CHURCH.	TOTAL NOT IN ESTABLISHED CHURCH.	In Registered Places.		Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.
								Roman Catholics.	Other Christian Denominations.			
								Registrar.	Authorized Person.			
1860	0.2	141	751	3.0	1.4	897	103	42	28	0.1	8.4	24
1861	0.2	138	747	3.1	1.4	890	110	46	29	0.2	7.7	27
1862	0.2	139	742	2.7	1.2	885	115	47	32	0.2	7.9	28
1863	0.3	128	752	3.0	1.4	885	115	49	30	0.1	8.5	27
1864	0.2	124	756	2.9	0.7	884	116	49	31	0.2	8.7	27
1865	0.3	129	760	2.8	0.6	893	107	43	30	—	7.9	26
1866	0.2	121	764	2.4	0.6	888	112	44	33	0.1	6.9	28
1867	0.3	123	760	2.7	0.8	887	113	39	35	0.1	6.9	32
1868	0.5	120	764	3.0	1.4	889	111	39	33	0.1	7.5	31
1869	0.4	114	762	3.0	1.1	881	119	35	35	0.1	7.9	41
1870	0.1	113	766	2.5	0.9	882	118	35	33	0.2	7.8	42
1871	0.1	106	772	1.9	0.6	881	119	35	33	0.1	8.4	42
1872	0.2	100	777	1.7	0.7	880	120	33	35	0.1	8.4	43
1873	0.2	99	772	1.2	1.0	873	127	34	36	0.3	10.0	47
1874	0.3	100	768	1.1	0.6	870	130	33	39	0.1	9.2	49
1875	0.3	97	772	1.4	0.6	871	129	32	39	0.1	9.4	43
1876	0.6	98	766	1.2	1.0	867	133	34	39	0.1	8.4	51
1877	0.4	97	760	1.3	0.6	859	141	35	40	0.2	8.6	57
1878	0.4	93	757	1.3	0.4	852	148	36	38	0.3	11.2	62
1879	0.5	88	756	0.7	0.2	845	155	36	39	0.2	9.9	70
1880	1.0	87	752	0.6	0.6	841	159	37	39	0.1	9.9	73
1881	1.2	82	753	0.7	0.5	837	163	37	40	0.3	10.5	75
1882	1.5	83	749	0.5	0.5	834	166	39	40	0.2	10.3	76
1883	1.2	79	746	0.8	0.4	827	173	36	41	0.1	10.4	85
1884	1.6	73	740	0.6	0.3	816	184	38	39	0.1	12.1	95
1885	1.4	73	740	0.5	0.6	816	184	37	41	0.1	13.3	93
1886	1.0	71	742	0.5	0.8	815	185	37	39	0.2	13.6	95
1887	0.4	65	734	1.5	0.4	801	199	38	42	0.2	13.5	105
1888	0.2	65	731	0.4	0.5	797	203	38	42	0.2	16.4	106
1889	0.3	58	729	0.3	0.6	788	212	38	44	0.3	16.7	113
1890	0.2	58	731	0.5	0.4	790	210	38	44	0.2	17.0	111
1891	0.4	57	722	0.5	0.7	781	219	37	43	0.3	19.3	119
1892	0.4	54	723	0.2	0.6	778	222	36	42	0.4	19.8	124
1893	0.4	48	719	0.4	0.4	768	232	38	41	0.4	21.2	131
1894	0.3	48	710	0.2	0.5	759	241	37	42	0.4	21.5	140
1895	0.6	45	707	0.4	0.6	754	246	36	44	0.3	21.5	144
1896	0.3	44	709	0.2	0.6	754	246	35	44	0.5	22.2	144
1897	0.2	40	704	0.3	0.6	745	255	36	42	0.4	24.3	152
1898	0.2	39	699	0.3	0.2	739	261	35	44	0.4	25.1	156
1899	0.3	40	689	0.2	0.3	730	270	35	43	0.2	28.5	160
1900	0.3	39	680	0.2	0.2	720	280	37	39	0.2	29.3	167
1901	0.5	37	672	0.2	0.2	710	290	37	38	0.2	32.2	176
1902	0.3	36	662	0.2	0.3	699	301	39	38	0.3	34.7	181
1903	0.4	33	652	0.2	0.2	686	314	40	39	0.3	34.4	192
1904	0.6	34	641	0.1	0.1	676	324	39	38	0.3	35.5	203
1905	0.5	31	632	0.2	0.1	664	336	39	38	0.2	38.4	210
1906	0.4	29	623	0.1	0.1	653	347	39	36	0.3	39.5	222
1907	0.3	30	610	0.1	0.1	641	359	39	35	0.3	36.3	238
1908	0.5	28	599	0.1	0.1	628	372	38	36	0.4	32.6	254
1909	0.5	29	594	0.3	0.1	624	376	40	36	0.3	34.0	254

TABLE 9.—ENGLAND AND WALES.—**First Marriages, Re-Marriages, Marriages of Minors, and Signatures by Mark, 1860-1909.**

YEAR.	IN 1000 MARRIAGES.								
	FIRST MARRIAGES.		RE-MARRIAGES.		UNDER 21 YEARS.		SIGNED BY MARK.		
	Bachelors.	Spinsters.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both.
1860	861	910	139	90	63	194	255	362	170
1861	860	909	140	91	64	195	246	347	161
1862	863	910	137	90	65	198	237	332	153
1863	865	912	135	88	66	199	238	331	153
1864	862	909	138	91	66	201	233	324	147
1865	861	908	139	92	67	201	225	312	141
1866	861	906	139	94	67	200	216	300	134
1867	857	904	143	96	69	202	211	288	127
1868	860	906	140	94	72	210	201	278	119
1869	860	905	140	95	72	214	199	276	117
1870	864	904	136	96	75	216	198	273	116
1871	861	903	139	97	79	220	194	268	113
1872	863	901	137	99	80	223	194	263	111
1873	863	899	137	101	82	224	188	254	106
1874	863	898	137	102	84	227	179	242	98
1875	859	898	141	102	83	222	172	232	93
1876	859	897	141	103	83	220	163	221	86
1877	862	901	138	99	81	220	153	209	79
1878	864	902	136	98	78	216	146	198	73
1879	865	905	135	95	74	214	138	185	67
1880	869	905	131	95	73	215	140	186	68
1881	872	908	128	92	72	214	135	177	64
1882	875	912	125	88	76	220	132	171	62
1883	876	911	124	89	74	218	126	155	55
1884	874	911	126	89	73	213	117	142	48
1885	873	912	127	88	70	210	107	129	43
1886	876	914	124	86	67	206	96	115	37
1887	878	916	122	84	65	202	91	106	34
1888	881	917	119	83	63	199	83	97	29
1889	885	919	115	81	61	199	78	90	27
1890	885	919	115	81	60	195	72	83	24
1891	886	919	114	81	59	190	64	73	21
1892	884	918	116	82	59	187	56	66	19
1893	886	920	114	80	56	181	50	57	16
1894	889	923	111	77	55	181	46	54	14
1895	891	924	109	76	52	174	40	48	13
1896	897	927	103	73	53	174	37	43	11
1897	902	931	98	69	51	170	33	40	10
1898	905	932	95	68	51	168	31	36	10
1899	908	933	92	67	50	165	29	34	9
1900	906	932	94	68	51	163	28	32	9
1901	903	928	97	72	50	160	25	29	8
1902	909	932	91	68	47	154	23	26	7
1903	912	934	88	66	46	152	19	23	6
1904	916	937	84	63	46	153	18	21	5
1905	915	937	85	63	44	147	17	20	5
1906	917	938	83	62	43	146	15	19	5
1907	916	939	84	61	41	142	14	17	4
1908	914	936	86	64	40	140	13	15	4
1909	915	939	85	61	40	137	11	13	3

TABLE 10.—LONDON.—First Marriages, Re-Marriages, Marriages of Minors, and Signatures by Mark, 1860-1909.

YEAR.	IN 1000 MARRIAGES.								
	FIRST MARRIAGES.		RE-MARRIAGES.		UNDER 21 YEARS.		SIGNED BY MARK.		
	Bachelors.	Spinsters.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both.
1860	858	903	142	97	34	137	112	186	63
1861	860	904	140	96	35	135	110	181	61
1862	864	910	136	90	34	139	105	175	58
1863	865	910	135	90	34	139	110	180	63
1864	862	908	138	92	33	143	109	174	59
1865	869	908	131	92	35	148	102	164	54
1866	863	905	137	95	35	143	98	151	49
1867	858	901	142	99	35	148	93	145	46
1868	861	904	139	96	36	153	91	142	43
1869	865	908	135	92	39	157	90	150	46
1870	865	903	135	97	39	150	88	145	43
1871	866	904	134	96	39	158	92	147	46
1872	863	904	137	96	41	160	88	139	43
1873	864	902	136	98	43	161	84	133	41
1874	861	900	139	100	46	166	81	131	39
1875	860	900	140	100	47	168	87	128	41
1876	861	899	139	101	49	172	81	118	37
1877	863	905	137	95	51	172	78	115	35
1878	864	902	136	98	51	175	75	110	34
1879	868	907	132	93	50	177	74	103	31
1880	871	910	129	90	52	181	71	103	30
1881	875	909	125	91	53	183	69	98	29
1882	871	912	129	88	55	189	68	96	29
1883	878	911	122	89	59	189	62	83	24
1884	873	913	127	87	55	191	63	80	25
1885	875	909	125	91	59	196	58	74	23
1886	878	913	122	87	58	193	52	70	22
1887	879	914	121	86	57	195	49	64	19
1888	883	917	117	83	52	190	47	58	17
1889	889	920	111	80	52	182	42	54	16
1890	887	917	113	83	52	183	42	56	16
1891	888	918	112	82	49	174	37	50	15
1892	889	916	111	84	52	177	36	49	16
1893	888	916	112	84	47	168	34	43	14
1894	890	917	110	83	47	168	30	42	11
1895	893	921	107	79	44	159	27	37	10
1896	897	922	103	78	49	161	25	32	9
1897	902	927	98	73	46	162	26	33	11
1898	908	930	92	70	48	163	25	32	11
1899	906	927	94	73	45	158	25	33	12
1900	904	925	96	75	45	155	25	32	12
1901	902	923	98	77	44	150	24	30	12
1902	910	929	90	71	40	140	24	30	13
1903	911	929	89	71	38	137	22	31	13
1904	917	931	83	69	37	139	18	26	10
1905	918	934	82	66	36	130	18	25	9
1906	917	935	83	65	35	129	17	25	9
1907	917	935	83	65	32	118	16	23	8
1908	913	932	87	68	29	113	13	19	6
1909	915	935	85	65	31	111	10	14	4

TABLE 11.—ENGLAND AND WALES.—Marriages.—Manner of Solemnization in Counties, 1909.

REGISTRATION COUNTY.	OF 1000 MARRIAGES.												
	ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						NOT ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL IN ES- TABLISHED CHURCH.	TOTAL NOT IN ESTABLISHED CHURCH.	In Registered Places.			Quakers.	Jews.	Civil Marriages in Superin- tendent Regis- trar's Office.
								Roman Catholics.	Other Christian Denominations.	Authorized Person.			
ENGLAND AND WALES	0·1	28	579	6·0	0·9	614	386	42	92	40	0·4	6·8	205
I.—LONDON.													
London	0·5	29	594	0·3	0·1	624	376	40	36	12	0·3	34·0	254
II.—SOUTH EASTERN.													
Surrey	—	26	654	0·4	0·4	681	319	19	63	13	0·4	0·2	223
Kent	0·0	18	672	1·7	1·8	694	306	18	60	28	0·0	0·0	200
Sussex	—	32	673	0·7	2·6	708	292	20	82	10	0·0	0·1	180
Hampshire	—	25	619	3·7	1·6	649	351	24	83	14	—	1·1	229
Berkshire	—	23	694	0·5	3·5	721	279	16	51	22	0·5	—	190
III.—SOUTH MIDLAND.													
Middlesex	—	25	633	0·6	0·1	659	341	21	54	16	0·1	1·0	249
Hertfordshire ..	—	24	713	—	2·9	740	260	7	86	21	—	—	146
Buckinghamshire ..	—	26	736	—	6·4	768	232	6	90	27	—	—	109
Oxfordshire	0·7	25	711	0·7	4·2	742	258	15	70	16	—	—	157
Northamptonshire ..	—	20	643	1·6	2·4	667	333	8	87	65	0·4	0·4	172
Huntingdonshire ..	—	33	739	—	—	772	228	—	109	20	—	—	99
Bedfordshire	—	14	668	2·2	3·7	688	312	4	124	45	0·7	—	138
Cambridgeshire ..	—	26	699	—	0·6	726	274	3	103	34	—	—	134
IV.—EASTERN.													
Essex	—	16	674	0·2	1·1	691	309	22	71	27	0·5	0·6	188
Suffolk	—	22	710	—	5·3	737	263	8	87	17	0·4	—	151
Norfolk	—	23	707	0·6	3·3	734	266	9	58	34	0·9	—	164
V.—SOUTH WESTERN.													
Wiltshire	—	22	643	1·1	3·7	670	330	13	136	30	—	—	151
Dorsetshire	0·7	31	674	1·4	1·4	709	291	14	107	24	0·7	—	145
Devonshire	—	45	530	1·2	1·3	573	422	20	115	36	0·2	0·4	250
Cornwall	—	58	430	1·7	3·5	493	507	4	270	62	0·4	—	171
Somersetshire	—	39	639	2·4	3·3	684	316	8	146	32	0·6	—	129
VI.—WEST MIDLAND.													
Gloucestershire ..	—	29	589	0·2	0·8	619	331	13	96	32	1·0	0·8	238
Herefordshire	1·4	61	632	—	5·5	750	250	10	86	8	1·4	—	145
Shropshire	—	39	653	1·2	2·5	696	304	16	109	18	—	—	161
Staffordshire	—	14	692	2·5	0·4	709	291	34	62	35	0·1	0·1	160
Worcestershire	—	22	693	0·8	0·3	716	284	24	45	36	0·5	—	178
Warwickshire	—	13	692	0·8	0·8	707	293	28	53	19	1·3	2·8	189
VII.—NORTH MIDLAND.													
Leicestershire	—	15	616	0·9	2·6	635	365	20	94	48	—	0·3	203
Rutlandshire	—	14	798	—	—	812	188	—	87	—	—	—	101
Lincolnshire	—	28	665	0·7	1·9	696	304	8	85	69	—	1·2	141
Nottinghamshire ..	—	24	629	0·2	0·7	654	346	13	62	41	—	0·6	229
Derbyshire	—	27	605	3·8	1·5	637	363	27	117	56	—	—	163
VIII.—NORTH WESTERN.													
Cheshire	—	42	576	2·7	0·2	621	379	62	102	73	—	—	142
Lancashire	—	34	515	21·3	0·0	570	430	106	110	68	0·2	5·6	140
IX.—YORKSHIRE.													
West Riding	0·0	17	611	8·2	0·6	637	363	39	89	77	0·4	4·7	153
East Riding (with York)	—	32	623	0·8	0·5	656	344	36	58	60	0·3	5·6	184
North Riding	—	51	565	1·0	—	617	383	78	97	45	0·3	1·0	162
X.—NORTHERN.													
Durham	—	30	452	23·2	0·0	505	495	80	75	55	1·2	0·9	283
Northumberland ..	—	38	435	7·1	0·6	481	519	74	109	32	1·2	4·5	298
Cumberland	—	85	503	24·3	1·0	613	387	65	94	60	1·0	—	167
Westmorland	—	79	667	2·3	7·0	755	245	5	103	28	4·7	—	104
XI.—WELSH.													
Monmouthshire	—	28	384	3·4	1·7	417	583	26	237	23	—	0·7	306
Glamorganshire ..	—	26	247	2·8	0·1	276	724	40	182	35	0·1	3·7	463
Carmarthenshire ..	—	49	176	16·4	—	241	759	4	280	44	—	—	431
Pembrokeshire	—	74	325	7·7	1·5	408	592	14	234	54	—	—	290
Cardiganshire	—	102	119	18·1	—	239	761	2	327	26	—	—	406
Brecknockshire	—	53	266	4·8	—	324	676	15	518	5	—	2·4	136
Radnorshire	—	111	433	—	—	544	456	—	378	—	—	—	78
Montgomeryshire ..	—	45	296	10·6	—	352	648	5	350	26	—	—	267
Flintshire	—	13	424	10·4	—	447	553	31	379	8	—	—	135
Denbighshire	—	28	303	4·5	—	336	664	15	354	20	—	—	275
Merionethshire	—	40	128	3·0	—	171	829	—	545	37	—	—	247
Carnarvonshire	—	58	207	14·1	1·2	280	720	13	343	18	—	1·2	340
Anglesey	—	37	134	10·7	—	182	818	91	438	27	—	—	262

NOTE.—In this table 0·0 indicates that the number of marriages was too small to show a rate of 0·05 per 1000. When no marriage occurred — is inserted.

TABLE 12.—ENGLAND AND WALES.—Marriage-rates, Proportions of **Marriages** of **Minors**, and of **Signatures by Mark** in Counties, 1899-1908, and 1909.

REGISTRATION COUNTY.	Persons Married to 1000 Living.		IN 1000 MARRIAGES.								
			Under 21 Years.				Signed by Mark.				
	Average of Ten Years, 1899-1908.	1909.	Average of Ten Years, 1899-1908.		1909.		Average of Ten Years, 1899-1908.		1909.		
			Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Both.
ENGLAND AND WALES	15·7	14·6	46	152	40	137	20	24	11	13	3
I.—LONDON.											
London	17·3	15·8	38	137	31	111	20	27	10	14	4
II.—SOUTH EASTERN.											
Surrey	14·0	12·9	29	111	23	92	12	8	7	5	1
Kent	14·1	12·4	34	148	24	117	16	13	8	8	1
Sussex	13·8	13·0	35	117	26	98	14	8	8	5	1
Hampshire.. ..	15·4	14·9	27	136	25	128	14	10	8	4	2
Berkshire	14·4	13·4	28	109	23	92	18	11	10	5	1
III.—SOUTH MIDLAND.											
Middlesex	13·8	13·4	39	132	28	99	12	10	8	5	1
Hertfordshire ..	13·3	13·0	43	116	29	105	24	13	9	5	1
Buckinghamshire	14·0	13·7	45	132	38	113	19	12	11	5	2
Oxfordshire	14·3	15·5	35	100	27	90	22	12	7	6	—
Northamptonshire	14·4	13·2	55	147	42	118	20	18	11	11	2
Huntingdonshire..	14·6	13·7	45	150	40	132	30	16	7	—	—
Bedfordshire	14·4	14·6	70	145	64	130	22	20	10	6	1
Cambridgeshire ..	14·2	15·0	48	144	34	126	34	20	25	12	3
IV.—EASTERN.											
Essex	13·8	13·0	39	154	29	122	18	15	8	8	2
Suffolk	14·0	14·2	42	144	34	125	30	14	17	5	1
Norfolk	14·1	13·8	48	144	35	134	29	16	22	11	4
V.—SOUTH WESTERN.											
Wiltshire	14·6	13·7	31	115	26	115	19	12	9	5	1
Dorsetshire	14·2	13·5	34	118	28	103	22	13	15	6	2
Devonshire.. ..	15·4	15·0	29	115	25	102	14	14	9	9	2
Cornwall	13·9	14·3	35	121	43	125	32	30	19	18	6
Somersetshire	13·8	13·8	37	108	36	98	25	16	11	8	2
VI.—WEST MIDLAND.											
Gloucestershire ..	15·3	13·8	38	115	31	95	21	19	10	8	1
Herefordshire	13·1	13·1	19	90	25	89	28	19	26	23	11
Shropshire	13·6	12·3	25	102	22	94	25	20	18	6	1
Staffordshire	15·9	14·0	66	188	59	170	25	29	17	16	4
Worcestershire ..	14·7	13·1	46	133	35	116	21	22	11	13	2
Warwickshire	16·8	15·2	58	166	52	152	21	27	14	20	7
VII.—NORTH MIDLAND.											
Leicestershire	15·4	14·1	66	164	58	150	15	16	11	9	3
Rutlandshire	12·8	13·9	21	120	29	94	17	5	7	—	—
Lincolnshire	16·0	16·1	45	169	37	160	17	15	10	9	2
Nottinghamshire ..	16·8	16·1	75	217	70	206	18	23	12	12	3
Derbyshire.. ..	15·9	14·6	58	197	50	186	14	17	9	12	1
VIII.—NORTH WESTERN.											
Cheshire	14·9	13·9	41	126	30	105	17	19	10	9	2
Lancashire.. ..	16·5	15·0	52	143	46	128	19	30	10	16	3
IX.—YORKSHIRE.											
West Riding	16·2	14·9	56	181	52	169	21	29	12	16	3
East Riding (with York)	15·7	14·9	49	184	41	174	15	19	12	11	2
North Riding	15·8	14·6	46	179	48	172	22	27	10	12	0
X.—NORTHERN.											
Durham	16·5	15·3	56	228	57	229	24	30	13	17	4
Northumberland ..	16·1	14·3	39	181	35	172	16	27	10	17	1
Cumberland	14·8	14·3	41	136	42	139	15	19	8	8	2
Westmorland	13·6	13·5	28	88	23	93	8	7	2	7	—
XI.—WELSH.											
Monmouthshire	16·7	16·7	56	208	53	207	36	39	16	18	3
Glamorganshire	17·1	16·8	?	?	43	189	29	37	16	21	4
Carmarthenshire ..	15·6	17·0	?	?	41	133	23	39	12	22	5
Pembrokeshire	14·9	15·6	?	?	46	114	19	24	23	52	11
Cardiganshire	12·1	12·4	?	?	12	38	19	44	10	30	2
Brecknockshire	16·7	15·2	?	?	34	148	36	37	15	22	2
Radnorshire	12·6	7·8	?	?	22	78	20	21	33	11	—
Montgomeryshire ..	13·4	12·2	?	?	11	79	37	26	40	21	3
Flintshire	12·2	12·2	?	?	29	83	38	39	29	36	10
Denbighshire	14·2	13·0	?	?	19	90	36	42	19	24	9
Merionethshire	12·5	10·2	?	?	6	55	20	24	9	9	—
Carnarvonshire	13·8	11·5	?	?	18	52	29	35	22	20	5
Anglesey	13·0	10·5	?	?	21	102	47	45	37	37	11

TABLE 13.—ENGLAND AND WALES.—Birth-rates and Crude Death-rates in Counties, 1899-1908, and 1909.

REGISTRATION COUNTY.	Births to 1000 Living.		Illegitimate Births in 1000 Births.		Males Born to 1000 Females Born.		Deaths to 1000 Living.				Deaths of Children under one year to 1000 Births.	
	Ten Years 1899 to 1908.		Ten Years 1899 to 1908.		Ten Years 1899 to 1908.		Ten Years 1899 to 1908.		1909.		Ten Years 1899 to 1908.	
		1909.		1909.		1909.	Persons.	Persons.	Males.	Females.		1909.
ENGLAND AND WALES	27·8	25·6	40	41	1038	1041	16·1	14·5	15·4	13·7	138	109
I.—LONDON.												
London*	27·8	24·4	37	40	1037	1037	16·3	14·2	15·5	13·1	139	110
II.—SOUTH EASTERN.												
Surrey	24·4	23·6	37	39	1042	1051	13·3	12·9	13·8	12·0	107	80
Kent	24·5	21·5	40	41	1039	1019	14·2	12·0	12·5	11·6	117	81
Sussex	21·6	19·1	52	54	1039	1071	13·7	13·5	14·6	12·6	103	81
Hampshire.. .. .	24·8	23·7	39	39	1044	1057	14·8	13·4	14·8	12·2	112	84
Berkshire	23·7	22·0	48	48	1029	1028	13·8	13·3	14·5	12·1	101	86
III.—SOUTH MIDLAND.												
Middlesex	28·8	27·0	29	28	1040	1050	13·3	11·7	12·4	11·1	121	86
Hertfordshire	23·9	23·3	39	40	1028	1028	13·9	14·0	14·7	13·3	96	73
Buckinghamshire	25·1	22·9	41	40	1056	1056	13·8	12·8	13·4	12·3	98	74
Oxfordshire	23·4	23·0	53	53	1032	1077	14·6	14·8	16·6	13·3	97	87
Northamptonshire	24·7	20·6	42	45	1033	1028	13·4	12·5	12·8	12·2	112	89
Huntingdonshire.. .. .	24·6	24·6	49	57	1011	980	15·1	14·2	15·2	13·3	98	84
Bedfordshire	23·7	22·4	48	47	1059	1032	14·1	13·9	14·6	13·3	110	85
Cambridgeshire	24·3	23·7	48	56	1050	1023	14·5	14·2	14·5	13·9	108	82
IV.—EASTERN.												
Essex	28·8	24·9	27	30	1041	1046	14·1	11·9	12·3	11·5	127	90
Suffolk	25·3	23·3	56	61	1048	1010	15·1	13·6	14·5	12·8	110	85
Norfolk	25·3	23·4	63	67	1040	1022	15·7	14·2	15·0	13·5	126	97
V.—SOUTH WESTERN.												
Wiltshire	24·8	23·3	41	40	1031	1105	14·2	13·1	13·1	13·0	90	74
Dorsetshire	23·0	21·2	40	38	1044	1055	14·0	13·1	13·4	12·9	92	79
Devonshire.. .. .	23·1	21·6	39	41	1035	1040	15·7	14·3	14·9	13·8	119	95
Cornwall	22·8	21·3	49	46	1042	1032	15·5	14·9	15·3	14·5	115	99
Somersetshire	23·1	21·1	37	36	1036	1070	14·5	13·7	14·6	12·9	97	85
VI.—WEST MIDLAND.												
Gloucestershire	25·0	22·0	36	39	1041	1014	15·0	13·6	14·5	12·8	115	94
Herefordshire	23·0	21·5	64	64	1015	1057	15·4	14·7	15·7	13·7	98	91
Shropshire.. .. .	25·5	23·6	62	60	1026	999	15·3	14·8	14·7	15·0	105	90
Staffordshire	32·2	28·7	39	41	1036	1031	17·1	15·7	16·6	14·8	152	131
Worcestershire	26·9	23·5	37	39	1035	1028	14·4	13·5	14·4	12·7	123	104
Warwickshire	30·0	27·4	31	30	1031	1047	17·1	15·4	16·4	14·6	151	118
VII.—NORTH MIDLAND.												
Leicestershire	27·3	23·4	39	41	1027	1065	14·7	13·2	13·7	12·7	139	110
Rutlandshire	21·8	23·1	47	28	1029	1096	13·8	15·5	14·6	16·4	94	85
Lincolnshire	26·7	26·6	54	59	1039	1043	15·5	14·4	15·4	13·4	129	108
Nottinghamshire	30·9	30·3	49	49	1030	1024	16·5	15·3	15·7	14·9	155	126
Derbyshire.. .. .	29·4	27·2	40	40	1038	1639	15·1	13·6	14·2	13·0	132	112
VIII.—NORTH WESTERN.												
Cheshire	27·1	25·2	40	40	1039	1041	16·0	14·5	15·6	13·5	137	106
Lancashire.. .. .	28·7	26·3	38	38	1034	1045	18·5	16·6	17·7	15·6	162	130
IX.—YORKSHIRE.												
West Riding	27·7	25·0	43	44	1032	1034	16·8	14·6	15·4	13·9	150	114
East Riding (with York)	28·7	26·7	51	55	1043	1055	16·7	14·1	15·2	13·0	147	104
North Riding	29·7	28·7	51	53	1053	1053	17·5	16·1	16·9	15·4	141	121
X.—NORTHERN.												
Durham	34·9	32·9	35	38	1038	1060	18·1	15·3	16·3	14·4	157	125
Northumberland	31·7	29·3	39	43	1039	1056	17·8	15·2	15·8	14·6	151	118
Cumberland	27·5	25·7	60	62	1056	1039	16·5	15·4	16·3	14·5	128	113
Westmorland	21·8	19·9	62	60	1075	1024	13·4	12·8	13·5	12·1	94	73
XI.—WELSH.												
Monmouthshire	34·8	36·1	28	28	1048	1058	17·6	15·5	16·3	14·6	143	103
Glamorganshire	34·5	35·0	26	27	1038	1032	17·5	15·7	16·5	14·8	159	121
Cardiganshire	29·5	31·1	37	37	1033	1041	17·1	16·5	17·1	15·8	137	127
Pembrokeshire	25·7	24·5	52	51	1055	935	16·3	16·0	16·6	15·5	114	100
Cardiganshire	21·1	19·9	64	59	1069	1008	18·4	18·0	17·9	18·1	119	110
Brecknockshire	28·2	25·9	41	41	1037	1077	17·2	16·6	17·7	15·4	120	100
Radnorshire	23·5	17·6	65	47	1123	1061	13·3	10·7	10·1	11·5	104	79
Montgomeryshire	24·1	22·0	73	81	1066	1024	16·1	14·7	16·0	13·4	102	88
Flintshire	28·6	29·0	41	44	1039	1062	16·8	15·6	15·8	15·4	108	81
Denbighshire	28·3	25·7	50	52	1058	1021	17·8	15·6	15·7	15·5	137	110
Merionethshire	24·6	19·5	71	82	1024	1008	16·8	14·5	14·3	14·7	130	90
Carnarvonshire	23·8	19·7	61	74	1066	1042	16·7	14·4	14·9	13·9	132	104
Anglesey	24·4	23·2	82	92	1068	1070	17·4	15·7	16·0	15·5	125	120

* See Note * to Table 30.

TABLE 14.—ENGLAND AND WALES.—Annual Death-rates at Twelve Groups of Ages, and General Death-rates corrected for Sex and Age-constitution, 1860-1909.*—Persons.

YEAR.	DEATHS TO 1000 LIVING.—PERSONS.												
	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
1860	20·2	62·2	6·8	4·2	6·4	8·0	9·3	12·0	16·3	29·4	63·7	143·1	306·6
1861	20·5	66·9	6·8	4·3	6·7	8·2	9·4	11·8	16·1	28·8	61·0	138·0	290·5
1862	20·3	65·1	7·5	4·5	6·5	8·0	9·3	12·0	16·4	29·0	60·3	133·7	283·3
1863	21·7	72·7	10·1	5·1	6·6	8·3	9·6	12·4	16·5	29·3	60·0	133·7	297·8
1864	22·4	70·8	9·6	5·0	6·7	8·7	10·3	13·4	18·1	32·4	66·6	145·6	314·7
1865	22·0	70·1	7·9	4·7	6·6	8·8	10·4	13·4	18·5	31·7	64·2	144·3	307·9
1866	22·2	70·3	7·5	4·5	6·7	8·9	10·7	13·9	18·8	31·9	64·8	144·5	306·4
1867	20·6	64·5	6·3	3·9	6·2	8·0	9·7	12·7	17·3	30·4	63·6	145·2	304·4
1868	20·6	68·4	7·6	4·1	6·1	7·8	9·5	12·3	16·8	29·0	59·1	131·7	269·6
1869	21·0	67·8	8·0	4·3	5·9	7·6	9·6	12·6	17·5	30·3	63·5	141·5	289·3
1870	21·6	69·6	8·6	4·5	6·2	7·8	9·8	12·8	17·6	31·2	64·8	145·5	302·0
1871	21·4	67·0	7·9	4·4	6·5	8·7	10·4	13·3	17·9	31·1	63·7	138·8	290·4
1872	20·2	63·0	6·7	4·1	6·1	8·1	9·8	12·8	17·2	29·4	60·7	131·6	277·8
1873	20·0	61·4	5·8	3·6	5·4	7·1	9·0	12·5	17·6	31·0	66·1	142·0	311·8
1874	21·1	66·6	7·3	3·9	5·5	7·4	9·4	13·2	18·3	32·3	66·2	139·5	302·6
1875	21·6	66·5	6·6	3·8	5·6	7·4	9·5	13·6	19·1	34·2	69·8	156·0	343·2
1876	19·9	62·4	6·1	3·6	5·2	7·0	8·8	12·7	17·5	31·0	62·4	136·2	293·0
1877	19·4	58·8	5·8	3·6	5·0	6·7	8·6	12·5	17·4	31·0	63·2	136·5	304·4
1878	20·5	66·2	6·4	3·6	5·0	6·5	8·4	12·4	17·6	32·0	65·3	146·8	328·5
1879	19·9	58·1	6·0	3·3	4·8	6·2	8·3	12·3	18·1	33·6	70·0	158·3	342·9
1880	19·5	64·2	6·2	3·3	4·7	6·0	7·7	11·5	16·8	30·4	62·7	136·5	288·8
1881	18·2	52·3	5·7	3·2	4·6	6·0	8·1	11·9	17·0	30·8	62·7	134·5	275·2
1882	18·8	58·9	6·1	3·3	4·7	5·9	8·1	11·7	17·0	30·5	61·2	130·8	267·9
1883	19·0	56·0	6·0	3·4	4·8	6·2	8·2	12·0	17·5	31·8	64·7	140·7	286·6
1884	19·0	59·9	5·8	3·3	4·6	6·0	7·9	11·7	17·3	30·4	62·6	133·5	263·6
1885	18·7	55·8	5·1	3·0	4·4	5·8	7·8	11·6	17·2	31·4	66·2	141·1	295·4
1886	19·0	59·3	4·8	2·9	4·4	5·5	7·4	11·2	17·0	31·8	67·5	143·8	316·0
1887	18·6	57·6	5·1	2·9	4·2	5·4	7·2	11·1	16·9	31·7	66·6	139·3	286·4
1888	17·7	52·9	4·7	2·8	4·0	5·3	7·0	10·8	16·7	30·9	65·3	136·2	283·1
1889	17·9	56·8	4·7	2·7	3·9	5·0	6·7	10·5	16·2	30·2	63·1	131·8	274·6
1890	19·3	58·1	5·0	2·9	4·2	5·4	7·5	12·0	18·7	34·4	69·2	143·9	291·4
1891	20·0	59·1	4·7	2·7	4·2	5·4	7·4	12·2	19·6	36·9	75·4	156·6	310·5
1892	18·8	57·4	4·6	2·6	4·0	4·9	6·9	11·2	17·5	33·3	70·4	146·8	285·9
1893	18·9	60·4	5·1	2·9	4·3	5·3	7·2	11·5	17·4	32·2	66·5	134·6	258·5
1894	16·4	51·7	4·3	2·5	3·7	4·7	6·3	9·9	15·4	28·0	57·8	119·6	228·5
1895	18·5	60·6	4·1	2·5	3·7	4·7	6·3	10·2	16·6	32·1	66·5	146·5	287·3
1896	16·9	56·7	4·5	2·4	3·5	4·4	5·9	9·7	15·4	28·5	57·7	120·1	240·3
1897	17·3	57·4	4·0	2·4	3·5	4·5	6·0	9·8	15·6	29·3	66·6	129·9	259·8
1898	17·4	58·5	3·8	2·2	3·4	4·4	5·9	9·8	15·7	29·7	61·5	132·1	268·1
1899	18·2	58·5	4·1	2·4	3·5	4·5	6·1	10·5	17·0	31·9	66·6	142·2	283·9
1900	18·2	56·5	4·2	2·4	3·5	4·6	6·2	10·5	17·5	33·1	68·1	143·9	285·2
1901	16·9	54·1	4·0	2·3	3·3	4·2	5·8	9·6	15·9	29·8	61·7	129·9	259·2
1902	16·2	49·1	4·0	2·2	3·2	4·1	5·7	9·4	15·7	29·6	61·6	129·5	264·9
1903	15·4	47·3	3·5	2·0	2·9	3·7	5·4	8·8	14·9	28·1	59·2	123·1	253·8
1904	16·2	51·6	3·5	2·1	3·0	3·8	5·3	8·8	15·0	29·2	62·3	131·4	283·7
1905	15·2	44·7	3·4	2·1	2·9	3·7	5·2	8·6	14·8	28·6	61·3	127·1	285·2
1906	15·4	45·3	3·5	2·1	2·9	3·6	5·1	8·6	14·8	29·0	61·7	129·0	299·3
1907	15·0	40·9	3·4	2·0	2·8	3·5	5·1	8·6	14·9	29·6	64·5	131·7	301·8
1908	14·7	40·6	3·2	1·9	2·6	3·4	4·9	8·2	14·5	28·7	63·3	130·0	292·8
1909	14·5	36·8	3·3	1·9	2·7	3·3	4·8	8·2	14·7	29·0	66·8	134·9	307·9

* For the purposes of this Table, the populations shown in Table 1 have been distributed among the several groups of ages, according to the proportions found to prevail at the various Censuses.

† The death-rates in this column are based upon the sex and age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 3 and other tables.

TABLE 15.—ENGLAND AND WALES.—Annual Death-rates at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1860-1909.*—Males.

YEAR.	DEATHS TO 1000 LIVING.—MALES												
	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards.
1860	20·9	67·3	6·8	4·1	6·1	8·2	9·0	12·4	17·8	31·5	67·3	151·2	314·9
1861	21·3	71·8	6·7	4·3	6·4	8·3	9·2	12·3	17·6	30·9	65·4	146·5	315·7
1862	21·1	69·8	7·7	4·4	6·2	8·2	9·2	12·4	18·1	31·3	63·3	139·9	296·7
1863	22·6	77·8	10·3	5·0	6·4	8·5	9·4	12·8	18·2	31·7	63·9	139·4	309·7
1864	23·4	75·8	9·8	4·9	6·5	9·1	10·3	14·3	20·1	35·2	70·3	151·4	334·4
1865	23·1	75·0	8·1	4·7	6·4	9·2	10·6	14·2	20·5	34·7	68·6	151·8	325·6
1866	23·1	74·9	7·8	4·6	6·5	9·2	10·9	14·7	20·9	34·7	68·9	150·6	323·5
1867	21·7	69·3	6·5	4·0	6·0	8·4	10·0	13·6	19·1	33·5	68·3	152·5	332·4
1868	21·6	72·8	7·8	4·2	5·9	8·0	9·7	13·2	18·9	31·9	63·8	139·1	282·4
1869	22·1	72·5	8·3	4·3	5·7	7·9	9·9	13·5	19·3	33·3	68·4	149·1	308·9
1870	22·7	75·0	8·9	4·5	5·9	8·0	10·1	13·8	19·6	33·9	69·6	152·1	320·7
1871	22·5	71·7	8·3	4·4	6·4	9·2	11·1	14·4	20·0	33·9	67·5	145·2	312·8
1872	21·4	67·6	7·0	4·1	6·0	8·7	10·3	14·0	19·4	32·5	65·5	140·3	292·0
1873	21·1	66·4	6·0	3·7	5·3	7·5	9·5	13·6	19·8	34·1	70·9	150·6	324·9
1874	22·2	71·8	7·4	3·9	5·3	7·5	9·6	14·3	20·9	35·8	71·4	146·4	322·8
1875	22·8	71·9	6·9	3·8	5·6	7·6	9·7	15·0	21·5	37·7	74·7	165·0	363·8
1876	21·1	67·6	6·3	3·5	5·3	7·3	9·3	13·8	19·9	34·3	67·2	145·8	302·6
1877	20·6	63·9	6·1	3·5	4·9	7·0	9·1	13·7	19·7	34·7	68·2	145·8	324·9
1878	21·7	71·2	6·6	3·6	4·9	6·8	8·8	13·6	20·0	35·1	69·5	154·8	353·9
1879	21·0	63·3	6·3	3·3	4·7	6·4	8·6	13·3	20·4	36·8	74·0	168·7	365·5
1880	20·6	69·2	6·4	3·3	4·5	6·1	7·9	12·5	19·1	33·7	68·1	145·8	310·9
1881	19·2	56·5	5·8	3·2	4·5	6·1	8·3	13·0	19·3	34·0	67·7	144·8	293·5
1882	19·8	63·4	6·3	3·2	4·6	5·9	8·2	12·6	19·0	33·8	66·2	139·3	287·1
1883	20·0	61·0	6·2	3·3	4·7	6·2	8·3	13·0	19·7	35·1	70·1	149·1	302·2
1884	20·0	64·9	5·8	3·2	4·5	6·0	8·0	12·7	19·4	33·5	68·3	142·2	290·1
1885	19·6	60·6	5·1	2·9	4·3	5·8	8·0	12·6	19·3	34·4	71·3	151·5	316·2
1886	20·0	64·5	4·8	2·8	4·3	5·7	7·6	12·1	19·2	34·7	72·8	153·4	339·1
1887	19·6	62·5	5·1	2·9	4·2	5·4	7·3	11·9	18·7	35·0	72·1	149·4	310·1
1888	18·8	57·7	4·7	2·7	4·0	5·4	7·1	11·7	19·0	34·4	71·6	144·5	304·7
1889	18·9	61·8	4·7	2·6	3·9	5·1	7·0	11·3	18·3	33·4	68·5	138·9	298·6
1890	20·6	63·0	5·0	2·8	4·3	5·7	8·0	13·2	21·7	38·6	75·3	153·3	316·5
1891	21·2	64·6	4·7	2·6	4·2	5·6	7·9	13·4	22·4	41·0	81·3	167·9	327·1
1892	19·8	62·4	4·7	2·6	4·0	5·2	7·1	12·1	19·8	36·6	75·7	154·6	305·4
1893	20·0	65·6	5·0	2·8	4·3	5·4	7·3	12·5	19·9	35·6	71·4	142·5	272·8
1894	17·4	56·1	4·2	2·3	3·8	5·0	6·5	10·8	17·3	31·4	62·8	127·6	243·6
1895	19·5	66·0	4·0	2·5	3·8	5·0	6·6	11·0	18·5	34·9	71·3	154·1	306·1
1896	18·0	61·2	4·5	2·3	3·5	4·8	6·2	10·6	17·3	31·6	63·0	128·6	251·9
1897	18·5	62·5	3·9	2·4	3·6	4·8	6·4	10·8	17·7	32·9	65·8	141·7	272·0
1898	18·5	63·4	3·8	2·2	3·5	4·8	6·3	10·7	17·6	33·2	66·4	140·3	282·6
1899	19·4	63·4	4·1	2·3	3·6	5·0	6·7	11·6	19·2	35·5	72·0	150·3	302·1
1900	19·5	61·6	4·2	2·3	3·7	5·1	6·7	11·7	19·9	37·1	74·2	153·7	304·3
1901	18·1	58·9	4·0	2·3	3·4	4·7	6·2	10·6	18·1	33·6	68·0	139·8	277·4
1902	17·4	53·7	3·9	2·2	3·3	4·5	6·2	10·5	18·0	33·6	67·8	138·4	274·7
1903	16·5	51·7	3·4	2·0	3·0	4·1	5·8	9·6	16·9	32·1	65·2	132·6	268·3
1904	17·3	56·1	3·5	2·0	3·1	4·2	5·7	9·6	17·0	33·0	68·3	139·4	300·3
1905	16·2	48·8	3·4	2·0	3·0	4·0	5·6	9·4	16·7	32·4	66·8	136·9	294·1
1906	16·4	49·3	3·4	2·0	3·0	3·9	5·6	9·5	16·8	33·2	68·7	136·9	319·5
1907	16·0	44·8	3·3	1·9	2·9	3·8	5·6	9·5	16·9	33·7	70·5	138·3	316·0
1908	15·7	44·5	3·2	1·9	2·7	3·7	5·4	9·1	16·4	33·0	70·3	137·8	303·7
1909	15·4	40·3	3·2	1·9	2·8	3·7	5·3	9·1	16·7	32·8	73·5	141·8	321·4

* See Note * to Table 14.

† The death-rates in this column are based upon the age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 3 and other tables.

TABLE 16.—ENGLAND AND WALES—Annual Death-rates at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1860-1909.*—Females.

YEAR.	DEATHS TO 1000 LIVING.—FEMALES.												
	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
1860	19·5	57·2	6·9	4·4	6·7	7·8	9·5	11·8	15·0	27·5	60·6	136·7	301·3
1861	19·8	62·0	6·8	4·4	7·0	8·1	9·5	11·4	14·7	26·9	57·3	131·2	274·6
1862	19·6	60·3	7·4	4·6	6·8	7·8	9·4	11·7	14·8	26·9	57·7	128·7	274·9
1863	20·9	67·5	9·9	5·2	6·8	8·1	9·7	12·0	14·9	27·1	56·7	129·1	290·2
1864	21·6	65·8	9·4	5·1	7·0	8·4	10·3	12·6	16·5	29·8	63·4	141·1	302·3
1865	21·0	65·1	7·8	4·6	6·8	8·5	10·2	12·6	16·6	28·8	60·4	138·4	296·7
1866	21·3	65·6	7·2	4·5	6·9	8·6	10·5	13·2	16·9	29·3	61·3	139·8	295·7
1867	19·7	59·6	6·1	3·9	6·4	7·8	9·5	12·0	15·6	27·5	59·5	139·4	287·3
1868	19·7	63·9	7·4	4·1	6·3	7·7	9·4	11·5	14·9	26·4	55·0	125·8	261·5
1869	20·1	63·0	7·8	4·3	6·1	7·3	9·3	11·7	15·7	27·6	59·2	135·4	277·1
1870	20·6	64·2	8·3	4·5	6·4	7·6	9·5	11·9	15·8	28·8	60·6	140·2	290·3
1871	20·3	62·4	7·5	4·5	6·6	8·2	9·7	12·2	15·9	28·5	60·4	133·6	276·4
1872	19·1	58·5	6·5	4·0	6·2	7·6	9·3	11·8	15·1	26·6	56·6	124·7	269·0
1873	18·9	56·4	5·6	3·6	5·5	6·8	8·6	11·4	15·6	28·3	61·9	135·2	303·5
1874	20·0	61·4	7·1	3·9	5·7	7·3	9·2	12·2	15·9	29·2	61·6	134·0	290·0
1875	20·6	61·2	6·4	3·8	5·7	7·3	9·3	12·4	17·0	31·1	65·7	148·8	330·3
1876	18·7	57·3	5·9	3·6	5·2	6·7	8·3	11·7	15·4	27·9	58·4	128·7	287·0
1877	18·2	53·6	5·6	3·6	5·1	6·3	8·2	11·3	15·3	27·7	58·9	129·1	291·6
1878	19·4	61·1	6·1	3·6	5·2	6·3	8·0	11·3	15·4	29·2	61·7	140·5	312·7
1879	18·9	52·9	5·8	3·4	4·9	6·0	8·0	11·3	16·0	30·7	66·6	150·2	328·7
1880	18·5	59·2	6·0	3·3	4·8	5·9	7·6	10·6	14·7	27·5	58·2	129·1	274·9
1881	17·3	48·0	5·7	3·2	4·7	6·0	7·9	11·0	14·9	28·0	58·4	126·4	263·8
1882	17·9	54·4	6·0	3·3	4·7	5·9	7·9	11·0	15·0	27·6	56·9	124·1	256·0
1883	18·0	51·1	5·8	3·4	4·9	6·1	8·1	11·1	15·6	28·8	60·2	134·2	277·0
1884	18·0	54·9	5·8	3·4	4·7	5·9	7·8	10·9	15·3	27·5	57·7	126·8	247·4
1885	17·7	51·0	5·1	3·1	4·5	5·7	7·7	10·8	15·2	28·7	62·0	133·2	282·8
1886	18·0	54·2	4·8	3·1	4·4	5·3	7·2	10·4	15·0	29·1	63·2	136·5	302·1
1887	17·7	52·7	5·1	3·0	4·2	5·4	7·0	10·3	15·2	28·8	62·2	131·6	272·1
1888	16·8	48·0	4·7	2·9	4·0	5·1	6·9	9·9	14·5	27·9	60·1	130·0	270·1
1889	16·9	51·9	4·7	2·8	3·9	4·9	6·5	9·8	14·3	27·4	58·7	126·5	260·3
1890	18·1	53·3	5·0	2·9	4·2	5·1	7·1	10·9	15·9	30·7	64·2	136·9	276·6
1891	18·9	53·7	4·7	2·9	4·3	5·2	7·1	11·1	17·1	33·4	70·6	148·1	300·7
1892	17·8	52·5	4·6	2·7	4·0	4·7	6·7	10·3	15·5	30·4	66·0	140·9	274·4
1893	17·9	55·2	5·1	3·0	4·3	5·1	7·0	10·7	15·2	29·2	62·4	128·7	250·0
1894	15·5	47·4	4·3	2·6	3·7	4·5	6·0	9·2	13·5	25·1	53·7	113·6	219·6
1895	17·6	55·2	4·2	2·6	3·7	4·5	6·1	9·5	14·8	29·6	62·6	140·9	276·2
1896	16·0	52·3	4·5	2·4	3·4	4·2	5·7	8·9	13·6	25·8	53·4	113·9	233·4
1897	16·1	52·4	4·0	2·4	3·4	4·1	5·6	8·9	13·7	26·2	55·7	121·2	252·6
1898	16·4	53·5	3·9	2·3	3·3	4·1	5·5	8·9	13·9	26·7	57·5	126·0	259·6
1899	17·1	53·6	4·2	2·4	3·3	4·1	5·7	9·4	15·0	28·7	62·3	136·3	273·2
1900	17·0	51·8	4·2	2·5	3·3	4·2	5·7	9·3	15·3	29·6	63·2	136·8	273·9
1901	15·8	49·4	4·1	2·4	3·2	3·8	5·3	8·7	13·9	26·6	56·7	122·8	248·5
1902	15·2	44·5	4·1	2·3	3·1	3·8	5·3	8·5	13·6	26·1	56·6	123·0	259·1
1903	14·4	42·9	3·5	2·1	2·8	3·4	4·9	8·1	13·0	24·6	54·5	116·2	245·2
1904	15·2	47·2	3·5	2·1	2·9	3·4	4·9	8·0	13·1	26·0	57·5	125·5	273·9
1905	14·3	40·6	3·4	2·1	2·8	3·4	4·8	7·8	13·0	25·3	56·8	120·1	279·9
1906	14·4	41·2	3·6	2·2	2·7	3·3	4·7	7·8	13·0	25·3	56·1	123·2	287·4
1907	14·1	37·0	3·4	2·0	2·7	3·2	4·6	7·8	13·1	26·0	59·7	127·0	293·4
1908	13·7	36·6	3·2	1·9	2·5	3·1	4·5	7·4	12·8	25·0	57·7	124·3	286·4
1909	13·7	33·2	3·3	2·0	2·6	3·1	4·4	7·4	13·0	25·7	61·4	129·9	300·0

* See Note * to Table 14.

† The death-rates in this column are based upon the age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 3 and other tables.

TABLE 17.—ENGLAND AND WALES.—Annual Death-rates in Groups of Years, at Twelve Age-periods, and General Death-rates corrected for Age-constitution, 1838–1909.*—Males and Females.

PERIOD.	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards.
DEATHS TO 1000 LIVING.													
MALES.													
1838 to 1909 }	20·6	66·2	6·7	3·8	5·3	7·2	8·6	12·4	18·7	33·3	68·4	146·3	307·6
1841-50	22·2	71·2	9·2	5·1	7·1	9·5	9·9	12·9	18·2	31·8	67·5	148·3	312·3
1851-60	21·9	72·4	8·5	4·9	6·7	8·8	9·6	12·5	18·0	30·9	65·3	146·7	308·2
1861-70	22·3	73·5	8·2	4·5	6·2	8·5	9·9	13·5	19·3	33·1	67·1	147·2	315·0
1871-80	21·5	68·4	6·7	3·7	5·3	7·4	9·3	13·8	20·1	34·9	69·7	150·8	327·4
1881-90	19·7	61·6	5·3	3·0	4·3	5·7	7·8	12·4	19·4	34·7	70·5	146·6	305·8
1891-1900	19·2	62·7	4·3	2·4	3·8	5·1	6·8	11·5	18·9	34·9	70·4	146·1	286·8
1841-45	21·3	68·7	8·8	4·8	6·8	9·0	9·4	12·2	17·2	30·3	65·5	143·7	305·1
1846-50	23·1	73·8	9·5	5·4	7·3	10·0	10·5	13·6	19·2	33·2	69·5	153·0	319·5
1851-55	22·4	73·9	8·8	5·1	7·0	9·2	10·0	12·9	18·6	31·5	66·6	150·8	311·0
1856-60	21·4	71·5	8·3	4·6	6·4	8·4	9·2	12·2	17·4	30·4	64·3	142·6	305·4
1861-65	22·3	74·0	8·5	4·7	6·4	8·7	9·7	13·2	18·9	32·8	66·3	145·8	316·4
1866-70	22·2	72·9	7·9	4·3	6·0	8·3	10·1	13·8	19·6	33·5	67·8	148·7	313·6
1871-75	22·0	69·9	7·1	4·0	5·7	8·1	10·0	14·3	20·3	34·8	70·0	149·5	323·3
1876-80	21·0	67·0	6·3	3·4	4·9	6·7	8·7	13·4	19·8	34·9	69·4	152·2	331·6
1881-85	19·7	61·3	5·8	3·2	4·5	6·0	8·2	12·8	19·3	34·2	68·7	145·4	297·8
1886-90	19·6	61·9	4·9	2·8	4·1	5·5	7·4	12·0	19·4	35·2	72·1	147·9	313·8
1891-95	19·6	62·9	4·5	2·6	4·0	5·2	7·1	12·0	19·6	35·9	72·5	149·3	291·0
1896-1900	18·8	62·4	4·1	2·3	3·6	4·9	6·5	11·1	18·3	34·1	68·3	142·9	282·6
1901-05	17·1	53·8	3·6	2·1	3·2	4·3	5·9	9·9	17·3	32·9	67·2	137·4	283·0
FEMALES.													
1838 to 1909 }	18·8	56·5	6·5	3·9	5·6	6·7	8·3	11·1	15·1	27·9	59·7	132·2	281·5
1841-50	21·0	61·1	8·9	5·4	7·9	9·1	10·6	12·9	16·0	28·4	61·0	135·9	293·3
1851-60	20·6	62·7	8·4	5·1	7·4	8·5	9·9	12·2	15·2	27·0	58·7	134·5	288·9
1861-70	20·4	63·7	7·8	4·5	6·6	8·0	9·7	12·1	15·6	27·9	59·1	134·9	285·1
1871-80	19·3	58·3	6·2	3·7	5·5	6·8	8·6	11·6	15·6	28·7	61·0	135·4	296·4
1881-90	17·6	51·9	5·3	3·1	4·4	5·5	7·4	10·6	15·1	28·5	60·4	130·6	270·8
1891-1900	17·0	52·8	4·4	2·6	3·7	4·5	6·1	9·6	14·7	28·4	60·7	130·6	261·4
1841-45	20·1	58·6	8·6	5·2	7·7	8·6	9·9	12·2	15·1	27·2	59·1	131·8	288·6
1846-50	21·9	63·7	9·2	5·7	8·1	9·6	11·2	13·7	17·0	29·7	62·8	140·1	297·9
1851-55	21·0	63·8	8·5	5·3	7·8	8·9	10·3	12·6	15·8	27·8	59·6	137·1	292·0
1856-60	20·1	62·3	8·3	4·8	7·1	8·2	9·6	11·9	14·8	26·5	58·1	131·9	285·8
1861-65	20·6	64·1	8·3	4·8	6·9	8·2	9·8	12·1	15·5	27·9	59·1	133·7	287·7
1866-70	20·3	63·3	7·4	4·3	6·4	7·8	9·6	12·1	15·8	27·9	59·1	136·1	282·4
1871-75	19·8	60·0	6·6	4·0	5·9	7·4	9·2	12·0	15·9	28·7	61·2	135·3	293·8
1876-80	18·7	56·8	5·9	3·5	5·0	6·2	8·0	11·2	15·4	28·6	60·8	135·5	299·0
1881-85	17·8	51·9	5·7	3·3	4·7	5·9	7·9	11·0	15·2	28·1	59·0	128·9	265·4
1886-90	17·5	52·0	4·9	2·9	4·1	5·2	6·9	10·3	15·0	28·8	61·7	132·3	276·2
1891-95	17·5	52·8	4·6	2·8	4·0	4·8	6·6	10·2	15·2	29·5	63·1	134·4	264·2
1896-1900	16·5	52·7	4·2	2·4	3·3	4·1	5·6	9·1	14·3	27·4	58·4	126·8	258·5
1901-05	15·0	44·9	3·7	2·2	3·0	3·6	5·0	8·2	13·3	25·7	56·4	121·5	261·3

* See Note * to Table 14.

† The death-rates in this column are based upon the age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 4.

TABLE 13.—ENGLAND AND WALES: Registration Counties.—Death-rates per 1000 living, at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1904-1908.—Males.

REGISTRATION COUNTY.	ALL AGES *	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
ENGLAND AND WALES	16·3	48·6	3·4	2·0	2·9	3·9	5·6	9·4	16·8	33·1	69·0	137·9	306·8
I.—LONDON.													
London.. .. .	17·3	51·3	3·4	2·0	2·8	3·5	5·5	10·7	19·4	35·7	72·8	142·6	322·9
II.—SOUTH EASTERN.													
Surrey	14·2	35·9	2·7	1·7	2·3	3·6	5·5	9·7	15·9	30·4	65·3	130·1	291·6
Kent	13·4	36·2	2·8	1·9	2·9	3·8	5·4	8·5	13·8	25·6	56·4	121·7	280·3
Sussex	12·9	30·5	2·4	1·3	2·3	4·1	5·9	8·8	14·1	27·8	56·9	126·6	304·4
Hampshire	14·2	36·1	3·1	1·7	2·9	4·7	6·8	10·0	14·9	27·8	59·9	124·3	320·8
Berkshire	12·6	31·3	2·6	1·5	2·5	3·7	5·3	7·8	13·0	26·2	56·3	132·5	285·8
III.—SOUTH MIDLAND.													
Middlesex	14·3	42·5	3·0	1·5	2·0	3·1	4·2	7·3	14·6	29·0	64·5	130·8	343·0
Hertfordshire ..	12·8	30·4	2·3	1·5	2·0	4·1	5·7	8·3	14·0	25·1	59·3	134·4	355·1
Buckinghamshire ..	12·2	30·5	2·8	1·5	2·5	3·7	4·4	7·8	12·6	24·8	55·8	126·4	279·0
Oxfordshire	12·6	29·7	2·5	1·8	3·0	4·3	5·3	7·4	13·2	25·8	57·9	133·1	348·0
Northamptonshire..	12·4	31·8	2·6	1·6	2·7	3·7	4·6	7·0	11·7	25·1	56·8	129·7	384·9
Huntingdonshire ..	11·8	30·6	2·7	1·5	2·3	3·4	4·7	5·9	9·7	24·3	56·0	127·9	372·6
Bedfordshire.. ..	13·4	36·8	2·8	1·7	2·6	3·3	5·1	8·1	13·1	23·8	58·4	137·5	344·7
Cambridgeshire ..	12·9	36·4	3·1	1·6	2·5	4·2	4·4	7·3	12·0	25·0	58·2	120·6	307·8
IV.—EASTERN.													
Essex	13·7	40·7	2·9	1·5	2·5	3·5	4·6	7·3	13·5	27·3	58·3	124·9	281·1
Suffolk	12·9	34·0	2·6	1·6	2·7	4·5	5·8	7·6	12·4	24·7	53·3	129·2	313·1
Norfolk	13·3	39·4	2·8	1·6	2·7	4·1	5·4	7·4	12·2	23·5	53·3	122·3	326·9
V.—SOUTH WESTERN.													
Wiltshire	12·1	28·7	2·6	1·6	2·4	3·5	4·9	6·8	12·3	26·8	56·7	128·9	287·6
Dorsetshire	12·2	27·8	2·4	1·9	2·7	4·6	5·4	7·6	13·5	24·7	56·4	127·5	291·2
Devonshire	14·4	39·1	3·0	2·0	3·3	4·7	6·3	9·4	15·3	27·5	56·9	123·4	287·6
Cornwall	14·0	34·9	2·8	1·7	3·1	4·9	6·6	9·6	16·0	27·2	60·4	122·1	286·3
Somersetshire	12·7	29·7	2·4	1·5	2·5	3·9	5·5	8·1	13·3	27·1	59·7	131·0	273·9
VI.—WEST MIDLAND.													
Gloucestershire ..	14·3	37·5	2·9	1·9	2·7	4·3	5·7	8·8	15·3	29·7	62·8	130·4	323·5
Herefordshire	13·0	30·4	2·5	1·6	2·2	4·2	4·8	8·7	14·4	27·9	61·2	137·6	325·8
Shropshire	13·2	33·5	2·6	1·8	2·7	3·8	5·5	7·8	12·9	25·5	60·8	141·1	326·1
Staffordshire.. ..	17·3	54·1	3·5	1·9	2·5	3·6	5·2	9·3	17·5	34·6	74·6	149·4	299·5
Worcestershire ..	14·0	40·0	2·7	1·5	2·3	3·3	4·4	7·7	13·9	29·0	65·4	137·1	294·0
Warwickshire	17·5	54·6	3·7	2·0	2·6	3·5	5·9	10·4	18·5	34·9	69·7	140·8	311·4
VII.—NORTH MIDLAND.													
Leicestershire ..	14·2	43·2	3·0	1·7	2·6	3·8	4·9	7·3	13·3	27·7	57·8	131·5	329·5
Rutlandshire.. ..	11·5	28·9	2·2	1·3	2·2	2·5	3·6	7·4	11·5	20·3	51·3	161·4	297·5
Lincolnshire	14·4	45·5	3·5	2·2	3·0	4·4	5·1	7·2	12·8	25·0	57·3	130·5	295·6
Nottinghamshire ..	16·4	55·9	3·2	2·0	2·7	3·8	5·1	7·9	14·7	30·4	65·0	143·0	302·7
Derbyshire	15·4	45·2	3·4	1·9	2·4	3·2	4·6	7·5	15·0	32·2	69·6	152·5	357·9
VIII.—NORTH WESTERN.													
Cheshire	16·7	48·7	3·3	2·0	2·6	3·6	5·5	9·0	16·8	34·8	76·7	150·4	310·0
Lancashire	20·4	61·2	4·1	2·3	3·4	4·1	6·2	11·5	21·7	44·3	90·8	164·7	345·5
IX.—YORKSHIRE.													
West Riding	18·0	54·1	3·8	2·2	3·1	3·7	5·1	9·0	17·4	38·0	82·9	164·3	331·3
East Riding (with York)..	16·6	51·2	3·3	2·2	2·9	4·1	5·9	9·9	16·1	31·7	68·6	140·4	283·2
North Riding	17·8	56·9	4·1	2·2	3·3	4·9	6·9	10·6	16·3	32·2	69·1	137·9	319·0
X.—NORTHERN.													
Durham	18·7	61·2	4·0	2·2	3·9	4·6	5·8	9·4	16·4	35·8	77·7	159·3	324·0
Northumberland ..	18·2	55·1	4·1	2·4	3·7	4·5	6·6	10·5	17·6	35·9	76·5	145·6	322·4
Cumberland	16·8	46·2	3·0	2·3	3·5	4·5	6·3	9·6	17·2	35·9	76·2	147·2	328·0
Westmorland	12·2	28·0	2·7	1·5	1·6	3·0	4·9	6·5	12·6	26·8	62·6	138·9	304·5
XI.—WELSH.													
Monmouthshire ..	18·0	57·2	3·4	2·5	3·4	4·7	6·0	10·4	17·6	36·4	73·6	132·0	252·0
Glamorganshire ..	18·8	61·1	3·5	2·2	3·8	4·4	5·8	9·9	17·8	39·4	79·0	138·0	272·3
Carmarthenshire ..	16·9	43·9	3·1	2·7	4·2	6·2	6·3	9·7	15·2	34·7	66·3	142·6	246·7
Pembrokeshire ..	14·4	37·4	2·6	2·3	4·5	6·4	7·3	8·4	11·7	26·8	69·5	118·2	255·2
Cardiganshire	14·6	34·3	3·0	2·7	4·8	7·4	8·3	8·5	13·8	27·5	67·0	116·2	302·6
Brecknockshire ..	15·4	42·5	3·3	2·0	2·9	4·6	6·1	8·9	14·6	31·6	69·6	137·4	316·2
Radnorshire	9·6	25·8	3·2	1·6	1·5	1·6	2·2	5·7	7·6	21·5	41·5	116·5	213·9
Montgomeryshire ..	12·8	30·5	2·1	1·6	2·8	5·5	6·0	7·4	11·8	26·3	59·7	143·8	247·9
Flintshire	15·6	41·1	3·1	2·1	2·9	4·4	5·9	8·6	14·2	33·8	77·3	145·1	341·2
Denbighshire	16·8	48·0	3·5	1·6	3·2	4·5	5·1	9·2	17·4	34·9	79·9	145·0	335·0
Merionethshire ..	15·5	40·6	3·4	1·6	3·7	5·6	6·7	7·7	15·7	30·8	74·8	141·9	296·7
Carnarvonshire ..	15·2	41·6	3·1	2·7	3·6	5·8	5·9	8·4	13·3	30·0	71·9	128·3	285·7
Anglesey	13·5	35·5	2·2	2·0	3·8	5·8	5·0	7·1	14·1	26·2	67·9	114·3	295·1

* The death-rates in this column are based upon the age-constitution of the male population of England and Wales as enumerated in 1901.

TABLE 19.—ENGLAND AND WALES: **Registration Counties.—Death-rates per 1000 living, at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1904-1908.—Females.**

REGISTRATION COUNTY.	ALL AGES *	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & up-wards.
ENGLAND AND WALES	14·3	40·5	3·4	2·1	2·7	3·3	4·7	7·7	13·0	25·5	57·6	124·0	284·3
I.—LONDON.													
London.. .. .	14·4	43·1	3·4	2·0	2·3	2·7	4·1	8·0	13·9	25·6	55·5	119·7	293·6
II.—SOUTH EASTERN.													
Surrey	12·0	28·4	2·7	1·5	2·2	2·5	4·0	6·7	11·7	22·4	52·6	117·9	290·5
Kent	11·7	28·6	3·0	2·1	2·7	3·1	4·0	6·6	11·0	20·7	46·7	113·1	263·1
Sussex	10·8	24·5	2·4	1·7	2·2	2·4	3·7	5·9	10·1	20·6	47·3	112·0	280·2
Hampshire	12·0	29·5	3·3	1·9	2·6	3·1	4·4	6·5	11·3	20·7	48·8	113·2	282·5
Berkshire	11·3	25·7	3·2	1·8	2·7	3·3	4·0	5·8	9·7	20·0	49·9	112·5	289·6
III.—SOUTH MIDLAND.													
Middlesex	12·3	34·9	2·7	1·5	1·7	2·3	3·4	6·0	11·2	22·4	51·0	121·7	267·5
Hertfordshire ..	11·4	24·9	2·4	1·5	2·7	3·0	4·4	6·3	10·6	20·6	51·3	119·1	297·9
Buckinghamshire ..	10·8	24·0	2·4	1·5	2·4	3·3	3·4	5·4	9·3	18·8	48·9	116·5	332·5
Oxfordshire	11·3	23·9	1·8	2·0	2·7	3·4	4·4	5·6	10·2	21·2	50·4	122·6	297·5
Northamptonshire..	11·0	24·4	2·8	1·9	3·0	3·2	4·1	5·8	9·7	19·7	47·4	114·2	295·6
Huntingdonshire ..	10·9	25·9	2·9	2·0	2·9	3·8	4·3	5·6	7·8	17·3	48·2	111·6	268·9
Bedfordshire.. ..	11·6	27·2	2·8	1·7	2·4	2·9	3·9	6·1	10·0	19·0	52·9	122·9	301·4
Cambridgeshire ..	11·2	28·5	3·0	1·9	2·7	3·6	4·6	6·1	8·9	19·1	43·5	105·0	261·9
IV.—EASTERN.													
Essex	12·5	34·0	3·0	1·7	2·4	2·7	3·8	6·6	11·2	22·3	50·4	116·2	281·6
Suffolk	11·7	27·5	2·4	1·7	2·7	3·9	5·0	6·7	9·8	19·1	48·2	119·0	281·6
Norfolk	11·8	32·5	2·7	2·0	2·6	3·3	4·2	6·4	9·9	17·8	44·8	112·5	297·4
V.—SOUTH WESTERN.													
Wiltshire	11·6	24·0	2·5	1·7	3·1	3·8	4·7	6·5	10·0	21·8	51·9	119·6	312·4
Dorsetshire	11·2	24·2	2·9	1·7	2·8	3·2	4·2	6·4	9·6	21·6	47·9	112·3	284·3
Devonshire	12·4	31·8	3·0	2·3	3·1	3·5	4·6	6·9	11·1	21·1	49·5	110·7	268·4
Cornwall	11·5	27·3	2·3	1·8	3·1	3·5	4·5	5·8	10·0	20·8	50·1	109·1	288·0
Somersetshire	11·0	24·1	2·6	1·7	2·5	3·5	4·1	6·0	10·5	19·9	49·0	110·6	270·0
VI.—WEST MIDLAND.													
Gloucestershire ..	12·4	31·0	2·7	1·8	2·7	3·2	4·2	7·0	11·5	22·8	52·5	116·6	267·8
Herefordshire	11·4	23·7	3·0	1·4	2·9	2·8	4·7	6·7	10·4	20·2	51·0	118·9	289·2
Shropshire	12·0	28·0	2·7	1·7	2·8	3·1	5·0	6·7	10·4	20·4	52·7	125·1	272·1
Staffordshire.. ..	15·6	45·8	3·6	2·0	2·4	3·2	4·8	8·7	13·9	27·1	64·2	137·3	289·1
Worcestershire	12·4	32·3	2·7	1·7	2·0	2·6	3·9	6·9	11·4	22·4	52·1	125·3	269·8
Warwickshire	15·1	45·9	3·8	2·0	2·4	2·9	4·5	8·3	14·2	26·1	57·0	125·1	291·4
VII.—NORTH MIDLAND.													
Leicestershire	13·0	35·9	2·6	1·9	2·7	3·1	4·3	6·3	11·2	22·4	53·3	123·5	295·4
Rutlandshire.. ..	10·7	24·5	1·7	1·0	2·5	2·3	4·1	5·1	6·2	21·2	47·4	129·6	335·1
Lincolnshire	12·8	34·9	3·7	2·2	3·2	4·2	5·0	6·8	11·0	20·1	48·9	113·2	267·5
Nottinghamshire ..	15·1	45·9	3·5	1·9	2·5	3·4	4·9	7·7	13·1	25·8	56·0	136·4	300·7
Derbyshire	14·1	37·0	3·4	1·9	2·4	3·1	4·6	7·1	12·0	25·6	61·8	137·7	315·7
VIII.—NORTH WESTERN.													
Cheshire	15·1	40·3	3·6	2·0	2·5	3·1	4·8	7·7	13·5	27·9	65·7	142·8	299·2
Lancashire	18·1	51·7	4·3	2·5	3·0	3·6	5·4	9·5	16·7	34·2	76·6	152·2	308·9
IX.—YORKSHIRE.													
West Riding	16·1	44·7	3·9	2·2	3·0	3·5	4·7	7·8	13·8	28·9	68·0	150·0	364·4
East Riding (with York)..	14·7	41·3	3·9	2·4	3·0	3·7	5·0	8·6	13·0	24·4	56·9	127·2	275·3
North Riding	15·5	46·9	4·2	2·4	2·6	4·2	5·5	7·9	12·8	26·0	60·1	123·5	307·1
X.—NORTHERN.													
Durham	17·4	52·3	4·5	2·4	3·4	4·4	6·3	9·3	14·7	30·5	66·5	133·3	321·6
Northumberland ..	16·6	48·4	4·0	2·5	3·4	3·7	5·6	9·5	14·9	28·2	65·5	135·9	301·5
Cumberland	15·0	38·3	3·3	2·1	2·9	4·0	5·8	8·7	13·0	27·7	65·1	135·9	282·5
Westmorland	10·9	20·6	2·4	1·7	2·3	2·6	4·2	5·8	10·3	21·6	52·4	119·5	295·8
XI.—WELSH.													
Monmouthshire	16·4	48·0	3·1	2·1	3·3	4·3	6·0	9·3	15·5	30·9	64·8	119·2	224·7
Glamorganshire ..	16·8	50·2	3·3	2·4	3·3	4·3	6·2	9·8	14·7	31·0	65·4	125·9	213·1
Carmarthenshire ..	15·2	40·0	3·8	2·6	4·9	5·2	7·6	9·2	12·4	26·0	60·5	112·5	185·0
Pembrokeshire	13·5	28·2	2·7	3·2	4·0	5·6	6·2	7·7	11·5	25·6	62·4	111·9	275·3
Cardiganshire	14·1	28·4	3·1	2·5	5·9	6·4	7·9	9·0	11·7	26·4	56·2	119·9	239·1
Brecknockshire ..	15·0	37·0	3·9	2·8	3·5	4·0	6·9	9·1	14·2	29·0	57·1	119·6	283·1
Radnorshire	10·9	22·9	4·2	1·9	4·1	2·7	5·1	6·4	7·9	19·1	40·7	115·5	270·3
Montgomeryshire ..	12·2	22·9	2·7	1·8	3·3	4·4	6·4	7·1	11·2	21·2	56·0	125·1	282·0
Flintshire	14·3	35·8	3·5	1·7	3·4	3·3	4·4	9·6	11·4	24·5	63·7	135·0	319·9
Denbighshire	15·5	38·9	3·8	2·0	3·1	4·8	6·5	9·6	13·3	27·8	66·5	128·4	296·7
Merionethshire	13·9	32·8	3·6	2·5	4·2	5·7	7·0	7·4	10·9	23·8	55·4	123·3	271·9
Carnarvonshire	13·7	33·1	3·9	2·6	3·3	4·6	6·1	7·6	11·8	23·8	59·4	113·9	238·3
Anglesey	14·4	34·3	3·4	2·1	4·7	4·5	7·4	7·0	14·8	26·1	59·0	113·7	242·2

* The death-rates in this column are based upon the age-constitution of the female population of England and Wales as enumerated in 1901.

TABLE 20.—ENGLAND AND WALES: Registration Counties.—Death-rates per 1000 living, at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1909.*—Males.

REGISTRATION COUNTY.	ALL AGES †	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & up-wards.
ENGLAND AND WALES	15·4	40·3	3·2	1·9	2·8	3·7	5·3	9·1	16·7	32·8	73·5	141·8	321·4
I.—LONDON.													
London.. .. .	16·3	41·8	3·3	1·9	2·7	3·3	5·2	10·0	19·4	35·8	78·9	153·0	356·3
II.—SOUTH EASTERN.													
Surrey	13·9	29·6	2·6	1·8	2·2	3·4	5·5	9·3	15·1	32·6	74·3	144·7	300·4
Kent	11·9	25·1	2·8	1·7	2·4	3·2	4·9	8·3	14·0	25·4	59·4	122·4	308·0
Sussex	12·7	25·5	2·6	1·7	1·9	4·0	5·5	9·3	15·0	29·4	62·1	131·2	352·2
Hampshire	13·8	30·7	3·1	1·7	2·8	3·8	6·2	9·8	16·2	27·0	66·8	130·5	351·7
Berkshire	13·0	27·9	3·0	1·6	1·8	3·1	5·0	8·6	13·5	29·9	64·4	145·6	389·7
III.—SOUTH MIDLAND.													
Middlesex	13·3	32·8	2·3	1·4	1·7	2·7	4·1	7·7	14·0	28·7	74·4	135·7	346·2
Hertfordshire	13·1	25·8	3·3	2·2	2·6	4·1	5·5	9·4	12·3	28·2	67·5	161·8	294·4
Buckinghamshire	11·4	23·7	1·8	1·3	1·6	2·7	5·2	6·0	11·9	24·4	62·8	149·4	320·9
Oxfordshire	13·8	31·8	2·3	1·6	3·0	4·5	5·8	9·2	14·7	24·8	63·6	157·1	450·0
Northamptonshire	11·9	24·3	3·3	2·3	2·3	3·2	4·5	6·9	13·1	27·5	60·2	125·9	349·4
Huntingdonshire	11·6	30·9	1·7	2·1	1·4	3·6	5·1	5·2	11·3	21·1	45·3	131·6	557·7
Bedfordshire	12·9	30·1	3·3	1·2	2·9	3·7	5·3	7·3	13·1	23·9	64·2	145·1	378·9
Cambridgeshire	12·1	27·0	2·1	1·7	3·2	4·8	4·5	6·6	13·1	26·1	61·0	126·0	317·3
IV.—EASTERN.													
Essex	12·5	30·1	2·4	1·3	2·2	3·2	4·5	7·2	13·2	27·8	65·3	127·2	273·1
Suffolk	11·9	26·1	2·2	1·0	2·6	4·6	4·6	8·0	14·7	24·9	54·0	123·6	334·7
Norfolk	12·2	31·9	2·7	1·4	2·3	3·7	5·6	7·2	11·6	23·2	50·7	125·6	358·5
V.—SOUTH WESTERN.													
Wiltshire	11·2	24·5	1·7	1·7	2·5	4·1	5·0	5·9	9·9	24·1	56·2	138·2	304·9
Dorsetshire	11·7	24·4	3·1	1·4	2·4	4·9	5·5	7·5	10·6	27·4	58·3	121·1	227·1
Devonshire	13·2	31·9	2·6	1·5	3·1	4·5	6·2	8·2	15·0	26·9	57·2	121·2	315·5
Cornwall	13·4	30·8	3·3	1·0	2·2	4·7	5·4	10·9	14·5	26·7	64·9	117·9	324·3
Somersetshire	12·5	27·5	2·1	1·6	2·4	4·3	4·4	7·5	14·2	28·3	64·7	127·4	301·9
VI.—WEST MIDLAND.													
Gloucestershire	13·6	29·5	2·7	1·6	3·4	3·5	5·4	8·9	15·4	29·7	68·6	140·9	300·0
Herefordshire	12·3	28·9	2·8	0·7	3·1	2·1	3·5	8·5	13·9	24·9	62·0	147·7	276·4
Shropshire	12·3	27·0	3·2	1·8	2·9	3·5	4·9	7·7	11·4	23·8	65·0	139·3	374·5
Staffordshire	17·1	50·7	3·9	2·1	2·4	3·4	4·9	9·1	16·6	35·0	80·5	156·8	346·9
Worcestershire	14·0	37·2	3·2	1·3	1·8	3·1	4·2	8·0	14·1	28·9	68·8	148·2	335·3
Warwickshire	16·6	47·3	4·0	1·9	2·3	3·4	5·7	10·4	17·4	34·2	71·6	147·4	326·2
VII.—NORTH MIDLAND.													
Leicestershire	13·3	34·7	2·9	1·6	2·3	3·7	4·7	6·3	12·6	28·1	68·5	134·9	352·9
Rutlandshire	12·0	21·4	0·9	3·6	1·6	4·3	8·1	9·3	9·7	29·7	63·1	98·0	416·7
Lincolnshire	13·5	38·9	2·8	2·3	2·5	3·9	4·5	6·9	13·5	24·5	60·3	129·3	312·9
Nottinghamshire	15·5	48·1	2·6	1·5	2·9	3·3	4·3	8·0	14·2	30·9	69·6	149·0	329·0
Derbyshire	14·4	39·8	3·6	1·7	3·0	3·1	4·3	7·2	13·0	30·4	68·0	154·1	303·6
VIII.—NORTH WESTERN.													
Cheshire	16·0	38·9	3·5	2·2	3·1	3·2	5·4	9·6	17·0	36·0	83·5	152·5	336·3
Lancashire	19·6	52·6	4·3	2·2	3·2	3·8	5·9	10·8	22·2	43·8	99·0	172·8	345·6
IX.—YORKSHIRE.													
West Riding	16·5	41·7	3·1	2·0	2·9	3·5	4·8	8·5	17·5	38·4	87·6	171·5	315·7
East Riding (with York) ..	14·8	37·0	3·0	2·1	3·0	4·0	5·7	9·0	16·3	31·9	67·8	139·4	292·7
North Riding	16·0	49·5	3·0	2·1	3·4	3·9	7·3	8·8	13·9	30·8	63·9	130·9	287·2
X.—NORTHERN.													
Durham	17·0	50·9	3·8	2·0	4·2	4·2	5·0	8·4	14·8	31·8	84·1	152·6	343·0
Northumberland	16·5	45·7	3·7	2·4	4·3	4·2	5·7	9·8	16·5	31·8	75·3	149·0	278·6
Cumberland	15·7	41·2	3·6	1·4	3·0	3·6	5·3	9·2	14·4	34·7	81·7	145·4	365·9
Westmorland	11·5	22·1	1·2	2·2	1·6	2·5	4·0	8·6	14·4	24·7	53·6	162·5	327·9
XI.—WELSH.													
Monmouthshire	16·6	48·0	3·2	2·3	3·8	4·0	5·5	10·8	16·5	33·7	73·1	125·5	352·2
Glamorganshire	18·1	50·2	3·2	2·0	3·7	4·8	6·1	11·1	19·7	41·1	88·4	139·4	194·1
Carmarthenshire	16·6	51·8	1·9	3·7	4·9	5·2	7·1	11·0	16·5	25·9	65·6	115·0	259·3
Pembrokeshire	14·8	38·3	4·4	3·5	3·7	6·4	6·2	7·9	16·5	30·7	54·9	128·0	241·4
Cardiganshire	14·6	31·2	2·5	1·7	5·2	9·7	10·8	8·6	14·5	21·1	61·3	136·3	407·4
Brecknockshire	15·7	34·3	3·3	1·8	2·9	3·1	10·0	11·8	15·7	39·5	81·0	99·1	305·1
Radnorshire	8·5	17·7	5·4	1·8	1·6	0·8	3·8	5·1	9·3	10·9	45·4	114·8	139·5
Montgomeryshire	12·2	26·1	0·6	2·5	1·3	6·6	4·3	6·6	14·5	26·3	61·1	142·9	364·6
Flintshire	14·9	34·6	3·3	1·2	1·5	2·9	6·8	11·4	15·6	34·5	74·6	141·4	235·3
Denbighshire	15·0	37·4	3·0	1·8	3·8	3·1	5·1	8·2	16·6	29·9	84·9	142·7	225·0
Merionethshire	12·7	25·7	1·5	2·3	5·4	3·8	4·1	6·8	14·5	22·8	60·5	160·0	383·3
Carnarvonshire	13·5	31·1	2·6	3·2	2·6	4·3	6·1	6·9	13·6	29·8	70·6	127·6	253·6
Anglesey	13·2	32·8	2·6	4·4	1·8	4·4	7·3	6·7	11·8	26·8	57·0	122·9	301·6

* The populations of the several counties, estimated to the middle of the year, are shown in Table 31. For the purposes of the above table these populations are distributed among the several groups of ages according to the proportions found to prevail at the Census of 1901.

† The death-rates in this column are based upon the age-constitution of the male population of England and Wales as enumerated in 1901; they differ, therefore, from those in Table 13 and other tables.

TABLE 21.—ENGLAND AND WALES: Registration Counties.—Death-rates per 1000 living, at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1909.*—Females.

REGISTRATION COUNTY.	ALL AGES †	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & up-wards.
ENGLAND AND WALES.	13·7	33·2	3·3	2·0	2·6	3·1	4·4	7·4	13·0	25·7	61·4	129·9	300·0
I.—LONDON.													
London.. .. .	13·7	35·8	3·2	1·8	1·9	2·4	3·7	7·4	13·4	25·9	58·7	130·6	316·4
II.—SOUTH EASTERN.													
Surrey	11·9	23·6	2·6	1·7	2·2	2·3	3·7	6·4	12·5	24·7	56·0	132·8	307·1
Kent	10·9	20·5	3·3	2·1	2·3	2·6	3·8	5·7	10·9	22·1	51·9	120·3	266·3
Sussex	11·2	19·2	2·3	1·9	2·0	2·7	3·3	6·5	10·6	22·5	55·3	137·5	351·3
Hampshire	11·4	24·0	3·1	1·8	2·2	3·1	4·3	6·4	10·3	21·7	50·3	123·2	263·9
Berkshire	10·7	22·0	1·7	1·2	1·6	2·8	3·6	5·5	9·6	21·3	50·8	124·8	315·5
III.—SOUTH MIDLAND.													
Middlesex	11·7	27·0	3·0	1·9	1·4	1·9	3·5	5·8	10·4	24·3	55·4	124·1	298·3
Hertfordshire ..	11·6	20·3	3·1	1·9	3·0	2·2	4·3	6·3	9·1	22·6	61·1	136·1	326·8
Buckinghamshire ..	10·6	18·9	2·4	1·6	1·1	2·8	3·2	6·5	10·0	17·7	52·5	137·1	394·8
Oxfordshire	11·2	22·6	2·9	1·6	3·1	3·4	4·6	6·3	8·9	21·4	46·3	133·5	296·7
Northamptonshire ..	11·4	19·1	2·7	2·2	2·9	3·4	4·1	6·1	10·5	20·5	58·4	133·9	347·6
Huntingdonshire ..	10·0	23·0	2·5	3·0	1·5	1·2	5·5	6·0	6·4	15·7	43·9	108·0	254·9
Bedfordshire	11·8	24·0	3·7	1·6	2·7	3·5	3·3	5·9	10·6	20·9	54·1	135·2	407·6
Cambridgeshire ..	11·0	21·5	2·5	2·2	2·5	3·0	3·8	6·6	8·8	19·0	60·1	110·0	335·5
IV.—EASTERN.													
Essex	11·7	25·4	2·4	1·4	2·1	2·8	3·5	6·5	11·6	22·4	55·7	122·2	296·8
Suffolk	10·6	21·5	2·7	1·8	2·1	3·3	4·4	5·7	10·5	18·5	47·5	112·0	275·2
Norfolk	10·9	24·9	2·1	1·6	2·3	3·4	4·6	5·6	9·8	18·2	48·1	110·6	298·3
V.—SOUTH WESTERN.													
Wiltshire	10·9	19·9	1·9	1·7	2·6	3·8	4·0	5·9	10·7	21·4	47·2	125·4	349·0
Dorsetshire	10·7	21·0	3·5	1·5	2·4	2·8	4·3	5·4	10·2	19·7	51·4	110·7	276·7
Devonshire	11·6	25·6	2·6	2·2	2·8	3·5	4·5	6·1	11·0	21·2	50·0	119·8	283·0
Cornwall	11·6	24·4	1·7	1·9	3·3	4·5	4·8	5·6	11·3	20·9	54·0	113·7	278·4
Somersetshire	10·6	19·8	2·3	1·5	2·5	2·9	4·1	5·8	9·9	19·5	55·4	109·2	297·8
VI.—WEST MIDLAND.													
Gloucestershire ..	11·7	24·9	2·3	1·6	2·5	3·4	4·0	6·6	11·0	24·4	55·5	114·3	283·3
Herefordshire	11·0	22·5	1·8	1·2	2·5	2·6	3·3	5·5	14·0	19·2	52·9	115·7	321·8
Shropshire	12·7	27·0	3·2	1·6	2·7	3·3	4·9	7·7	11·3	23·0	65·2	127·3	259·4
Staffordshire	15·3	42·2	4·2	2·1	2·3	3·2	4·5	7·9	13·9	26·7	63·2	137·3	310·0
Worcestershire	12·4	31·1	3·0	1·5	2·1	2·4	4·0	5·4	12·7	21·9	58·2	125·0	281·0
Warwickshire	14·8	39·7	4·4	2·2	2·6	3·0	4·7	8·1	14·6	25·9	63·5	125·1	319·8
VII.—NORTH MIDLAND.													
Leicestershire	12·9	30·2	2·6	1·8	2·6	3·2	3·3	6·6	11·2	26·1	58·5	138·9	304·1
Rutlandshire	12·5	21·2	1·9	2·1	1·2	7·7	3·4	6·3	9·2	20·3	66·2	173·2	416·7
Lincolnshire	11·8	28·7	2·9	2·1	3·3	3·2	5·2	6·2	10·6	20·4	46·8	110·5	245·1
Nottinghamshire ..	15·2	42·2	2·8	1·9	2·8	3·3	5·0	7·6	13·3	25·5	65·6	147·7	345·5
Derbyshire	13·6	33·3	3·6	1·6	2·3	2·6	4·3	7·8	11·8	24·8	58·5	135·6	368·8
VIII.—NORTH WESTERN.													
Cheshire	14·3	30·4	3·4	2·0	2·9	2·8	4·4	7·3	12·3	27·9	72·2	162·0	323·6
Lancashire	17·5	42·7	4·3	2·6	2·9	3·4	5·2	9·2	17·0	34·9	82·8	163·9	354·6
IX.—YORKSHIRE.													
West Riding	15·1	31·0	3·7	1·9	3·1	3·1	4·6	7·9	13·5	28·8	73·3	158·5	369·2
East Riding (with York) ..	12·7	30·6	2·9	2·1	2·4	3·1	4·6	7·4	12·4	24·4	54·2	117·0	267·4
North Riding	15·1	44·3	3·9	1·5	3·1	3·4	5·3	8·2	12·9	26·4	60·7	123·8	293·5
X.—NORTHERN.													
Durham	15·4	41·7	3·8	2·1	3·0	3·8	5·2	7·8	13·4	27·4	68·5	132·8	336·1
Northumberland ..	15·4	39·6	4·1	2·6	3·5	3·8	5·2	9·5	14·0	26·9	66·6	135·9	268·2
Cumberland	14·3	32·3	3·0	2·3	3·2	3·9	6·0	6·4	12·5	31·4	61·6	137·6	301·9
Westmorland	11·0	18·3	2·4	1·1	1·7	1·6	4·4	8·1	12·4	22·0	44·4	148·0	285·7
XI.—WELSH.													
Monmouthshire	14·7	36·4	3·7	2·7	3·5	4·3	5·2	10·4	15·2	25·5	56·3	127·5	255·2
Glamorganshire	15·9	40·9	3·3	2·4	3·2	3·9	5·9	9·6	16·6	29·9	70·9	120·9	230·6
Cardiganshire	15·1	36·6	3·2	1·8	3·8	5·6	7·0	10·6	15·5	27·0	60·9	118·8	189·3
Pembrokeshire	13·7	28·9	4·9	2·4	4·4	4·9	5·8	7·3	12·9	24·2	64·6	115·5	259·8
Cardiganshire	14·0	24·7	2·5	2·2	6·3	5·4	8·3	8·9	15·0	21·9	68·6	123·1	196·2
Brecknockshire	14·0	29·7	3·3	2·2	2·6	4·9	8·1	8·6	9·9	25·8	68·1	115·6	292·3
Radnorshire	10·1	17·2	3·6	—	4·8	7·6	5·2	1·7	5·3	20·1	62·2	94·3	200·0
Montgomeryshire ..	11·0	19·5	2·1	2·2	1·7	4·1	4·6	8·0	10·9	20·0	55·8	105·9	256·6
Flintshire	13·9	25·3	3·0	1·8	2·9	5·8	5·9	8·8	14·8	23·3	65·8	135·9	259·0
Denbighshire	14·3	32·3	3·5	2·1	2·4	3·3	5·5	8·3	15·0	26·5	77·9	103·9	302·2
Merionethshire	12·8	21·9	4·2	2·8	4·3	3·9	6·6	8·9	9·9	22·6	64·1	129·0	181·8
Carnarvonshire	12·5	26·2	3·8	1·9	4·7	4·0	5·0	9·1	10·3	21·6	61·6	96·0	253·1
Anglesey	13·0	31·9	5·4	1·8	5·4	1·9	7·5	4·4	13·2	20·3	64·1	86·0	207·8

* The populations of the several counties, estimated to the middle of the year, are shown in Table 32. For the purposes of the above table these populations are distributed among the several groups of ages according to the proportions found to prevail at the Census of 1901.

† The death-rates in this column are based upon the age-constitution of the female population of England and Wales as enumerated in 1901: they differ, therefore, from those in Table 13 and other tables.

TABLE 22.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes, to a Million Persons living, in Successive Quinquennia, 1871-1905.

CAUSES OF DEATH.	5 Years 1871-75.	5 Years 1876-80.	5 Years 1881-85.	5 Years 1886-90.	5 Years 1891-95.	5 Years 1896-1900.	5 Years 1901-05.
All Causes	21962·4	20791·0	19403·0	18894·6	18718·0	17685·4	16004·6
Small-pox	410·8	78·4	78·0	13·6	20·0	6·6	25·4
Measles.. ..	373·2	384·8	413·0	468·4	407·2	421·0	325·8
Scarlet Fever	758·6	679·6	435·8	240·6	182·2	134·6	125·8
Typhus	81·4	34·2	22·8	6·6	3·8	1·4	1·4
Pyrexia* (Origin uncertain).	140·2	69·2	34·2	16·6	8·0	4·2	2·4
Enteric Fever.. ..	373·8	277·2	216·0	179·2	173·6	174·8	112·6
Whooping-cough ..	498·6	527·0	458·6	443·6	397·8	358·6	300·4
Diphtheria	120·8	121·8	156·2	169·6	252·6	272·4	204·2
Croup	184·2	154·2	163·4	125·8	70·0	34·2	16·8
Diarrhœa, Dysentery, and Cholera.	1031·0	852·8	672·0	681·0	652·0	818·6	677·8
Malaria	8·4	7·8	11·4	6·4	4·0	3·2	2·6
Rabies, Hydrophobia	2·0	1·8	1·2	0·6	0·2	0·0	0·0
Puerperal Septic Diseases and Child- birth.	194·2	142·0	165·0	142·6	167·8	137·6	120·0
Pneumonia	1025·4	999·4	1001·8	1130·6	1251·4	1202·6	1270·8
Erysipelas	105·6	80·8	82·8	54·2	47·8	35·2	35·8
Phthisis	2218·0	2039·8	1830·4	1635·4	1462·2	1322·6	1215·2
Alcoholism	37·6	42·4	48·2	56·0	67·8	85·8	78·2
Rheumatic Fever, Rheum. of Heart.	127·2	62·0	97·6	89·2	88·0	82·8	76·6
Chronic Rheumatism		77·0	34·8	33·0	31·6	28·6	16·0
Cancer	445·6	493·6	547·6	631·6	711·4	800·2	864·0
Diabetes Mellitus ..	35·8	40·4	51·4	62·4	69·2	81·0	89·2
Premature Birth ..	446·8	472·8	475·2	507·2	561·8	574·2	569·4
Congenital Defects ..	71·0	89·0	89·6	85·4	89·8	89·6	135·4
Epilepsy	115·4	114·8	111·8	106·6	94·4	85·6	88·2
Heart and Blood Vessels Diseases.	?	2474·6	2383·0	2581·2	2504·0	2417·0	2296·4
Bronchitis	2220·8	2377·4	2153·6	2136·0	2074·2	1563·0	1237·0
Cirrhosis of Liver ..	71·9	109·6	119·6	122·2	120·0	134·6	121·2
Acute Nephritis, Uræmia, Bright's Disease, Albumin- uria.	183·2	248·6	288·8	318·2	340·2	367·6	378·6
Old Age	1206·8	1072·2	1015·0	975·8	929·2	928·2	927·4

* Called Simple Continued Fever previous to 1901.

TABLE 24.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Persons.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (see Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
ALL CAUSES		19547	20213	18971	19151	16570	18685	17053	17379	17518	18249	18228	16909	16230	15418	16239	15227	15378	15001	14683	14487
Small-pox { Vaccinated. Not Vaccinated Doubtful	0	0	2	5	5	1	1	0	3	0	0	4	25	4	2	1	—	0	—	0
Cow-pox and other effects of Vaccination	—	1	4	9	16	2	4	0	2	0	1	3	24	5	4	1	—	0	—	0
Chicken-pox	0	1	9	35	2	4	12	0	3	5	2	3	26	14	9	2	1	0	0	0
Measles (Morbilli)	1	1	2	2	4	3	1	1	1	4	4	4	1	1	1	1	1	0	0	0
German Measles	3	3	4	4	3	3	5	3	4	4	4	4	4	3	3	3	3	3	3	3
Scarlet Fever	439	436	459	373	391	377	570	408	419	314	394	276	392	274	363	324	273	361	226	353
Typhus	3	2	3	2	2	1	2	1	1	1	1	2	1	1	1	1	1	1	1	1
Plague	242	170	190	235	167	149	177	147	113	117	119	133	148	125	111	112	101	92	80	90
Relapsing Fever	5	5	3	5	4	2	2	2	1	1	1	1	2	2	1	1	0	1	0	0
Influenza	—	—	—	—	—	—	—	—	—	—	0	0	0	—	0	0	—	—	—	—
Whooping-cough	0	0	533	325	220	423	122	195	330	389	504	174	223	189	168	204	183	265	285	251
Mumps	157	574	454	342	410	315	429	367	323	318	356	313	297	285	352	255	241	293	278	201
Diphtheria	478	468	3	3	2	2	2	3	2	2	3	3	3	3	3	3	3	3	3	3
Cerebro-spinal Fever	179	173	222	318	291	259	291	246	243	292	290	273	236	182	170	160	177	164	157	146
Pyæmia* (origin uncertain)	1	1	1	0	1	1	0	0	0	1	0	2	2	2	2	4	2	5	3	4
Enteric Fever	13	11	8	9	7	5	5	4	4	4	4	3	3	2	2	2	1	1	1	0
	179	168	137	229	159	175	166	156	181	198	173	155	126	100	93	89	92	67	75	60
Asiatic Cholera	?	?	?	?	?	?	?	?	?	?	?	—	—	—	—	—	—	—	—	0
Diarrhoea due to Food*	0	0	0	1	1	1	1	1	2	2	2	2	3	3	3	6	9	6	8	8
Infective Enteritis, Epidemic Diarrhoea	} 620	480	520	999	358	900	563	868	955	971	728	{ 364	149	232	502	339	527	145	287	136
Diarrhoea (not otherwise defined)																					
Dysentery																					
Tetanus	1	2	2	1	1	1	1	1	1	1	2	2	6	8	9	6	9	7	7	7
Malaria	5	5	4	4	3	4	3	4	3	3	3	3	3	2	3	7	7	6	5	6
Rabies, Hydrophobia	0	0	0	0	0	0	0	0	0	—	—	—	0	—	—	—	—	—	—	—
Glanders	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Anthrax (Splenic Fever)	0	0	0	0	0	0	0	1	1	1	0	0	0	1	1	1	1	0	0	0
Syphilis	71	68	69	72	67	69	59	60	57	56	57	53	51	55	54	53	50	47	48	47
Gonorrhoea*	10	12	10	10	11	11	11	12	11	11	11	11	11	1	1	1	1	1	1	1

* See note to Table 23.

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1890-1909.—Persons.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Puerperal Septicæmia, Puer. Septic Intoxication																				
Puerperal Pyæmia	2016	2089	2439	3094	2257	1927	2123	1898	1767	1973	2017	{ 1490 37 74 478 }	1464	1258	1249	1307	1225	1056	1030	1063
Phlegmasia Alba Dolens													54	38	38	51	63	111	92	104
Puerperal Fever (not otherwise defined) ..													95	87	94	103	102	81	83	72
													390	285	273	273	247	214	190	190
Infective Endocarditis*	?	?	?	?	?	?	?	?	?	?	?		373	389	402	425	460	473	521	526
Lobar												{ 2246 15006 }	3475	3208	3891	4887	4991	5385	4818	6072
Broncho-													18608	17425	19445	18305	17276	21317	19034	19795
Epidemic	40373	42799	38891	38247	32577	35809	35405	34835	35462	39845	44300	{ 94 20067 }	10	7	—	4	6	6	4	11
Not defined													24338	20085	20036	20671	19552	20259	17923	20230
Erysipelas	1375	1263	1474	1921	1353	1099	1101	1014	970	1227	1227	1158	1280	1082	1203	1256	1266	1033	836	1013
Septicæmia, Septic Intoxication (not Puerperal) ..	532	478	529	669	567	521	573	577	508	655	735	{ 258 171 }	351	362	364	403	439	442	416	369
Pyæmia (not Puerperal)	485	470	545	606	488	518	554	586	563	640	693	{ 708 36 }	233	200	157	210	194	162	144	121
Phlegmon, Carbuncle (not Anthrax)	42	54	52	78	44	66	36	53	45	38	43	708	791	701	713	778	836	773	697	819
Phagedæna	?	?	?	?	?	?	?	?	?	?	?	36	32	35	26	52	24	29	31	28
Other Infective Processes												212	111	169	130	198	221	213	198	242
Pulmonary Tuberculosis (Tuberculous Phthisis) ..	48366	46515	43323	43632	41641	42490	40251	41642	41335	42408	42987	{ 7562 33662 }	10480	13838	16383	16942	18384	19368	20192	20656
Phthisis (not otherwise defined)													30191	26294	25465	22008	21362	20471	19307	17983
Tuberculous Meningitis	6889	7180	6691	6725	6345	6746	6475	6606	6681	6449	6395	5954	5961	6476	6389	6083	6104	5885	5868	5774
Tuberculous Peritonitis	7632	7301	7135	7867	5763	7389	6044	6255	6357	6294	5976	{ 2933 3195 }	2857	3521	3915	3603	3857	3532	3783	3522
Tuberculous												3195	2346	2062	1898	1397	1238	969	994	877
Lupus	69	78	78	57	62	68	66	54	53	61	54	65	72	62	66	80	84	78	56	79
Tubercle of other Organs												{ 1146 4071 }	1178	1468	1662	1648	1809	1709	1624	1868
General Tuberculosis	5443	5911	5866	5518	5532	6084	5521	5438	5766	5503	5944	{ 4071 342 }	4048	4265	4315	3921	3954	4061	4251	3639
Scrofula													163	121	109	77	49	28	25	27
Parasitic Diseases	702	658	617	577	455	530	438	393	403	389	365	348	277	314	309	245	304	241	246	222
Starvation	52	71	61	71	53	50	33	41	46	43	41	18	26	28	30	21	26	21	15	22
Scurvy	21	20	20	18	23	34	20	34	26	34	44	31	30	44	44	48	51	41	50	47
Alcoholism, Delirium Tremens	2037	2055	1971	2174	1842	2045	2188	2397	2464	2871	3638	3131	2784	2550	2358	2211	2281	2201	1937	1671

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis." (See p. 30.)

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1890-1909.—Persons.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Opium, Morphia-habit
Industrial Poisoning:—
By Lead	116	131	123	133	131	142	125	127	133	103	114	101	83	90	87	78	74	92	105	91
" Phosphorus	?	?	?	?	?	?	?	?	?	?	?	—	2	—	1	—	—	1	—	—
" Arsenic and other Poisons	?	?	?	?	?	?	?	?	?	?	?	4	1	3	1	1	2	1	1	1
Rheumatic Fever, Acute Rheumatism	2418	2547	2523	3085	2646	2257	2677	2527	2415	2647	2787	{ 2170	2146	1812	1738	2121	2219	2024	1805	1970
<i>Rheumatism of Heart</i>	{ 615	629	570	586	354	333	415	363	357
Chronic Rheumatism	938	1067	1029	878	799	888	850	914	905	923	894	790	506	462	488	437	392	440	444	438
Rheumatoid Arthritis, <i>Rheumatic Gout</i>	848	811	883	944	898	951	981	960	1088
Gout	604	653	600	619	565	606	579	570	522	559	504	521	489	463	500	415	461	450	416	401
Carcinoma*	12693	13540	14813	15532	16079	17165	17310	18383	19513
Sarcoma	19433	20117	20353	21135	21422	22945	23521	{ 1485	1551	1706	1611	1676	1690	1789	1753	1787	1895	1847	1896	1974
Cancer, Malignant Dis. (not otherwise defined)*	22958	23645	24619	25110	13118	12642	12487	12397	12355	12608	12288	12438	12566
Rickets	1124	1244	1321	1245	1230	1617	1233	1427	1396	1335	1293	1384	1369	1650	1822	1398	1377	1259	1189	1118
Purpura	{ 302	298	305	293	260	250	302	293	312
Hæmophilia, Hæmorrhagic Diathesis	{ 79	88	80	86	87	84	103	81	91
Anæmia, Leucocythæmia	1389	1558	1549	1524	1620	1883	1840	1849	1824	1866	1872	1911	1842	1793	1843	1930	2050	2190	2175	2216
Diabetes Mellitus	1863	1930	2011	2032	2037	2265	2286	2426	2585	2718	2767	2964	2769	2844	3133	3174	3342	3360	3610	3698
Premature Birth	15208	16451	16577	17263	15837	17508	17384	17779	18352	18548	18479	18564	18909	19081	19627	18871	19061	18219	18671	18210
Congenital Hydrocephalus†
Other Congenital Defects†	2382	2511	2656	2723	2785	2720	2710	2793	2750	2883	2992	4078	399	464	417	364	377	329	379	329
Injury at Birth
Atelectasis	83	50	73	128	120	134	178	166	162	333	448	603	651	689	772	709	866	816	4736	4601
Want of Breast Milk	757	922	939	986	969	1079	1235	1075	1147	1199	1225	1184	1255	1312	1327	1444	1458	1553	1597	1506
Teething	232	260	273	347	231	258	295	320	318	332	459	545	574	717	694	661	761	756	778	669
	4542	4661	4242	4057	3553	4193	3721	3728	3542	3396	3601	3268	3208	3265	2975	2343	2175	2088	1983	1769

* For the years 1897-1900, deaths from Carcinoma are included under the heading "Cancer, Malignant Disease."

† Includes deaths of children under 6 months of age from "Hydrocephalus" for the year 1901 and subsequent years.

‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 22 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Persons.

CAUSES OF DEATH.		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Opium, Morphia-habit
Industrial Poisoning:—
By Lead..	4	5	4	4	4	5	4	4	4	3	4	4	3	3	3	3	2	2	3	3	3
" Phosphorus
" Arsenic and other Poisons
Rheumatic Fever, Acute Rheumatism
Rheumatism of Heart	84	88	86	104	88	74	87	81	77	83	86	86	67	65	54	53	62	64	58	51	55
Chronic Rheumatism	33	37	35	30	27	29	28	29	29	29	28	28	19	15	17	17	13	11	12	10	10
Rheumatoid Arthritis, Rheumatic Gout	24	15	14	14	13	13	13	13	13
Gout ..	21	22	20	21	19	20	19	18	17	18	16	16	16	15	14	15	12	13	13	12	11
Carcinoma*	389	410	444	459	471	497	504	519	546
Sarcoma	676	692	690	710	712	753	762	{	48	54	50	50	51	51	54	52	52	55	53	53	55
Cancer, Malignant Dis. (not otherwise defined)*	{	737	750	772	779	402	383	374	366	362	365	352	351	351
Rickets	39	43	45	42	41	53	40	46	44	42	40	40	42	41	49	54	41	40	36	34	31
Purpura	10	13	11	12	12	12	11	11	12	10	10	10	9	9	9	9	8	7	9	8	9
Hæmophilia, Hæmorrhagic Diathesis	2	3	2	3	3	2	3	2	3
Anæmia, Leucocythæmia	48	54	53	51	54	62	60	59	58	59	58	58	59	56	54	54	57	59	63	61	62
Diabetes Mellitus	65	66	68	70	68	74	74	78	82	85	86	86	91	84	85	93	93	97	96	102	103
Premature Birth..	529	566	562	580	526	575	563	571	582	582	573	573	569	573	572	580	553	552	521	527	509
Congenital Hydrocephalus*
Other Congenital Defects*	83	86	90	92	92	89	87	90	87	91	93	93	125	120	124	127	111	111	9	134	129
Injury at Birth	3	2	2	4	4	4	6	5	5	10	14	14	18	20	21	23	21	25	23	27	27
Atelectasis ..	26	32	32	33	32	35	40	35	36	38	38	38	36	38	39	39	42	42	44	45	42
Want of Breast Milk	8	9	9	12	8	8	10	10	10	10	14	14	17	17	21	20	19	22	22	22	42
Teething	158	160	144	136	118	138	120	120	112	107	112	112	100	97	98	88	69	63	60	56	49

* See note to Table 23.

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1890-1909.—Persons.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Meningitis, Inflammation of Brain	9030	8455	7832	8108	6893	7561	7284	7429	7556	7555	7636	7073	6572	6341	6301	6034	5997	5429	5516	5344
Softening of Brain	3464	3275	3123	3023	2609	2748	2550	2489	2583	2546	2261	2161	2070	2174	2266	2182	2229	2279	2330	2128
General Paralysis of Insane	{ 2272	2257	2133	2380	2287	2340	2332	2217	2363
Insanity (not Puerperal)	{ 1359	1726	1653	1926	2069	2152	2209	2168	2171
Chorea	124	144	151	172	168	191	160	147	123	151	155	155	132	170
Epilepsy	2581	2528	2658	2746	2997	2883	3005	3052	2914	2998	2797	2800	2686	2814
Convulsions	18347	18384	18165	18019	18502	17688	16554	15112	14707	12933	12528	11562	11504	10315
Laryngismus Stridulus	520	512	502	435	436	463	439	435	398	364	305	315	343	270
Locomotor Ataxy	2070	2206	2250	2416	2412	{ 409	483	502	514	550	562	584	583	619
Paraplegia, Diseases of Cord..	20856	20887	20856	20856	20856	{ 2281	2056	2087	2193	2075	2075	1983	2118	2104
Neuritis, Peripheral, Poly-Neuritis	3705	3705	3705	3705	3705	{ 132	351	416	416	387	451	475	396	407
Brain Tumour (not Specific)	3108	2953	2895	2956	2342	{ 385	598	618	664	698	744	753	769	769
Other Diseases of Nervous System	3437	2437	2895	2956	2342	{ 4232	3906	3347	3647	3067	3079	2812	2577	2739
Otitis, Mastoid Disease	934	914	1014	1058	1115	1142	1108	1033	1091
Epistaxis, Diseases of Nose	832	905	885	904	1030	78	79	81	80	84	67	66	73	81
Ophthalmia, Diseases of Eye	57	66	50	53	76	71	60	70	57	61	75	60	42	54
Valvular Disease, Endocarditis (not Infective)*
Pericarditis	8356	9238	8772	9130	9315	10072	10220	10644	11059	12118	12882	12494	13003	13415	14557	14847	15470	16326	16363	17035
Hypertrophy of Heart..	636	668	608	662	607	527	550	554	535	604	623	636	438	422	416	455	429	481	432	410
Angina Pectoris	213	197	206	247	241	210	273	247	251	222	236	224	266	220
Dilatation of Heart	708	714	642	698	736	675	728	700	753	839	889	942	929	957
Fatty Degeneration of Heart	{ 2199	2603	2602	3025	3051	3127	3520	3353	3549
Syncope, Heart Disease (not specified)†	33034	34410	34287	36513	36382	{ 1942	2107	2063	2232	2268	2320	2483	2550	2493
Cerebral Hemorrhage, Cerebral Embolism†	{ 30066	29043	27451	28463	26634	26290	26992	25996	26254
Apoplexy, Hemiplegia	25583	26412	25069	24497	22584	24527	23638	24371	24275	25249	25214	{ 10734	12016	13396	14275	14763	15781	16543	17420	17938
Aneurysms..	{ 13193	11783	10191	9908	8760	8830	8565	8169	8094
Senile Gangrene	967	1067	1037	1093	1086	1101	1140	1059	1167
Embolism, Thrombosis (not Cerebral)†	1406	1393	1345	1403	1387	1418	1445	1456	1551
Phlebitis	586	511	418	444	412	445	516	473	472
Varicose Veins	163	147	171	148	150	127	130	125	148
Other Diseases of Blood Vessels†	110	103	94	121	111	111	103	87	112
	1224	1329	1311	1671	1859	2238	2512	2547	3118

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis (not Infective)." (See p. 26.)

† For years prior to 1901, deaths from Other Diseases of Blood Vessels are included under the heading "Syncope, Heart Disease (not specified)." See also note to Hemorrhage on p. 36.

‡ For years prior to 1901, deaths from Cerebral Embolism and from Cerebral Thrombosis are included under the heading "Embolism, Thrombosis (not Cerebral)."

§ Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

TABLE 24 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Persons.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Meningitis, Inflammation of Brain	314	291	265	272	229	248	236	238	240	237	237	217	199	190	186	177	174	155	156	149
Softening of Brain	120	113	106	102	87	90	83	80	82	70	70	66	63	65	67	64	65	65	66	60
General Paralysis of Insane	130	130	42	52	50	57	61	62	63	61	61
Insanity (not Puerperal)	5	5	6	5	4	4	4	4	4	4	5
Chorea	86	86	88	91	91	86	85	81	80	76	79
Epilepsy	106	105	95	94	85	93	84	81	84	574	565	542	502	453	434	379	363	331	325	288
Convulsions	749	764	701	701	602	673	594	590	576	14	14	14	13	13	12	11	9	9	10	8
Laryngismus Stridulus	23	28	24	20	16	20	17	16	16	75	71	13	15	15	15	16	16	17	16	17
Locomotor Ataxy
Paraplegia, Diseases of Cord	70	74	69	68	69	75	67	71	71	73	73	70	62	63	65	61	60	57	60	59
Neuritis, Peripheral, Poly-Neuritis	4	11	12	12	11	13	14	11	11
Brain Tumour (not Specific)	12	18	19	20	20	22	22	21	22
Other Diseases of Nervous System	125	127	115	124	104	113	101	95	92	93	93	130	115	100	108	90	89	80	73	77
Otitis, Mastoid Disease
Epistaxis, Diseases of Nose	20	19	21	26	24	27	27	29	28	32	32	29	28	30	31	33	33	32	29	31
Ophthalmia, Diseases of Eye	3	3	3	3	3	2	3	3	3	2	2	2	2	2	2	2	2	2	2	2
Valvular Disease, Endocarditis (not Infective)*
Pericarditis	290	318	297	307	309	331	331	342	351	399	380	383	394	402	430	435	448	467	462	476
Hypertrophy of Heart	22	23	21	22	20	17	18	18	17	19	19	19	13	13	12	13	12	14	12	11
Angina Pectoris	10	12	10	9	7	8	7	6	7	7	8	6	8	21	7	7	7	6	8	6
Dilatation of Heart	23	25	22	21	21	23	23	23	20	23	22	21	22	21	22	25	26	27	26	27
Fatty Degeneration of Heart
Syncope, Heart Disease (not specified)*	1290	1323	1213	1151	1082	1184	1070	1104	1088	1128	1145	922	880	823	841	780	761	772	733	734
Cerebral Hæmorrhage, Cerebral Embolism*
Apoplexy, Hemiplegia	890	908	850	823	750	805	765	782	770	782	792	329	364	401	422	432	457	473	491	502
Aneurysm*	404	357	305	293	256	256	245	230	226
Senile Gangrene	29	26	27	29	28	28	27	28	28	27	28	30	32	31	32	32	32	33	30	33
Embolism, Thrombosis (not Cerebral)*	50	54	48	42	43	44	38	41	40	45	40	43	42	40	41	41	41	41	41	41
Phlebitis	37	38	36	40	38	43	44	43	44	53	50	18	15	13	13	12	13	15	13	13
Varicose Veins	5	6	6	6	4	4	5	5	5	6	6	5	4	5	4	4	4	4	4	4
Other Diseases of Blood Vessels*	3	4	4	4	3	3	3	3	3	4	3	3	3	3	3	3	3	3	2	3
	p	p	p	p	p	p	p	p	p	p	p	38	40	39	49	54	65	72	72	87

* See note to Table 23.

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1890-1909.—Persons.

CAUSES OF DEATH.		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Laryngitis		1556	1402	1400	1651	1392	1372	1428	1284	1189	1323	1384	{ 1409	1336	1104	1133	1067	1062	1112	966	991
Membranous Laryngitis (not Diphtheritic)													{ 32	37	24	42	41	40	29	31	31
Croup (not Spasmodic nor Membranous)		3145	2638	2235	2102	1742	1647	1578	1099	863	1006	842	831	609	443	475	485	460	371	320	241
Other Diseases of Larynx and Trachea ..		172	137	166	154	133	126	139	132	126	124	136	62	36	44	46	57	61	43	38	28
Bronchitis		67104	75425	66858	56686	49350	59901	47417	46839	46621	51206	54580	44535	43645	37131	42188	38915	35714	42204	38702	40818
Emphysema, Asthma		2554	3054	2882	2324	2159	2617	2130	2242	2354	2819	2615	2343	1586	1302	1615	1502	1533	1722	1670	1926
Pleurisy		1891	2005	1710	1837	1471	1537	1536	1493	1498	1645	1872	1655	1358	1299	1239	1369	1259	1322	1242	1403
Fibroid Disease of Lung		4847	5306	4629	4246	3691	4339	3857	3814	3553	3868	3816	{ 656	684	613	591	557	529	656	579	583
Other Diseases of Respiratory System ..													{ 3273	3084	2811	2918	2816	2699	2513	2607	2702
Tonsillitis, Quinsy		1184	1153	1095	1388	1080	1215	1116	1015	1079	1075	1130	{ 456	416	377	399	391	373	391	363	385
Dis. of Mouth, Pharynx, Oesophagus (not Spec.)*													{ 609	580	429	589	558	555	514	512	563
Gastric Ulcer		4261	4280	4318	4953	4563	5227	5086	5314	5545	5902	6626	{ 1542	1681	1667	1749	1747	1745	1775	1713	1728
Gastritis, Gastric Catarrh													{ 5515	4742	4636	4498	3989	3402	3267	3463	3258
Other Diseases of Stomach (not Malignant)													{ 5806	4188	4494	525	497	546	557	508	458
Ulceration of Intestines†													{ 4106	2188	2682	4521	3364	5000	3687	4444	3708
Enteritis (not Epidemic)†													{ 1244	1485	1729	1887	1946	2144	2450	3495	2900
Gastro-enteritis													{ 1369	1513	1414	1491	1547	1554	1536	2136	2276
Appendicitis, Perityphlitis													{ 2647	2445	2574	2510	2577	2645	2563	2653	2617
Hernia†													{ 208	291	289	245	258	238	268	269	298
Intestinal Obstruction													{ 1532	1115	1004	966	843	845	697	713	615
Other Diseases of Intestines§													{ 4308	4066	3916	3971	4008	3861	3903	3671	3529
Peritonitis (not Puerperal)													{ 2867	2464	2316	2177	2085	2151	2021	1894	1962
Cirrhosis of Liver													{ 603	434	508	511	398	295	382	427	457
Other Diseases of Liver and Gall Bladder																					
Other Diseases of Digestive System*§																					

* For years prior to 1901, deaths from Diseases of the Oesophagus are included under the heading "Other Diseases of Digestive System."
† For the years 1901-3, deaths from Ulceration of Intestines are included under the heading "Enteritis (not Epidemic)."
‡ Since 1902, Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.
§ For years prior to 1901, deaths from Other Diseases of Intestines are included under the heading "Other Diseases of Digestive System."

TABLE 24 (cont).—ENGLAND AND WALES—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Persons.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Laryngitis	54	48	47	55	46	45	46	41	38	41	43	{	40	33	33	33	31	32	27	28
Membranous Laryngitis (not Diphtheritic)																				
Group (not Spasmodic nor Membranous)	109	91	76	71	51	54	51	32	27	32	26	25	18	13	14	14	13	11	9	7
Other Diseases of Larynx and Trachea ..	6	5	6	5	4	4	5	4	4	4	4	2	1	1	1	2	2	1	1	1
Bronchitis	2333	2593	2266	1905	1640	1967	1535	1479	1503	1606	1692	1365	1323	1112	1246	1139	1034	1208	1092	1142
Emphysema, Asthma	89	105	98	78	71	86	69	72	75	88	81	72	48	39	48	46	44	49	47	54
Pleurisy	66	69	58	62	49	50	50	48	48	52	58	51	41	39	37	40	36	38	35	39
Fibroid Disease of Lung	169	182	157	143	123	142	125	113	113	121	118	{	20	18	17	16	15	19	16	16
Other Diseases of Respiratory System ..												100	93	84	86	82	78	72	74	76
Tonsillitis, Quinsy	41	40	37	47	36	40	36	34	34	34	35	{	13	11	12	11	11	11	10	11
Dis. of Mouth, Pharynx, Esophagus (not Spec.)*																				
Gastric Ulcer	148	147	146	166	152	172	165	176	171	185	205	{	51	50	52	51	51	51	48	48
Gastritis, Gastric Catarrh																				
Other Diseases of Stomach (not Malignant)																				
Ulceration of Intestines*	11	12	12	11	11	12	12	12	11	11	11	{	144	139	132	117	16	16	14	13
Enteritis (not Epidemic)*																				
Gastro-enteritis	180	178	191	291	198	348	316	514	426	604	406	{	127	135	{	15	18	21	21	22
Appendicitis, Perityphlitis																				
Hernia*																				
Intestinal Obstruction	42	43	44	47	40	43	40	42	42	46	43	{	66	80	99	80	113	70	99	81
Other Diseases of Intestines*	89	92	84	90	87	92	86	87	90	88	81	{	45	52	56	57	62	56	60	64
Peritonitis (not Puerperal)																				
Cirrhosis of Liver	87	89	78	87	69	71	67	63	63	63	59	{	9	9	7	8	7	8	8	8
Other Diseases of Liver	124	125	122	120	115	118	122	133	132	142	144	{	34	30	28	25	24	20	20	17
Other Diseases of Liver and Gall Bladder	170	163	147	149	130	130	124	115	112	110	105	{	117	117	117	117	112	112	104	99
Other Diseases of Digestive System* ..	54	50	48	52	46	34	31	26	31	21	20	{	18	15	15	12	9	11	12	13

* See note to Table 23.

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1890-1909.—Persons.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Diseases of Spleen	98	93	94	101	75	69	60	73	58	53	45	73	57	46	48	56	53	50	39	55
Other Diseases of Lymphatic System	223	244	284	255	271	286	274	286	316	310	334	348	357	357	353	391	400	380	397	425
Diseases of Thyroid Body*	174	163	174	237	195	215	230	245	295	312	322	458	431	441	462	480	483	527	549	609
Diseases of Supra Renal Capsules	169	138	146	154	153	172	194	181	197	206	209	168	168	191	195	196	228	174	218	248
Acute Nephritis, Uræmia	225	2437	2455	2528	2410	2557	2576	2788	2808	2918	3054	3035	2991	2951	3122	3153	3270	3435	3698	3836
Chronic Bright's Disease, Albuminuria	7319	7529	7378	7590	7531	8251	8023	8234	8537	9203	9860	9676	9221	9468	10006	9622	10082	10442	10062	10504
Calculus (not Biliary)	251	237	250	241	245	241	223	272	269	245	249	244	249	217	262	249	264	278	235	241
Diseases of Bladder and of Prostate	2060	2171	2147	2117	2016	2298	2199	2335	2206	2321	2318	2353	2436	2493	2499	2469	2641	2441	2505	2442
Other Diseases of Urinary System†	1109	1204	1032	944	742	770	680	711	778	687	407	381	586	575	591	644	631	609	610	563
Ovarian Tumour (not Malignant)	494	536	499	506	435	500	456	457	447	446	406	{	373	374	350	389	375	357	292	307
Other Diseases of Ovary	{	{	{	{	{	{	{	{	{	{	{	{	48	64	46	40	46	51	31	33
Uterine Tumour (not Malignant)	648	648	675	723	734	688	710	745	682	709	667	339	334	359	353	376	353	327	358	293
Other Diseases of Uterus and Vagina	{	{	{	{	{	{	{	{	{	{	{	316	305	278	316	327	305	319	287	337
Disorders of Menstruation	87	77	63	71	76	91	73	74	65	88	92	76	58	56	36	42	39	50	36	33
Other Diseases of Gener. & Mamm. Organs	258	232	197	178	151	155	141	152	149	149	146	96	83	54	87	73	80	58	55	62
Abortion, Miscarriage	185	228	255	161	160	180	215	191	187	179	218	152	148	152	141	151	143	102	83	85
Puerperal Mania	87	105	77	83	76	65	77	74	59	74	73	70	79	62	62	66	68	70	57	42
Puerperal Convulsions	296	373	333	376	350	325	358	314	386	347	387	376	400	409	395	467	438	449	426	462
Placenta Prævia, Flooding	700	778	806	803	780	710	701	694	660	691	614	699	637	678	580	619	618	608	560	574
Other Accidents of Pregnancy and Childbirth	971	1234	1284	1433	1152	1012	1087	1079	1015	1062	1146	1018	938	888	835	868	850	826	840	787
Caries, Necrosis	1012	1023	981	942	934	898	859	876	787	785	780	762	706	653	539	522	460	382	348	187
Arthritis, Periostitis	256	254	263	294	277	286	263	272	255	299	293	189	217	202	239	222	203	249	252	256
Other Diseases of Locomotor System	1015	898	682	524	492	514	425	418	353	373	294	349	286	284	276	315	391	254	263	301
Ulcer, Bed-sore	548	538	555	575	562	571	502	560	540	534	564	474	397	407	426	440	462	485	436	430
Eczema	394	429	418	460	386	405	380	373	397	354	371	367	362	348	326	320	298	287	286	248
Pemphigus	106	123	105	135	122	146	161	142	147	157	188	165	147	191	198	265	244	223	249	214
Other Diseases of the Skin	192	178	200	214	207	246	241	187	208	220	276	240	221	214	195	234	211	251	219	235

* Deaths from Cretinism and Myxœdema, which in the old Tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.

† Since the year 1901, deaths from Stricture of the Urethra are included under this heading. See also note to Gonorrhœa, p. 24.

TABLE 24 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Persons.

CAUSES OF DEATH.		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Diseases of Spleen	..	3	3	3	3	2	2	2	2	2	2	1	2	2	1	1	2	2	1	1	2
Other Diseases of Lymphatic System	..	8	8	10	9	9	9	10	9	10	10	10	11	11	11	10	11	12	11	11	12
Diseases of Thyroid Body*	..	6	6	6	8	6	7	9	8	9	10	10	14	13	13	14	14	14	15	15	17
Diseases of Supra Renal Capsules	6	5	5	5	5	6	6	6	6	6	6	5	5	6	6	6	7	5	6	7
Acute Nephritis, Uræmia	..	78	84	83	85	80	84	83	89	89	92	95	93	91	88	92	92	95	98	104	108
Chronic Bright's Disease, Albuminuria	..	254	259	250	255	250	271	260	264	271	289	306	297	279	284	295	282	292	299	284	294
Calculus (not Biliary)	9	8	8	8	8	8	7	9	9	8	8	7	8	7	8	7	8	8	7	7
Diseases of Bladder and of Prostate	..	72	75	73	71	67	75	71	75	70	73	72	72	74	75	74	72	76	70	71	68
Other Diseases of Urinary System*	..	38	41	35	32	25	25	22	23	25	22	13	12	18	17	17	19	18	17	17	16
Ovarian Tumour (not Malignant)	..	17	18	17	17	14	16	15	15	14	14	13	{	11	11	10	11	11	10	8	9
Other Diseases of Ovary	{	1	2	1	1	1	1	1	1
Uterine Tumour (not Malignant)	{	10	11	10	11	10	9	10	8
Other Diseases of Uterus and Vagina	{	9	8	9	10	9	9	8	9
Disorders of Menstruation	..	3	3	2	2	3	3	2	2	2	3	3	2	2	2	1	1	1	1	1	1
Other Diseases of Gener. & Mamm. Organs	..	10	8	7	6	5	5	5	5	5	5	5	3	3	2	3	2	2	2	2	2
Abortion, Miscarriage	6	8	9	5	5	6	7	6	6	6	7	5	4	5	4	4	4	3	2	2
Puerperal Mania..	..	3	4	3	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1
Puerperal Convulsions	..	10	13	11	13	12	11	12	10	12	11	12	12	12	12	12	14	13	13	12	13
Placenta Prævia, Flooding	..	24	27	27	27	26	23	23	22	21	22	19	21	19	20	17	18	18	17	16	16
Other Accidents of Pregnancy and Childbirth	..	34	42	44	48	38	33	35	35	32	33	36	31	28	27	25	25	25	24	24	22
Caries, Necrosis	..	35	35	33	32	31	29	28	28	25	25	24	23	21	20	16	15	13	11	10	5
Arthritis, Periostitis	..	9	9	9	10	9	9	9	9	8	9	9	6	7	6	7	7	6	7	7	7
Other Diseases of Locomotor System	..	35	31	23	18	16	17	14	13	11	12	9	11	9	9	8	9	11	7	7	8
Ulcer, Bed-sore	19	18	19	19	19	19	16	18	17	17	17	15	12	12	13	13	13	14	12	12
Eczema	14	15	14	15	13	13	12	12	13	11	12	11	11	10	10	9	9	8	8	7
Femphigus	..	4	4	4	5	4	5	5	5	5	5	6	5	4	6	6	8	7	6	7	6
Other Diseases of the Skin	..	7	6	7	7	7	8	8	6	7	7	9	7	7	6	6	7	6	7	6	7

* See note to Table 23.

TABLE 23 (continued).—ENGLAND AND WALES—Deaths from **Various Causes at All Ages, 1890-1909.—Persons.**

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
OTHER SPECIFIED DISEASES.*	641	726	726	730	663	815	819	871	936	1086	1176	—	5	3	2	2	—	—	—	5
CAUSES ILL-DEFINED OR NOT SPECIFIED.																				
<i>Atrophy, Debility</i>	21434	21934	21303	22929	18281	22568	19745	20113	20355	20411	20372	19800	17708	17512	17546	16010	15900	14607	14920	13979
<i>Old Age</i>	28102	29417	27866	26528	24517	29842	26168	28618	28698	31477	31776	30243	30351	30090	32303	31459	33208	32918	32895	33975
<i>Dropsy, Ascites, Anasarca</i>	513	458	401	385	324	348	303	278	324	360	348	223	171	164	121	121	82	125	75	64
<i>Tumour</i>	153	135	151	119	126	135	79	121	82	81	73	83	82	86	89	80	68	93	84	97
<i>Abscess</i>	568	533	562	553	441	413	405	403	372	357	346	332	329	332	290	235	272	293	378	266
<i>Hæmorrhage†</i>	145	123	127	161	157	135	131	107	108	114	118	28	56	43	35	36	32	35	35	33
<i>Sudden Death (cause unascertained)</i>	437	394	402	348	285	301	317	204	199	212	244	175	177	142	45	30	24	19	15	19
<i>Other ill-defined causes</i>										{	72	360	704	819	777	854	787	712	679	658
<i>Causes not specified</i>	2816	2694	2330	1922	1764	1990	1760	1931	1701	1621	1736	1108	592	267	243	201	156	177	138	119
VIOLENT DEATHS.																				
In Mines and Quarries												{	979	941	981	1113	1077	1084	1147	1367
Vehicles and Horses												2690	2533	2469	2440	2424	2510	2546	2487	2259
Ships, Boats, and Docks (not Drowning)												334	267	297	286	283	270	247	278	264
Building Operations												185	205	210	203	233	233	243	227	166
Machinery												216	263	258	219	238	245	227	213	109
Weapons and Implements												149	118	114	127	112	114	91	101	109
Burns and Scalds												2754	2479	2287	2383	2485	2606	2610	2650	2659
Poisons, Poisonous Vapours												515	495	458	520	510	539	545	550	557
Drowning												2764	2261	2516	2411	2502	2344	2255	2453	2190
Suffocation												1964	2039	1958	2084	1882	1877	1903	1836	1582
Falls												2810	2676	2549	2538	2386	2562	2730	2630	2610
Weather Agencies												437	237	197	284	231	304	154	234	196
Otherwise or not stated												1477	1244	1210	1220	1190	1154	1131	1204	1088
Battle												4	6	2	—	3	1	2	1	—
Homicide	286	315	300	337	298	315	301	291	307	291	278	336	297	295	327	302	284	265	311	287
Suicide	2205	2483	2583	2599	2729	2797	2656	2792	2877	2844	2896	3121	3267	3511	3345	3545	3452	3533	3778	3577
Execution	16	14	16	16	18	10	20	7	10	15	14	15	22	25	18	17	8	10	12	19

* The figures for years prior to 1901 refer to deaths classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."

† Deaths from Rupture of Blood Vessels are included under this heading for years prior to 1901, and under "Other Diseases of Blood Vessels" since that date.

TABLE 24 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Persons.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
OTHER SPECIFIED DISEASES.*	22	25	25	25	22	27	27	28	30	34	36	—	0	0	0	0	—	—	—	0
CAUSES ILL-DEFINED OR NOT SPECIFIED.																				
<i>Atrophy, Debility</i>	745	754	722	770	607	741	639	646	646	640	632	607	537	525	518	459	460	418	421	391
<i>Old Age</i>	978	1007	942	892	817	988	846	918	910	984	983	931	923	902	959	922	957	945	926	948
<i>Dropsy, Ascites, Anasarca</i> ..	17	16	14	13	11	11	10	9	10	11	11	7	5	5	4	4	2	4	2	2
<i>Tumour</i>	5	5	5	4	4	4	3	4	3	3	2	3	2	3	3	2	2	3	2	3
<i>Abscess</i>	20	18	19	19	15	14	13	13	12	11	11	10	10	10	9	7	8	8	11	7
<i>Hæmorrhage*</i>	5	4	4	5	5	4	4	3	3	4	4	5	2	1	1	1	1	1	1	1
<i>Sudden Death (cause unascertained)</i> ..	15	13	14	12	9	10	10	7	6	7	8	11	5	4	1	1	1	1	0	1
<i>Other ill-defined causes</i>	97	93	79	65	59	65	57	62	54	51	54	34	18	25	23	25	23	20	19	18
<i>Causes not specified</i>														8	7	6	5	5	4	3
VIOLENT DEATHS.																				
In Mines and Quarries.. .. .	548	556	535	551	512	554	522	537	518	554	525	31	30	28	29	33	31	31	32	38
Vehicles and Horses												82	77	74	72	71	73	73	70	63
Ships, Boats, and Docks (not Drowning)												10	8	9	8	8	8	7	8	7
Building Operations												6	6	6	6	7	7	6	6	5
Machinery												7	8	8	7	6	7	7	6	6
Weapons and Implements												5	4	3	4	3	3	3	3	3
Burns and Scalds												84	75	69	70	73	75	75	75	74
Poisons, Poisonous Vapours												16	15	14	15	15	16	16	16	16
Drowning												85	69	75	71	73	68	65	69	61
Suffocation												60	62	59	62	55	54	54	52	44
Falls												86	81	76	75	70	74	74	74	73
Weather Agencies												13	7	6	8	7	9	4	7	5
Otherwise or not stated												45	38	36	36	35	33	32	34	30
Battle												0	0	0	—	0	0	0	0	—
Homicide												10	9	9	10	9	8	8	9	8
Suicide												96	99	105	99	104	100	101	107	100
Execution												0	1	1	1	0	0	0	0	1

* See note to Table 23.

TABLE 25.—ENGLAND AND WALES.—Deaths from Various Causes at All Ages,* 1890-1909.—Males.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (see Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	
ALL CAUSES		290448	302494	286062	291889	256015	290704	270575	280211	283981	299472	303823	285618	277216	266290	283206	267601	274233	269259	268714	265203	
Small-pox { Not Vaccinated Doubtful Cow-pox and other effects of Vaccination Chicken-pox Measles (Morbilli) German Measles .. Scarlet Fever .. Typhus Plague Relapsing Fever .. Influenza Whooping-cough .. Mumps Diphtheria Cerebro-spinal Fever .. Pyæmia (origin uncertain) Enteric Fever	4	2	32	99	80	24	27	5	62	4	4	4	78	525	98	56	13	—	2	—	4	
	—	8	59	140	84	33	62	3	35	3	3	7	61	401	109	76	7	1	1	—	4	
	22	21	166	643	301	67	196	9	44	96	96	39	62	513	297	180	43	3	7	—	10	
	55	53	70	34	26	29	23	21	9	23	23	11	6	11	11	17	11	7	4	—	4	
	6516	6509	6907	71	66	42	88	57	67	71	69	6506	57	61	57	55	52	67	68	43	52	
	38	24	41	5771	6107	5858	8993	6533	6783	5094	5094	6506	4765	6633	4704	6313	523	4748	6578	4135	6466	
	3481	2495	2799	3430	2452	2238	2749	2296	1808	1864	1864	1951	2188	2469	2121	1895	1917	1793	1644	1401	1662	
	80	74	48	71	58	28	36	26	27	17	17	14	21	37	33	20	19	5	13	8	11	
	—	—	—	—	—	—	—	—	—	—	—	—	1	10	—	1	1	—	—	1	—	
	2	4	7	2	2	4	2	1	1	—	—	4	2	1	—	—	—	1	—	2	—	
	2415	8621	7673	4808	3233	6173	1912	3085	5010	6085	7683	7683	2912	3642	3067	2782	3387	3124	4431	4842	4300	
	6166	6051	6005	4515	5547	4275	5859	5234	4495	4622	5157	5157	4573	4474	4334	5260	3951	3717	4501	4339	3137	
	39	40	44	49	35	26	41	40	31	42	42	42	44	51	44	50	52	53	54	49	45	
	2469	2365	3156	4652	4198	3851	4436	3764	3724	4453	4612	4612	4374	3741	2947	2825	2626	2933	2785	2729	2521	
	25	10	13	10	7	9	8	4	7	15	8	8	29	40	29	43	71	24	24	101	67	63
	172	146	121	128	103	77	82	50	69	50	54	54	50	41	33	30	23	10	10	19	10	8
	2769	2603	2194	3611	2701	2870	2935	2681	3205	3561	3272	3272	2925	2396	1929	1837	1750	1840	1840	1373	1617	1270
Asiatic Cholera .. Diarrhoea due to Food† Infective Enteritis, Epidemic Diarrhoea.. Dysentery Typhoid Typhus Malaria Rabies, Hydrophobia .. Glanders Anthrax (Splenic Fever) ..	P	2	P	P	P	P	P	P	P	P	P	P	—	—	—	—	—	—	—	—	1	
	9337	7360	8116	15620	5639	14405	9211	14244	15762	16178	12367	12367	9586	4723	5424	6558	4523	9620	2751	159	152	
	32	29	37	23	22	21	22	15	17	17	52	52	6261	2651	4183	8991	6279	2790	5443	2618	2628	
	88	80	78	64	63	74	78	102	68	82	92	92	174	145	177	171	121	150	124	4173	139	
	4	6	5	3	11	17	7	6	1	—	—	—	44	151	187	192	188	200	176	139	167	
	3	4	4	6	1	3	1	1	4	5	—	—	88	99	60	95	71	55	62	49	69	
	3	1	5	6	7	11	8	16	16	16	16	10	—	5	6	—	—	1	4	7	4	
	—	—	—	—	—	—	—	—	—	—	—	—	11	12	17	18	17	22	14	12	15	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Syphilis	1049	1042	1108	1190	1066	1126	980	1046	1007	972	990	990	956	935	986	1009	1002	937	952	939	968
	Gonorrhoea§	272	333	299	291	316	321	343	368	326	334	354	354	350	20	12	25	18	24	16	10	18

* For deaths at groups of ages from these causes in 1909, see pp. 296-312.

† Called Food, Ptomaine-Poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhoea in artificially fed children.

§ Includes deaths from Stricture of the Urethra previous to 1902. See also note to "Other Diseases of Urinary System," p. 48.

† Called Simple Continued Fever previous to 1901.

TABLE 26.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Males.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (see Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
ALL CAUSES		20833	21465	20017	20251	17560	19719	18099	18584	18623	19419	19480	18108	17378	16506	17309	16216	16431	15952	15697	15360
Small-pox { Vaccinated. Not Vaccinated Doubtful		0	0	2	7	5	2	2	0	4	0	0	5	33	6	3	1	—	0	—	0
Cow-pox and other effects of Vaccination		—	1	4	10	6	2	4	0	2	0	0	4	25	7	5	0	—	0	—	0
Chicken-pox		2	1	12	45	21	5	13	1	3	6	3	4	32	18	11	3	1	0	0	1
Measles (Morbilli)		2	1	2	2	2	2	2	1	1	1	1	0	1	1	1	1	1	0	0	0
German Measles		4	4	5	5	5	3	6	4	4	5	4	4	4	4	3	3	4	4	3	3
Scarlet Fever		467	462	483	400	419	397	602	433	445	330	417	302	416	292	386	341	284	390	242	374
Typhus		3	2	3	1	2	1	2	1	1	1	1	2	1	1	1	116	107	1	1	96
Typhoid		250	177	196	238	168	152	184	152	119	121	125	139	155	131	116	116	107	97	82	96
Plague		6	5	3	5	4	2	2	—	2	—	—	1	2	2	1	1	—	1	0	1
Relapsing Fever		—	—	—	—	—	—	—	—	—	—	—	1	0	—	—	0	—	—	0	—
Influenza		0	0	0	0	0	0	0	0	0	—	—	0	0	—	—	0	0	—	0	—
Whooping-cough		173	612	537	334	222	419	128	205	329	395	493	185	228	190	170	205	187	263	283	249
Mumps		442	429	420	313	381	290	392	347	295	300	331	290	280	269	321	240	223	267	253	182
Diphtheria		3	3	3	3	2	2	2	3	2	3	3	3	3	3	3	3	3	3	3	3
Cerebro-spinal Fever		177	168	221	323	288	261	297	250	244	289	296	277	235	183	173	159	176	165	159	146
Pyæmia* (origin uncertain)		2	1	1	1	0	1	0	0	0	1	1	2	3	2	3	4	2	6	4	4
Enteric Fever		12	10	8	9	7	5	5	3	5	3	3	3	3	2	2	1	1	1	1	0
		199	185	154	251	185	195	196	178	210	231	210	185	150	120	112	106	110	81	94	74
Asiatic Cholera.		P	P	P	P	P	P	P	P	P	P	P	—	—	—	—	—	—	—	—	0
Diarrhoea due to Food*		0	1	0	1	1	1	1	1	2	2	2	2	3	3	4	7	10	7	9	9
Infective Enteritis, Epidemic Diarrhoea..		670	522	568	1084	387	977	616	945	1034	1049	793	397	166	259	550	380	576	163	318	152
Diarrhoea (not otherwise defined)		670	522	568	1084	387	977	616	945	1034	1049	793	608	296	336	401	274	369	165	244	152
Dysentery		2	2	3	2	2	1	1	1	1	1	3	11	9	11	10	7	9	7	8	7
Tetanus		6	6	5	0	4	5	5	7	4	5	6	3	6	6	6	11	12	10	8	10
Malaria		0	0	0	0	1	1	0	0	0	—	—	—	0	—	—	—	—	—	—	4
Rabies, Hydrophobia		0	0	0	0	0	0	0	0	0	—	—	—	0	—	—	—	—	—	—	—
Glanders		0	0	0	0	0	0	0	0	0	—	—	—	0	—	—	—	—	—	—	0
Anthrax (Splenic Fever)		0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Syphilis		75	74	78	83	73	76	66	69	66	63	63	61	59	61	62	61	56	56	55	56
Gonorrhoea*		20	24	21	20	22	22	23	24	21	22	23	22	22	21	2	1	1	1	1	1

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1890-1909.—Males.

CAUSES OF DEATH.		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Puerperal Septicæmia, Puer. Septic Intoxication		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Pyæmia		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmasia Alba Dolens		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Endocarditis*		?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
{ Lobar ..		24138	25332	21231	22103	18605	20327	20330	20163	20134	23041	26147	{ 173 1437 8022	{ 190 2184 9974	{ 180 2017 9269	{ 203 2345 10345	{ 208 2982 10022	{ 230 3117 9057	{ 212 3341 11237	{ 251 3030 10270	{ 253 3719 10349
{ Broncho-		707	644	767	1025	706	564	570	501	516	624	646	{ 12110 607	{ 14361 663	{ 11706 561	{ 11529 622	{ 12061 646	{ 11448 642	{ 11833 541	{ 10368 443	{ 11657 523
{ Epidemic ..		320	289	303	387	357	316	379	367	302	412	463	{ 152 113	{ 205 142	{ 196 140	{ 204 101	{ 221 135	{ 235 113	{ 273 93	{ 251 84	{ 210 81
{ Not defined ..		282	297	328	343	303	302	305	353	331	387	403	{ 410 24	{ 453 18	{ 412 19	{ 456 14	{ 468 27	{ 511 11	{ 471 19	{ 436 10	{ 491 11
Septicæmia, Septic Intoxication (not Puerperal)		25	28	24	35	20	34	20	16	25	17	16	{ 99	{ 36	{ 55	{ 78	{ 104	{ 130	{ 131	{ 151	
Pyæmia (not Puerperal)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon, Carbuncle (not Anthrax)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phagedæna		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Infective Processes		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pulmonary Tuberculosis (Tuberculous Phthisis)		26049	25090	23223	23600	22755	23027	22166	23046	23037	23906	24491	{ 4333 19121	{ 6267 16954	{ 8293 14729	{ 9701 14149	{ 9981 12245	{ 10804 11841	{ 11399 11348	{ 11756 10667	{ 12111 9825
Phthisis (not otherwise defined)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculous Meningitis		3823	3992	3734	3663	3385	3691	3483	3522	3608	3452	3412	{ 3134 1475	{ 3084 1477	{ 3406 1788	{ 3359 1994	{ 3187 1798	{ 3117 1925	{ 3090 1787	{ 3057 1924	{ 2955 1833
Tuberculous Peritonitis		4113	3897	3753	4116	3005	3910	3198	3355	3344	3335	3164	{ 1764 1311	{ 1311 1150	{ 1150 1064	{ 1064 784	{ 784 660	{ 660 22	{ 531 28	{ 554 18	{ 488 23
Tuberculous Mesenterica		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lupus		29	18	25	19	24	14	21	16	16	19	19	{ 24 666	{ 16 663	{ 18 842	{ 28 957	{ 23 935	{ 22 1022	{ 18 978	{ 23 1060	{ 23 1908
Tubercle of other Organs		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
General Tuberculosis		2870	3123	3025	2926	2993	3294	2984	2939	3109	2959	3249	{ 2187 177	{ 2116 70	{ 2173 65	{ 2253 47	{ 2015 37	{ 2033 25	{ 2117 9	{ 2209 19	{ 1908 13
Scurvy		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases		370	356	307	277	233	272	236	198	200	209	188	175	142	165	164	143	176	139	130	120
Starvation		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scurvy		29	39	35	37	28	24	19	25	23	28	24	{ 11 15	{ 16 15	{ 19 22	{ 17 21	{ 17 21	{ 14 26	{ 15 21	{ 11 25	{ 11 26
Alcoholism, Delirium Tremens		14	10	13	14	12	20	9	20	17	23	18	{ 15 1778	{ 15 1673	{ 22 1475	{ 21 1396	{ 21 1297	{ 26 1341	{ 21 1328	{ 25 1112	{ 26 998

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis." (See p. 44.)

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Males.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Puerperal Septicæmia, Puer. Septic Intoxication	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmasia Alba Dolens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined) ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Endocarditis*	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
{ Lobar	1731	1798	1486	1533	1276	1379	1360	1337	1320	1494	1676	11	12	11	12	13	14	13	15	15
{ Broncho-												91	137	125	143	181	187	198	177	215
{ Epidemic												509	625	575	632	607	543	666	600	599
{ Not defined												3	1	0	—	0	0	0	0	1
Pneumonia	51	46	54	71	48	38	38	33	34	40	41	768	900	726	705	731	686	701	606	675
Erysipelas	23	21	21	27	24	21	25	24	20	27	30	38	42	35	38	39	38	32	26	30
Septicæmia, Septic Intoxication (not Puerperal) ..	20	21	23	24	21	20	20	23	22	25	26	10	13	12	12	13	14	16	15	12
Pyæmia (not Puerperal)	2	2	2	2	1	2	1	1	2	1	1	7	9	9	6	8	7	6	5	5
Phlegmon, Carbuncle (not Anthrax)	?	?	?	?	?	?	?	?	?	?	?	26	28	26	28	28	31	28	25	29
Other Infective Processes												2	1	1	1	2	1	1	1	1
												6	2	3	5	6	8	8	8	9
Pulmonary Tuberculosis (Tuberculous Phthisis) ..	1868	1780	1625	1637	1561	1562	1483	1528	1511	1550	1570	{ 275	393	514	593	605	647	669	687	701
{ Phthisis (not otherwise defined)												1212	1063	913	865	742	709	672	623	569
Tuberculous Meningitis	274	283	261	254	232	250	233	234	237	224	219	199	193	211	205	194	187	183	178	171
Tuberculous Peritonitis	295	277	263	286	206	265	214	223	219	216	203	94	93	111	122	109	115	106	112	106
Tuberculous	2	1	2	1	2	1	1	1	1	1	1	112	82	71	65	48	40	31	32	28
Lupus												2	1	1	2	1	1	2	1	1
Tubercle of other Organs												42	42	52	58	57	61	57	57	61
General Tuberculosis	206	222	212	203	205	223	200	195	204	192	208	139	133	135	138	122	122	125	129	111
Scurvy												11	4	4	3	2	1	1	1	1
Parasitic Diseases	27	25	21	19	16	18	16	13	13	14	12	11	9	10	10	9	11	8	8	7
Starvation	2	3	2	3	2	2	1	2	2	2	2	1	1		1	1	1	1	1	1
Scurvy	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1
Alcoholism, Delirium Tremens	94	94	86	93	76	84	91	97	98	113	132	113	105	91	85	79	80	79	65	58

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1890-1909.—Males.

CAUSES OF DEATH	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Opium, Morphia-habit	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Industrial Poisoning:—	86	105	102	105	102	115	101	102	112	91	105	96	80	88	83	76	70	89	102	88
By Lead ..	?	?	?	?	?	?	?	?	?	?	?	—	1	—	—	—	—	1	—	—
" Phosphorus ..	?	?	?	?	?	?	?	?	?	?	?	4	1	3	1	1	2	1	1	1
" Arsenic and other Poisons ..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Rheumatic Fever, Acute Rheumatism	1215	1278	1306	1546	1280	1102	1317	1266	1195	1302	1430	{ 1108	1091	875	894	1016	1090	987	871	961
<i>Rheumatism of Heart</i> ..	?	494	454	408	359	368	348	395	405	405	392	302	278	239	240	158	137	181	156	149
Chronic Rheumatism ..	?	?	?	?	?	?	?	?	?	?	?	290	198	205	222	165	146	172	195	167
Rheumatoid Arthritis, <i>Rheumatic Gout</i>	479	521	487	482	428	494	461	462	421	428	383	416	289	273	275	253	259	289	245	295
Gout ..	?	?	?	?	?	?	?	?	?	?	?	?	386	364	405	326	366	362	333	320
Carcinoma* ..	?	?	?	?	?	?	?	?	?	?	?	4746	5071	5743	6128	6423	6963	6895	7476	7794
Sarcoma ..	7137	7294	7547	7908	8077	8628	9216	{ 773	802	883	790	846	843	929	893	949	987	1034	1054	1073
Cancer, Malignant Dis. (not otherwise defined)*	?	?	?	?	?	?	?	{ 8800	9130	9454	9685	5299	5184	5127	5065	5098	5307	5270	5371	5386
Rickets ..	653	714	728	710	713	950	689	797	803	750	730	820	780	987	1076	791	778	707	697	664
Purpura ..	155	211	172	190	188	191	177	164	186	177	168	{ 148	140	150	129	130	110	145	148	159
Hæmophilia, Hæmorrhagic Diathesis	?	?	?	?	?	?	?	?	?	?	?	49	59	49	59	47	46	57	57	58
Anæmia, Leucocythæmia ..	471	558	583	553	629	668	691	699	717	705	758	768	792	761	786	840	894	1004	968	997
Diabetes Mellitus ..	1076	1082	1142	1169	1166	1262	1243	1303	1437	1448	1455	1565	1462	1409	1612	1708	1736	1738	1842	1898
Premature Birth..	8489	9125	9344	9673	8990	9858	9739	10020	10393	10400	10316	10445	10861	10804	11097	10422	10767	10206	10553	10207
Congenital Hydrocephalus†	1308	1368	1412	1469	1540	1422	1459	1522	1550	1564	1604	2253	252	270	252	245	211	179	223	203
Other Congenital Defects‡	?	?	?	?	?	?	?	?	?	?	?	?	277	2327	2391	2493	2579	2547	2661	2517
Injury at Birth ..	49	29	42	76	68	76	94	93	85	196	254	382	389	413	464	418	521	485	585	566
Atelectasis ..	434	547	544	593	562	599	717	616	662	701	726	695	769	750	753	830	856	915	874	874
Want of Breast Milk	137	144	149	185	135	136	167	178	175	180	246	317	326	414	383	379	439	434	447	384
<i>Teething</i> ..	2462	2554	2351	2197	1959	2313	1976	2072	1904	1845	1979	1750	1775	1802	1593	1288	1201	1169	1078	994

* For the years 1897-1900, deaths from Carcinoma are included under the heading "Cancer, Malignant Disease."

† Includes deaths of children under 6 months of age from "Hydrocephalus" for the year 1901 and subsequent years.

‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Males.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Opium, Morphia-habit
Industrial Poisoning:—
By Lead	6	7	7	7	7	8	7	7	7	6	7	6	5	5	5	5	4	5	6	5
" Phosphorus
" Arsenic and other Poisons
Rheumatic Fever, Acute Rheumatism
Rheumatism of Heart	87	91	91	107	88	75	88	84	78	84	92	{	68	54	55	62	65	57	51	56
Chronic Rheumatism	17	15	15	10	8	11	9	9
Rheumatoid Arthritis, Rheumatic Gout	12	13	14	10	9	10	11	10
Gout	18	17	17	15	15	18	15	17
	34	37	34	33	29	34	31	31	28	28	25	26	24	23	25	20	22	21	19	19
Carcinoma*	301	356	375	389	417	408	437	451
Sarcoma	54	58	55	58	59	61	62	62
Cancer, Malignant Dis.(not otherwise defined)*	512	518	528	549	554	585	617	{	51	51	51	336	325	318	310	309	318	312	314	313
	599	613	621
Rickets	52	61	66	48	47	42	41	38
Purpura	9	9	8	8	7	9	9	9
Hæmophilia, Hæmorrhagic Diathesis	3	3	4	3	3	3	3	3
Anæmia, Leucocythæmia	49	47	48	51	54	59	57	58
Diabetes Mellitus	99	87	99	104	104	103	108	110
Premature Birth	668	670	678	632	645	605	616	591
Congenital Hydrocephalus*	{	17	15	15	13	11	13	12
Other Congenital Defects*	143	144	146	151	155	151	155	146
Injury at Birth	24	26	28	25	31	29	34	33
Atelectasis	48	46	46	50	51	54	54	51
Want of Breast Milk	20	26	23	23	26	26	26	22
Teething	111	112	97	78	72	69	63	58

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1890-1909.—Males.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Meningitis, Inflammation of Brain	4962	4574	4172	4265	3594	4020	3900	4026	4035	4176	4105	3782	3528	3378	3404	3233	3301	2880	3016	2902
Softening of Brain	1909	1757	1730	1624	1417	1460	1372	1309	1345	1358	1189	1129	1118	1165	1209	1094	1156	1158	1183	1105
General Paralysis of Insane	1630	1671	1638	1757	1893	2290	2137	2264	2278	2435	2528	1728	1681	1584	1802	1738	1772	1775	1713	1817
Insanity (not Puerperal)	26	36	32	39	30	35	40	33	38	40	43	57	55	41	33	36	37	38	41	38
Chorea	1553	1563	1458	1446	1202	1439	1308	1336	1347	1371	1546	1533	1593	1598	1557	1496	1482	1458	1382	1472
Epilepsy	12091	12726	11705	11379	10245	11536	10234	10445	10304	10044	10388	9863	9427	8649	8419	7377	7101	6545	6568	5890
Convulsions	411	515	450	351	310	362	312	319	330	281	261	286	266	248	220	222	180	191	231	150
Laryngismus Stridulus	1142	1227	1195	1196	1230	1320	1221	1291	1293	1472	1472	1268	1096	418	411	448	463	461	477	496
Locomotor Ataxy	1883	1913	1746	1876	1580	1704	1608	1525	1435	1460	1176	46	128	112	125	103	128	140	132	126
Paraplegia, Diseases of Cord												198	324	352	330	357	383	371	392	
Neuritis, Peripheral, Poly-Neuritis												2206	1924	1631	1797	1516	1568	1382	1291	1368
Brain Tumour (not Specific)																				
Other Diseases of Nervous System																				
Otitis, Ma-toid Disease	336	316	349	447	389	494	456	511	486	496	589	491	483	564	618	624	648	601	578	647
Epistaxis, Diseases of Nose	43	47	50	50	44	35	51	48	42	44	37	42	49	36	49	41	41	27	38	40
Ophthalmia, Diseases of Eye	37	21	32	38	33	39	30	42	32	29	43	45	36	42	27	29	38	26	23	33
Valvular Disease, Endocarditis (not Infective)*	3851	4232	3991	4243	4400	4659	4759	5078	5122	5639	5937	5724	6052	6164	6683	6816	7176	7454	7611	7799
Pericarditis	362	383	346	379	355	279	296	349	318	332	369	337	231	219	226	230	237	273	237	224
Hypertrophy of Heart	153	193	172	145	120	137	126	113	104	140	138	121	164	155	149	137	152	149	181	135
Angina Pectoris	420	455	424	402	403	448	449	481	419	452	481	450	480	463	504	532	576	612	617	629
Dilatation of Heart												1027	1276	1294	1430	1478	1551	1742	1670	1771
Fatty Degeneration of Heart												874	960	950	990	1037	1045	1124	1133	1069
Syncope, Heart Disease (not specified)†	17450	17767	16857	15992	15404	16649	15584	16320	16109	17221	17204	14151	13803	13140	13315	12461	12639	12911	12469	12462
Cerebral Hæmorrhage, Cerebral Embolism‡	11869	12115	11459	11247	10335	11234	10752	11171	11083	11414	11629	4837	5521	5954	6487	6644	7007	7403	7891	7999
Apoplexy, Hemiplegia	659	565	630	657	660	654	642	688	707	723	697	6037	5349	4606	4375	3980	3949	3847	3696	3609
Aneurysms	793	851	805	708	681	730	618	681	677	690	750	773	842	854	869	898	882	941	867	946
Senile Gangrene	418	495	426	471	452	548	544	527	548	603	693	748	717	710	746	768	788	783	804	845
Embolism, Thrombosis (not Cerebral)†	60	65	65	71	49	51	67	58	58	63	87	61	48	185	174	171	187	231	192	203
Phlebitis	35	35	32	33	35	28	31	32	33	31	39	35	30	28	44	32	24	46	40	53
Varicose Veins	?	?	?	?	?	?	?	?	?	?	?	776	817	798	1057	1167	1372	1530	20	33
Other Diseases of Blood Vessels†																			1604	1975

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis (not Infective)." (See p. 40.)

† For years prior to 1901, deaths from Other Diseases of Blood Vessels are included under the heading "Syncope, Heart Disease (not specified)"; see also note to Hemorrhage on p. 50.

‡ For years prior to 1901, deaths from Cerebral Embolism and from Cerebral Thrombosis are included under the heading "Embolism, Thrombosis (not Cerebral)."

§ Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Males.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Meningitis, Inflammation of Brain	356	325	292	296	247	273	261	267	265	271	263	240	221	209	208	196	198	171	176	168
Softening of Brain	137	125	121	113	97	99	92	87	88	88	76	72	70	72	73	66	69	69	69	64
General Paralysis of Insane	162	110	105	98	110	105	106	105	100	105
Insanity (not Puerperal)	38	49	44	53	54	57	57	55	58
Chorea	2	3	2	3	2	2	3	2	2	3	3	4	3	3	2	2	2	2	2	2
Epilepsy	111	111	102	100	89	98	87	89	88	89	99	97	100	99	95	91	89	86	81	85
Convulsions	867	903	819	803	703	783	685	693	676	651	666	625	591	530	515	447	425	388	384	341
Laryngismus Stridulus	29	37	31	24	21	25	21	21	22	18	17	18	17	15	13	13	11	11	13	9
Locomotor Ataxy	82	87	84	83	84	90	82	86	85	95	94	22	26	26	25	27	28	27	28	29
Paraplegia, Diseases of Cord	3	8	7	8	6	8	8	8	7
Neuritis, Peripheral, Poly-Neuritis	3	8	7	73	68	67	61	65	67
Brain Tumour (not Specific)	135	136	122	130	108	116	108	101	94	95	75	13	20	22	20	22	23	23	22	23
Other Diseases of Nervous System	140	121	101	110	92	94	82	75	79
Otitis, Mastoid Disease	24	22	24	31	27	34	31	34	32	32	38	31	30	35	38	38	39	36	34	37
Epistaxis, Diseases of Nose	3	3	3	3	3	2	3	3	3	3	2	3	3	2	3	2	2	2	2	2
Ophthalmia, Diseases of Eye	3	1	2	3	2	3	2	3	2	2	3	3	2	3	2	2	2	2	1	2
Valvular Disease, Endocarditis (not Infective)*	276	300	279	294	302	316	318	337	336	366	381	363	379	382	408	413	430	442	445	452
Pericarditis	26	26	24	26	24	19	20	23	21	22	24	21	14	14	14	14	14	16	14	13
Hypertrophy of Heart..	11	14	12	10	8	9	8	7	7	9	9	8	10	10	9	8	9	9	11	8
Angina Pectoris	30	32	30	28	28	30	30	32	27	29	31	29	30	29	31	32	35	36	36	36
Dilatation of Heart	65	80	80	87	90	93	103	98	103
Fatty Degeneration of Heart	1252	1261	1180	1110	1057	1129	1042	1082	1056	1117	1103	55	60	59	61	63	63	67	66	62
Syncope, Heart Disease (not specified)*	897	865	814	814	755	757	765	728	722
Cerebral Hæmorrhage, Cerebral Embolism*	852	860	802	780	709	762	719	741	727	740	746	307	346	369	396	403	420	439	461	463
Apoplexy, Hemiplegia	383	335	285	267	241	237	228	216	209
Aneurysm*	47	40	44	46	45	44	43	46	46	47	45	49	53	53	53	54	53	56	51	55
Senile Gangrene	57	60	56	49	47	50	41	45	44	45	48	47	45	44	46	47	47	46	47	49
Embolism, Thrombosis (not Cerebral)*	30	35	30	33	31	37	36	35	36	39	44	16	14	11	11	10	11	14	11	12
Phlebitis	4	5	5	5	3	3	4	4	4	4	6	4	3	4	4	4	3	3	2	3
Varicose Veins	3	2	2	2	2	2	2	2	2	2	3	2	2	2	3	2	1	2	1	2
Other Diseases of Blood Vessels*	49	51	49	65	71	82	91	94	114

* See note to Table 25.

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Males.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Laryngitis	60	54	54	61	52	50	54	46	44	49	47	{	43	38	38	35	35	38	30	33
Membranous Laryngitis (not Diphtheritic)												{	1	1	2	1	1	1	1	1
Croup (not Spasmodic nor Membranous)	126	99	85	80	64	60	56	40	31	36	30	28	22	15	16	16	16	12	10	8
Other Diseases of Larynx and Trachea ..	7	6	7	6	5	4	5	5	5	5	5	2	1	1	2	2	2	1	1	1
Bronchitis	2416	2682	2314	1924	1691	1986	1577	1546	1506	1627	1713	1383	1338	1146	1258	1149	1044	1210	1102	1124
Emphysema, Asthma	108	124	117	98	87	105	86	92	91	106	101	87	57	48	58	55	55	62	58	63
Pleurisy																				
Fibroid Disease of Lung	83	86	72	76	60	60	61	60	56	64	73	61	48	46	43	50	44	43	41	47
Other Diseases of Respiratory System ..	191	204	174	160	139	163	141	142	128	142	138	{	32	29	25	25	24	29	24	24
												108	102	94	95	89	85	77	79	79
Tonsillitis, Quinsy	42	40	39	50	38	42	39	33	38	36	39	{	14	13	13	12	12	12	12	13
Dis. of Mouth, Pharynx, (Esophagus (not Spec.)*)												{	20	14	19	17	17	15	14	17
Gastric Ulcer	136	135	131	154	138	155	147	160	163	165	188	30	32	33	34	37	40	39	39	40
Gastritis, Gastric Catarrh												{	144	139	132	117	100	94	95	92
Other Diseases of Stomach (not Malignant)												{					{	17	16	15
Ulceration of Intestines*	11	12	12	11	12	12	13	12	13	12	11	197	137	147	{	17	21	28	27	28
Enteritis (not Epidemic)*												{			147	125	158	113	136	115
Gastro-enteritis	186	188	204	319	213	383	341	467	556	654	450	139	74	87	110	90	125	79	110	91
Appendicitis, Perityphlitis												{	56	63	69	66	77	69	72	74
Hernia*	42	43	43	47	43	42	39	42	40	44	43	40	44	40	41	43	44	42	38	40
Intestinal Obstruction	93	94	85	93	89	93	89	95	91	90	83	83	75	80	78	77	80	78	76	78
Other Diseases of Intestines*												7	10	10	8	8	8	8	9	9
Peritonitis (not Puerperal)	83	83	76	82	66	72	68	66	67	64	58	46	32	28	27	23	23	18	20	16
Cirrhosis of Liver	144	148	142	139	136	133	140	151	152	167	162	151	144	136	135	131	127	123	120	119
Other Diseases of Liver and Gall Bladder	168	163	145	150	125	127	119	113	109	109	103	85	70	61	55	52	53	50	44	48
Other Diseases of Digestive System* ..	58	55	53	57	49	39	33	33	25	21	21	20	12	16	17	11	9	11	12	13

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1890-1909.—Males.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Diseases of Spleen	49	48	47	49	34	31	25	35	26	29	24	39	25	21	23	20	27	21	22	24
Other Diseases of Lymphatic System	145	146	167	149	166	179	166	168	211	192	196	198	223	214	210	242	240	227	241	258
Diseases of Thyroid Body*	32	31	34	24	29	30	34	40	40	33	37	64	61	64	63	68	62	72	93	74
Diseases of Supra Renal Capsules.. .. .	97	55	72	69	79	74	85	76	92	99	93	81	81	93	92	74	116	83	97	109
Acute Nephritis, Uræmia	1215	1393	1411	1448	1318	1428	1356	1528	1547	1555	1724	1746	1619	1567	1684	1680	1716	1844	1975	1974
Chronic Bright's Disease, Albuminuria	4049	4067	3993	4126	4107	4379	4324	4451	4568	4930	5374	5235	5013	5074	5465	5207	5498	5573	5374	5627
Calculus (not Biliary)	205	176	164	186	192	176	170	211	197	188	174	185	182	156	176	177	187	198	161	155
Diseases of Bladder and of Prostate	1847	1951	1907	1881	1763	2044	1963	2116	1995	2111	2075	2131	2201	2268	2258	2237	2403	2203	2256	2203
Other Diseases of Urinary System†	721	756	652	625	479	496	453	451	496	458	287	229	459	445	451	496	480	470	486	430
Ovarian Tumour (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Ovary	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Uterus and Vagina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Gener. & Mamm. Organs	96	93	95	114	90	100	78	93	91	85	102	77	67	48	73	53	62	48	41	50
Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Mania.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Placenta Prævia, Flooding	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Accidents of Pregnancy and Childbirth.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caries, Necrosis	600	555	576	518	531	498	470	527	448	445	434	418	408	364	305	283	262	205	198	106
Arthritis, Periostitis	140	137	150	149	163	167	151	171	153	162	175	107	137	119	133	133	111	139	164	154
Other Diseases of Locomotor System	554	497	327	264	246	246	217	203	170	189	146	185	149	155	162	178	205	149	147	174
Ulcer, Bed-sore	196	173	177	216	194	199	194	181	174	173	192	160	132	153	136	140	157	144	129	152
Eczema	240	249	230	255	238	217	217	226	220	201	221	194	218	211	192	190	195	164	169	141
Pemphigus	57	64	61	68	64	78	82	69	78	83	100	96	81	98	104	140	134	123	135	113
Other Diseases of the Skin	83	84	100	102	89	128	125	104	108	108	142	130	108	103	92	119	110	129	111	111

* Deaths from Cretinism and Myxoedema, which in the old Tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.

† Since the year 1901, deaths from Stricture of the Urethra are included under this heading. See also note to Gonorrhoea, p. 38.

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Males.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Diseases of Spleen	4	3	3	3	2	2	2	2	2	2	2	2	2	2	1	1	2	1	1	1
Other Diseases of Lymphatic System	10	10	12	10	11	12	11	11	14	12	13	13	14	13	13	15	14	13	14	15
Diseases of Thyroid Body*	2	2	2	2	2	2	2	2	3	2	2	4	4	4	4	4	4	4	5	4
Diseases of Supra Renal Capsules	7	4	5	5	5	5	6	5	6	6	6	5	5	6	6	4	7	5	6	6
Acute Nephritis, Uræmia	87	99	99	100	90	97	91	101	101	101	111	111	101	97	102	102	103	109	115	114
Chronic Bright's Disease, Albuminuria	290	289	279	286	282	297	289	300	300	320	345	332	314	315	334	316	330	330	314	326
Calculus (not Biliary)	15	12	11	13	13	12	11	13	13	12	11	12	11	10	11	11	11	12	9	9
Diseases of Bladder and of Prostate	132	138	133	131	121	139	131	131	131	137	133	135	138	141	138	136	144	131	132	128
Other Diseases of Urinary System*	52	54	46	43	33	34	30	33	33	30	18	15	29	28	28	30	29	28	28	25
Ovarian Tumour (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Ovary	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Uterus and Vagina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Gener. & Mamm. Organs	7	7	7	8	6	7	5	6	6	6	7	5	4	3	4	3	4	3	2	3
Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Mania	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Placenta Prævia, Flooding	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Accidents of Pregnancy and Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caries, Necrosis	43	39	40	36	36	34	31	29	29	29	28	27	26	23	19	17	16	12	12	6
Arthritis, Periostitis	10	10	10	10	11	11	10	10	10	11	11	7	9	7	8	8	7	8	10	9
Other Diseases of Locomotor System	40	35	23	18	17	17	15	11	11	12	9	12	9	10	10	11	12	9	9	10
Ulcer, Bed-sore	14	12	12	15	13	13	13	11	11	11	12	10	8	10	8	8	9	9	8	9
Eczema	17	18	16	18	16	15	15	14	14	13	14	12	14	13	12	12	12	10	10	8
Pemphigus	4	5	4	5	4	5	5	5	5	5	6	6	5	6	6	8	8	7	8	7
Other Diseases of the Skin.... .. .	6	6	7	7	6	9	8	7	7	7	9	8	7	6	6	7	7	8	6	6

* See note to Table 25.

TABLE 27.—ENGLAND AND WALES.—Deaths from Various Causes at All Ages,* 1890-1909.—Females.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (*see* Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
ALL CAUSES		271800	285431	273622	278069	242812	278293	256152	261276	268160	282327	284007	265967	258322	248338	266578	252430	257048	254962	251742	252800
Small-pox { Vaccinated Not Vaccinated Doubtful Cow-pox and other effects of Vaccination Chicken-pox Measles (Morbilli) German Measles Scarlet Fever Typhus Plague Relapsing Fever Influenza Whooping-cough Mumps Diphtheria.. .. . Cerebro-spinal Fever <i>Pyæmia</i> † (origin uncertain) Enteric Fever	—	1	23	51	73	9	18	1	45	—	3	63	296	25	19	10	—	—	1	
	..	—	9	47	113	92	28	56	2	24	69	10	50	390	65	48	13	—	—	—	2
	..	4	11	104	411	190	62	182	5	43	11	22	42	339	166	128	30	12	1	—	—
	..	21	22	28	25	24	27	19	15	17	11	14	11	11	15	11	15	17	3	5	—
	..	40	38	53	56	42	44	63	46	49	53	58	58	62	59	49	41	39	52	9	7
	..	6098	6164	6646	5339	5650	5633	8625	6178	6437	4904	6204	4254	6297	4446	5993	5453	4696	6047	50	42
	..	39	27	37	26	22	16	25	26	18	23	23	28	16	20	16	20	11	22	3876	6152
	..	3493	2464	2819	3552	2880	2294	2727	2281	1740	1858	1893	2151	2406	2037	1875	1917	1682	1576	11	18
	..	71	63	37	66	57	30	35	23	20	12	15	16	24	36	17	19	4	11	1426	1553
	..	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	5	4
	..	1	7	—	7	5	3	—	1	2	—	—	3	4	—	2	2	—	1	—	—
	..	2108	8065	8064	4861	3392	6707	1841	3003	5395	6332	8562	2754	3724	3255	2912	3566	3186	4826	5270	4692
	..	7590	7561	7401	5661	6807	5319	7407	6197	5680	5507	6310	5632	5331	5188	6649	4755	4596	5754	5512	4045
	..	39	37	40	28	26	28	36	45	28	30	52	46	42	42	58	46	57	64	64	48
	..	2681	2671	3396	4814	4576	4044	4557	3890	3937	4842	4733	4524	4061	3130	2938	2830	3175	2947	2840	2714
	..	13	21	16	3	16	14	3	6	4	6	1	30	20	39	38	56	37	60	49	67
	..	189	179	123	137	100	80	82	70	67	63	59	51	52	43	37	30	19	20	16	5
	..	2377	2272	1843	3190	2080	2456	2190	2170	2503	2743	2319	2146	1753	1418	1316	1302	1329	971	1034	872
Asiatic Cholera Diarrhoea due to Food† Infective Enteritis, Epidemic Diarrhoea <i>Diarrhoea</i> (not otherwise defined) Dysentery Typhus Malaria Rabies, Hydrophobia Glanders Anthrax (Splenic Fever)	?	?	?	?	?	?	?	?	?	?	?	—	—	—	—	—	—	—	—	—
	..	1	1	4	16	12	9	12	18	31	32	38	30	43	35	47	100	131	92	137	122
	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	..	8500	6602	7220	14101	5124	12987	8177	12807	14334	14793	11096	5603	2264	3559	8003	5294	8581	2319	4729	2245
	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	..	7	18	8	9	6	9	6	11	12	7	14	137	109	133	127	95	146	109	3555	2313
	..	58	53	32	56	25	35	28	16	23	12	17	10	50	70	65	60	54	50	41	135
	..	4	1	1	1	1	3	1	—	1	—	—	—	13	9	11	8	15	6	7	63
	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	..	1	2	1	1	3	2	1	2	2	5	—	1	—	2	—	1	4	1	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gonorrhoea..	1007	922	933	964	945	973	852	833	794	821	852	765	758	834	825	809	781	706	763	717
	..	4	10	7	12	6	10	9	11	9	10	13	6	11	13	12	16	20	19	25	21

* For deaths at groups of ages from these causes in 1909, *see* pp. 297-313.

† Called Simple Continued Fever previous to 1901.
† Called Food, Poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhoea in artificially fed children.

TABLE 28.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Females.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (see Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
ALL CAUSES		18338	19037	17989	18119	15638	17715	16072	16248	16483	17153	17055	15786	15155	14401	15238	14301	14395	14113	13736	13672
Small-pox { Vaccinated Not Vaccinated		—	—	—	3	5	1	1	—	3	—	—	—	—	—	—	—	—	—	—	—
Doubtful		—	—	—	7	6	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination		—	—	—	27	12	4	11	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox		—	—	—	2	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles (Morbilli)		—	—	—	4	3	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—
German Measles		411	411	437	348	364	359	541	384	396	298	373	252	369	258	343	309	263	335	211	333
Scarlet Fever		3	2	2	2	1	1	2	2	1	1	1	2	1	1	1	1	1	1	1	1
Typhus		236	164	185	231	166	146	171	142	107	113	114	128	141	118	107	109	94	87	78	84
Plague		5	4	2	4	4	2	2	1	1	1	1	1	1	2	1	1	0	1	0	0
Relapsing Fever		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough		142	538	530	317	218	427	116	187	332	385	514	163	218	189	166	202	178	267	288	254
Mumps		512	504	487	369	438	339	465	385	349	335	379	334	313	301	380	269	257	318	301	219
Diphtheria		3	2	3	2	2	2	2	3	2	2	3	3	2	2	3	3	3	4	3	3
Cerebro-spinal Fever		181	178	223	314	295	257	286	242	242	294	284	269	238	182	168	160	178	163	155	147
Pyrexia* (origin uncertain)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever		13	12	8	9	6	5	5	4	4	4	4	3	3	2	2	2	1	1	1	4
Asiatic Cholera		160	152	121	208	134	156	137	135	154	167	139	127	103	82	75	74	74	54	56	47
Diarrhoea due to Food*		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic Diarrhoea		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)		573	440	475	919	330	827	513	796	881	899	666	333	133	206	457	300	481	128	258	7
Dysentery		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhoid		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malaria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rabies, Hydrophobia		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis		68	61	61	63	61	62	53	52	49	50	51	45	44	48	47	46	44	39	42	39
Gonorrhoea		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* See note to Table 27.

TABLE 27 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1890-1909.—Females.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
PuerperalSepticæmia,PuerSepticIntoxication																				
Puerperal Pyæmia	2016	2069	2439	3094	2257	1927	2123	1898	1767	1973	2017	{ 1490 37 74 478 }	1464	1258	1249	1307	1225	1056	1030	1063
Phlegmasia Alba Dolens																				
Puerperal Fever (not otherwise defined) ..																				
Infective Endocarditis*																				
Lobar																				
Broncho-																				
Epidemic	16235	17467	15660	16144	13972	15282	15075	14672	15328	16801	18153	{ 6984 40 }	8634	8156	9100	8783	8219	10080	8764	9446
Not defined																				
Erysipelas	668	619	707	896	647	535	531	513	454	603	581	{ 7957 551 }	9977	8379	8507	8610	8104	8426	7555	8573
Septicæmia,SepticIntoxication(not Puerperal) ..																				
Pyæmia (not Puerperal)	212	189	226	282	210	205	194	210	206	243	272	{ 106 58 }	146	166	160	182	166	169	165	159
Phlegmon, Carbuncle (not Anthrax)	203	173	217	263	185	216	249	233	232	253	290	298	338	289	257	310	325	302	261	325
Phagedæna	17	26	28	43	24	32	16	37	20	21	27	12	14	16	12	25	13	10	21	14
Other Infective Processes												113	75	114	52	94	91	77	67	91
PulmonaryTuberculosis(TuberculousPhthisis) ..	22317	21425	20100	20032	18886	19463	18085	18596	18298	18502	18496	{ 3229 14541 }	4213	5545	6685	6961	7580	8069	8436	8545
Phthisis (not otherwise defined)																				
Tuberculous Meningitis	3066	3188	2957	3062	2960	3055	2992	3084	3073	2997	2983	2820	2877	3070	3030	2896	2987	2795	2811	2819
Tuberculous Peritonitis	3519	3404	3382	3751	2758	3479	2846	2900	3013	2959	2812	{ 1458 1431 }	1480	1733	1921	1805	1932	1745	1859	1889
Tabes Mesenterica																				
Lupus	40	60	53	38	38	54	45	38	37	42	35	{ 41 56 }	56	44	38	57	62	50	38	56
Tubercle of other Organs																				
General Tuberculosis	2573	2788	2841	2592	2559	2790	2537	2499	2657	2549	2695	{ 480 1884 }	515	626	705	713	787	752	646	808
Scrofula																				
.. .. .												165	93	56	62	40	24	19	6	14
Parasitic Diseases	332	302	310	300	222	258	202	195	203	180	177	173	135	149	145	102	128	102	116	102
Starvation																				
Scurvy	23	32	26	34	25	26	14	16	23	15	17	7	10	9	13	4	12	6	4	11
Alcoholism, Delirium Tremens	729	728	740	840	733	808	824	937	964	1136	1575	{ 16 1353 }	15	1075	962	27	25	20	25	21
																				673

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis." (See p. 58.)

TABLE 28 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Females.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Puerperal Septicæmia, Puer. Septic Intoxication																				
Puerperal Pyæmia	136	138	160	202	145	123	133	118	109	120	121									
Phlogæmia, Albug. Dolens																				
Puerperal Fever (not otherwise defined)																				
Infective Endocarditis*																				
Lobar																				
Broncho-																				
Epidemic																				
Not defined																				
Pneumonia	1095	1165	1030	1052	900	973	946	912	942	1021	1090									
Erysipelas																				
Septicæmia, Septic Intoxication (not Puerperal)	45	41	46	58	42	34	33	32	28	37	35									
Pyæmia (not Puerperal)	14	13	15	18	14	13	12	13	13	15	16									
Phlegmon, Carbuncle (not Anthrax)	14	12	14	17	12	14	16	14	14	15	17									
Phagedæna	1	2	2	3	2	2	1	2	1	1	2									
Other Infective Processes	p	p	p	p	p	p	p	p	p	p	p									
Pulmonary Tuberculosis (Tuberculous Phthisis)																				
Phthisis (not otherwise defined)	1506	1429	1321	1305	1216	1239	1135	1156	1125	1124	1111									
Tuberculous Meningitis																				
Tuberculous Peritonitis	207	213	194	200	191	194	188	192	189	182	179									
Tuberculous Mesenterica	237	227	222	244	178	221	179	180	185	180	169									
Lupus																				
Tubercle of other Organs	3	4	3	2	2	3	3	2	2	3	2									
General Tuberculosis																				
Scrofula	174	186	187	169	165	178	159	155	163	155	162									
Parasitic Diseases																				
	22	20	20	20	14	16	13	12	12	11	11									
Starvation																				
Scurvy	2	2	2	2	2	2	1	1	1	1	1									
Alcoholism, Delirium Tremens	0	1	0	0	1	1	1	1	1	1	2									
	50	49	49	55	47	51	52	58	59	69	95									

* See note to Table 27.

TABLE 27 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1890-1909.—Females.

CAUSES OF DEATH.		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Opium, Morphia-habit	..	?	?	?	?	?	?	?	?	?	?	?	6	11	7	4	9	4	7	7	13
Industrial Poisoning :—	..	30	26	21	28	29	27	24	25	21	12	9	5	3	2	4	2	4	3	3	3
By Lead	?	?	?	?	?	?	?	?	?	?	?	—	1	—	—	—	—	—	—	—
" Phosphorus	?	?	?	?	?	?	?	?	?	?	?	—	—	—	—	—	—	—	—	—
" Arsenic and other Poisons	?	?	?	?	?	?	?	?	?	?	?	—	—	—	—	—	—	—	—	—
Rheumatic Fever, Acute Rheumatism.	..	1203	1269	1217	1539	1366	1155	1360	1261	1220	1345	1357	{ 1062	1055	937	894	1105	1129	1057	934	1009
Rheumatism of Heart	561	573	575	470	440	520	502	519	500	518	502	313	351	331	346	196	196	234	207	208
Chronic Rheumatism	?	?	?	?	?	?	?	?	?	?	?	455	308	257	266	272	246	268	249	271
Rheumatoid Arthritis, Rheumatic Gout	..	125	132	113	137	137	112	118	108	101	131	121	558	522	610	669	645	692	682	715	793
Gout	105	103	102	95	89	95	88	83	81
Carcinoma*	?	?	?	?	7947	8469	9070	9404	9656	10202	10715	10907	11719
Sarcoma	12296	12823	12806	13227	13345	14317	14305	712	749	823	821	830	847	860	860	838	908	813	842	901
Cancer, Malignant Dis. (not otherwise defined)*	14158	14515	15165	15425	7819	7458	7360	7332	7257	7301	7018	7067	7170
Rickets	471	530	593	535	517	667	544	630	593	585	563	564	589	663	746	607	599	552	492	454
Purpura	139	167	144	171	181	170	157	176	188	155	152	{ 154	153	155	164	130	140	157	145	153
Hæmophilia, Hæmorrhagic Diathesis	{ 30	29	31	27	40	38	46	24	33
Anæmia, Leucocythæmia	918	1000	966	971	991	1215	1149	1150	1107	1161	1114	1143	1050	1032	1057	1090	1156	1186	1207	1219
Diabetes Mellitus	787	848	869	913	871	1003	1043	1123	1148	1270	1312	1399	1307	1435	1521	1466	1606	1622	1768	1800
Premature Birth...	..	6719	7326	7233	7590	6847	7650	7645	7759	7959	8148	8163	8119	8248	8277	8530	8449	8294	8013	8118	8003
Congenital Hydrocephalus†	..	1074	1143	1244	1254	1245	1298	1251	1271	1200	1319	1388	1825	{ 147	194	165	119	166	150	156	126
Other Congenital Defectst	1682	1807	1923	1999	2084	1973	2075	2084
Injury at Birth	34	21	31	52	52	58	84	73	77	137	194	221	262	276	308	291	345	331	357	390
Atelectasis	323	375	395	393	407	480	518	459	485	498	499	489	486	562	574	614	602	638	681	632
Want of Breast Milk	95	116	124	162	96	122	128	142	143	152	213	228	248	303	311	282	322	322	331	285
Teething	2080	2107	1891	1860	1594	1880	1745	1656	1638	1551	1622	1518	1433	1463	1382	1055	974	919	905	775

* For the years 1897-1900, deaths from Carcinoma are included under the heading "Cancer, Malignant Disease."
† Includes deaths of children under 6 months of age from "Hydrocephalus" for the year 1901 and subsequent years.
‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 28 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Females.

CAUSES OF DEATH.		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Opium, Morphia-habit Industrial Poisoning :— By Lead " Phosphorus " Arsenic and other Poisons	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
	..	2	2	1	2	2	2	2	2	1	1	1	0	0	0	0	0	0	0	0	0
	..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
	..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
Rheumatic Fever, Acute Rheumatism <i>Rheumatism of Heart</i> .. Chronic Rheumatism .. Rheumatoid Arthritis, <i>Rheumatic Gout</i> Gout	81	85	80	100	88	74	85	78	75	82	81	{	62	54	51	63	63	59	51	55
	..	38	38	38	31	28	33	31	32	31	31	30	27	18	19	20	11	11	13	11	11
	..	?	?	?	?	?	?	?	?	?	?	?	33	31	35	38	37	39	37	39	15
	..	8	9	7	9	9	7	7	7	6	8	7	6	6	6	5	5	5	5	5	4
Carcinoma* Sarcoma .. Cancer, Malignant Dis. (not otherwise defined)*	..	830	855	842	862	859	911	898	{	?	?	?	472	497	526	538	547	572	593	595	634
	..								44	46	50	49	49	50	50	49	47	51	45	46	49
	..								880	892	921	926	464	438	427	419	411	409	388	386	388
	..																				
Rickets Purpura .. Hæmophilia, Hæmorrhagic Diathesis Anæmia, Leucocythæmia .. Diabetes Mellitus	32	35	39	35	33	42	34	39	36	36	34	33	35	38	43	34	34	31	27	25
	..	9	11	9	11	12	11	10	11	12	9	9	9	9	9	9	7	8	9	8	8
	..	62	67	64	63	64	77	72	72	68	71	67	68	62	60	60	62	65	66	66	66
	..	53	57	57	59	56	64	65	70	71	77	79	83	77	83	87	83	90	90	96	97
Premature Birth Congenital Hydrocephalus* Other Congenital Defects* Injury at Birth .. Atelectasis .. Want of Breast Milk .. <i>Teething</i>	453	489	476	495	441	487	480	483	489	495	490	482	484	480	488	479	465	444	443	433
	..	73	76	82	81	80	83	79	79	74	80	84	108	{	11	9	7	9	8	9	7
	..	2	1	2	3	3	4	5	5	5	8	12	13	15	16	18	113	117	109	113	113
	..	22	25	26	26	26	31	33	29	30	30	30	29	29	33	33	35	34	35	37	34
	..	6	8	8	11	6	8	8	9	9	9	13	14	15	18	18	16	18	35	37	34
	..	140	141	124	121	103	120	109	103	101	94	97	90	84	85	79	60	55	51	49	42

* See note to Table 27.

TABLE 27 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1890-1909.—Females.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Meningitis, Inflammation of Brain	4068	3881	3660	3843	3299	3541	3384	3403	3521	3379	3531	3291	3044	2963	2897	2801	2696	2549	2500	2442
Softening of Brain	1555	1518	1393	1399	1192	1288	1178	1180	1238	1188	1072	1032	952	1009	1057	1088	1073	1121	1147	1023
General Paralysis of Insane	{	544	549	578	549	568	557	504	546
Insanity (not Puerperal)	{	752	938	1060	1181	1200	1249	1176	1176
Chorea	{	134	106	90	115	118	117	91	132
Epilepsy	{	105	106	106	115	118	117	91	132
Convulsions	{	1412	1454	1357	1402	1315	1342	1304	1342
Laryngismus Stridulus	{	7127	6463	6288	5566	5427	5017	4936	4425
Locomotor Ataxy	{	173	187	178	142	125	124	112	120
Paraplegia, Diseases of Cord	{	74	84	103	102	99	123	106	123
Neuritis, Peripheral, Poly-Neuritis	{	960	948	988	960	962	953	1008	948
Brain Tumour (not Specific)	{	223	304	291	284	323	335	264	281
Other Diseases of Nervous System	{	274	266	334	341	361	370	366	377
	1714	1769	1650	1829	1542	1733	1500	1428	1460	1496	1166	2026	1882	1716	1850	1551	1511	1430	1286	1371
Otitis, Mastoid Disease
Epistaxis, Diseases of Nose
Ophthalmia, Diseases of Eye
Valvular Disease, Endocarditis (not Infective)*
Pericarditis	4505	5006	4781	4887	4915	5413	5161	5566	5937	6479	6945	6770	6951	7251	7874	8031	8294	8872	8752	9236
Hypertrophy of Heart	274	305	262	283	252	248	254	205	217	272	254	249	207	203	190	225	192	208	195	186
Angina Pectoris
Dilatation of Heart
Fatty Degeneration of Heart
Syncope, Heart Disease (not specified)†
	19664	20705	18941	18261	17164	19419	17450	18090	18178	19292	19178	11915	15240	14311	15148	14173	13651	14081	13527	13792
Cerebral Haemorrhage, Cerebral Embolism‡
Apoplexy, Hemiplegia
Aneurysms
Senile Gangrene
Embolism, Thrombosis (not Cerebral)†
Phlebitis
Varicose Veins
Other Diseases of Blood Vessels†
	13714	14297	13610	13250	12249	13293	12886	13200	13192	13835	13585	5897	6495	7442	7788	8119	8774	9140	9529	9939
	174	195	180	198	191	195	198	191	182	176	178	7156	6434	5585	5533	4780	4881	4718	4473	4485
	640	717	603	531	600	601	569	603	580	588	693	194	676	635	657	619	630	662	652	706
	634	611	650	706	697	766	825	820	846	978	1007	329	280	233	270	241	258	285	281	269
	88	99	104	99	76	84	86	90	103	117	107	102	99	111	91	91	82	84	85	93
	54	72	78	78	64	53	69	72	64	58	82	75	73	66	77	79	87	70	67	79
	?	?	?	?	?	?	?	?	?	?	?	448	512	513	614	692	866	982	943	1143

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis (not Infective)." (See p. 54.)

† For years prior to 1901, deaths from Other Diseases of Blood Vessels are included under the heading "Syncope, Heart Disease (not specified)"; see also note to Haemorrhage on p. 64.

‡ For years prior to 1901, deaths from Cerebral Embolism and from Cerebral Thrombosis are included under the heading "Embolism, Thrombosis (not Cerebral)."

§ Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

TABLE 28 (cont).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Females.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Meningitis, Inflammation of Brain	274	259	241	250	212	225	212	212	216	205	212	195	179	172	166	159	151	141	136	132
Softening of Brain	105	101	92	91	77	82	74	73	76	72	64	61	56	59	60	62	60	61	63	55
General Paralysis of Insane	70	75	68	78	73	85	78	89	80	84	99	32	34	32	33	31	32	31	27	30
Insanity (not Puerperal)	5	7	5	6	6	6	5	7	7	8	8	45	55	54	61	67	67	69	67	64
Chorea	101	99	89	89	81	88	80	74	81	84	87	80	83	84	78	79	74	74	5	7
Epilepsy	637	633	591	604	508	570	509	494	483	485	487	464	418	375	359	315	304	278	269	73
Convulsions	16	19	17	16	12	15	13	12	11	9	11	11	10	11	10	8	7	7	6	239
Laryngismus Stridulus	58	61	55	55	55	60	53	57	59	57	56	4	4	5	6	6	6	7	6	6
Locomotor Ataxy	115	118	108	119	99	110	94	89	90	91	70	60	56	55	56	54	54	53	55	7
Paraplegia, Diseases of Cord												5	13	18	17	16	19	19	14	51
Neuritis, Peripheral, Poly-Neuritis												11	16	15	19	19	20	20	20	15
Brain Tumour (not Specific)												120	110	100	106	88	85	79	70	20
Other Diseases of Nervous System																				74
Otitis, Mastoid Disease	17	17	17	21	22	21	24	25	25	25	26	26	25	26	25	28	28	28	25	24
Epistaxis, Diseases of Nose	2	3	2	3	3	3	3	3	2	2	2	2	2	3	2	2	1	2	2	2
Ophthalmia, Diseases of Eye	1	2	2	2	2	2	2	1	1	1	2	2	1	2	2	2	2	2	1	1
Valvular Disease, Endocarditis (not Infective)*	304	334	314	318	317	345	343	346	365	394	417	402	408	420	450	455	464	491	478	499
Pericarditis	18	20	17	18	16	16	16	13	13	17	15	18	12	12	11	13	11	12	11	10
Hypertrophy of Heart	9	10	8	7	6	8	5	5	6	5	6	5	6	5	6	5	5	4	5	5
Angina Pectoris	16	18	15	15	16	16	16	14	14	15	15	13	15	14	14	17	18	18	17	18
Dilatation of Heart																				
Fatty Degeneration of Heart																				
Syncope, Heart Disease (not specified)*	1326	1381	1245	1190	1105	1236	1095	1125	1117	1172	1152	70	78	76	91	89	88	98	92	96
												63	67	65	71	70	71	75	77	77
												945	894	830	866	803	764	779	738	746
Cerebral Hæmorrhage, Cerebral Embolism*	927	954	895	863	789	846	809	821	811	841	816	350	381	432	445	460	492	506	520	538
Apoplexy, Hemiplegia	12	12	12	13	12	12	12	12	11	11	11	425	377	324	316	271	274	261	244	243
Aneurysm*	43	48	40	35	39	38	36	37	36	36	42	39	40	37	38	35	35	37	36	38
Senile Gangrene	43	41	43	46	45	49	52	51	52	59	60	20	16	14	15	14	14	16	15	15
Embolism, Thrombosis (not Cerebral)*	6	7	7	6	5	5	5	6	6	7	6	6	6	6	5	5	5	5	5	5
Phlebitis	4	5	5	5	4	3	4	4	4	4	5	4	4	4	4	4	5	4	4	4
Varicose Veins	p	p	p	p	p	p	p	p	p	p	p	27	30	30	35	39	49	54	51	62
Other Diseases of Blood Vessels*																				

* See note to Table 27.

TABLE 27 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1890-1909.—Females.

CAUSES OF DEATH.		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Laryngitis	718	637	634	767	634	630	625	590	512	571	652	{ 687	648	491	509	488	484	479	454	425
Membranous Laryngitis (not Diphtheritic)	1385	1246	1018	949	803	756	744	501	394	453	377	384	266	207	216	205	15	11	16	14
Croup (not Spasmodic nor Membranous)	70	57	64	67	54	67	60	60	46	47	54	25	19	24	17	29	21	175	153	111
Other Diseases of Larynx and Trachea	33418	37623	33787	28951	24700	30627	23848	23533	23651	26111	27863	22723	22304	18650	21610	19954	18285	21781	19843	21414
Bronchitis
Emphysema, Asthma	1047	1302	1210	918	887	1064	843	857	962	1191	1046	963	672	520	658	656	613	681	685	837
Pleurisy	733	792	677	736	592	657	618	588	637	662	736	697	600	552	543	542	521	589	533	588
Fibroid Disease of Lung	{ 180	177	146	178	146	121	166	164	163
Other Diseases of Respiratory System	2187	2426	2139	1935	1663	1938	1749	1670	1595	1677	1667	{ 1575	1457	1291	1370	1351	1282	1216	1262	1341
Tonsillitis, Quinsy	602	587	539	663	520	595	537	510	496	527	528	{ 224	189	161	191	200	166	185	163	164
Dis. of Mouth, Pharynx, Œsophagus (not Spec.)*	{ 286	256	202	283	285	276	260	276	268
Gastric Ulcer	2369	2381	2446	2734	2548	2943	2886	2899	3053	3365	3696	{ 1067	1167	1138	1197	1134	1078	1120	1039	1040
Gastritis, Gastric Catarrh	{ 2854	2449	2382	2347	2061	1738	1675	1833	1666
Other Diseases of Stomach (not Malignant)	{ 2897	2000	2127	219	221	255	275	239	206
Ulceration of Intestines†	172	168	172	165	170	199	168	154	172	164	199	{ 2897	2000	2127	219	221	255	244	282	297
Enteritis (not Epidemic)†	{ 2897	2000	2127	219	221	255	244	212	1714
Gastro-enteritis	2578	2526	2727	4062	2835	4961	4665	6235	7731	9167	6061	{ 1914	1009	1285	1540	1250	1805	1113	1618	1333
Appendicitis, Perityphlitis	{ 1914	1009	1285	1540	1250	1805	1113	1618	1333
Hernia‡	638	657	686	719	596	686	663	677	708	805	710	{ 508	584	713	763	850	857	808	900	997
Intestinal Obstruction	1202	1353	1260	1344	1319	1413	1321	1369	1364	1435	1337	{ 736	819	775	826	839	816	834	758	806
Other Diseases of Intestines§	{ 1342	1248	1277	1240	1314	1309	1249	1352	1262
Peritonitis (not Puerperal)	1340	1431	1205	1394	1126	1112	1044	983	969	1010	991	{ 97	137	134	108	127	110	137	120	151
Cirrhotis of Liver	{ 806	609	554	531	460	454	389	368	333
Other Diseases of Liver and Gall Bladder	1561	1552	1580	1577	1490	1629	1690	1851	1828	1958	2112	{ 1833	1770	1720	1764	1842	1744	1833	1611	1481
Other Diseases of Digestive System*§	2574	2435	2268	2275	2093	2100	2046	1886	1863	1832	1803	{ 1532	1354	1332	1271	1219	1269	1171	1148	1137
Other Diseases of Digestive System	716	689	649	730	653	457	456	483	429	340	306	{ 287	236	245	239	209	144	196	217	240

* For years prior to 1901, deaths from Diseases of the Œsophagus are included under the heading "Other Diseases of Digestive System."

† For the years 1901-3, deaths from Ulceration of Intestines are included under the heading "Enteritis (not Epidemic)."

‡ Since 1902, Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.

§ For years prior to 1901, deaths from Other Diseases of Intestines are included under the heading "Other Diseases of Digestive System."

TABLE 28 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Females.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Laryngitis	48	42	42	50	41	40	39	37	31	35	39	{	41	38	28	29	28	27	27	23
Membranous Laryngitis (not Diphtheritic)																				1
Croup (not Spasmodic nor Membranous)	93	83	67	62	52	48	47	31	24	28	23	23	16	12	12	12	11	10	8	6
Other Diseases of Larynx and Trachea	5	4	4	4	3	4	4	4	3	3	3	3	1	1	1	2	1	1	1	1
Bronchitis	2255	2509	2221	1886	1591	1950	1496	1463	1454	1586	1673	1349	1308	1081	1235	1130	1024	1206	1083	1158
Emphysema, Asthma	71	87	80	60	57	68	53	53	59	72	63	57	39	30	38	37	34	38	37	45
Pleurisy	49	53	45	48	38	42	39	37	39	40	44	41	35	32	31	31	29	33	29	32
Fibroid Disease of Lung												{	11	8	10	8	7	9	9	9
Other Diseases of Respiratory System	148	162	141	126	107	123	110	104	98	102	100	93	85	75	78	77	72	67	69	73
Tonsillitis, Quinsy	40	39	35	43	33	38	34	32	30	32	32	{	11	9	11	11	9	10	9	9
Dis. of Mouth, Pharynx, Esophagus (not Spec.)*																				14
Gastric Ulcer	160	159	161	178	164	187	181	180	188	204	222	{	15	15	16	16	15	62	57	56
Gastritis, Gastric Catarrh												{	68	66	68	64	60	93	100	90
Other Diseases of Stomach (not Malignant)												{	144	138	134	117	{	14	13	11
Ulceration of Intestines*	12	11	11	11	11	13	11	10	11	10	12	{	117	123	{	13	15	15	15	16
Enteritis (not Epidemic)*												{	160	123	121	108	132	98	115	93
Gastro-enteritis	175	169	180	264	183	315	292	387	475	557	364	{	59	75	88	71	101	62	72	72
Appendicitis, Perityphlitis												{	34	41	44	48	48	45	49	54
Hernia*	43	44	45	47	38	44	42	42	44	49	43	30	48	45	47	48	46	46	41	44
Intestinal Obstruction	85	90	83	88	85	90	83	85	84	87	80	44	73	74	71	74	73	69	74	68
Other Diseases of Intestines*	p	p	p	p	p	p	p	p	p	p	p	6	8	8	6	7	6	8	7	8
Peritonitis (not Puerperal)	90	95	79	91	73	71	66	61	60	61	60	48	36	32	30	26	25	22	20	18
Cirrhosis of Liver	105	104	104	103	96	104	106	115	112	119	127	115	104	100	101	104	98	101	88	80
Other Diseases of Liver	174	162	149	148	135	134	128	117	115	111	108	91	79	77	73	69	71	65	63	61
Other Diseases of Digestive System*	48	46	43	48	42	29	29	30	26	21	18	17	14	14	14	12	8	11	12	13

* See note to Table 27.

TABLE 28 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million Living, 1890-1909.—Females.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
Diseases of Spleen	5	3	3	3	3	2	2	2	1	1	2	2	1	1	2	1	2	1	2
Other Diseases of Lymphatic System	3	7	8	7	7	7	6	7	8	8	9	8	8	8	8	9	8	9	9
Diseases of Thyroid Body*	10	9	9	14	11	12	12	13	22	17	23	22	22	23	23	24	25	25	29
Diseases of Supra Renal Capsules	5	6	5	6	5	6	7	7	5	7	5	5	6	6	7	6	5	7	8
Acute Nephritis, Uræmia	68	70	69	70	70	72	77	78	80	80	77	80	80	83	83	87	88	94	101
Chronic Bright's Disease, Albuminuria	221	231	223	226	221	246	232	235	247	269	264	247	255	260	250	257	270	256	264
Calculus (not Biliary)	3	4	4	4	3	4	4	4	4	5	4	4	4	5	4	4	4	4	5
Diseases of Bladder and of Prostate	14	15	16	15	16	16	15	14	14	15	13	14	13	14	13	13	13	14	13
Other Diseases of Urinary System	26	30	25	21	17	17	14	16	7	7	9	7	8	8	8	8	8	7	7
Ovarian Tumour (not Malignant)	33	36	33	33	28	32	29	28	27	24	21	22	22	20	22	21	20	16	17
Other Diseases of Ovary	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Uterine Tumour (not Malignant)	44	43	44	47	47	44	45	46	43	40	20	20	21	20	21	20	18	20	16
Other Diseases of Uterus and Vagina	6	5	4	5	5	6	5	5	5	6	19	18	16	18	19	17	18	16	18
Disorders of Menstruation	11	9	7	4	4	4	4	4	4	3	1	1	0	1	2	2	3	2	2
Other Diseases of Gener. & Mamm. Organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Abortion, Miscarriage	12	15	17	10	10	11	13	12	11	13	9	9	9	8	9	8	6	5	5
Puerperal Mania	6	7	5	5	5	4	5	5	4	4	4	5	4	4	4	4	4	3	2
Puerperal Convulsions	20	25	22	24	23	21	22	20	24	23	22	23	24	23	26	25	25	23	25
Placenta Prævia, Flooding	47	52	53	52	50	45	44	43	41	37	41	37	39	33	35	35	34	31	31
Other Accidents of Pregnancy and Childbirth	66	82	84	93	74	64	68	67	62	69	60	55	51	48	49	48	46	46	43
Caries, Necrosis	28	31	27	28	26	25	24	22	21	21	20	17	17	13	14	11	10	8	4
Arthritis, Periostitis	8	8	7	9	7	8	6	6	8	7	5	5	5	6	5	5	6	5	6
Other Diseases of Locomotor System	31	27	23	17	16	17	13	13	11	9	10	8	7	7	8	10	6	5	7
Ulcer, Bed-sore	24	24	25	23	24	24	19	24	22	22	19	16	15	17	17	17	19	17	15
Eczema	10	12	12	13	10	12	10	9	11	9	10	8	8	8	7	6	7	6	6
Pemphigus	3	4	3	4	4	4	5	5	4	5	4	4	5	5	7	6	6	5	5
Other Diseases of the Skin	7	6	7	7	8	8	7	5	6	8	7	7	6	6	7	6	7	6	7

* See note to Table 27.

TABLE 27 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1890-1909.—Females.

CAUSES OF DEATH.		1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
OTHER SPECIFIED DISEASES.*		414	463	477	455	421	519	527	578	605	721	755	—	1	—	—	—	—	—	—	2
CAUSES ILL-DEFINED OR NOT SPECIFIED.		10003	9861	9585	10328	8287	10013	8805	9034	9092	9108	8989	8705	7819	7721	7785	6920	6998	6267	6460	6107
Atrophy, Debility	16043	16930	16053	15340	14103	16997	15038	16358	16550	17955	17961	17126	17320	17111	18455	18018	18998	19001	18837	19478
Old Age	330	270	258	238	198	228	186	167	185	221	223	138	97	95	73	77	46	65	39	41
Dropsy, Ascites, Anasarca	..	100	79	90	74	78	74	49	77	53	56	48	58	53	50	50	54	40	60	52	56
Turnour	297	272	294	277	232	185	199	197	189	185	169	159	147	148	128	106	132	142	170	129
Abscess	62	45	56	75	58	55	46	38	48	40	55	12	25	14	15	17	15	19	16	17
Hæmorrhage†	194	141	172	151	121	143	127	83	90	83	110	61	83	53	32	12	8	8	11	11
Sudden Death (cause unascertained)
Other ill-defined causes
Causes not specified	..	1168	1142	989	835	762	888	768	800	753	{ 686	788	436	256	121	91	72	326	291	277	272
..	60	66	50	48
VIOLENT DEATHS.		4510	4727	4652	4788	4452	5308	4930	5045	4971	5360	5013	1	324	330	337	355	377	349	356	346
In Mines and Quarries	382	324	330	337	355	377	349	356	346
Vehicles and Horses	2	1	3	—	3	2	1	3	1
Ships, Boats, and Docks (not Drowning)	12	12	13	8	15	11	8	10	8
Building Operations	18	9	11	18	8	11	12	10	10
Machinery	1530	1457	1292	1369	1450	1527	1507	1583	1571
Weapons and Implements	210	161	168	196	198	198	216	188	189
Burns and Scalds	406	390	407	391	433	374	367	400	397
Poisons, Poisonous Vapours	938	950	936	972	855	893	864	890	760
Drowning	1303	1172	1171	1158	1106	1190	1270	1238	1271
Suffocation..	137	66	34	84	68	89	27	58	52
Falls	332	306	299	292	250	288	268	280	272
Weather Agencies
Otherwise or not stated
Battle
Homicide
Suicide
Execution

* The figures for years prior to 1901 refer to deaths classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."
+ Deaths from Rupture of Blood Vessels are included under this heading for years prior to 1901, and under "Other Diseases of Blood Vessels" since that date.

TABLE 28 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1890-1909.—Females.

CAUSES OF DEATH.	1890.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.
OTHER SPECIFIED DISEASES.*																				
CAUSES ILL-DEFINED OR NOT SPECIFIED.																				
<i>Atrophy, Debility</i>	28	31	31	30	27	33	33	36	37	44	45	—	0	—	—	—	—	—	—	0
<i>Old Age</i>	675	658	630	673	534	637	552	562	559	553	540	517	459	448	445	392	392	347	352	330
<i>Dropsy, Ascites, Anasarca</i> ..	1082	1126	1059	1004	904	1078	944	1020	1018	1089	1082	1019	1018	988	1055	1023	1004	1049	1029	1047
<i>Tumour</i>	22	18	17	16	13	15	12	10	11	13	13	8	6	6	4	4	3	4	2	2
<i>Abscess</i>	7	5	6	5	5	5	3	5	3	3	3	3	3	3	3	3	2	3	3	3
<i>Haemorrhage*</i>	20	18	19	18	15	12	12	12	12	11	10	9	9	9	7	6	7	8	9	7
<i>Sudden Death (cause unascertained)</i> ..	4	3	4	5	4	4	3	2	3	2	3	1	1	1	1	1	1	1	1	1
<i>Other ill-defined causes</i>	13	9	11	10	8	9	8	5	6	5	7	4	5	3	1	1	0	0	1	1
<i>Causes not specified</i>	80	76	65	54	49	57	48	50	46	{	2	9	17	21	20	22	18	16	15	15
										42	47	26	15	7	5	4	3	4	3	3
VIOLENT DEATHS.																				
<i>In Mines and Quarries</i>																				
<i>Vehicles and Horses</i>																				
<i>Ships, Boats, and Docks (not Drowning)</i> ..																				
<i>Building Operations</i>																				
<i>Machinery</i>																				
<i>Weapons and Implements</i>																				
<i>Burns and Scalds</i>																				
<i>Poisons, Poisonous Vapours</i>																				
<i>Drowning</i>	305	316	305	312	287	338	309	314	306	327	300	91	85	75	78	82	86	83	86	85
<i>Suffocation</i>												12	9	10	11	11	11	12	10	10
<i>Falls</i>												24	23	24	22	25	21	20	22	21
<i>Weather Agencies</i>												56	69	54	56	48	50	48	49	41
<i>Otherwise or not stated</i>												77	69	68	66	63	67	70	68	69
												8	2	2	5	4	5	1	3	3
												20	18	17	17	14	16	15	15	15
<i>Battle</i>																				
<i>Homicide</i>																				
<i>Suicide</i>	9	10	10	10	9	10	9	8	9	9	8	10	10	9	9	10	8	7	9	8
<i>Execution</i>	38	41	44	43	44	46	42	44	44	44	44	48	47	51	47	49	45	50	51	48

* See note to Table 27.

TABLE 29.—ENGLAND AND WALES.—Crude Annual Death-rates from the Principal Epidemic Diseases and Infantile Mortality, 1860-1909.

PERIOD.	ANNUAL MORTALITY PER MILLION PERSONS LIVING FROM THE PRINCIPAL EPIDEMIC DISEASES.									ANNUAL MORTALITY of Infants under one year of age to 1000 Births.
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyrexia.* (Origin uncertain.)	Diarrhoea, Dysentery, and Cholera.	
1838-42 (5 years.)	576	539	797		504	1053			298	152
1847-50 (4 years.)	292	403	884		480	1246			1710	154
1851-60	222	412	982		505	913			1088	154
1861-70	162	443	971	187	530	886			1076	154
1871-80	245	379	719	121	513	58	326	105	942	149
1881-90	46	441	338	163	451	15	198	25	677	142
1891-1900	13	414	158	263	378	3	174	6	735	154
1860	136	479	485	261	429	652			560	148
1861	64	450	451	225	612	767			1044	153
1862	78	481	728	241	602	919			622	142
1863	286	550	1478	315	547	874			814	149
1864	364	397	1418	261	409	960			877	153
1865	301	405	837	196	409	1089			1225	160
1866	139	511	546	140	736	986			1525	160
1867	114	304	567	120	548	778			1003	153
1868	91	528	996	137	419	895			1473	155
1869	67	464	1244	117	493	193	390	239	967	156
1870	113	335	1446	120	529	147	388	233	1208	160
1871	1012	408	815	111	455	121	371	186	1132	158
1872	821	368	515	93	596	80	377	145	1030	150
1873	93	316	562	108	411	70	376	132	994	149
1874	88	517	1050	150	437	74	374	130	948	151
1875	35	257	851	142	594	62	371	108	1051	158
1876	99	408	691	129	432	48	309	81	942	146
1877	173	366	585	111	460	45	279	78	632	136
1878	74	310	753	140	710	36	306	71	1028	152
1879	21	362	694	120	503	21	231	58	460	135
1880	25	478	675	109	530	21	261	58	1202	153
1881	119	280	548	121	415	21	212	44	570	130
1882	50	483	521	152	579	36	229	39	666	141
1883	36	350	475	158	393	33	228	36	613	137
1884	82	419	402	186	425	12	236	28	1008	147
1885	103	533	233	164	481	12	175	24	503	138
1886	11	436	218	149	470	9	184	22	918	149
1887	19	602	282	160	404	8	185	18	744	145
1888	37	347	226	171	436	6	172	15	463	136
1889	1	518	235	189	430	5	176	15	660	144
1890	0	439	242	179	478	5	179	13	620	151
1891	2	436	170	173	468	5	168	11	480	149
1892	15	459	190	222	454	3	137	8	520	148
1893	49	373	235	318	342	5	229	9	1000	159
1894	27	391	167	291	410	4	159	7	359	137
1895	7	377	149	259	315	2	175	5	901	161
1896	17	570	177	291	429	2	166	5	564	148
1897	0	408	147	246	367	2	156	4	889	156
1898	8	419	113	243	323	1	181	4	957	160
1899	5	314	117	292	318	1	198	4	973	163
1900	3	394	119	290	356	1	173	4	730	154
1901	10	276	133	273	313	1	155	3	926	151
1902	75	392	148	236	297	2	126	3	429	133
1903	23	274	125	182	285	2	100	2	554	132
1904	15	363	111	170	352	1	93	2	879	145
1905	4	324	112	160	255	1	89	2	601	128
1906	1	273	101	177	241	0	92	1	886	132
1907	0	361	92	164	293	1	67	1	305	118
1908	0	226	80	157	278	0	75	1	520	120
1909	0	353	90	146	201	0	60	0	290	109

* Called Simple Continued Fever previous to 1901.

TABLE 30.—LONDON.*—Crude Annual Death-rates from the Principal Epidemic Diseases and Infantile Mortality, 1860-1909.

NOTE.—The boundaries of the Administrative and Registration Counties of London were made co-extensive in 1901. Previous to that year the figures in the table relate to the Registration County as constituted at the several dates. The figures refer to calendar years up to 1884, and subsequently to periods of 52 or 53 weeks.

PERIOD.	ANNUAL MORTALITY PER MILLION PERSONS LIVING FROM THE PRINCIPAL EPIDEMIC DISEASES.									ANNUAL MORTALITY of Infants under one year of age to 1,000 Births.
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyrexia.† (Origin uncertain.)	Diarrhoea, Dysentery, and Cholera.	
1838-40 (3 years.)	1065	695	1108		804	1339			294	—
1841-50	402	623	863		867	979			1469	157
1851-60	280	530	1017		877	886			1544	155
1861-70	276	576	1133	179	882	904			1284	162
1871-80	457	510	600	122	815	55	244	75	987	158
1881-90	142	636	333	256	691	8	186	18	753	152
1891-1900	9	582	187	489	499	1	136	3	752	159
1860	323	752	726	174	744	531			553	153
1861	77	377	846	239	1260	656			1033	155
1862	128	816	1221	255	758	1284			680	143
1863	687	562	1706	275	749	988			913	151
1864	185	942	1097	207	819	1278			1071	169
1865	214	431	727	144	980	1074			1307	171
1866	457	730	622	152	973	884			2923	172
1867	436	370	470	145	738	708			1070	159
1868	190	625	929	158	745	786			1412	166
1869	87	458	1839	107	1187	225	337	194	1169	170
1870	302	450	1875	104	607	147	303	177	1258	164
1871	2422	437	582	105	701	118	267	133	1282	171
1872	537	505	276	80	979	52	242	97	1132	158
1873	34	637	191	95	777	82	269	96	1219	160
1874	17	490	773	122	545	91	256	98	970	156
1875	13	404	1056	167	920	37	235	78	975	162
1876	207	485	651	109	771	45	217	57	1048	157
1877	710	664	439	88	505	44	251	54	697	146
1878	388	411	495	155	1227	41	283	54	1001	164
1879	121	667	717	155	791	19	229	43	524	148
1880	125	402	820	144	930	20	186	35	1024	158
1881	619	663	553	172	516	24	254	35	824	148
1882	111	605	519	222	1212	14	252	25	575	151
1883	35	626	514	244	410	14	247	26	701	146
1884	313	575	362	241	799	8	234	20	1029	156
1885	332	736	176	224	624	7	146	21	669	148
1886	5	518	171	207	707	3	151	17	983	159
1887	2	715	354	235	723	4	145	12	929	158
1888	2	587	293	310	730	2	161	8	530	146
1889	0	559	188	376	423	4	126	10	647	141
1890	1	773	203	326	770	3	139	8	646	162
1891	2	428	137	316	682	2	125	10	575	154
1892	7	796	274	436	581	3	100	5	596	155
1893	43	386	369	743	541	1	157	5	799	164
1894	21	758	221	608	483	1	140	3	408	143
1895	13	601	189	523	338	1	136	2	817	165
1896	2	822	209	593	652	1	126	3	711	160
1897	4	434	175	505	414	0	126	2	922	158
1898	0	688	130	394	484	1	124	2	976	166
1899	1	478	89	434	383	0	169	0	933	167
1900	1	429	80	342	432	0	159	2	785	159
1901	51	431	129	293	354	1	110	2	860	148
1902	282	507	120	249	403	—	115	1	531	140
1903	3	445	78	161	354	1	80	1	636	130
1904	5	487	79	156	322	—	62	1	1025	145
1905	2	366	118	117	318	—	50	1	718	130
1906	—	405	113	147	260	—	55	1	940	131
1907	—	380	136	165	376	—	41	1	318	116
1908	—	313	112	149	202	—	46	0	532	113
1909	0	482	79	126	258	—	30	0	327	108

* For the years 1874-1884 the deaths have been approximately corrected, and for later years they have been fully corrected by the distribution of those occurring in public institutions. The figures for 1909 may differ, therefore, from those in Tables 13, 33, and 42.

† Called Simple Continued Fever previous to 1901.

TABLE 31.—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1909.—MALES.
 Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1903.* (Males.)	DEATH-RATE PER MILLION LIVING FROM																								
		ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia,† origin uncertain.	Enteric Fever.	Diarrhoea and Dysentery.	PulmonaryTuber- culosis, Tuber- culous Pththis.	Pththis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
ENGLAND & WALES.	17,265,786	15,360	1	374	96	1	249	182	146	0	74	320	731	569	171	106	28	174	826	101	65	1,490	1,124	—	766	7,796
I.—LONDON.	2,281,151	15457	—	541	82	—	241	242	135	1	43	377	1246	437	206	94	21	188	991	142	59	1748	1211	—	722	6730
II.—SOUTH EASTERN.																										
Surrey	396,818	13838	—	209	53	—	285	181	136	—	13	214	743	451	154	55	13	179	922	154	48	1363	751	—	665	7249
Kent	519,065	12467	8	83	40	—	235	83	129	—	58	179	663	489	135	73	19	163	886	79	65	873	797	—	688	6719
Sussex	295,468	14614	—	68	51	—	528	152	139	—	54	152	700	711	132	61	17	149	1232	88	61	1127	812	—	677	7703
Hampshire.. ..	412,167	14759	—	209	56	—	218	126	199	—	97	184	1031	485	160	85	15	148	1034	104	51	1012	883	—	660	8002
Berkshire	144,780	14505	—	214	48	—	387	35	186	—	35	152	656	359	186	83	7	104	981	76	48	905	870	—	760	8413
III.—SOUTH MIDLAND.																										
Middlesex	483,148	12474	—	360	126	—	246	188	180	—	39	327	666	441	153	75	4	132	699	95	77	1323	909	—	517	5847
Hertfordshire ..	124,533	14711	—	185	32	—	265	96	104	—	24	104	988	361	265	88	8	104	1052	88	72	1213	1205	—	610	7847
Buckinghamshire	89,066	13383	—	67	56	—	730	34	124	—	—	135	494	292	79	45	11	67	932	—	56	775	853	—	629	8004
Oxfordshire	86,692	16622	—	335	46	—	265	115	92	—	12	185	600	738	115	69	12	138	1188	92	58	992	1396	—	900	9274
Northamptonshire	189,707	12751	—	284	26	—	343	53	95	—	37	184	448	601	163	42	16	179	991	121	58	785	849	—	622	6874
Huntingdonshire..	21,490	15170	—	140	186	—	235	35	116	—	23	186	465	372	47	47	—	233	1117	47	47	977	1303	—	744	8979
Bedfordshire	86,390	14573	—	556	35	—	235	35	116	—	23	174	463	741	150	23	—	197	1007	93	58	949	1123	—	729	7846
Cambridgeshire ..	99,981	14453	—	70	90	—	350	80	150	10	50	100	550	380	80	70	—	170	1290	80	40	730	860	—	730	8573
IV.—EASTERN.																										
Essex	651,572	12263	—	330	97	—	229	279	130	—	28	282	660	433	153	72	18	152	649	87	48	1071	971	—	502	6072
Suffolk	180,672	14457	—	133	28	—	188	100	94	—	33	111	426	769	116	61	22	177	1013	89	44	952	863	—	780	8458
Norfolk	227,974	14962	—	272	31	—	272	154	53	—	22	259	518	592	101	118	4	162	939	96	31	737	1066	—	750	8785

* The populations have been estimated to the middle of 1909 from the numbers enumerated at the Censuses of 1891 and 1901.
 † Called Simple Continued Fever previous to 1901.

TABLE 32.—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1909.—FEMALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1909* (Females.)	DEATH-RATE PER MILLION LIVING FROM																								
		ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia,† origin uncertain.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
ENGLAND & WALES.	13,490,825	13672	0	333	84	0	254	219	147	0	47	260	462	441	153	91	21	142	1071	76	66	1102	1153	183	320	7042
I.—LONDON.	2,552,787	13067	—	438	63	—	241	275	119	—	20	283	608	312	172	64	13	148	1123	107	53	1280	1310	143	378	5917
II.—SOUTH EASTERN.																										
Surrey	447,202	12019	—	212	60	—	429	143	107	—	11	159	499	329	96	58	11	81	1116	98	42	912	921	130	309	6296
Kent	531,618	11642	—	83	38	—	288	105	150	—	51	186	525	346	132	87	13	120	1131	68	51	702	890	105	213	6358
Sussex	361,286	12638	—	33	36	—	520	127	136	—	30	108	393	426	94	69	11	161	1359	78	39	858	1016	127	288	6729
Hampshire..	448,425	12238	—	176	38	—	225	167	187	—	67	152	504	417	116	49	16	134	1015	56	74	691	874	165	285	6830
Berkshire ..	154,971	12125	—	168	13	—	445	39	155	—	19	181	478	329	103	77	—	123	1297	110	32	665	1020	123	200	6548
III.—SOUTH MIDLAND.																										
Middlesex ..	544,189	11121	—	336	116	—	272	228	173	—	20	268	379	311	149	68	11	97	976	62	61	987	871	130	277	5329
Hertfordshire ..	137,023	13275	—	161	22	—	270	197	139	—	22	66	642	321	88	22	7	102	1248	29	44	927	1299	117	234	7318
Buckinghamshire ..	93,773	12328	—	43	21	—	576	85	160	11	11	75	256	245	64	32	—	192	1120	43	32	800	1152	149	192	7069
Oxfordshire ..	99,006	13282	—	222	10	—	354	131	51	—	10	131	465	505	192	40	20	101	1374	71	81	788	939	182	273	7342
Northamptonshire ..	196,421	12178	—	143	15	—	311	46	117	—	51	122	351	519	183	51	15	132	1202	61	56	718	1140	107	214	6624
Huntingdonshire..	22,737	13326	—	220	220	—	88	88	44	—	—	44	396	528	88	88	—	132	1144	44	—	484	1275	88	352	7571
Bedfordshire ..	98,467	13334	—	467	10	—	363	61	112	—	20	102	427	427	71	102	10	132	1259	30	41	680	1249	162	162	7444
Cambridgeshire ..	106,224	13914	—	19	56	—	461	113	151	—	38	235	546	395	104	47	9	104	1563	28	19	584	838	104	301	8199
IV.—EASTERN.																										
Essex	671,628	11515	—	314	73	—	235	323	109	—	25	217	399	381	156	70	13	107	916	58	68	896	1072	115	270	5693
Suffolk	191,278	12793	—	99	42	—	220	99	84	—	21	125	340	559	110	84	—	214	1276	63	47	648	805	94	209	7654
Norfolk	250,163	13547	—	232	28	—	206	224	116	—	36	164	376	456	104	92	8	100	1391	60	40	572	1007	140	204	7901

* The populations have been estimated to the middle of 1909 from the numbers enumerated at the Censuses of 1891 and 1901.

† Called Simple Continued Fever previous to 1901.

TABLE 31 (continued).—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1909.—MALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1903.* (Males.)	DEATH-RATE PER MILLION LIVING FROM																									
		ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, [†] uncertain origin	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
V.—SOUTH WESTERN.																											
Wiltshire ..	136,647	13121	—	95	22	—	212	95	73	—	7	146	315	615	80	29	44	168	820	95	59	732	746	—	—	673	8095
Dorsetshire ..	104,189	13370	—	134	134	—	365	67	144	—	106	211	480	451	77	96	10	125	835	77	48	845	912	—	—	691	7562
Devonshire..	328,297	14910	3	161	27	—	247	146	134	—	97	286	667	506	116	97	12	189	905	119	64	1109	1057	—	—	771	8197
Cornwall ..	150,022	15344	—	107	27	—	220	140	67	—	40	227	740	673	107	87	7	173	1040	73	47	1107	833	—	—	840	8789
Somersetshire ..	220,948	14555	9	68	18	—	231	91	136	—	32	217	480	498	81	68	23	145	996	77	68	1113	887	—	—	584	8733
VI.—WEST MIDLAND.																											
Gloucestershire ..	321,769	14538	19	258	28	—	174	146	134	—	44	239	702	553	155	59	16	131	889	118	37	1193	1007	—	—	721	7915
Herefordshire ..	54,055	15669	—	241	37	—	592	166	74	—	55	130	721	277	92	37	—	277	1258	74	37	925	1036	—	—	592	9048
Shropshire..	130,891	14699	—	53	138	8	435	252	115	—	15	222	504	512	107	99	15	99	902	84	46	1146	833	—	—	672	8442
Staffordshire ..	686,320	16602	—	721	109	—	252	322	163	—	108	459	627	511	159	147	31	185	651	66	71	1590	1514	—	—	761	8155
Worcestershire ..	270,283	14433	—	629	92	—	300	118	129	—	37	248	499	485	144	118	30	126	773	96	48	1254	1151	—	—	640	7516
Warwickshire ..	485,218	16351	—	697	150	—	235	229	159	—	58	396	515	948	136	105	21	128	760	134	64	1533	1232	—	—	752	8099
VII.—NORTH MIDLAND.																											
Leicestershire ..	238,765	13683	—	276	71	—	276	172	105	—	38	297	528	540	209	80	29	126	758	126	80	1122	988	—	—	611	7251
Rutlandshire ..	9,923	14613	—	101	—	—	705	—	101	—	—	—	302	504	101	202	—	—	1310	101	101	1209	705	—	—	1008	8163
Lincolnshire ..	254,126	15410	—	98	16	—	279	189	209	—	110	248	394	602	157	94	24	216	956	67	83	1129	992	—	—	748	8799
Nottinghamshire ..	332,013	15653	—	488	39	—	211	223	130	—	81	491	560	431	181	93	24	163	774	105	51	1479	1142	—	—	744	8243
Derbyshire..	268,194	14176	—	403	89	—	201	157	194	4	52	239	403	548	145	119	15	89	690	108	56	1212	1022	—	—	785	7647
VIII.—NORTH WESTERN.																											
Cheshire ..	404,494	15555	2	225	173	—	262	84	141	—	79	282	544	623	146	158	67	185	801	101	67	1738	1075	—	—	764	8038
Lancashire ..	2,338,469	17670	—	538	210	3	222	186	178	1	135	433	780	734	186	140	39	195	716	95	80	2112	1509	—	—	818	8360

* The populations have been estimated to the middle of 1909 from the numbers enumerated at the Censuses of 1891 and 1901.

† Called Simple Continued Fever previous to 1901.

TABLE 32 (continued).—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1909.—FEMALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1909.* (Females.)	DEATH-RATE PER MILLION LIVING FROM																	All other Causes.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia,† origin uncertain.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phtisis.	Phtisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabes Mesenterica.	All other Tuber- culous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
V.—SOUTH WESTERN.																										
Wiltshire ..	137,858	12984	—	145	44	—	305	203	138	—	22	131	297	392	94	65	22	109	1211	29	44	653	994	145	268	7673
Dorsetshire ..	104,906	12878	—	38	200	—	315	57	191	—	29	86	486	429	36	57	10	153	1115	76	38	734	810	133	229	7606
Devonshire..	366,652	13809	—	180	22	—	300	109	123	3	35	270	535	398	115	68	8	142	1249	76	52	835	1118	134	245	7792
Cornwall ..	171,457	14458	—	99	35	—	192	157	87	—	41	192	455	449	82	105	6	216	1400	76	52	881	817	187	204	8725
Somersetshire ..	258,110	12936	—	27	8	—	244	120	159	—	15	143	461	325	77	62	4	70	1189	81	35	798	860	163	267	7828
VI.—WEST MIDLAND.																										
Gloucestershire ..	372,073	12836	8	220	40	—	196	110	137	—	22	194	492	312	148	75	13	129	1212	67	46	847	1048	183	250	7087
Herefordshire ..	57,968	13714	—	121	52	—	328	242	52	—	17	155	552	466	104	86	17	121	1363	69	52	638	966	86	328	7899
Shropshire..	133,074	14984	—	30	143	—	488	255	195	—	53	173	428	481	188	60	15	128	1420	120	60	1052	1037	210	248	8200
Staffordshire ..	693,125	14849	—	731	125	—	246	404	161	—	53	379	415	415	149	131	24	136	895	76	42	1248	1366	194	368	7291
Worcestershire ..	300,117	12685	—	533	90	—	300	147	130	—	33	177	363	413	103	90	10	107	1056	97	53	983	1090	147	237	6526
Warwickshire ..	516,104	14577	—	707	143	—	231	231	182	2	29	322	341	583	122	72	9	107	1025	81	64	1250	1254	161	380	7221
VII.—NORTH MIDLAND.																										
Leicestershire ..	258,026	12731	—	376	74	—	236	174	89	—	23	248	469	469	159	136	16	159	969	89	58	791	1097	174	271	6654
Rutlandshire ..	9,985	16425	—	200	—	—	1402	200	100	—	—	100	501	200	—	—	—	100	1102	100	100	1703	1502	100	401	8614
Lincolnshire ..	264,631	13351	—	60	23	—	314	200	223	—	60	162	355	472	144	83	19	173	1213	42	76	752	986	155	302	7540
Nottinghamshire ..	346,169	14894	—	494	29	—	182	231	135	—	64	413	511	407	136	85	40	124	945	64	95	1309	1222	274	338	7785
Derbyshire..	273,701	13036	—	354	51	—	183	216	248	—	22	216	345	457	146	113	18	113	950	66	77	906	1060	219	314	6912
VIII.—NORTH WESTERN.																										
Cheshire ..	443,726	13545	—	211	152	—	290	103	143	—	60	225	345	443	145	94	51	154	1047	82	71	1186	1130	178	314	7118
Lancashire ..	2,533,437	15576	—	473	179	1	217	223	155	0	91	356	481	529	171	109	22	161	975	74	93	1508	1582	217	405	7554

* The populations have been estimated to the middle of 1909 from the numbers enumerated at the Censuses of 1891 and 1901.

† Called Simple Continued Fever previous to 1901.

TABLE 31 (continued).—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1909.—MALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1909.* (Males.)	DEATH-RATE PER MILLION LIVING FROM																	Violence.	All other Causes.						
		ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia,† origin uncertain.	Enteric Fever.	Diarrhoea and Dysentery.	PulmonaryTuber- culosis, Tuber- culous Phtisis.	Phtisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuber- culous Diseases.			Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.
IX.—YORKSHIRE.																										
West Riding	1,481,609	15430	—	310	75	1	217	137	130	—	121	333	649	568	180	123	37	139	761	84	62	1554	1189	—	763	7937
East Riding (with York)	246,357	15173	8	223	49	—	154	146	195	—	53	373	491	747	143	97	4	130	771	114	81	1169	990	—	930	8302
North Riding	193,756	16856	—	366	36	—	186	418	145	—	114	356	501	516	284	155	21	243	790	88	67	2328	970	—	857	8415
X.—NORTHERN.																										
Durham	681,259	16254	—	506	110	—	188	188	170	—	106	398	339	608	216	188	66	214	575	63	59	1612	1130	—	1092	8426
Northumberland	346,915	15799	—	332	95	—	153	213	164	—	78	271	574	700	303	141	43	205	816	78	55	1291	922	—	853	8512
Cumberland	130,572	16275	—	498	69	8	214	138	161	—	31	168	482	528	214	130	69	230	850	107	77	1677	927	—	774	8923
Westmorland	29,299	13482	—	63	34	—	478	—	—	—	34	68	512	478	102	68	—	205	785	68	34	1365	819	—	751	7613
XI.—WELSH.																										
Monmouthshire	181,046	16344	—	431	138	—	315	122	127	—	77	204	403	458	116	33	61	127	519	116	133	2165	1171	—	1127	8501
Glamorganshire	521,216	16527	4	255	102	—	276	284	130	4	58	528	576	572	171	92	58	146	587	94	79	1935	1115	—	1301	8140
Cardiganshire	62,236	17128	—	—	96	—	273	209	225	—	161	209	578	739	386	145	—	225	643	61	112	1767	884	—	900	9512
Pembrokeshire	40,199	16568	—	473	75	—	124	75	124	—	50	124	473	672	174	224	25	299	896	100	149	1020	771	—	970	9750
Cardiganshire	35,777	17944	—	28	—	—	363	84	168	—	28	224	1258	839	252	112	—	335	1006	56	84	867	922	—	727	10391
Brecknockshire	27,277	17707	—	—	73	—	587	220	73	—	110	37	513	697	110	37	37	257	843	73	147	2273	1210	—	917	9493
Radnorshire	12,660	10111	—	—	—	—	474	—	474	—	79	79	395	395	158	79	—	79	474	79	79	474	948	—	474	5450
Montgomeryshire	30,160	16015	—	33	66	—	531	265	345	—	99	99	597	597	99	166	—	199	862	166	33	1492	1160	—	531	9020
Flintshire	31,908	15764	—	31	157	—	533	31	345	—	157	94	470	878	94	125	—	94	721	125	31	1348	878	—	1066	8586
Denbighshire	68,642	15676	—	539	87	—	452	44	204	—	29	175	350	510	233	131	44	175	1093	87	102	1471	1049	—	641	8260
Merionethshire	31,555	14293	—	32	222	—	158	95	63	—	—	95	475	697	317	127	32	222	1268	158	63	982	697	—	507	8083
Carnarvonshire	70,652	14946	—	241	85	—	212	127	127	—	113	113	609	906	184	113	71	241	1217	127	71	1090	637	—	665	7997
Anglesey	17,388	15988	—	—	—	—	288	—	115	—	58	—	460	460	173	115	—	115	1323	58	58	633	575	—	633	10924

* The populations have been estimated to the middle of 1909 from the numbers enumerated at the Censuses of 1891 and 1901.

† Called Simple Continued Fever previous to 1901.

TABLE 32 (continued).—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1909.—FEMALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1909.* (Females.)	DEATH-RATE PER MILLION LIVING FROM																	All other Causes.						
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia,† uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis. Tuber- culous Phtis.	Phtis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuber- culous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
IX.—YORKSHIRE.		13805	294	65	1	234	192	143	1	73	270	415	410	163	109	30	153	1064	75	75	1157	1160	225	322	7234
West Riding	1,563,447	—	160	19	—	171	171	191	—	43	312	378	514	125	94	12	133	1005	58	90	830	1048	183	460	7008
East Riding (with York)	256,603	—	314	55	—	194	597	201	—	60	344	498	493	184	70	45	149	1175	110	119	1441	986	199	334	7836
North Riding	200,844	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X.—NORTHERN.		14417	461	90	—	135	284	176	—	86	335	308	662	263	192	56	173	773	74	63	1138	1047	233	311	7557
Durham	665,831	—	257	96	—	96	257	161	—	35	239	450	660	269	140	61	175	940	70	79	1247	829	239	310	8033
Northumberland	342,479	—	424	86	—	237	180	72	—	—	158	367	489	157	158	72	187	1330	58	58	935	927	201	266	8123
Cumberland	139,093	—	—	—	—	702	58	117	—	29	58	380	439	117	29	29	58	1170	58	29	818	731	117	351	6818
Westmorland	34,190	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XI.—WELSH.		14576	341	139	6	272	185	254	—	35	251	416	439	168	52	35	98	746	58	104	1676	977	301	277	7749
Monmouthshire	173,024	—	205	98	—	197	380	181	—	46	461	525	531	135	78	44	149	876	42	98	1304	1011	374	334	7718
Glamorganshire	497,562	—	—	74	—	238	119	178	—	59	178	738	758	237	119	15	208	1055	45	89	1248	1025	342	297	8748
Cardiganshire	67,320	—	623	69	—	115	208	203	—	92	139	577	739	162	46	—	162	1385	46	46	646	923	115	369	8819
Pembrokeshire	43,321	—	22	—	—	336	90	134	—	112	134	1255	874	224	202	—	247	1793	90	67	695	1300	179	336	9975
Cardiganshire	44,617	—	—	—	—	222	295	111	—	148	—	480	775	238	148	—	37	923	37	111	1403	1182	295	480	8455
Brecknockshire	27,084	—	—	37	—	290	—	290	—	—	193	386	772	193	97	—	—	579	—	—	579	772	290	290	6753
Radnorshire	10,362	—	63	—	—	190	32	32	—	32	32	475	380	95	158	—	285	1426	63	63	919	1109	190	190	7700
Montgomeryshire	31,562	—	—	—	—	190	32	32	—	—	—	291	549	97	97	—	97	1420	32	194	1001	968	291	258	9004
Flintshire	30,981	—	194	97	—	516	32	226	—	—	—	336	526	88	132	15	146	1242	29	58	1111	1199	424	351	8303
Denbighshire	68,412	—	482	58	—	365	88	161	—	44	322	336	526	97	152	—	182	1577	—	—	849	738	243	364	8276
Merionethshire	32,977	—	—	364	—	212	152	91	—	—	61	607	667	152	152	—	182	1577	—	—	—	738	243	364	8276
Carnarvonshire	77,525	—	116	52	—	335	258	103	—	129	206	490	980	115	258	13	219	1225	77	—	748	593	258	206	7445
Anglesey	18,224	—	55	—	—	219	—	274	—	55	55	604	823	165	165	—	55	1646	110	55	878	604	110	219	9382

* The populations have been estimated to the middle of 1909 from the numbers enumerated at the Censuses of 1891 and 1901.

† Called Simple Continued Fever previous to 1901.

TABLE 33.—ENGLAND AND WALES.—Crude Death-rates to a Million Persons from Puerperal Septic Diseases and Diseases and Accidents of Pregnancy and

NOTE.—These rates are calculated upon the deaths registered in each County,

REGISTRATION COUNTY.	TO A MILLION PERSONS LIVING.									
	Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Whooping- cough.	
	Ten Years 1899 to 1908.	1909.	Ten Years 1899 to 1908.	1909.	Ten Years 1899 to 1908.	1909.	Ten Years 1899 to 1908.	1909.	Ten Years 1899 to 1908.	1909.
ENGLAND & WALES.	14	0	320	353	114	90	210	146	299	201
I.—LONDON.										
London*	3	—	425	486	92	72	219	126	342	259
II.—SOUTH EASTERN.										
Surrey	5	—	174	211	45	57	163	121	226	161
Kent	190	4	165	83	52	39	195	140	223	94
Sussex	1	—	116	49	27	43	178	137	180	139
Hampshire	2	—	197	192	41	46	228	193	223	148
Berkshire	4	—	147	190	40	30	175	170	207	37
III.—SOUTH MIDLAND.										
Middlesex	39	—	271	348	149	121	225	176	285	209
Hertfordshire	3	—	139	172	50	27	125	122	204	149
Buckinghamshire	3	—	143	55	48	38	219	142	211	60
Oxfordshire	11	—	119	275	53	27	108	70	198	124
Northamptonshire	3	—	138	202	94	21	108	106	238	49
Huntingdonshire	4	—	90	181	44	203	132	23	230	113
Bedfordshire	3	—	157	509	29	22	198	114	214	49
Cambridgeshire	9	—	153	44	54	73	125	150	226	97
IV.—EASTERN.										
Essex	30	—	308	322	85	85	293	119	331	304
Suffolk	3	—	155	116	31	35	129	89	251	99
Norfolk	1	—	186	251	63	29	189	86	276	190
V.—SOUTH WESTERN.										
Wiltshire	1	—	143	120	59	33	131	106	162	149
Dorsetshire	—	—	110	86	45	167	152	167	152	62
Devonshire	1	1	233	171	59	24	115	128	221	127
Cornwall	0	—	121	103	39	31	93	78	252	149
Somersetshire	0	4	172	46	43	13	157	148	175	106
VI.—WEST MIDLAND.										
Gloucestershire	2	13	270	238	72	35	204	135	234	127
Herefordshire	1	—	114	179	41	45	154	62	198	205
Shropshire	2	—	162	42	54	140	125	155	232	254
Staffordshire	3	—	371	726	171	117	265	162	331	363
Worcestershire	1	—	219	579	105	91	127	130	236	133
Warwickshire	3	—	316	702	149	147	201	171	376	261
VII.—NORTH MIDLAND.										
Leicestershire	9	—	220	328	98	72	291	97	254	173
Rutlandshire	—	—	59	151	54	—	137	100	123	100
Lincolnshire	3	—	163	79	95	19	189	216	255	195
Nottinghamshire	5	—	363	491	105	34	162	133	314	227
Derbyshire	6	—	261	378	122	70	167	221	234	186
VIII.—NORTH WESTERN.										
Cheshire	11	1	293	219	125	162	172	142	299	94
Lancashire	12	—	471	504	204	194	221	166	356	205
IX.—YORKSHIRE.										
West Riding	13	—	394	302	152	70	241	137	296	165
East Riding (with York)	44	4	349	191	75	34	207	193	290	159
North Riding	2	—	338	340	98	46	233	175	272	509
X.—NORTHERN.										
Durham	12	—	407	484	159	100	194	173	388	235
Northumberland	13	—	292	294	138	96	175	162	373	235
Cumberland	4	—	323	460	99	78	139	115	323	159
Westmorland	5	—	83	32	73	16	82	63	172	32
XI.—WELSH.										
Monmouthshire	2	—	426	387	123	138	342	189	372	153
Glamorganshire	8	2	444	231	140	100	420	155	389	331
Carmarthenshire	—	—	216	—	129	85	267	201	238	162
Pembrokeshire	1	—	104	551	54	72	106	168	198	144
Cardiganshire	—	—	84	25	73	—	180	149	166	87
Brecknockshire	8	—	146	—	94	55	346	92	274	258
Radnorshire	10	—	98	—	69	—	261	391	173	—
Montgomeryshire	2	—	78	49	24	32	65	16	212	146
Flintshire	2	—	229	111	101	127	231	286	246	32
Denbighshire	5	—	252	511	101	73	195	182	352	66
Merionethshire	—	—	138	15	51	294	188	77	218	124
Carnarvonshire	4	—	107	175	48	67	118	115	238	196
Anglesey	—	—	134	28	14	—	137	197	234	—

* See Note * to Table 30.

living from the **Principal Epidemic Diseases**, and from **Phthisis**; and **Deaths Childbirth** to **1000 Births**, in **Registration Counties, 1899-1908**, and **1909**.
no correction having been made for those occurring in Public Institutions.

TO A MILLION PERSONS LIVING.										TO 1000 BIRTHS.		REGISTRATION COUNTY.
Fever.						Diarrhoea (in- cluding Dysen- tery).		Phthisis.		Puerperal Septic Diseases and Diseases and Accidents of Pregnancy and Childbirth.		
Typhus.		Enteric.		Pyrexia† (Origin uncertain.)								
Ten Years 1899 to 1908.	1909.	Ten Years 1899 to 1908.	1909.	Ten Years 1899 to 1908.	1909.	Ten Years 1899 to 1908.	1909.	Ten Years 1899 to 1908.	1909.	Ten Years 1899 to 1908.	1909.	
I	0	117	60	2	0	679	290	1214	1081	4'22	3'70	
o	—	92	31	I	0	738	327	1539	1281	3'11	3'10	ENGLAND & WALES.
o	—	49	12	2	—	466	185	1085	1000	3'31	2'91	I.—LONDON.
o	—	122	54	I	—	522	183	1131	1010	3'40	2'48	London.*
o	—	63	41	I	—	364	128	1180	1086	3'79	3'66	II.—SOUTH EASTERN.
o	—	130	81	3	—	498	167	1320	1206	3'31	3'64	Surrey.
I	—	47	27	I	—	344	167	975	907	4'12	2'88	Kent.
o	—	78	29	I	—	771	296	1012	886	3'11	2'56	Sussex.
—	—	58	23	—	—	365	84	1078	1147	3'58	2'63	Hampshire.
—	—	58	5	I	5	285	104	883	640	3'39	3'31	Berkshire.
I	—	36	11	I	—	250	156	958	1142	3'67	4'22	III.—SOUTH MIDLAND.
—	—	82	44	I	—	371	153	1026	958	3'62	2'64	Middlesex.
—	—	61	—	—	—	326	113	996	882	2'56	1'84	Hertfordshire.
—	—	48	22	I	—	454	135	1036	1017	3'37	3'87	Buckinghamshire.
I	—	71	44	2	5	317	170	1044	936	3'67	2'25	Oxfordshire.
o	—	126	26	2	—	852	249	1017	934	3'18	2'34	Northamptonshire.
—	—	79	27	I	—	287	118	1136	1043	3'75	2'08	Huntingdonshire.
—	—	104	29	2	—	479	209	1012	964	3'78	3'13	Bedfordshire.
—	—	43	15	2	—	219	138	908	809	4'52	3'13	Cambridgeshire.
—	—	55	67	I	—	218	148	965	923	3'79	3'16	IV.—EASTERN.
o	—	96	65	I	1	390	278	1209	1046	4'34	3'27	Essex.
o	—	61	40	3	—	271	208	1235	1142	4'62	4'68	Suffolk.
o	—	42	23	I	—	233	177	958	875	3'90	3'13	Norfolk.
o	—	62	32	I	—	375	215	1090	1013	4'03	4'46	V.—SOUTH WESTERN.
—	—	23	36	—	—	171	143	953	1009	4'36	2'08	Wiltshire.
—	4	40	34	I	—	214	197	972	962	3'53	4'50	Dorsetshire.
o	—	145	80	2	—	847	419	1020	983	4'35	3'40	Devonshire.
o	—	79	35	I	—	425	210	927	875	3'99	3'29	Devonshire.
o	—	133	43	I	1	965	358	1267	1185	3'98	3'03	Cornwall.
—	—	81	30	I	—	681	272	1065	1000	3'66	3'87	Somersetshire.
—	—	59	—	—	—	156	50	722	753	3'54	2'18	VI.—WEST MIDLAND.
o	—	146	85	3	—	518	204	992	910	4'15	2'97	Gloucestershire.
o	—	173	72	2	—	827	451	1046	954	4'44	4'62	Herefordshire.
o	—	107	37	1	2	526	227	903	901	4'54	4'07	Shropshire.
I	—	117	69	4	—	648	252	1092	968	4'95	3'73	Staffordshire.
6	2	166	112	4	1	1010	393	1399	1252	4'99	4'30	Worcestershire.
o	1	155	96	I	0	789	301	1173	1016	4'97	4'64	Warwickshire.
—	—	145	48	3	—	984	342	1163	1062	4'28	3'50	VII.—NORTH MIDLAND.
—	—	133	86	5	—	671	350	1062	1004	4'17	3'53	Leicestershire.
I	—	171	96	5	—	876	367	1211	958	4'59	3'49	Rutlandshire.
2	—	114	57	3	—	715	255	1462	1192	4'24	4'06	Lincolnshire.
3	4	79	15	0	—	295	163	1125	931	5'49	4'04	Nottinghamshire.
—	—	42	32	2	—	149	63	829	898	5'13	3'17	Derbyshire.
I	3	162	56	7	—	564	229	920	859	5'62	4'06	VIII.—NORTH WESTERN.
I	—	160	52	3	2	766	497	1122	1102	5'39	5'21	Cheshire.
—	—	150	108	3	—	225	193	1553	1420	5'94	5'71	Lancashire.
—	—	126	72	I	—	235	132	1363	1233	6'13	2'44	IX.—YORKSHIRE.
—	—	57	75	4	—	235	174	2163	2115	6'53	5'01	West Riding.
—	—	196	129	7	—	250	18	1036	1233	6'98	5'67	East Riding (with York).
—	—	38	—	—	—	143	130	894	956	4'33	7'39	North Riding.
—	—	30	65	2	—	193	65	1234	1021	6'02	4'42	X.—NORTHERN.
—	—	105	80	9	—	285	48	1118	1097	5'78	4'93	Durham.
—	—	88	36	2	—	422	248	1184	861	6'95	8'25	Northumberland.
—	—	41	—	2	—	162	77	1583	1224	6'50	6'35	Cumberland.
—	—	75	121	4	—	257	162	1688	1491	5'45	6'84	Westmorland.
—	—	57	56	6	—	246	28	1360	1179	4'38	2'42	XI.—WELSH.
—	—	—	—	—	—	—	—	—	—	—	—	Monmouthshire.
—	—	—	—	—	—	—	—	—	—	—	—	Glamorganshire.
—	—	—	—	—	—	—	—	—	—	—	—	Carmarthenshire.
—	—	—	—	—	—	—	—	—	—	—	—	Pembrokeshire.
—	—	—	—	—	—	—	—	—	—	—	—	Cardiganshire.
—	—	—	—	—	—	—	—	—	—	—	—	Brecknockshire.
—	—	—	—	—	—	—	—	—	—	—	—	Radnorshire.
—	—	—	—	—	—	—	—	—	—	—	—	Montgomeryshire.
—	—	—	—	—	—	—	—	—	—	—	—	Flintshire.
—	—	—	—	—	—	—	—	—	—	—	—	Denbighshire.
—	—	—	—	—	—	—	—	—	—	—	—	Merionethshire.
—	—	—	—	—	—	—	—	—	—	—	—	Carnarvonshire.
—	—	—	—	—	—	—	—	—	—	—	—	Anglesey.

† Called Simple Continued Fever previous to 1901.

TABLE 34.—ENGLAND AND WALES. Both Sexes.

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFECTION. DIS...	—	—	0'00	0'04	0'07	0'11	0'36	0'36	0'33	0'32
II. DIARRHOEAL DIS.	—	0'04	0'18	0'28	0'30	0'80	1'47	1'63	1'50	1'47
III. WASTING DIS. ..	10'14	10'68	3'82	3'16	2'08	29'88	4'30	2'35	1'46	1'02
IV. TUBERC. DIS. ..	—	0'00	0'01	0'01	0'04	0'06	0'20	0'32	0'34	0'44
V. MISCELLAN. DIS...	1'41	2'46	1'69	1'84	1'50	8'90	5'26	4'12	3'44	3'18
ALL CAUSES	11'55	13'18	5'70	5'33	3'99	39'75	11'59	8'78	7'07	6'43
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	0'00
Chicken-pox ..	—	—	0'00	0'00	0'00	0'00	—	0'00	0'00	0'01
Measles	—	—	0'00	0'01	0'01	0'02	0'02	0'02	0'03	0'05
Scarlet Fever ..	—	—	0'00	0'00	—	0'00	0'01	0'00	0'00	0'01
Diphtheria, Croup	—	—	0'00	0'00	0'01	0'01	0'01	0'00	0'01	0'01
Whooping-cough	—	—	—	0'03	0'05	0'08	0'32	0'34	0'29	0'24
II. { Enteritis, including Ulcer. Intest.	—	0'02	0'06	0'07	0'06	0'21	0'34	0'34	0'31	0'29
Gastro-enteritis..	—	0'01	0'04	0'07	0'08	0'29	0'29	0'29	0'27	0'26
Gastro-intestinal Catarrh.	—	0'01	0'02	0'03	0'02	0'08	0'08	0'07	0'06	0'04
Diarrhoea (other forms).	—	0'00	0'06	0'11	0'14	0'31	0'76	0'93	0'86	0'88
III. { Premature Birth	7'41	5'45	1'85	1'48	0'93	18'12	1'24	0'33	0'11	0'05
Congenital Defects.	1'18	2'05	0'86	0'49	0'29	4'87	0'63	0'31	0'17	0'15
Want of Breast Milk, Starvation.	—	0'03	0'05	0'05	0'04	0'17	0'17	0'12	0'09	0'06
Atrophy, Debility, Marasmus.	1'55	2'15	1'06	1'14	0'82	6'72	2'26	1'59	1'09	0'76
IV. { Tuberculous Meningitis.	—	0'00	0'00	0'00	0'01	0'01	0'03	0'05	0'08	0'13
Tuberculous Peritonitis, Tabes Mesenterica.	—	—	0'00	0'01	0'02	0'03	0'12	0'18	0'18	0'20
Other Tuberculous Diseases.	—	—	0'01	0'00	0'01	0'02	0'05	0'09	0'08	0'11
Syphilis	0'01	0'05	0'07	0'08	0'09	0'30	0'30	0'23	0'13	0'07
Erysipelas ..	—	0'00	0'01	0'02	0'03	0'06	0'05	0'03	0'02	0'02
Rickets	—	0'00	—	0'00	0'00	0'00	0'01	0'01	0'02	0'02
Injury at Birth ..	0'63	0'33	0'05	0'01	0'01	1'03	0'01	0'00	—	—
Meningitis (not Tuberculous).	—	0'01	0'02	0'03	0'01	0'07	0'08	0'10	0'14	0'16
V. { Convulsions ..	0'34	1'57	0'85	0'65	0'48	3'89	1'54	1'01	0'83	0'68
Laryngitis ..	0'00	0'01	0'01	0'00	0'00	0'02	0'01	0'01	0'01	0'01
Bronchitis ..	0'00	0'05	0'17	0'31	0'30	0'83	1'23	0'99	0'72	0'68
Pneumonia ..	0'00	0'05	0'10	0'14	0'17	0'46	0'78	0'78	0'76	0'87
Gastritis, Gastric Catarrh.	—	0'02	0'06	0'08	0'07	0'23	0'26	0'25	0'20	0'17
Suffocation ..	0'08	0'18	0'05	0'09	0'09	0'49	0'35	0'26	0'18	0'10
Other Causes ..	0'35	0'19	0'30	0'43	0'25	1'52	0'64	0'45	0'43	0'40

Mortality under 5 Years of Age, 1909.

to 1000 Births.							Deaths per 1000 Survivors.					Death- rate per 1000 living under 5 years of age.
Months.							Under 1 year.	1 year.	2 years.	3 years.	4 years.	
5—	6—	7—	8—	9—	10—	11—						
0'42	0'54	0'74	0'85	0'93	0'97	1'04	6'97	10'14	5'20	3'68	2'75	5'81
1'23	1'02	0'89	0'81	0'72	0'56	0'54	12'64	2'59	0'49	0'21	0'14	3'51
0'71	0'52	0'40	0'32	0'30	0'23	0'20	41'69	0'91	0'18	0'09	0'04	9'57
0'41	0'38	0'36	0'40	0'39	0'35	0'35	4'00	3'22	1'83	1'19	0'98	2'31
2'93	2'89	2'76	2'72	2'58	2'35	2'30	43'43	16'44	6'59	3'91	2'88	15'58
5'70	5'35	5'15	5'10	4'92	4'46	4'43	108'73	33'30	14'29	9'08	6'79	36'78
—	—	—	—	—	—	—	0'00	—	—	—	—	0'00
0'01	0'01	0'01	0'01	0'00	0'00	0'00	0'05	0'02	0'01	0'01	0'01	0'02
0'10	0'19	0'33	0'43	0'53	0'57	0'63	2'92	6'23	2'68	1'39	0'88	2'85
0'00	0'01	0'02	0'02	0'01	0'02	0'02	0'12	0'41	0'61	0'67	0'58	0'46
0'02	0'03	0'03	0'04	0'05	0'04	0'07	0'32	0'82	0'89	1'03	0'93	0'78
0'29	0'30	0'35	0'35	0'34	0'34	0'32	3'56	2'66	1'01	0'58	0'35	1'70
0'26	0'18	0'15	0'16	0'13	0'09	0'09	2'55	0'49	0'12	0'05	0'04	0'71
0'19	0'17	0'12	0'13	0'11	0'09	0'07	2'19	0'40	0'09	0'04	0'03	0'60
0'04	0'05	0'02	0'02	0'02	0'01	0'02	0'51	0'07	0'01	0'01	0'01	0'13
0'74	0'62	0'60	0'50	0'46	0'37	0'36	7'39	1'63	0'27	0'11	0'06	2'07
0'02	0'02	0'01	0'00	0'01	0'00	0'00	19'91	—	—	—	—	4'46
0'11	0'08	0'07	0'06	0'06	0'05	0'04	6'60	0'20	0'06	0'05	0'03	1'54
0'04	0'03	0'02	0'02	0'01	0'00	0'00	0'73	0'00	—	—	—	0'16
0'54	0'39	0'30	0'24	0'22	0'18	0'16	14'45	0'71	0'12	0'04	0'01	3'41
0'15	0'13	0'15	0'16	0'18	0'14	0'14	1'35	1'33	0'88	0'55	0'46	0'93
0'17	0'15	0'11	0'14	0'11	0'11	0'09	1'59	0'90	0'39	0'22	0'18	0'69
0'09	0'10	0'10	0'10	0'10	0'10	0'12	1'66	0'99	0'56	0'42	0'34	0'69
0'06	0'04	0'03	0'03	0'01	0'01	0'01	1'22	0'09	0'03	0'00	0'00	0'30
0'01	0'01	0'01	0'01	0'00	0'01	0'00	0'23	0'02	0'01	0'01	0'00	0'06
0'04	0'05	0'04	0'08	0'06	0'06	0'08	0'47	0'55	0'18	0'06	0'03	0'27
—	—	—	—	—	0'00	—	1'64	—	—	0'00	—	0'23
0'20	0'16	0'17	0'17	0'16	0'13	0'13	1'67	1'07	0'57	0'33	0'28	0'82
0'46	0'36	0'31	0'24	0'22	0'20	0'16	9'90	0'97	0'29	0'16	0'05	2'51
0'01	0'01	0'02	0'02	0'01	0'02	0'02	0'17	0'23	0'17	0'16	0'13	0'17
0'65	0'61	0'59	0'61	0'57	0'46	0'45	8'39	2'62	0'72	0'28	0'16	2'63
0'86	1'01	0'98	1'10	1'03	1'01	1'03	10'67	7'68	2'70	1'37	0'83	4'87
0'12	0'11	0'08	0'06	0'06	0'04	0'03	1'61	0'21	0'09	0'05	0'04	0'44
0'07	0'04	0'03	0'01	0'01	0'01	0'01	1'56	0'03	0'01	0'01	0'00	0'36
0'45	0'49	0'50	0'39	0'45	0'40	0'38	6'50	2'97	1'82	1'48	1'36	2'92

TABLE 35.—ENGLAND AND WALES. **Males.**

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFECTION. DIS...	—	—	0'01	0'04	0'04	0'09	0'36	0'37	0'33	0'31
II. DIARRHOEAL DIS.	—	0'05	0'22	0'32	0'38	0'97	1'68	1'82	1'69	1'62
III. WASTING DIS. ..	11'50	11'73	4'23	3'49	2'39	33'34	4'68	2'59	1'51	1'08
IV. TUBERC. DIS. ..	—	0'00	0'01	0'03	0'03	0'07	0'25	0'39	0'37	0'47
V. MISCELLAN. DIS...	1'47	2'95	1'92	2'07	1'73	10'14	6'09	4'64	3'89	3'62
ALL CAUSES ..	12'97	14'73	6'39	5'95	4'57	44'61	13'06	9'81	7'79	7'10
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	—
Chicken-pox ..	—	—	0'00	0'00	—	0'00	—	0'01	0'00	0'01
Measles	—	—	0'01	0'01	0'00	0'02	0'03	0'02	0'03	0'05
Scarlet Fever ..	—	—	0'00	0'00	—	0'00	0'01	0'00	0'00	0'01
Diphtheria, Croup	—	—	0'00	0'00	0'00	0'00	0'01	0'00	0'01	0'02
Whooping-cough	—	—	—	0'03	0'04	0'07	0'31	0'34	0'29	0'22
II. { Enteritis, includ- ing Ulcer, Intest. Gastro-enteritis..	—	0'03	0'08	0'08	0'09	0'28	0'39	0'39	0'36	0'31
Gastro-intestinal Catarrh.	—	0'01	0'05	0'08	0'11	0'25	0'35	0'36	0'29	0'29
Diarrhoea (other forms).	—	0'01	0'02	0'03	0'03	0'09	0'08	0'07	0'06	0'06
III. { Premature Birth	8'46	6'95	2'01	1'60	1'04	20'06	1'26	0'34	0'10	0'05
Congenital De- fects.	1'30	2'30	0'96	0'54	0'31	5'41	0'65	0'33	0'17	0'16
Want of Breast Milk, Starvation, Atrophy, Debility, Marasmus.	—	0'02	0'05	0'07	0'06	0'20	0'20	0'13	0'11	0'07
IV. { Tuberculous Meningitis.	—	0'00	0'00	0'01	0'00	0'01	0'04	0'06	0'08	0'13
Tuberculous Peritonitis, Tabes Mesenterica.	—	—	0'00	0'02	0'02	0'04	0'15	0'23	0'21	0'22
Other Tubercu- lous Diseases.	—	—	0'01	0'00	0'01	0'02	0'06	0'10	0'08	0'12
V. { Syphilis	0'01	0'05	0'09	0'09	0'10	0'34	0'34	0'23	0'14	0'07
Erysipelas ..	—	0'00	0'02	0'02	0'02	0'06	0'06	0'03	0'01	0'02
Rickets	—	—	—	0'00	0'00	0'00	0'01	0'01	0'03	0'03
Injury at Birth ..	0'71	0'41	0'06	0'02	0'00	1'20	0'01	0'00	—	—
Meningitis (not Tuberculous). Convulsions ..	—	0'02	0'03	0'03	0'01	0'09	0'11	0'12	0'18	0'18
Laryngitis.. ..	0'36	1'87	0'99	0'74	0'57	4'53	1'81	1'11	0'94	0'74
Bronchitis ..	—	0'00	0'00	—	0'00	0'00	0'02	0'01	0'01	0'01
Pneumonia ..	—	0'06	0'18	0'35	0'33	0'92	1'42	1'15	0'83	0'77
Gastritis, Gastric Catarrh.	0'00	0'05	0'11	0'16	0'18	0'50	0'87	0'92	0'87	1'03
Suffocation ..	—	0'02	0'08	0'10	0'09	0'29	0'35	0'30	0'22	0'20
Other Causes ..	0'07	0'21	0'05	0'08	0'09	0'50	0'33	0'24	0'16	0'12
	0'32	0'26	0'31	0'48	0'34	1'71	0'76	0'52	0'50	0'45

Mortality under 5 Years of Age, 1909.

to 1000 Births.							Deaths per 1000 Survivors.				Death- rate per 1000 living under 5 years of age.	
Months.							Under I year.	1 year.	2 years.	3 years.		4 years.
5—	6—	7—	8—	9—	10—	11—						
0'37	0'52	0'75	0'83	0'96	0'99	1'03	6'91	10'05	5'14	3'44	2'67	5'77
1'38	1'07	0'98	0'94	0'77	0'55	0'57	14'04	2'73	0'48	0'23	0'14	3'92
0'75	0'55	0'44	0'31	0'31	0'23	0'22	46'01	0'91	0'19	0'09	0'05	10'79
0'49	0'42	0'42	0'44	0'45	0'39	0'38	4'54	3'35	1'99	1'16	0'97	2'50
3'22	3'26	3'06	3'01	2'81	2'47	2'40	48'61	17'32	7'14	4'02	2'96	17'36
6'21	5'82	5'65	5'53	5'30	4'63	4'60	120'11	34'36	14'94	8'94	6'79	40'34
—	—	—	—	—	—	—	—	—	—	—	—	—
0'00	0'01	0'02	0'00	—	0'01	0'00	0'06	0'02	0'01	0'01	0'01	0'02
0'08	0'20	0'34	0'47	0'57	0'60	0'63	3'04	6'53	2'69	1'36	0'84	2'96
0'00	0'01	0'02	0'02	0'02	0'04	0'02	0'15	0'46	0'65	0'64	0'61	0'49
0'02	0'04	0'04	0'04	0'05	0'05	0'07	0'35	0'82	0'93	1'03	0'95	0'80
0'27	0'26	0'33	0'30	0'32	0'29	0'31	3'31	2'22	0'86	0'40	0'26	1'50
0'32	0'21	0'16	0'20	0'15	0'09	0'09	2'95	0'52	0'13	0'05	0'04	0'82
0'19	0'17	0'12	0'15	0'11	0'09	0'10	2'47	0'44	0'07	0'06	0'03	0'68
0'04	0'04	0'03	0'03	0'02	0'02	0'03	0'57	0'08	0'01	0'01	0'01	0'15
0'83	0'65	0'67	0'56	0'49	0'35	0'35	8'05	1'69	0'27	0'11	0'06	2'27
0'02	0'02	0'01	0'01	0'00	0'01	0'00	21'88	—	—	—	—	5'01
0'11	0'08	0'09	0'05	0'08	0'05	0'05	7'23	0'22	0'06	0'05	0'04	1'73
0'05	0'03	0'02	0'01	0'01	—	0'00	0'83	0'00	—	—	—	0'19
0'57	0'42	0'32	0'24	0'22	0'17	0'17	16'07	0'69	0'13	0'04	0'01	3'86
0'18	0'14	0'18	0'18	0'18	0'15	0'17	1'50	1'34	0'90	0'53	0'44	0'97
0'21	0'17	0'12	0'16	0'15	0'14	0'09	1'89	0'97	0'45	0'22	0'18	0'79
0'10	0'11	0'12	0'10	0'12	0'10	0'12	1'15	1'04	0'64	0'41	0'35	0'74
0'06	0'05	0'04	0'03	0'01	0'02	0'01	1'34	0'10	0'03	0'00	—	0'33
0'00	0'01	0'01	0'00	—	0'02	0'00	0'22	0'01	0'01	0'00	0'00	0'06
0'04	0'06	0'06	0'10	0'08	0'07	0'09	0'58	0'63	0'22	0'07	0'04	0'32
—	—	—	—	—	0'00	—	1'21	—	—	0'00	—	0'28
0'22	0'17	0'22	0'18	0'18	0'14	0'14	1'93	1'17	0'62	0'31	0'30	0'91
0'50	0'42	0'36	0'27	0'23	0'23	0'15	11'29	0'98	0'30	0'14	0'04	2'88
0'01	0'02	0'02	0'03	0'02	0'02	0'02	0'19	0'27	0'20	0'18	0'15	0'20
0'70	0'68	0'64	0'66	0'63	0'45	0'48	9'33	2'68	0'80	0'26	0'17	2'92
0'96	1'13	1'11	1'24	1'12	1'08	1'09	11'92	8'12	2'76	1'40	0'86	5'34
0'13	0'12	0'07	0'05	0'07	0'04	0'02	1'86	0'19	0'10	0'05	0'03	0'50
0'08	0'03	0'02	0'02	0'02	0'01	0'00	1'53	0'04	0'02	0'01	0'00	0'37
0'52	0'57	0'51	0'43	0'45	0'39	0'40	7'21	3'13	2'08	1'60	1'37	3'25

TABLE 36.—ENGLAND AND WALES. **Females.**

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFECTION. DIS...	—	—	0'00	0'02	0'07	0'09	0'36	0'37	0'32	0'32
II. DIARRHOEAL DIS.	—	0'01	0'14	0'23	0'22	0'60	1'25	1'41	1'30	1'31
III. WASTING DIS. ..	8'72	9'56	3'39	2'79	1'75	26'21	3'86	2'12	1'44	0'97
IV. TUBERC. DIS. ..	—	—	0'01	0'01	0'04	0'06	0'15	0'25	0'31	0'38
V. MISCELLAN. DIS...	1'35	1'99	1'44	1'65	1'31	7'74	4'46	3'56	2'95	2'75
ALL CAUSES ..	10'07	11'56	4'98	4'70	3'39	34'70	10'08	7'71	6'32	5'73
I. { Small-pox.. ..	—	—	—	—	—	—	—	—	—	0'00
Chicken-pox ..	—	—	—	0'00	0'00	0'00	—	0'00	—	0'00
Measles	—	—	—	0'00	0'01	0'01	0'02	0'01	0'04	0'05
Scarlet Fever ..	—	—	0'00	—	—	0'00	0'00	0'00	—	0'00
Diphtheria, Croup	—	—	0'00	0'00	—	0'00	0'01	0'01	0'00	0'01
Whooping-cough	—	—	—	0'02	0'06	0'08	0'33	0'35	0'28	0'26
II. { Enteritis, includ- ing Ulcer, Intest. Gastro-enteritis..	—	0'01	0'05	0'05	0'04	0'15	0'28	0'29	0'26	0'26
Gastro-intestinal Catarrh.	—	0'00	0'04	0'05	0'04	0'13	0'23	0'22	0'25	0'23
Diarrhoea (other forms).	—	0'00	0'01	0'03	0'02	0'06	0'08	0'06	0'06	0'03
III. { Premature Birth	6'32	5'93	1'69	1'35	0'80	16'09	1'22	0'33	0'13	0'04
Congenital De- fects.	1'05	1'79	0'76	0'43	0'27	4'30	0'59	0'29	0'17	0'15
Want of Breast Milk, Starvation.	—	0'03	0'04	0'03	0'03	0'13	0'12	0'12	0'08	0'06
Atrophy, Debility, Marasmus.	1'35	1'81	0'90	0'98	0'65	5'69	1'93	1'38	1'06	0'72
IV. { Tuberculous Meningitis.	—	—	—	—	0'01	0'01	0'02	0'05	0'07	0'12
Tuberculous Peritonitis, Ta- bes Mesenterica.	—	—	0'01	0'01	0'01	0'03	0'09	0'12	0'16	0'16
Other Tubercu- lous Diseases.	—	—	0'00	0'00	0'02	0'02	0'04	0'08	0'08	0'10
V. { Syphilis	0'02	0'06	0'05	0'07	0'07	0'27	0'25	0'22	0'11	0'07
Erysipelas ..	—	—	0'00	0'03	0'03	0'06	0'05	0'02	0'02	0'02
Rickets	—	0'00	—	0'00	—	0'00	0'01	0'01	0'02	0'02
Injury at Birth ..	0'56	0'24	0'04	0'01	0'01	0'86	0'01	0'00	—	—
Meningitis (not Tuberculous).	—	0'00	0'02	0'02	0'01	0'05	0'06	0'08	0'09	0'14
Convulsions ..	0'31	1'25	0'71	0'56	0'39	3'22	1'27	0'91	0'71	0'62
Laryngitis.. ..	0'00	0'01	0'01	0'00	0'00	0'02	0'00	0'00	0'01	0'00
Bronchitis.. ..	0'01	0'05	0'15	0'26	0'26	0'73	1'04	0'83	0'61	0'58
Pneumonia ..	0'00	0'04	0'09	0'13	0'15	0'41	0'68	0'63	0'65	0'70
Gastritis, Gastric Catarrh.	—	0'01	0'04	0'07	0'05	0'17	0'17	0'21	0'18	0'14
Suffocation ..	0'08	0'16	0'05	0'10	0'09	0'48	0'36	0'28	0'20	0'09
Other Causes ..	0'37	0'17	0'28	0'40	0'25	1'47	0'56	0'37	0'35	0'37

Mortality under 5 Years of Age, 1909.

to 1000 Births.								Deaths per 1000 Survivors.				Death- rate per 1000 living under 5 years of age.
Months.							Under 1 year.	1 year.	2 years.	3 years.	4 years.	
5—	6—	7—	8—	9—	10—	11—						
0'44	0'54	0'74	0'85	0'94	0'99	1'06	7'02	10'23	5'29	3'91	2'79	5'85
1'08	0'96	0'83	0'68	0'68	0'58	0'52	11'20	2'46	0'51	0'20	0'16	3'11
0'69	0'49	0'36	0'33	0'27	0'24	0'20	37'18	0'91	0'16	0'08	0'04	8'37
0'35	0'35	0'32	0'36	0'32	0'28	0'31	3'44	3'06	1'67	1'23	0'99	2'10
2'60	2'52	2'39	2'43	2'31	2'18	2'15	38'04	15'57	6'00	3'80	2'82	13'81
5'16	4'86	4'64	4'65	4'52	4'27	4'24	96'88	32'23	13'63	9'22	6'80	33'24
—	—	—	—	—	—	—	0'00	—	—	—	—	0'00
0'01	0'01	0'00	0'01	0'01	—	—	0'04	0'03	0'01	0'01	0'00	0'02
0'11	0'17	0'33	0'39	0'50	0'54	0'63	2'80	5'93	2'67	1'42	0'92	2'75
0'00	0'01	0'01	0'01	0'01	0'02	0'03	0'09	0'35	0'58	0'70	0'54	0'43
0'01	0'02	0'03	0'04	0'05	0'04	0'06	0'28	0'82	0'86	1'02	0'90	0'75
0'31	0'33	0'37	0'40	0'37	0'39	0'34	3'81	3'10	1'17	0'76	0'43	1'90
0'20	0'15	0'14	0'11	0'11	0'09	0'09	2'13	0'45	0'10	0'06	0'05	0'60
0'19	0'16	0'13	0'10	0'11	0'10	0'05	1'90	0'36	0'11	0'03	0'04	0'52
0'03	0'05	0'02	0'02	0'02	0'01	0'02	0'46	0'07	0'02	0'01	0'01	0'12
0'66	0'60	0'54	0'45	0'44	0'38	0'36	6'71	1'58	0'28	0'10	0'06	1'87
0'02	0'01	0'01	0'00	0'01	0'00	0'00	17'86	—	—	—	—	3'91
0'12	0'07	0'05	0'06	0'05	0'04	0'04	5'93	0'18	0'05	0'05	0'03	1'36
0'04	0'04	0'02	0'02	0'00	0'01	0'00	0'64	—	—	—	—	0'14
0'51	0'37	0'28	0'25	0'21	0'19	0'16	12'75	0'73	0'11	0'03	0'01	2'96
0'13	0'13	0'12	0'16	0'16	0'12	0'10	1'19	1'31	0'86	0'58	0'48	0'89
0'14	0'13	0'10	0'11	0'08	0'07	0'09	1'28	0'82	0'34	0'21	0'18	0'58
0'08	0'09	0'10	0'09	0'08	0'09	0'12	0'97	0'93	0'47	0'44	0'33	0'63
0'07	0'03	0'02	0'03	0'02	0'01	0'01	1'11	0'08	0'02	0'01	0'00	0'26
0'02	0'01	0'01	0'01	0'01	0'01	0'01	0'25	0'02	0'02	0'01	0'00	0'06
0'03	0'05	0'03	0'05	0'04	0'04	0'07	0'37	0'46	0'15	0'04	0'03	0'21
—	—	—	—	—	—	—	0'87	—	—	—	—	0'19
0'16	0'15	0'14	0'16	0'14	0'12	0'12	1'41	0'97	0'52	0'35	0'27	0'72
0'42	0'31	0'26	0'20	0'21	0'17	0'16	8'46	0'97	0'28	0'18	0'06	2'14
0'01	0'00	0'02	0'02	0'01	0'03	0'02	0'14	0'18	0'15	0'14	0'10	0'14
0'60	0'54	0'53	0'55	0'50	0'47	0'43	7'41	2'57	0'63	0'29	0'15	2'34
0'77	0'89	0'85	0'93	0'94	0'94	0'97	9'36	7'24	2'63	1'34	0'80	4'40
0'11	0'11	0'08	0'07	0'04	0'04	0'03	1'35	0'23	0'08	0'06	0'04	0'37
0'06	0'04	0'03	0'01	0'01	0'02	0'01	1'59	0'02	0'01	0'00	—	0'35
0'35	0'39	0'42	0'40	0'39	0'33	0'32	5'72	2'83	1'51	1'38	1'37	2'63

TABLE 37.—URBAN COUNTIES, Both Sexes.

Cause of Death.	Proportion of Deaths									
	Under 1 Day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFEC. DIS. ..	—	—	0'00	0'03	0'05	0'08	0'32	0'37	0'35	0'35
II. DIARRHŒAL DIS. ..	—	0'04	0'20	0'30	0'33	0'87	1'65	1'85	1'86	1'73
III. WASTING DIS. ..	10'00	10'71	3'87	3'14	2'14	29'86	4'47	2'55	1'57	1'14
IV. TUBERC. DIS. ..	—	—	0'01	0'01	0'04	0'06	0'23	0'34	0'39	0'48
V. MISCELLAN. DIS. ..	1'45	2'61	1'77	1'96	1'66	9'45	5'75	4'41	3'83	3'46
ALL CAUSES ..	11'45	13'36	5'85	5'44	4'22	40'32	12'42	9'52	8'00	7'16
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	—
{ Chicken-pox ..	—	—	—	—	0'00	0'00	—	0'01	—	0'01
{ Measles	—	—	—	0'01	0'01	0'02	0'03	0'02	0'04	0'05
{ Scarlet Fever ..	—	—	0'00	0'00	—	0'00	0'00	0'01	0'00	0'01
{ Diphtheria, Croup	—	—	0'00	0'00	0'00	0'00	0'01	0'01	0'01	0'02
{ Whooping-cough	—	—	—	0'02	0'04	0'06	0'28	0'32	0'30	0'26
II. { Enteritis, includ- { ing Ulcer. Intest.	—	0'02	0'07	0'08	0'06	0'23	0'37	0'38	0'39	0'35
{ Gastro-enteritis ..	—	0'01	0'05	0'08	0'08	0'22	0'31	0'32	0'32	0'27
{ Gastro-intestinal	—	0'01	0'02	0'03	0'03	0'09	0'10	0'08	0'07	0'05
{ Catarrh. Diarrhoea (other { forms).	—	0'00	0'06	0'11	0'16	0'33	0'87	1'07	1'08	1'06
III. { Premature Birth	7'45	6'57	1'88	1'49	0'93	18'32	1'29	0'37	0'10	0'05
{ Congenital De- { fects.	1'18	2'10	0'88	0'48	0'33	4'97	0'66	0'35	0'17	0'18
{ Want of Breast { Milk, Starvation, { Atrophy, Debility, { Marasmus.	—	0'03	0'06	0'07	0'04	0'20	0'17	0'15	0'11	0'07
{ ..	1'37	2'01	1'05	1'10	0'84	6'37	2'35	1'68	1'19	0'84
IV. { Tuberculous { Meningitis.	—	—	—	0'00	0'01	0'01	0'03	0'06	0'08	0'14
{ Tuberculous { Peritonitis, Ta- { bes Mesenterica.	—	—	0'00	0'01	0'02	0'03	0'15	0'17	0'21	0'21
{ Other Tubercu- { lous Diseases.	—	—	0'01	0'00	0'01	0'02	0'05	0'11	0'10	0'13
{ Syphilis	0'02	0'06	0'10	0'10	0'11	0'39	0'35	0'28	0'16	0'07
{ Erysipelas ..	—	0'00	0'01	0'03	0'03	0'07	0'07	0'03	0'02	0'03
{ Rickets	—	—	—	—	0'00	0'00	0'01	0'01	0'03	0'03
{ Injury at Birth ..	0'61	0'34	0'05	0'02	0'01	1'03	0'02	—	—	—
{ Meningitis (not { Tuberculous).	—	0'01	0'03	0'03	0'02	0'09	0'08	0'12	0'16	0'20
V. { Convulsions ..	0'35	1'67	0'90	0'67	0'52	4'11	1'67	1'02	0'91	0'68
{ Laryngitis ..	0'00	0'01	0'00	0'00	—	0'01	0'01	0'01	0'01	0'00
{ Bronchitis ..	0'01	0'06	0'16	0'31	0'31	0'85	1'31	1'02	0'80	0'74
{ Pneumonia ..	0'00	0'06	0'11	0'13	0'20	0'50	0'84	0'89	0'88	0'99
{ Gastritis, Gastric { Catarrh.	—	0'02	0'07	0'10	0'08	0'27	0'29	0'28	0'24	0'20
{ Suffocation ..	0'08	0'17	0'06	0'11	0'12	0'54	0'42	0'32	0'22	0'12
{ Other Causes ..	0'38	0'21	0'28	0'46	0'26	1'59	0'68	0'43	0'40	0'40

Mortality under 5 Years of Age, 1909.

to 1000 Births.								Deaths per 1000 Survivors.				Death- rate per 1000 living under 5 years of age.
Months.							Under 1 year.	1 year.	2 years.	3 years.	4 years.	
5—	6—	7—	8—	9—	10—	11—						
0'46	0'60	0'86	1'05	1'12	1'17	1'23	7'96	12'52	6'55	4'41	3'10	7'08
1'47	1'20	1'09	1'00	0'89	0'68	0'67	14'96	3'21	0'61	0'25	0'16	4'30
0'76	0'56	0'41	0'38	0'33	0'26	0'23	42'52	1'03	0'19	0'10	0'04	10'07
0'46	0'44	0'43	0'43	0'41	0'36	0'40	4'43	3'49	2'08	1'35	1'06	2'60
3'24	3'24	3'00	3'11	2'88	2'73	2'62	47'72	19'33	7'74	4'42	3'19	17'85
6'39	6'04	5'79	5'97	5'63	5'20	5'15	117'59	39'58	17'17	10'53	7'55	41'90
—	—	—	—	—	—	—	—	—	—	—	—	—
0'00	0'01	0'02	0'00	0'01	0'00	0'00	0'06	0'03	0'01	0'01	0'01	0'03
0'13	0'23	0'40	0'56	0'64	0'70	0'77	3'59	7'91	3'47	1'71	1'08	3'64
0'00	0'01	0'02	0'02	0'02	0'04	0'02	0'15	0'53	0'81	0'84	0'71	0'59
0'02	0'03	0'04	0'05	0'06	0'05	0'09	0'39	1'00	1'04	1'16	0'89	0'88
0'31	0'32	0'38	0'42	0'39	0'38	0'35	3'77	3'05	1'22	0'69	0'41	1'94
0'30	0'20	0'19	0'19	0'15	0'10	0'10	2'95	0'57	0'14	0'06	0'05	0'85
0'24	0'18	0'13	0'15	0'14	0'11	0'09	2'48	0'48	0'10	0'05	0'03	0'70
0'04	0'04	0'02	0'03	0'02	0'01	0'02	0'57	0'08	0'01	0'01	0'01	0'15
0'89	0'78	0'75	0'63	0'58	0'46	0'46	8'96	2'08	0'36	0'13	0'07	2'60
0'02	0'01	0'00	0'01	0'01	0'00	0'00	20'18	—	—	—	—	4'65
0'10	0'08	0'07	0'06	0'07	0'05	0'04	6'80	0'19	0'05	0'05	0'03	1'63
0'04	0'03	0'01	0'02	0'01	0'01	0'00	0'32	—	—	—	—	0'19
0'60	0'44	0'33	0'29	0'24	0'20	0'19	14'72	0'84	0'14	0'05	0'01	3'60
0'17	0'17	0'17	0'17	0'17	0'14	0'17	1'48	1'42	0'99	0'61	0'48	1'03
0'19	0'15	0'13	0'15	0'13	0'11	0'09	1'72	0'96	0'41	0'23	0'18	0'75
0'10	0'12	0'13	0'11	0'11	0'11	0'14	1'23	1'11	0'68	0'51	0'40	0'82
0'07	0'04	0'03	0'04	0'02	0'02	0'01	1'48	0'12	0'04	0'00	—	0'37
0'01	0'01	0'01	0'01	0'01	0'01	0'01	0'29	0'02	0'02	0'01	0'00	0'08
0'04	0'06	0'04	0'08	0'07	0'07	0'07	0'51	0'60	0'21	0'05	0'04	0'30
—	—	—	—	—	0'00	—	1'05	—	—	—	—	0'24
0'24	0'20	0'20	0'19	0'19	0'16	0'15	1'98	1'27	0'65	0'33	0'30	0'96
0'49	0'39	0'31	0'22	0'23	0'23	0'17	10'43	1'07	0'29	0'15	0'06	2'72
0'01	0'01	0'02	0'02	0'02	0'02	0'03	0'17	0'24	0'19	0'16	0'12	0'18
0'73	0'68	0'66	0'70	0'61	0'50	0'52	9'12	2'93	0'80	0'29	0'16	2'94
1'01	1'12	1'13	1'28	1'19	1'26	1'24	12'33	9'44	3'38	1'63	0'95	5'91
0'14	0'12	0'09	0'06	0'06	0'05	0'03	1'83	0'23	0'10	0'05	0'04	0'50
0'08	0'04	0'03	0'02	0'02	0'02	0'01	1'84	0'04	0'01	0'01	0'00	0'44
0'42	0'57	0'48	0'49	0'46	0'39	0'38	6'69	3'37	2'05	1'73	1'51	3'21

TABLE 38.—RURAL COUNTIES. Both Sexes.

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFECTION. DIS...	—	—	0'04	0'04	0'07	0'15	0'36	0'38	0'36	0'36
II. DIARRHOEAL DIS...	—	0'03	0'13	0'19	0'22	0'57	1'12	1'24	0'89	0'82
III. WASTING DIS. ..	9'84	11'70	3'38	2'95	2'14	30'01	4'31	2'33	1'43	0'85
IV. TUBERC. DIS. ..	—	—	0'01	0'01	0'05	0'07	0'11	0'24	0'24	0'35
V. MISCELLAN. DIS. ..	1'23	2'37	1'58	1'63	1'29	8'10	4'58	3'92	3'03	2'74
ALL CAUSES ..	11'07	14'10	5'14	4'82	3'77	38'90	10'48	8'11	5'95	5'12
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	—
Chicken-pox ..	—	—	0'01	0'02	—	0'03	—	—	—	—
Measles	—	—	0'01	—	0'01	0'02	—	0'01	0'03	0'03
Scarlet Fever ..	—	—	0'01	—	—	0'01	0'03	—	—	0'01
Diphtheria, Croup	—	—	0'01	0'01	—	0'02	—	0'01	—	—
Whooping-cough	—	—	—	0'01	0'06	0'07	0'33	0'36	0'33	0'32
II. { Enteritis, including Ulcer, Intest.	—	0'02	0'02	0'02	0'05	0'11	0'28	0'26	0'17	0'20
Gastro-enteritis..	—	—	0'01	0'06	0'06	0'13	0'23	0'36	0'22	0'14
Gastro-intestinal	—	0'01	0'02	0'02	0'04	0'09	0'04	0'06	0'02	0'03
Catarrh, Diarrhoea (other forms).	—	—	0'08	0'09	0'07	0'24	0'57	0'56	0'48	0'45
III. { Premature Birth	6'92	6'99	1'46	1'23	0'94	17'54	1'17	0'30	0'17	0'06
Congenital Defects.	1'00	1'90	0'76	0'53	0'22	4'41	0'72	0'41	0'19	0'10
Want of Breast Milk, Starvation	—	0'02	0'02	0'04	0'04	0'12	0'11	0'10	0'03	0'10
Atrophy, Debility, Marasmus.	1'92	2'79	1'14	1'15	0'94	7'94	2'31	1'52	1'04	0'59
IV. { Tuberculous Meningitis.	—	—	—	—	—	—	0'02	0'05	0'06	0'06
Tuberculous Peritonitis, Tabes Mesenterica.	—	—	—	0'01	0'05	0'06	0'04	0'12	0'09	0'21
Other Tuberculous Diseases.	—	—	0'01	—	—	0'01	0'05	0'07	0'09	0'08
Syphilis	—	0'03	0'03	0'06	0'06	0'18	0'18	0'16	0'02	0'04
Erysipelas ..	—	—	—	0'02	0'02	0'04	0'02	0'02	0'01	—
Rickets	—	—	—	—	—	—	—	0'01	0'01	—
Injury at Birth ..	0'60	0'26	0'03	0'01	—	0'90	—	—	—	—
Meningitis (not Tuberculous).	—	0'01	0'01	0'01	0'01	0'04	0'06	0'09	0'09	0'09
V. { Convulsions ..	0'36	1'64	0'83	0'61	0'44	3'88	1'53	1'13	0'95	0'70
Laryngitis ..	—	0'02	—	—	0'01	0'03	—	0'01	0'01	0'01
Bronchitis ..	—	0'03	0'21	0'24	0'21	0'69	0'98	0'92	0'58	0'48
Pneumonia ..	—	0'01	0'08	0'18	0'12	0'39	0'61	0'65	0'54	0'69
Gastritis, Gastric Catarrh.	—	0'03	0'03	0'09	0'08	0'23	0'20	0'32	0'19	0'18
Suffocation ..	0'05	0'11	0'03	0'06	0'05	0'30	0'17	0'12	0'07	0'07
Other Causes ..	0'22	0'23	0'33	0'35	0'29	1'42	0'83	0'49	0'56	0'48

Mortality under 5 Years of Age, 1909.

to 1000 Births.							Deaths per 1000 Survivors.				Death- rate per 1000 living under 5 years of age.	
Months.							Under 1 year.	1 year.	2 years.	3 years.		4 years.
5—	6—	7—	8—	9—	10—	11—						
0'36	0'35	0'47	0'48	0'60	0'41	0'40	4'68	4'60	1'90	1'98	1'83	3'01
0'79	0'56	0'48	0'45	0'41	0'30	0'20	7'83	1'27	0'22	0'16	0'08	2'02
0'66	0'51	0'40	0'20	0'24	0'16	0'21	41'31	0'64	0'09	0'05	0'09	9'04
0'37	0'28	0'29	0'28	0'29	0'25	0'22	2'99	2'24	1'03	0'55	0'72	1'53
2'30	2'36	2'38	2'19	1'98	1'60	1'67	36'85	11'37	4'24	2'83	2'34	11'95
4'48	4'06	4'02	3'60	3'52	2'72	2'70	93'66	20'12	7'48	5'57	5'06	27'55
—	—	—	—	—	—	—	—	—	—	—	—	—
0'01	0'01	—	—	—	—	—	0'05	—	—	0'01	—	0'01
0'05	0'10	0'12	0'17	0'26	0'17	0'20	1'16	2'15	0'66	0'63	0'41	1'00
—	0'01	0'01	0'02	0'02	—	0'01	0'12	0'15	0'23	0'29	0'28	0'21
0'01	0'03	0'01	0'03	0'02	0'02	—	0'15	0'46	0'41	0'71	0'88	0'51
0'29	0'20	0'33	0'26	0'30	0'22	0'19	3'20	1'84	0'60	0'34	0'26	1'28
0'17	0'09	0'12	0'08	0'10	0'09	0'07	1'74	0'27	0'03	0'04	0'01	0'44
0'13	0'17	0'10	0'13	0'12	0'03	0'02	1'78	0'29	0'08	0'04	0'05	0'47
0'03	0'08	0'02	0'01	—	—	—	0'33	0'04	—	—	—	0'09
0'46	0'22	0'24	0'23	0'19	0'18	0'11	3'93	0'67	0'11	0'08	0'02	1'02
—	0'03	0'02	—	—	—	0'01	19'30	—	—	—	—	4'14
0'13	0'11	0'08	0'04	0'07	0'04	0'06	6'36	0'19	0'06	0'03	0'09	1'44
0'03	0'05	0'03	0'01	—	—	0'01	0'59	—	—	—	—	0'13
0'50	0'32	0'27	0'15	0'17	0'12	0'13	15'06	0'45	0'03	0'02	—	3'33
0'14	0'08	0'15	0'15	0'15	0'12	0'08	1'06	0'87	0'54	0'30	0'36	0'63
0'16	0'11	0'05	0'07	0'08	0'03	0'06	1'08	0'59	0'24	0'08	0'11	0'43
0'07	0'09	0'09	0'06	0'06	0'10	0'08	0'85	0'78	0'25	0'17	0'25	0'47
0'08	0'03	0'02	—	0'01	0'01	—	0'73	0'07	0'01	—	—	0'17
0'01	—	—	—	—	0'02	—	0'12	0'02	—	—	—	0'03
0'03	0'05	0'03	0'06	0'06	0'06	0'10	0'41	0'61	0'11	0'05	—	0'24
—	—	—	—	—	—	—	0'90	—	—	0'01	—	0'20
0'08	0'09	0'09	0'11	0'14	0'08	0'08	1'04	0'60	0'27	0'27	0'23	0'49
0'42	0'40	0'42	0'32	0'18	0'20	0'13	10'26	0'79	0'30	0'14	0'04	2'45
0'01	0'02	0'02	0'03	—	0'02	0'02	0'18	0'13	0'14	0'13	0'17	0'15
0'48	0'40	0'44	0'47	0'49	0'29	0'29	6'51	1'93	0'49	0'23	0'15	1'94
0'55	0'81	0'75	0'75	0'64	0'57	0'72	7'67	4'51	1'21	0'78	0'54	3'02
0'06	0'09	0'06	0'09	0'05	0'01	0'03	1'51	0'16	—	0'06	0'04	0'38
0'04	0'02	0'01	0'01	0'01	0'01	0'02	0'85	0'02	—	—	—	0'19
0'54	0'45	0'54	0'35	0'40	0'33	0'28	6'67	2'53	1'71	1'16	1'17	2'69

TABLE 39.—ENGLAND AND WALES.—Both Sexes. Mortality of Infants and Young Children,* Average 1904-1908 and 1909.

Cause of Death.		Proportion of Deaths to 1000 Births.								Death-rate per 1000 living under 5 years of age.	
		Under 3 months.		3 to 6 months.		6 to 12 months.		Under 1 year.			
		1904-08.	1909.	1904-08.	1909.	1904-08.	1909.	1904-08.	1909.	1904-08.	1909.
I. COM. INFECTION. DIS.		1'15	0'83	1'45	1'07	5'55	5'07	8'15	6'97	6'41	5'81
II. DIARRHOEAL DIS.		6'13	3'90	7'85	4'20	8'93	4'54	22'91	12'64	6'64	3'51
III. WASTING DIS. ..		37'88	36'53	3'56	3'19	2'02	1'97	43'46	41'69	10'53	9'57
IV. TUBERC. DIS. ..		0'80	0'58	1'57	1'19	2'71	2'23	5'08	4'00	2'77	2'31
V. MISCELLAN. DIS..		20'74	18'28	10'95	9'55	17'58	15'60	49'27	43'43	18'19	15'58
ALL CAUSES ..		66'70	60'12	25'38	19'20	36'79	29'41	128'87	108'73	44'54	36'78
I.	Small-pox ..	0'01	—	0'01	0'00	0'00	—	0'02	0'00	0'01	0'00
	Chicken-pox ..	0'01	0'00	0'01	0'02	0'04	0'03	0'06	0'05	0'02	0'02
	Measles	0'06	0'06	0'17	0'18	2'32	2'68	2'55	2'92	2'52	2'85
	Scarlet Fever ..	0'01	0'01	0'02	0'01	0'12	0'10	0'15	0'12	0'52	0'46
	Diphtheria, Croup	0'03	0'02	0'04	0'04	0'27	0'26	0'34	0'32	0'93	0'78
	Whooping-cough	1'03	0'74	1'20	0'82	2'80	2'00	5'03	3'56	2'41	1'70
II.	{ Enteritis, including Ulcer, Intest. Gastro-enteritis Gastro-intestinal Catarrh. Diarrhoea (other forms). }	6'13	3'90	7'85	4'20	8'93	4'54	22'91	12'64	6'64	3'51
III.	Premature Birth	19'96	19'69	0'23	0'18	0'04	0'04	20'23	19'91	4'78	4'46
	Congenital Defects.	5'69	5'81	0'43	0'43	0'32	0'36	6'44	6'60	1'59	1'54
	Want of Breast Milk, Starvation.	0'46	0'46	0'23	0'19	0'10	0'08	0'79	0'73	0'19	0'16
	Atrophy, Debility, Marasmus.	11'77	10'57	2'67	2'39	1'56	1'49	16'00	14'45	3'97	3'41
IV.	Tuberculous Meningitis.	0'13	0'09	0'39	0'36	1'00	0'90	1'52	1'35	1'03	0'93
	Tuberculous Peritonitis, Tabes Mesenterica.	0'43	0'33	0'75	0'55	0'91	0'71	2'09	1'59	0'87	0'69
	Other Tuberculous Diseases.	0'24	0'16	0'43	0'28	0'80	0'62	1'47	1'06	0'87	0'69
V.	Syphilis	0'83	0'83	0'30	0'26	0'15	0'13	1'28	1'22	0'32	0'30
	Erysipelas ..	0'17	0'14	0'06	0'05	0'04	0'04	0'27	0'23	0'07	0'06
	Rickets	0'04	0'02	0'12	0'08	0'41	0'37	0'57	0'47	0'35	0'27
	Injury at Birth..	0'88	1'04	0'00	—	—	0'00	0'88	1'04	0'21	0'23
	Meningitis (not Tuberculous).	0'30	0'25	0'55	0'50	1'13	0'92	1'98	1'67	0'97	0'82
	Convulsions ..	7'71	6'44	2'40	1'97	1'81	1'49	11'92	9'90	3'18	2'51
	Laryngitis ..	0'04	0'04	0'03	0'03	0'11	0'10	0'18	0'17	0'19	0'17
	Bronchitis ..	3'61	3'05	2'54	2'05	3'83	3'29	9'98	8'39	3'30	2'63
	Pneumonia ..	2'23	2'02	2'60	2'49	6'43	6'16	11'26	10'67	5'28	4'87
	Gastritis, Gastric Catarrh.	0'82	0'74	0'56	0'49	0'44	0'38	1'82	1'61	0'52	0'44
Suffocation ..	1'26	1'10	0'43	0'35	0'15	0'11	1'84	1'56	0'45	0'36	
	Other Causes ..	2'85	2'61	1'36	1'28	3'08	2'61	7'29	6'50	3'35	2'92

* The divisions of the first year of life are limited to three in this table because the deaths in the several weeks and months of the first year were not abstracted separately previous to 1905.

TABLE 40.—Mortality of **Illegitimate** as compared with **Legitimate Infants** under **One Year of Age, 1909.**

Cause of Death.	Proportion of Deaths among Illegitimate Infants to 1000 Illegitimate Births, and among Legitimate Infants to 1000 Legitimate Births.									
	England and Wales.						Urban Counties.		Rural Counties.	
	Both Sexes.		Males.		Females.		Both Sexes.		Both Sexes.	
	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.
I. COM. INFEC. DIS.	8'08	6'92	7'01	6'91	9'19	6'93	9'49	7'89	4'50	4'67
II. DIARRHOEAL DIS.	28'61	11'97	29'36	13'37	27'81	10'49	34'47	14'18	16'20	7'34
III. WASTING DIS. ..	82'44	39'95	91'96	44'05	72'40	35'68	89'95	40'61	67'34	39'82
IV. TUBERC. DIS. ..	7'84	3'83	9'41	4'34	6'19	3'32	9'74	4'22	3'78	2'95
V. MISCELLAN. DIS...	84'21	41'68	90'70	46'78	77'39	36'38	90'05	46'01	65'36	35'26
ALL CAUSES ..	211'18	104'35	228'44	115'45	192'98	92'80	233'70	112'91	157'18	90'04
I. { Small-pox ..	—	0'00	—	—	—	0'00	—	—	—	—
Chicken-pox ..	0'08	0'05	0'10	0'06	0'05	0'04	0'15	0'05	—	0'05
Measles	3'65	2'59	3'27	3'03	4'05	2'75	4'52	3'55	1'44	1'14
Scarlet Fever ..	0'11	0'12	0'16	0'15	0'05	0'09	0'15	0'15	—	0'12
Diphtheria, Croup	0'29	0'32	0'36	0'35	0'22	0'28	0'35	0'39	0'18	0'14
Whooping-cough	3'95	3'54	3'12	3'32	4'82	3'77	4'32	3'75	2'88	3'22
II. { Enteritis, including Ulcer, Intest.	5'71	2'42	6'08	2'82	5'31	2'00	6'71	2'80	3'06	1'66
Gastro-enteritis..	5'41	2'05	6'08	2'31	4'71	1'78	5'86	2'35	3'96	1'65
Gastro-intestinal Catarrh.	1'09	0'49	0'99	0'55	1'20	0'42	1'29	0'54	0'72	0'36
Diarrhoea (other forms).	16'40	7'01	16'21	7'69	16'59	6'29	20'61	8'49	8'46	3'67
III. { Premature Birth	33'41	19'34	36'32	21'26	30'34	17'33	36'76	19'52	26'47	18'89
Congenital Defects.	8'53	6'51	9'87	7'12	7'12	5'88	8'54	6'73	5'94	6'38
Want of Breast Milk, Starvation.	2'51	0'66	3'01	0'74	1'97	0'58	2'78	0'74	1'98	0'51
Atrophy, Debility, Marasmus.	37'99	13'44	42'76	14'93	32'97	11'89	41'87	13'62	32'95	14'04
IV. { Tuberculous Meningitis.	1'63	1'33	2'29	1'47	0'93	1'20	2'19	1'45	0'90	1'07
Tuberculous Peritonitis, Tabes Mesenterica.	4'00	1'49	4'57	1'78	3'40	1'19	5'17	1'58	1'62	1'05
Other Tuberculous Diseases.	2'21	1'01	2'55	1'09	1'86	0'93	2'38	1'19	1'26	0'83
V. { Syphilis	8'64	0'91	9'61	0'98	7'61	0'83	10'18	1'13	2'88	0'61
Erysipelas ..	0'21	0'23	0'26	0'22	0'16	0'25	0'25	0'29	0'18	0'11
Rickets	1'07	0'45	1'14	0'55	0'99	0'34	1'14	0'48	0'72	0'39
Injury at Birth ..	3'15	0'95	3'27	1'12	3'01	0'78	3'08	0'97	2'16	0'83
Meningitis (not Tuberculous).	2'08	1'66	2'18	1'92	1'97	1'38	2'63	1'95	1'08	1'04
Convulsions ..	19'28	9'50	20'99	10'88	17'47	8'07	18'53	10'10	20'71	9'67
Laryngitis ..	0'13	0'17	0'10	0'20	0'16	0'14	0'10	0'17	0'18	0'18
Bronchitis.. ..	13'28	8'18	14'08	9'13	12'43	7'20	15'05	8'88	8'82	6'37
Pneumonia ..	16'00	10'44	17'56	11'68	14'35	9'15	18'23	12'09	9'36	7'58
Gastritis, Gastric Catarrh.	3'39	1'54	3'90	1'77	2'85	1'29	3'18	1'77	2'52	1'46
Suffocation ..	3'57	1'47	3'58	1'44	3'56	1'51	3'87	1'76	2'88	0'74
Other Causes ..	13'41	6'18	14'03	6'89	12'83	5'44	13'81	6'42	13'87	6'28

TABLE 41.—Mortality of **Illegitimate** as compared with

—	Cause of Death.	Proportion of Deaths among to 1000			
		Under I Week.	Weeks.		
			1—	2—	3—
ENGLAND AND WALES.	<i>Illegitimate.</i>				
	I. Common Infectious Diseases	—	—	0·03	0·05
	II. Diarrhoeal Diseases	0·05	0·48	0·67	0·53
	III. Wasting Diseases	32·02	7·41	6·51	4·08
	IV. Tuberculous Diseases	—	0·03	0·02	0·03
	V. Miscellaneous Diseases	10·84	2·80	3·51	2·61
	ALL CAUSES {	42·91	10·72	10·74	7·30
		23·97	5·48	5·10	3·85
	<i>Illegitimate.</i>				
	I. Common Infectious Diseases	—	—	—	0·05
	II. Diarrhoeal Diseases	0·10	0·62	0·94	0·73
	III. Wasting Diseases	36·21	8·68	7·48	4·78
	IV. Tuberculous Diseases	—	—	—	—
	V. Miscellaneous Diseases	11·39	3·27	4·00	3·12
	ALL CAUSES {	47·70	12·57	12·42	8·68
		26·84	6·12	5·67	4·39
	<i>Illegitimate.</i>				
	I. Common Infectious Diseases	—	—	0·05	0·06
	II. Diarrhoeal Diseases	—	0·33	0·38	0·33
	III. Wasting Diseases	27·59	6·08	5·48	3·34
	IV. Tuberculous Diseases	—	0·05	0·05	0·06
	V. Miscellaneous Diseases	10·26	2·30	3·02	2·07
	ALL CAUSES {	37·85	8·76	8·98	5·86
		20·97	4·81	4·51	3·29
URBAN COUNTIES.	<i>Illegitimate.</i>				
	I. Common Infectious Diseases	—	—	—	0·09
	II. Diarrhoeal Diseases	0·09	0·30	0·60	0·55
	III. Wasting Diseases	33·07	7·85	6·90	4·37
	IV. Tuberculous Diseases	—	—	—	—
	V. Miscellaneous Diseases	11·14	3·32	3·33	2·94
	ALL CAUSES {	44·30	11·47	10·83	7·95
		24·04	5·62	5·22	4·07
	<i>Illegitimate.</i>				
	I. Common Infectious Diseases	—	—	0·18	—
RURAL COUNTIES.	II. Diarrhoeal Diseases	—	0·72	0·72	0·72
	III. Wasting Diseases	31·34	6·30	5·76	3·60
	IV. Tuberculous Diseases	—	—	—	—
	V. Miscellaneous Diseases	9·91	2·52	3·42	1·98
	ALL CAUSES {	41·25	9·54	10·08	6·30
		24·26	4·89	4·52	3·62

Legitimate Infants under One Year of Age, 1909.

 Illegitimate Infants to 1000 Illegitimate Births, and among Legitimate Infants
 Legitimate Births.

Under 1 Month.	Months.											Total under 1 Year.
	1—	2—	3—	4—	5—	6—	7—	8—	9—	10—	11—	
0'08	0'32	0'43	0'35	0'43	0'48	0'77	0'85	0'80	1'41	1'12	1'04	8'08
1'73	4'11	4'11	3'57	2'96	3'04	2'37	1'87	1'68	1'09	0'99	1'09	28'61
50'02	11'15	7'01	4'53	3'04	1'76	1'44	0'96	0'93	0'72	0'48	0'40	82'44
0'08	0'67	0'82	0'75	1'06	0'67	0'77	0'59	0'75	0'72	0'48	0'48	7'84
19'76	10'36	8'72	7'38	6'85	6'13	5'63	4'05	4'74	4'03	3'38	3'18	84'21
71'67	26'61	21'09	16'58	14'34	12'08	10'98	8'32	8'90	7'97	6'45	6'19	211'18
38'40	10'96	8'25	6'66	6'09	5'42	5'11	5'02	4'93	4'79	4'37	4'35	104'35
0'05	0'36	0'36	0'47	0'47	0'42	0'62	0'57	0'68	1'13	0'94	0'94	7'01
2'39	4'47	4'21	3'69	3'38	3'43	1'87	1'61	1'45	0'99	0'88	0'99	29'36
57'15	12'47	7'79	4'52	3'07	1'71	1'61	0'94	0'88	0'78	0'62	0'42	91'96
—	1'04	0'99	0'68	1'20	0'62	0'88	0'78	1'04	0'94	0'62	0'62	9'41
21'78	10'49	10'03	8'41	7'57	6'55	5'46	4'31	4'78	4'26	3'69	3'37	90'70
81'37	28'83	23'38	17'77	15'69	12'73	10'44	8'21	8'83	8'10	6'75	6'34	228'44
43'02	12'38	9'23	7'36	6'73	5'93	5'62	5'54	5'39	5'18	4'54	4'53	115'45
0'11	0'27	0'49	0'22	0'38	0'55	0'93	1'15	0'93	1'70	1'31	1'15	9'19
1'04	3'72	3'99	3'45	2'52	2'63	2'90	2'14	1'92	1'20	1'10	1'20	27'81
42'49	9'74	6'19	4'55	3'01	1'81	1'26	0'99	0'99	0'66	0'33	0'38	72'40
0'16	0'27	0'66	0'82	0'94	0'71	0'66	0'38	0'44	0'49	0'33	0'33	6'19
17'65	10'26	7'35	6'30	6'07	5'69	5'80	3'77	4'70	3'78	3'06	2'96	77'39
61'45	24'26	18'68	15'34	12'92	11'39	11'55	8'43	8'98	7'83	6'13	6'02	192'98
33'58	9'49	7'25	5'94	5'42	4'89	4'57	4'48	4'46	4'37	4'19	4'16	92'80
0'09	0'30	0'35	0'30	0'40	0'84	0'89	0'94	0'99	1'95	1'04	1'40	9'49
1'54	5'25	4'92	4'62	3'53	3'68	2'68	2'19	1'94	1'24	1'34	1'54	34'47
52'19	12'42	8'15	5'41	3'68	1'94	1'84	1'04	1'29	0'94	0'65	0'40	89'95
—	1'10	0'94	0'94	1'49	0'70	0'89	0'70	0'89	0'94	0'45	0'70	9'74
20'73	10'68	8'98	8'00	6'45	6'80	5'97	4'57	4'92	4'62	4'22	4'11	90'05
74'55	29'75	23'34	19'27	15'55	13'96	12'27	9'44	10'03	9'69	7'70	8'15	233'70
38'95	11'72	8'96	7'55	6'82	6'09	5'79	5'64	5'80	5'46	5'10	5'03	112'91
0'18	0'36	0'54	0'36	0'36	—	0'18	0'18	0'54	0'54	0'72	0'54	4'50
2'16	2'16	2'88	0'90	0'72	1'98	1'08	1'98	1'08	0'36	0'54	0'36	16'20
47'00	6'66	4'86	1'98	2'16	1'44	1'08	0'72	0'72	0'36	0'18	0'18	67'34
—	—	0'54	0'54	0'36	0'36	0'90	0'18	0'18	—	0'54	0'18	3'78
17'83	8'83	7'74	4'86	5'04	4'50	5'22	2'52	3'78	2'16	1'62	1'26	65'36
67'17	18'01	16'56	8'64	8'64	8'28	8'46	5'58	6'30	3'42	3'60	2'52	157'18
37'29	10'05	7'63	5'80	4'92	4'26	3'81	3'93	3'45	3'52	2'67	2'71	90'04

TABLE 42.—ENGLAND AND WALES.—Infantile Mortality from Several Causes in Registration Counties, 1909.

REGISTRATION COUNTY.	Deaths under One Year to 1,000 Births.									
	All Causes.	Measles.	Whooping-cough.	Diarrhoeal Diseases.	Wasting Diseases.	Tuberculous Diseases.	Meningitis and Con-vulsions.	Bronchitis.	Pneumonia.	Other Causes.
ENGLAND AND WALES..	109	3	4	13	42	4	12	8	11	12
I.—LONDON.										
London*	110	4	5	16	39	5	7	7	13	14
II.—SOUTH EASTERN.										
Surrey	80	2	3	10	30	2	6	5	10	12
Kent	81	0	2	8	34	3	7	7	7	13
Sussex	81	0	4	7	38	3	6	5	8	10
Hampshire	84	2	3	8	36	2	8	6	7	12
Berkshire	86	2	1	8	40	3	7	6	6	13
III.—SOUTH MIDLAND.										
Middlesex	86	3	3	11	32	3	6	7	9	12
Hertfordshire	73	1	2	4	34	3	8	5	8	8
Buckinghamshire	74	0	1	6	40	1	6	4	5	11
Oxfordshire	87	3	3	8	38	2	7	8	6	12
Northamptonshire	89	2	1	8	42	3	11	7	6	9
Huntingdonshire	84	1	3	5	42	2	3	12	8	8
Bedfordshire	85	4	1	6	41	2	8	7	5	11
Cambridgeshire	82	0	2	6	46	3	8	6	4	7
IV.—EASTERN.										
Essex	90	3	5	11	37	3	6	7	7	11
Suffolk	85	1	2	5	45	3	6	6	5	12
Norfolk	97	3	3	8	45	4	9	7	7	11
V.—SOUTH WESTERN.										
Wiltshire.. .. .	74	1	4	5	35	2	6	5	6	10
Dorsetshire	79	1	2	6	33	3	10	7	8	9
Devonshire	95	2	3	13	37	3	9	7	8	13
Cornwall.. .. .	99	1	4	12	43	2	11	4	8	14
Somersetshire	85	1	3	9	38	3	6	7	7	11
VI.—WEST MIDLAND.										
Gloucestershire	94	2	3	12	38	3	9	6	9	12
Herefordshire	91	1	5	6	40	4	14	6	5	10
Shropshire	90	0	5	9	37	3	10	5	9	12
Staffordshire	131	5	6	16	49	5	14	13	11	12
Worcestershire	104	5	2	11	42	4	8	9	10	13
Warwickshire	118	5	4	15	48	3	10	8	10	15
VII.—NORTH MIDLAND.										
Leicestershire	110	3	4	15	42	4	12	8	8	14
Rutlandshire	85	2	4	—	26	—	20	9	15	9
Lincolnshire	108	1	4	9	46	4	12	9	10	13
Nottinghamshire	126	3	3	18	51	3	13	8	14	13
Derbyshire	112	4	4	12	45	4	15	10	9	9
VIII.—NORTH WESTERN.										
Cheshire	106	2	2	11	39	6	13	9	10	14
Lancashire	130	4	3	16	44	5	14	11	15	18
IX.—YORKSHIRE.										
West Riding	114	2	3	13	42	5	14	9	11	15
East Riding (with York)	104	1	3	13	42	3	13	8	9	12
North Riding	121	2	8	13	48	4	14	9	11	12
X.—NORTHERN.										
Durham	125	3	3	11	51	5	17	11	11	13
Northumberland	118	2	3	11	45	5	19	10	11	12
Cumberland	113	4	3	12	46	6	12	8	9	13
Westmorland	73	1	1	5	24	4	9	7	10	12
XI.—WELSH.										
Monmouthshire	103	2	2	12	37	2	18	7	12	11
Glamorganshire	121	2	5	16	41	4	21	8	11	13
Carmarthenshire	127	—	4	9	50	4	28	6	10	16
Pembrokeshire	100	2	3	9	44	2	19	5	8	8
Cardiganshire	110	—	1	8	44	3	25	4	6	19
Brecknockshire	100	—	6	4	33	4	15	5	21	12
Radnorshire	79	—	—	—	44	5	10	10	2	8
Montgomeryshire	88	—	3	4	41	3	15	6	7	9
Flintshire	81	1	1	8	29	2	15	8	7	10
Denbighshire	110	3	1	10	44	5	17	10	10	10
Merionethshire	90	—	2	6	31	3	17	3	10	18
Carnarvonshire	104	2	4	9	28	5	28	6	10	12
Anglesey	120	—	—	8	62	—	28	1	7	14

* See Note * to Table 30.

TABLE 43.—ENGLAND AND WALES.—**Mortality among Children aged 0-5 Years, from Several Causes, in Registration Counties, 1909.**

REGISTRATION COUNTY.	Deaths under 5 Years of Age to 1,000 Living.									
	All Causes.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	Diarrhoeal Diseases.	Tuberculous Diseases.	Meningitis and Convulsions.	Bronchitis.	Pneumonia.
ENGLAND AND WALES..	36·78	2·85	0·46	0·78	1·70	3·51	2·31	3·33	2·63	4·87
I.—LONDON.										
London	38·80	4·24	0·38	0·83	2·30	4·25	2·86	1·89	2·09	5·89
II.—SOUTH EASTERN.										
Surrey	26·59	1·77	0·28	0·51	1·57	2·59	1·50	1·89	1·56	3·81
Kent	22·80	0·68	0·16	0·57	0·85	2·16	1·53	1·82	1·78	2·54
Sussex	22·34	0·33	0·22	0·61	1·37	1·44	1·41	1·32	1·38	3·18
Hampshire	27·35	1·61	0·23	0·88	1·38	2·20	1·62	2·35	1·77	3·08
Berkshire	24·97	1·71	0·09	0·66	0·35	1·90	1·55	1·87	1·74	2·60
III.—SOUTH MIDLAND.										
Middlesex	29·93	2·67	0·62	0·95	1·69	3·02	2·01	1·72	2·07	3·89
Hertfordshire ..	23·05	1·30	0·11	0·43	1·26	1·19	1·69	2·09	1·62	2·95
Buckinghamshire ..	21·30	0·44	0·15	0·44	0·54	1·62	0·74	1·57	1·33	2·26
Oxfordshire	27·15	2·36	0·05	0·31	1·18	2·20	1·43	2·00	2·31	2·61
Northamptonshire ..	21·67	1·39	0·07	0·53	0·42	1·66	1·30	2·50	1·53	1·81
Huntingdonshire ..	26·96	1·46	0·42	—	1·05	1·25	1·05	1·05	3·14	3·34
Bedfordshire	27·02	3·95	0·05	0·62	0·46	1·59	1·18	2·46	2·10	2·31
Cambridgeshire ..	24·26	0·27	0·27	0·50	0·90	1·98	1·17	2·07	1·94	1·85
IV.—EASTERN.										
Essex	27·73	2·35	0·40	0·58	2·36	2·69	1·78	1·63	2·01	3·22
Suffolk	23·80	0·81	0·10	0·31	0·86	1·43	1·36	1·91	1·77	2·34
Norfolk	28·37	2·15	0·15	0·25	1·69	1·96	1·75	2·24	2·11	2·47
V.—SOUTH WESTERN.										
Wiltshire	22·23	0·92	0·16	0·33	1·31	1·25	0·99	1·94	1·54	2·43
Dorsetshire	22·75	0·78	0·83	0·55	0·55	1·38	1·43	2·53	1·75	3·04
Devonshire	28·75	1·66	0·11	0·65	1·18	3·07	1·42	2·71	2·18	3·39
Cornwall	27·60	0·76	0·18	0·27	1·39	2·82	1·36	2·76	1·43	3·15
Somersetshire	23·68	0·36	0·08	0·68	0·96	2·33	1·12	1·70	1·84	2·89
VI.—WEST MIDLAND.										
Gloucestershire ..	27·20	1·95	0·18	0·74	1·10	2·80	1·86	2·18	1·57	3·30
Herefordshire	25·71	1·17	0·25	0·33	1·93	1·59	1·34	3·18	1·51	2·43
Shropshire	27·01	0·27	0·51	0·64	2·20	2·37	1·39	2·61	1·59	3·35
Staffordshire	46·43	5·26	0·54	0·82	2·74	4·49	2·60	4·05	3·85	5·76
Worcestershire	34·13	4·58	0·55	0·49	1·09	3·30	1·89	2·27	2·58	4·33
Warwickshire	43·51	5·40	0·74	0·83	2·10	4·32	1·85	3·17	2·84	5·23
VII.—NORTH MIDLAND.										
Leicestershire	32·42	2·57	0·31	0·60	1·44	3·36	2·35	3·14	2·43	3·27
Rutlandshire	21·31	1·49	—	—	0·99	—	—	4·96	1·98	3·47
Lincolnshire	33·78	0·66	0·07	0·71	1·67	2·45	2·10	3·56	2·78	3·87
Nottinghamshire ..	45·13	3·72	0·16	0·55	1·86	5·34	2·46	4·06	2·73	6·50
Derbyshire	36·53	2·79	0·26	0·79	1·52	3·05	2·16	4·57	3·00	4·34
VIII.—NORTH WESTERN.										
Cheshire	34·63	1·79	0·76	0·67	0·79	2·99	2·99	3·75	2·59	4·41
Lancashire	47·60	4·13	1·06	1·03	1·73	4·85	2·87	4·32	3·71	7·05
IX.—YORKSHIRE.										
West Riding	37·77	2·45	0·32	0·75	1·41	3·65	2·37	4·04	2·93	5·05
East Riding (with York) ..	33·80	1·53	0·19	1·01	1·33	3·61	1·58	3·86	2·60	3·98
North Riding	46·89	2·61	0·17	1·03	4·22	3·96	3·36	4·59	3·23	6·55
X.—NORTHERN.										
Durham	46·31	3·38	0·47	0·97	1·70	3·59	3·29	5·23	4·07	5·58
Northumberland	42·66	2·17	0·48	0·95	1·82	3·35	3·17	5·86	3·50	5·47
Cumberland	36·72	3·77	0·45	0·58	1·31	3·13	2·97	3·20	2·59	3·61
Westmorland	20·12	0·15	0·15	0·31	0·31	1·24	1·70	2·17	1·86	3·41
XI.—WELSH.										
Monmouthshire	42·17	2·83	0·76	1·04	1·10	3·97	1·55	5·55	2·57	7·38
Glamorganshire	45·52	1·65	0·56	0·91	2·44	5·08	2·18	6·44	2·89	6·39
Carmarthenshire	44·13	—	0·60	1·54	1·41	2·75	2·75	8·04	2·54	4·75
Pembrokeshire	33·65	3·95	0·44	0·55	1·21	2·30	1·32	4·49	1·86	3·18
Cardiganshire	27·98	—	—	0·64	0·90	1·54	1·93	5·65	1·28	2·05
Brecknockshire	32·04	—	0·16	0·32	2·23	1·12	2·71	4·14	1·59	7·97
Radnorshire	17·44	—	—	1·55	—	—	1·55	1·55	2·33	1·16
Montgomeryshire	22·77	0·30	0·15	0·15	1·35	0·90	1·20	3·60	1·65	2·10
Flintshire	30·01	0·66	1·06	1·46	0·27	2·12	1·06	4·78	2·79	3·85
Denbighshire	34·86	3·75	0·31	0·50	0·56	2·50	2·19	4·31	2·56	4·19
Merionethshire	23·81	0·14	1·00	0·29	1·15	1·58	2·15	4·02	0·57	2·87
Carnarvonshire	28·65	1·51	0·20	0·59	1·78	1·98	1·98	6·06	1·84	3·56
Anglesey	32·34	0·27	—	0·80	—	2·39	0·53	7·16	0·80	2·39

TABLE 44.—ENGLAND AND WALES.—Deaths from Various Causes to a Million Deaths from All Causes, 1909.

CAUSES OF DEATH.	Proportional Number.	CAUSES OF DEATH.	Proportional Number.	CAUSES OF DEATH.	Proportional Number.
ALL CAUSES	1,000,000	Rickets.. .. .	2158	Intestinal Obstruction ..	5052
Small-pox	41	Purpura	602	Other Dis. of Intestines ..	575
Cow-pox and other effects of Vaccination.	21	Hæmophilia, Hæmorrhagic Diathesis.	176	Peritonitis (not Puerperal)	1187
Chicken-pox	181	Anæmia, Leucocythæmia	4278	Cirrhosis of Liver	6813
Measles (Morbilli)	24359	Diabetes Mellitus	7139	Other Diseases of Liver and Gall Bladder.	3788
German Measles	75	Premature Birth	35154	Other Diseases of Digestive System.	882
Scarlet Fever.. .. .	6207	Congenital Hydrocephalus	639	Diseases of Spleen	106
Typhus.. .. .	29	Other Congenital Defects	8882	Other Diseases of Lymphatic System.	820
Plague	—	Injury at Birth	1846	Diseases of Thyroid Body	1176
Relapsing Fever	—	Atelectasis	2907	Diseases of Supra Renal Capsules.	479
Influenza	17359	Want of Breast Milk ..	1291	Acute Nephritis, Uræmia..	7405
Whooping-cough	13865	Teething	3415	Chronic Bright's Disease, Albuminuria.	20278
Mumps.. .. .	180	Meningitis, Inflammation of Brain.	10317	Calculus (not Biliary) ..	464
Diphtheria	10106	Softening of Brain	4103	Diseases of Bladder and of Prostate.	4714
Cerebro-spinal Fever ..	251	General Paralysis of Insane.	4562	Other Diseases of Urinary System.	1087
Pyrexia* (origin uncertain)	25	Insanity (not Puerperal)..	4191	Ovarian Tumour (not Malignant).	593
Enteric Fever	4135	Chorea	328	Other Diseases of Ovary ..	64
Asiatic Cholera	2	Epilepsy	5432	Uterine Tumour (not Malignant).	566
Diarrhœa due to Food† ..	529	Convulsions	19913	Other Diseases of Uterus and Vagina.	650
Infective Enteritis, Epidemic Diarrhœa.	9388	Laryngismus Stridulus ..	521	Disorders of Menstruation	64
Diarrhœa (not oth. defined)	9538	Locomotor Ataxy	1195	Other Dis. of Generative and Mammary Organs.	120
Dysentery	483	Paraplegia, Diseases of Cord.	4062	Abortion, Miscarriage ..	164
Tetanus	444	Neuritis, Peripheral, Polyneuritis.	786	Puerperal Mania	81
Malaria	154	Brain Tumour(not Specific)	1485	Puerperal Convulsions ..	892
Rabies, Hydrophobia ..	—	Other Diseases of Nervous System.	5288	Placenta Prævia, Flooding	1108
Glanders	8	Otitis, Mastoid Disease ..	2106	Other Accidents of Pregnancy and Childbirth.	1519
Anthrax (Splenic Fever)..	29	Epistaxis, Diseases of Nose.	156	Caries, Necrosis	361
Syphilis	3253	Ophthalmia, Diseases of Eye.	104	Arthritis, Periostitis ..	494
Gonorrhœa	75	Valvular Disease, Endocarditis (not Infective).	32886	Other Diseases of Locomotor System.	581
Puerperal Septicæmia, Puer. Sept. Intoxication.	2052	Pericarditis	791	Ulcer, Bedsore	830
Puerperal Pyæmia.. ..	201	Hypertrophy of Heart ..	425	Eczema	479
Phlegmasia Alba Dolens ..	139	Angina Pectoris	1847	Pemphigus	413
Puerperal Fever (not oth. defined).	367	Dilatation of Heart	6851	Other Diseases of the Skin.	454
Infective Endocarditis ..	1015	Fatty Degeneration of Heart.	4813	Other Specified Diseases ..	10
Pneumonia { Lobar	11722	Syncope, Heart Disease (not specified).	50683	Atrophy, Debility	26986
{ Broncho-	38214	Cerebral Hæmorrhage, Cerebral Embolism.	34629	Old Age	65588
{ Epidemic	21	Apoplexy, Hemiplegia ..	15625	Dropsy, Ascites, Anasarca ..	124
{ Not defined	39054	Aneurysm	2253	Tumour	187
Erysipelas	1956	Senile Gangrene	2994	Abscess	513
Septicæmia, Sept. Intox. (not Puerperal).	712	Embolism, Thrombosis (not Cerebral).	911	Hæmorrhage	64
Pyæmia (not Puerperal) ..	234	Phlebitis	286	Sudden Death (Cause unascertained).	37
Phlegmon, Carbuncle (not Anthrax).	1581	Varicose Veins	216	Other ill-defined causes ..	1270
Phagedæna	54	Other Diseases of Blood Vessels.	6019	Causes not specified	230
Other Infective Processes	467	Laryngitis	1913	In Mines and Quarries	2639
Pulmonary Tuberculosis (Tuberc. Phthisis).	39876	Membranous Laryngitis(not Diphtheritic).	60	Vehicles and Horses ..	4361
Phthisis (not other. defined)	34716	Croup (not Spasmodic nor Membranous).	465	Ships, Boats, and Docks (not Drowning).	510
Tuberculous Meningitis ..	11147	Other Diseases of Larynx and Trachea.	54	Building Operations ..	320
Tuberculous Peritonitis ..	6799	Bronchitis	78799	Machinery	411
Tabes Mesenterica	1693	Emphysema, Asthma ..	3718	Weapons and Implements.	210
Lupus	153	Pleurisy	2708	Burns and Scalds	5133
Tubercle of other Organs..	3606	Fibroid Disease of Lung ..	1125	Poisons, Poisonous Vapours.	1075
General Tuberculosis ..	7025	Other Diseases of Respiratory System.	5216	Drowning.. .. .	4228
Scrofula	52	Tonsillitis, Quinsy	743	Suffocation	3054
Parasitic Diseases	429	Dis. of Mouth, Pharynx, Oesophagus(notSpecific).	1087	Falls	5039
Starvation	42	Gastric Ulcer.. .. .	3336	Weather Agencies	378
Scurvy	91	Gastritis, Gastric Catarrh..	6290	(Otherwise, or not stated	2100
Alcoholism, Delirium Tremens.	3226	Other Diseases of Stomach (not Malignant).	884	Battle	—
Opium, Morphia Habit ..	41	Ulceration of Intestines ..	1510	Homicide	554
Industrial Poisoning:—		Enteritis (not Epidemic)..	7158	Suicide	6905
By Lead	176	Gastro-enteritis	5598	Execution	37
„ Phosphorus	—	Appendicitis, Perityphlitis	4394		
„ Arsenic and other Poisons.	2	Hernia	2898		
Rheumatic Fever, Acute Rheumatism.	3803				
Rheumatism of Heart ..	689				
Chronic Rheumatism ..	846				
Rheumatoid Arthritis, Rheumatic Gout.	2100				
Gout	774				
Carcinoma	37670				
Sarcoma	3811				
Cancer, Malignant Disease (not otherwise defined).	24259				

* Called Simple Continued Fever previous to 1901. † Called Food, Ptomaine-Poisoning previous to 1904.

TABLE 45.—ENGLAND AND WALES.—Names on the Registers, Searches, and Fees received, at the General Register Office, 1860-1909.

YEAR.	NAMES ON THE REGISTERS AT THE END OF EACH YEAR.				SEARCHES IN THE REGISTERS, INCLUDING NON-PAROCIAL.	
	PERSONS MARRIED.	BIRTHS.	DEATHS.	TOTAL.	NUMBER.*	AMOUNT RECEIVED FOR SEARCHES AND FOR CERTIFICATES.*
1860	6,759,210	13,583,166	9,170,243	29,512,619	7,085	£ s. d. 1,031 18 0
1861	7,086,622	14,279,572	9,605,357	30,971,551	7,484	1,099 1 6
1862	7,414,682	14,992,256	10,041,923	32,448,861	8,522	1,250 12 0
1863	7,761,702	15,719,673	10,515,760	33,997,135	8,825†	1,280 17 6†
1864	8,122,476	16,459,948	11,011,291	35,593,715	9,607	1,371 18 6
1865	8,493,424	17,208,017	11,502,200	37,203,641	10,182	1,487 12 0
1866	8,868,976	17,961,887	12,002,889	38,833,752	12,135	1,866 15 6
1867	9,227,284	18,730,236	12,473,962	40,431,482	12,343	1,906 16 6
1868	9,581,208	19,517,094	12,954,584	42,052,886	12,913†	2,031 11 0†
1869	9,935,148	20,290,475	13,449,412	43,675,035	14,260	2,247 7 6
1870	10,298,458	21,083,262	13,964,741	45,346,461	16,170	2,456 19 6
1871	10,678,682	21,880,690	14,479,620	47,038,992	17,910	2,705 7 0
1872	11,081,216	22,706,597	14,971,885	48,759,698	18,970	2,867 5 6
1873	11,492,446	23,536,375	15,464,405	50,493,226	20,941†	3,142 9 6†
1874	11,896,466	24,391,331	15,991,037	52,278,834	22,354	3,364 7 0
1875	12,298,890	25,241,938	16,537,490	54,078,318	26,356	3,879 15 6
1876	12,702,638	26,129,906	17,047,805	55,880,349	27,590	4,109 15 6
1877	13,091,342	27,018,106	17,548,301	57,657,749	27,721	4,211 13 6
1878	13,471,450	27,910,012	18,088,173	59,469,635	28,540	4,313 8 6
1879	13,835,614	28,790,401	18,614,428	61,240,443	29,690†	4,517 15 0†
1880	14,219,544	29,672,044	19,143,052	63,034,640	31,308	4,695 3 0
1881	14,614,124	30,555,686	19,634,987	64,804,797	32,305	4,976 12 6
1882	15,022,934	31,444,700	20,151,641	66,619,275	33,597	5,170 15 0
1883	15,435,702	32,335,422	20,674,638	68,445,762	34,810	5,356 0 0
1884	15,844,304	33,242,172	21,205,466	70,291,942	34,843†	5,177 15 0†
1885	16,239,794	34,136,442	21,728,216	72,104,452	36,450	5,317 13 6
1886	16,631,936	35,040,202	22,265,492	73,937,630	36,079	5,168 16 0
1887	17,032,972	35,926,533	22,796,250	75,755,755	37,750	5,347 5 0
1888	17,440,614	36,806,401	23,307,221	77,554,236	40,477	5,808 0 6
1889	17,868,344	37,692,345	23,825,574	79,386,263	41,002	5,884 2 6
1890	18,314,400	38,562,282	24,387,822	81,264,504	43,874†	6,178 4 0†
1891	18,767,452	39,476,439	24,975,747	83,219,638	46,500	6,458 10 6
1892	19,221,722	40,374,396	25,535,431	85,131,549	50,942	6,921 15 0
1893	19,659,100	41,288,968	26,105,389	87,053,457	50,626	6,845 6 6
1894	20,111,998	42,179,257	26,604,216	88,895,471	54,255	7,166 3 6
1895	20,568,406	43,101,548	27,173,213	90,843,167	53,289	7,200 12 6
1896	21,053,934	44,016,879	27,699,940	92,770,753	57,444†	7,600 0 6†
1897	21,552,224	44,938,562	28,241,427	94,732,213	58,664	7,686 8 6
1898	22,062,982	45,861,727	28,793,568	96,718,277	63,825	8,450 19 6
1899	22,587,650	46,790,373	29,375,367	98,753,390	57,670	8,551 19 6
1900	23,102,610	47,717,435	29,963,197	100,783,242	57,895	8,658 9 6
1901	23,621,410	48,647,242	30,514,782	102,783,434	58,445	8,645 10 0
1902	24,144,910	49,587,751	31,050,320	104,782,981	61,437†	9,177 15 0†
1903	24,667,116	50,536,022	31,564,948	106,768,086	63,519	9,437 9 6
1904	25,182,828	51,481,411	32,114,732	108,778,971	62,270	9,274 12 0
1905	25,704,312	52,410,704	32,634,763	110,749,779	65,142	9,611 9 0
1906	26,244,388	53,345,785	33,166,044	112,756,217	64,340	9,458 6 0
1907	26,797,230	54,263,827	33,690,265	114,751,322	69,249	10,194 9 0
1908	27,327,110	55,204,210	34,210,721	116,742,041	72,370†	10,550 8 0†
1909	27,848,198	56,118,682	34,728,724	118,695,604	73,543	10,568 8 0

* The figures in these columns refer to periods of 52 weeks except those marked †, which refer to periods of 53 weeks.

TABLE 46.—ISLANDS IN THE BRITISH SEAS. **Area and Population; and Births and Deaths, 1885–1909.**

YEAR.	ISLANDS IN THE BRITISH SEAS.	ISLE OF MAN.	JERSEY.	GUERNSEY AND ADJACENT ISLANDS.				
Area in Acres }	193,408	145,325	28,717	19,366				
ENUMERATED POPULATION.								
1881	141,260	53,558	52,445	35,257				
1891	147,842	55,608	54,518	37,716				
1901	150,370	54,752	52,576	43,042				
—	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.	Births.*	Deaths.
1885	3,562	2,921	1,439	1,074	1,369	1,179	754	668
1886	3,778	2,960	1,574	1,096	1,464	1,145	740	719
1887	3,739	2,674	1,515	1,133	1,458	973	766	568
1888	3,810	2,663	1,564	1,078	1,523	1,025	723	560
1889	3,791	2,687	1,578	1,010	1,415	1,039	798	638
1890	3,607	3,040	1,458	1,159	1,375	1,156	774	725
1891	3,688	2,925	1,493	1,086	1,373	1,144	822	695
1892	3,382	3,031	1,331	1,131	1,269	1,262	782	638
1893	3,633	2,864	1,415	1,091	1,401	1,118	817	655
1894	3,305	2,700	1,336	1,091	1,227	987	742	622
1895	3,602	2,985	1,515	1,138	1,294	1,151	793	696
1896	3,538	2,602	1,437	1,073	1,307	998	794	531
1897	3,716	2,819	1,445	1,099	1,331	1,016	940	704
1898	3,585	2,760	1,400	1,008	1,259	1,020	926	732
1899	3,650	2,881	1,473	1,130	1,261	1,054	916	697
1900	3,375	2,894	1,376	1,143	1,151	1,054	848	697
1901	3,145	2,556	1,204	1,033	1,139	869	802	654
1902	3,289	2,466	1,256	979	1,137	864	896	623
1903	3,134	2,466	1,190	948	1,097	933	847	585
1904	3,536	2,649	1,227	1,027	1,068	903	1,241	719
1905	3,419	2,530	1,139	998	1,066	856	1,214	676
1906	3,310	2,397	1,123	894	1,007	878	1,180	625
1907	3,197	2,499	1,073	893	980	917	1,144	689
1908	3,162	2,391	1,044	901	1,039	815	1,079	675
1909	3,161	2,457	1,036	970	1,046	868	1,079	619

NOTE.—The above numbers of births and deaths have been compiled from returns furnished to the Registrar-General by the Registrar-General of the Isle of Man, the Government Secretary of Jersey, and the Lieutenant-Governor of Guernsey and its Dependencies.

* Up to and including the year 1895 the figures in this column refer to the number of Baptisms.

TABLE 47.—BALANCE inward or outward on **Passenger Movement** into and out of the **United Kingdom, 1895–1909.**

YEAR.	BALANCE OUTWARD ON MOVEMENT TO AND FROM NON-EUROPEAN COUNTRIES.				BALANCE INWARD ON MOVEMENT TO AND FROM EUROPEAN COUNTRIES. (ALL NATION- ALITIES).*	NET BALANCE OUTWARD ON TOTAL MOVEMENT TO AND FROM ALL COUNTRIES. (ALL NATION- ALITIES).*
	OF BRITISH NATION- ALITY.	FOREIGNERS.	NATIONALITY NOT DIS- TINGUISHED.	TOTAL.		
1895	75,763	18,015	2,320	96,098	28,503	67,595
1896	60,183	19,506	2,350	82,039	38,953	43,083
1897	51,239	4,938	1,989	58,166	17,850	40,316
1898	49,396	14,189	2,240	65,825	29,897	35,928
1899	46,116	30,444	2,025	78,585	56,660	21,925
1900	71,188	50,041	1,585	122,814	79,433	43,381
1901	72,016	63,618	1,923	137,557	88,712	48,845
1902	101,547	112,132	2,226	215,905	137,313	78,592
1903	147,036	99,149	3,136	249,321	114,540	134,781
1904	126,854	82,182	2,945	211,981	84,389	127,592
1905	139,365	110,514	4,590	254,469	107,733	146,736
1906	194,671	133,878	977†	327,572	134,199	193,373
1907	235,092	109,857	3,633†	341,316	113,385	227,931
1908	91,156	47,667†	—	43,489	24,267†	67,756
1909	139,693	73,360	—	213,053	94,263	118,790

* Prior to 1st January, 1908, no statutory returns were available with regard to the passenger movement between the United Kingdom and the Continent of Europe, and the returns furnished voluntarily were to some extent incomplete, and were not prepared on an absolutely uniform system. Hence the figures given above for the years 1895 to 1907 cannot be regarded as a complete statement of the passenger movement between the United Kingdom and other countries in those years.

† Balance inward.

‡ Balance outward.

TABLE 48.—ARMY. **Strength and Mortality, 1870–1909.**
(Regiments on Passage Out and Home are included with the Number Abroad.)

YEAR.	STRENGTH.			DEATHS.			DEATH-RATE PER 1000.		
	TOTAL ARMY.	IN UNITED KING-DOM.	ABROAD.	TOTAL ARMY.	IN UNITED KING-DOM.	ABROAD.	TOTAL ARMY.	IN UNITED KING-DOM.	ABROAD.
1870 ..	180,444	89,670	90,774	2,638	1,029	1,609	14'6	11'5	17'7
1871 ..	192,665	105,757	86,908	2,327	1,005	1,322	12'1	9'5	15'2
1872 ..	192,007	104,154	87,853	2,649	940	1,709	13'8	9'0	19'5
1873 ..	188,379	100,583	87,796	2,139	931	1,208	11'4	9'3	13'8
1874 ..	186,389	97,635	88,754	2,136	1,007	1,129	11'5	10'3	12'7
1875 ..	184,669	97,193	87,476	2,269	1,061	1,208	12'3	10'9	13'8
1876 ..	184,433	97,146	87,287	2,102	930	1,172	11'4	9'6	13'4
1877 ..	190,502	101,904	88,598	1,801	856	945	9'5	8'4	10'7
1878 ..	200,758	109,201	91,557	2,249	778	1,471	11'2	7'1	16'1
1879 ..	191,290	88,215	103,075	4,239	796	3,443	22'2	9'0	33'4
1880 ..	188,986	91,887	97,099	3,333	756	2,577	17'6	8'2	26'5
1881 ..	188,798	91,946	96,852	2,650	844	1,806	14'0	9'2	18'6
1882 ..	189,229	94,295	94,934	2,224	806	1,418	11'8	8'5	14'9
1883 ..	181,971	90,071	91,900	1,783	672	1,111	9'8	7'5	12'1
1884 ..	183,004	89,994	93,010	1,611	523	1,088	8'8	5'8	11'7
1885 ..	198,064	91,579	106,485	2,730	735	1,995	13'8	8'0	18'7
1886 ..	203,805	98,057	105,748	2,813	703	2,110	13'8	7'2	20'0
1887 ..	209,574	106,767	102,807	2,006	568	1,438	9'6	5'3	14'0
1888 ..	211,105	106,913	104,192	2,041	731	1,310	9'7	6'8	12'6
1889 ..	210,298	105,956	104,342	1,961	525	1,436	9'3	5'0	13'8
1890 ..	209,221	105,668	103,553	1,813	631	1,182	8'7	6'0	11'4
1891 ..	209,699	104,860	104,839	1,869	562	1,307	8'9	5'4	12'5
1892 ..	213,540	106,115	107,425	1,950	502	1,448	9'1	4'7	13'5
1893 ..	217,279	106,074	111,205	1,803	586	1,217	8'3	5'5	10'9
1894 ..	219,121	105,749	113,372	1,871	447	1,424	8'5	4'2	12'6
1895 ..	220,309	107,636	112,673	1,839	491	1,348	8'3	4'6	12'0
1896 ..	220,742	106,408	114,334	1,862	431	1,431	8'4	4'1	12'5
1897 ..	219,283	102,155	117,128	2,188	403	1,785	10'0	3'9	15'2
1898 ..	225,027	102,202	122,825	2,699	452	2,247	12'0	4'4	18'3
1899 ..	238,739	107,504	131,235	2,516	486	2,030	10'5	4'5	15'5
1900 ..	383,037	117,041	265,996	10,554	958	9,596	27'6	8'2	36'1
1901 ..	412,949	126,797	286,152	6,237	780	5,457	15'1	6'2	19'1
1902 ..	379,048	126,992	252,056	4,029	625	3,404	10'6	4'9	13'5
1903 ..	295,589	137,755	157,834	2,067	703	1,364	7'0	5'1	8'6
1904 ..	283,691	134,345	149,346	1,715	444	1,271	6'0	3'3	8'5
1905 ..	274,158	132,141	142,017	1,526	385	1,141	5'6	2'9	8'0
1906 ..	263,834	129,421	134,413	1,445	399	1,046	5'5	3'1	7'8
1907 ..	249,890	123,668	126,222	1,186	382	804	4'7	3'1	6'4
1908 ..	247,277	124,422	122,855	1,178	329	849	4'8	2'6	6'9
1909 ..	252,105	130,098	122,007	985	400	585	3'9	3'1	4'8

TABLE 49.—ROYAL NAVY. **Mortality in the Service Afloat, 1870–1909.**
(From the Statistical Reports of the Health of the Navy.)

YEAR.	DEATH-RATE PER 1000.			YEAR.	DEATH-RATE PER 1000.		
	From All Causes.	From Disease.	From Violence.		From All Causes.	From Disease.	From Violence.
1870 ..	19'6	6'7	12'9	1890 ..	8'54	4'14	4'40
1871 ..	8'5	6'3	2'2	1891 ..	6'17	4'68	1'49
1872 ..	8'2	5'6	2'6	1892 ..	5'58	4'50	1'08
1873 ..	8'3	6'0	2'3	1893 ..	11'29	4'07	7'21
1874 ..	9'4	6'7	2'7	1894 ..	5'76	4'05	1'71
1875 ..	8'8	6'9	1'9	1895 ..	6'60	4'64	1'95
1876 ..	9'24	5'99	3'24	1896 ..	5'28	3'81	1'47
1877 ..	7'05	4'91	2'13	1897 ..	5'23	3'78	1'45
1878 ..	14'41	5'32	9'09	1898 ..	4'91	3'56	1'35
1879 ..	8'58	6'23	2'34	1899 ..	5'41	3'87	1'53
1880 ..	12'57	4'62	7'95	1900 ..	7'27	4'96	2'30
1881 ..	10'94	5'27	5'67	1901 ..	5'34	3'38	1'96
1882 ..	9'49	6'87	2'62	1902 ..	5'92	3'51	2'40
1883 ..	5'88	4'05	1'82	1903 ..	4'19	2'79	1'40
1884 ..	9'00	5'83	3'16	1904 ..	4'45	3'14	1'31
1885 ..	7'04	4'77	2'27	1905 ..	3'90	2'74	1'15
1886 ..	6'88	5'04	1'83	1906 ..	3'68	2'48	1'20
1887 ..	8'32	4'89	3'42	1907 ..	3'35	2'26	1'09
1888 ..	5'71	3'95	1'75	1908 ..	3'37	2'07	1'30
1889 ..	5'33	3'87	1'45	1909 ..	3'21	2'28	0'92

TABLE 50.—MERCHANT SERVICE. Number and Mortality of Masters and Seamen employed in Sea-going Vessels (excluding Fishing Vessels and Yachts) registered in the United Kingdom and the Isle of Man, under the Merchant Shipping Act, reported to the Board of Trade during each of the Years ending 30th June, 1890-1891 to 1908-1909.

(Furnished to the Registrar-General by the Marine Department of the Board of Trade.)

YEARS.	No. of MASTERS and SEAMEN EMPLOYED.*	No. of DEATHS REPORTED.				DEATH-RATE per 1000.			
		From All Causes.	From Disease, &c.†	From Wreck or Casualty.‡	From Accident other than Wreck or Casualty.	From All Causes.	From Disease, &c.†	From Wreck or Casualty.‡	From Accident other than Wreck or Casualty.
Deaths in Sailing Vessels.									
1890-1891	65,792	1,526	352	805	369	23.2	5.4	12.2	5.6
1891-1892	63,357	1,561	455	750	356	24.6	7.2	11.8	5.6
1892-1893	63,618	1,248	392	541	315	19.6	6.2	8.5	5.0
1893-1894	61,327	1,244	374	613	357	21.9	6.1	10.0	5.8
1894-1895	58,537	1,400	484	594	322	23.9	8.3	10.1	5.5
1895-1896	56,095	1,370	410	637	323	24.4	7.3	11.4	5.8
1896-1897	53,267	965	285	413	267	18.1	5.4	7.8	5.0
1897-1898	49,858	781	295	255	231	15.7	5.9	5.1	4.6
1898-1899	46,553	896	271	430	195	19.2	5.8	9.2	4.2
1899-1900	43,356	754	256	307	191	17.4	5.9	7.1	4.4
1900-1901	41,151	894	215	474	205	21.7	5.2	11.5	5.0
1901-1902	38,400	686	207	294	185	17.9	5.4	7.7	4.8
1902-1903	36,406	588	217	196	175	16.2	6.0	5.4	4.8
1903-1904	34,748	652	175	300	177	18.8	5.0	8.6	5.1
1904-1905	32,466	599	166	283	150	18.5	5.1	8.7	4.6
1905-1906	30,204	576	146	287	143	19.1	4.8	9.5	4.7
1906-1907	28,142	386	103	152	131	13.7	3.7	5.4	4.7
1907-1908	25,821	462	105	226	131	17.9	4.1	8.8	5.1
1908-1909	23,478	399	107	214	78	17.0	4.6	9.1	3.3
Deaths in Steam Vessels.									
1890-1891	148,635	1,513	690	403	420	10.2	4.6	2.7	2.8
1891-1892	154,890	1,759	951	354	454	11.4	6.1	2.3	2.9
1892-1893	155,942	1,430	667	429	334	9.2	4.3	2.8	2.1
1893-1894	156,990	1,799	747	607	445	11.5	4.8	3.9	2.8
1894-1895	159,257	1,538	733	363	442	9.7	4.6	2.3	2.8
1895-1896	162,129	1,697	761	517	419	10.5	4.7	3.2	2.6
1896-1897	165,966	1,668	717	486	465	10.1	4.3	2.9	2.8
1897-1898	168,158	1,412	759	234	419	8.4	4.5	1.4	2.5
1898-1899	172,830	1,961	843	651	467	11.3	4.9	3.8	2.7
1899-1900	177,751	1,981	1,043	462	476	11.1	5.9	2.6	2.7
1900-1901	183,394	1,887	1,052	370	465	10.3	5.7	2.0	2.5
1901-1902	187,043	1,939	1,022	481	436	10.4	5.5	2.6	2.3
1902-1903	193,755	1,797	1,024	305	468	9.3	5.3	1.6	2.4
1903-1904	198,734	1,600	1,015	181	404	8.1	5.1	0.9	2.0
1904-1905	202,111	1,704	993	327	384	8.4	4.9	1.6	1.9
1905-1906	207,607	1,909	1,128	287	494	9.2	5.4	1.4	2.4
1906-1907	214,828	1,924	1,141	347	436	9.0	5.3	1.6	2.0
1907-1908	221,092	1,850	1,208	181	461	8.4	5.5	0.8	2.1
1908-1909	219,711	1,744	1,048	273	423	7.9	4.8	1.2	1.9
Total.									
1890-1891	214,427	3,039	1,042	1,208	789	14.2	4.9	5.6	3.7
1891-1892	218,247	3,320	1,406	1,104	810	15.2	6.4	5.1	3.7
1892-1893	219,560	2,678	1,059	970	649	12.2	4.8	4.4	3.0
1893-1894	218,317	3,143	1,121	1,220	802	14.4	5.1	5.6	3.7
1894-1895	217,794	2,938	1,217	957	764	13.5	5.6	4.4	3.5
1895-1896	218,224	3,067	1,171	1,154	742	14.1	5.4	5.3	3.4
1896-1897	219,233	2,633	1,002	899	732	12.0	4.6	4.1	3.3
1897-1898	218,016	2,193	1,054	489	650	10.1	4.8	2.2	3.0
1898-1899	219,383	2,857	1,114	1,081	662	13.0	5.1	4.9	3.0
1899-1900	221,107	2,735	1,299	769	667	12.4	5.9	3.5	3.0
1900-1901	224,545	2,781	1,267	844	670	12.4	5.6	3.8	3.0
1901-1902	225,443	2,625	1,229	775	621	11.6	5.5	3.4	2.8
1902-1903	230,161	2,385	1,241	501	643	10.4	5.4	2.2	2.8
1903-1904	233,482	2,252	1,190	481	581	9.6	5.1	2.1	2.5
1904-1905	234,577	2,303	1,159	610	534	9.8	4.9	2.6	2.3
1905-1906	237,811	2,485	1,274	574	637	10.4	5.4	2.4	2.7
1906-1907	242,970	2,310	1,244	499	567	9.5	5.1	2.1	2.3
1907-1908	246,913	2,312	1,313	407	592	9.4	5.3	1.6	2.4
1908-1909	243,189	2,143	1,155	487	501	8.8	4.7	2.0	2.1

* The figures relating to employment are made up for the year ending in December, and are compared with the deaths in the year ending in the following June.

† These figures include cases of homicide, suicide, supposed suicide, missing at sea, and a few cases where the causes of the deaths were unknown.

‡ These figures include only deaths resulting from casualties to ships.

TABLE 51.—ENGLAND AND WALES. Prices and Pauperism, 1860-1909.

YEAR.	AVERAGE PRICES.									PAUPERISM.			
	CONSOLS* (for Money) per £100 stock.	WHEAT per Quarter in England and Wales.†	MEAT. Price per lb. at the Metropolitan Cattle Market (sinking the Offal).‡						Average Price of SEABORNE COAL per Ton in the London Markets.§	Average Number, to 1000 Persons living, in receipt of Poor Law Relief.¶			In-door Paupers to 1000 in receipt of out- door Relief.
			BEEF.			MUTTON.				Total.	In-door.	Out-door.	
			Inferior Quality.	Second Quality.	First Quality.	Inferior Quality.	Second Quality.	First Quality.					
	£ s. d.	s. d.	d.	d.	d.	d.	d.	d.	s. d.				
1860	93 19 8	53 3	4	—	6 ⁵ / ₈	5	—	7 ¹ / ₂	—	40·1	5·6	34·5	161
1861	92 0 8	55 4	4	—	6 ¹ / ₂	5	—	7 ¹ / ₂	—	41·9	6·1	35·8	170
1862	93 8 9	55 5	4	—	6 ¹ / ₂	5	—	6 ¹ / ₂	—	46·7	6·4	40·3	160
1863	92 17 10	44 9	4 ¹ / ₂	—	6 ¹ / ₂	4 ¹ / ₂	—	7 ¹ / ₂	—	48·0	6·3	41·7	151
1864	90 6 3	40 2	4 ¹ / ₂	—	6 ¹ / ₂	5 ¹ / ₂	—	7 ¹ / ₂	—	43·8	6·1	37·7	161
1865	89 11 7	41 10	4 ¹ / ₂	—	7	5 ¹ / ₂	—	8 ¹ / ₂	—	41·9	6·0	35·9	168
1866	87 16 11	49 11	4 ¹ / ₂	—	7	5 ¹ / ₂	—	8	—	40·5	6·1	34·4	176
1867	93 1 3	64 5	4 ¹ / ₂	—	6 ¹ / ₂	5 ¹ / ₂	—	7	—	42·5	6·4	36·1	178
1868	93 19 5	63 9	4 ¹ / ₂	—	6 ¹ / ₂	4 ¹ / ₂	—	6 ¹ / ₂	—	43·6	6·8	36·8	183
1869	93 2 2	48 2	4 ¹ / ₂	—	7	5 ¹ / ₂	—	7 ¹ / ₂	—	43·4	6·7	36·7	183
1870	92 13 2	46 10	4 ¹ / ₂	—	7	5 ¹ / ₂	—	7 ¹ / ₂	—	43·5	6·6	36·9	180
1871	92 18 5	56 8	5 ¹ / ₂	—	7	5 ¹ / ₂	—	8 ¹ / ₂	—	41·6	6·3	35·3	179
1872	92 10 8	57 0	5 ¹ / ₂	—	7 ¹ / ₂	6	—	8 ¹ / ₂	—	36·9	6·0	30·9	192
1873	92 14 8	58 8	5 ¹ / ₂	—	8 ¹ / ₂	6 ¹ / ₂	—	9	31 0	33·9	5·9	28·0	210
1874	92 12 6	55 8	5 ¹ / ₂	—	8 ¹ / ₂	5 ¹ / ₂	—	8	23 8	31·5	5·8	25·7	225
1875	93 15 11	45 2	5 ¹ / ₂	—	8 ¹ / ₂	5 ¹ / ₂	—	9 ¹ / ₂	21 8	29·7	5·6	24·1	233
1876	95 5 8	46 2	5 ¹ / ₂	—	8 ¹ / ₂	5 ¹ / ₂	—	9	19 1	27·5	5·7	21·8	260
1877	95 10 0	56 9	4 ¹ / ₂	—	8 ¹ / ₂	4 ¹ / ₂	—	9 ¹ / ₂	17 5	27·0	6·0	21·0	283
1878	95 5 0	46 5	4 ¹ / ₂	—	8 ¹ / ₂	4 ¹ / ₂	—	9 ¹ / ₂	16 4	27·3	6·2	21·1	293
1879	97 12 10	43 10	4	—	7 ¹ / ₂	4 ¹ / ₂	—	8 ¹ / ₂	15 11	29·0	6·5	22·5	290
1880	98 10 8	44 4	4 ¹ / ₂	—	7	4	—	8 ¹ / ₂	14 10	28·4	6·7	21·7	310
1881	100 2 6	45 4	4 ¹ / ₂	—	7 ¹ / ₂	5 ¹ / ₂	—	9	16 0	28·2	6·8	21·4	318
1882	100 17 10	45 1	4 ¹ / ₂	—	8	5 ¹ / ₂	—	9 ¹ / ₂	15 10	27·2	6·7	20·5	325
1883	101 8 2	41 7	5	—	8 ¹ / ₂	5 ¹ / ₂	—	9	16 10	26·7	6·6	20·1	331
1884	101 4 8	35 8	4 ¹ / ₂	—	7 ¹ / ₂	4 ¹ / ₂	—	8 ¹ / ₂	15 5	26·0	6·6	19·4	339
1885	99 4 8	32 10	3 ¹ / ₂	—	6	4 ¹ / ₂	—	7 ¹ / ₂	15 5	26·0	6·6	19·4	338
1886	100 17 10	31 0	3 ¹ / ₂	—	6 ¹ / ₂	4 ¹ / ₂	—	8 ¹ / ₂	14 9	26·6	6·6	20·0	328
1887	101 16 2	32 6	3	—	5 ¹ / ₂	3 ¹ / ₂	—	7 ¹ / ₂	14 10	26·2	6·6	19·6	336
1888	101 0 0	31 10	3 ¹ / ₂	—	6 ¹ / ₂	3 ¹ / ₂	—	7 ¹ / ₂	14 10	26·0	6·6	19·4	337
1889	98 0 9	29 9	—	—	—	—	—	—	16 6	25·0	6·4	18·6	345
1890	96 10 0	31 11	—	—	—	—	—	—	18 7	23·8	6·2	17·6	350
1891	95 14 8	37 0	—	—	—	—	—	—	18 3	22·8	6·0	16·8	360
1892	96 13 6	30 3	4 ¹ / ₂	—	6 ¹ / ₂	5 ¹ / ₂	—	8 ¹ / ₂	17 7	22·7	6·1	16·6	370
1893	98 7 4	26 4	4 ¹ / ₂	—	6 ¹ / ₂	5 ¹ / ₂	—	8 ¹ / ₂	19 0	23·2	6·4	16·8	378
1894	101 1 5	22 10	3 ¹ / ₂	—	5 ¹ / ₂	6 ¹ / ₂	—	8 ¹ / ₂	16 1	23·3	6·5	16·8	386
1895	106 3 3	23 1	4	6	6	5 ¹ / ₂	8	8	14 7	24·2	6·6	17·6	376
1896	110 5 7	26 2	3 ¹ / ₂	5 ¹ / ₂	6 ¹ / ₂	4 ¹ / ₂	7 ¹ / ₂	8 ¹ / ₂	14 4	23·3	6·5	16·8	385
1897	112 8 0	30 2	3 ¹ / ₂	5 ¹ / ₂	6 ¹ / ₂	5 ¹ / ₂	7 ¹ / ₂	8 ¹ / ₂	15 7	23·0	6·4	16·6	390
1898	110 19 6	34 0	3 ¹ / ₂	5 ¹ / ₂	6 ¹ / ₂	4 ¹ / ₂	7 ¹ / ₂	8 ¹ / ₂	16 2	22·9	6·5	16·4	393
1899	107 3 11	25 8	3 ¹ / ₂	5 ¹ / ₂	6 ¹ / ₂	5	7 ¹ / ₂	8 ¹ / ₂	17 10	21·7	6·4	15·3	414
1900	99 12 11	26 11	4 ¹ / ₂	6	7	5	7 ¹ / ₂	9	22 10	21·0	6·2	14·8	418
1901	94 5 8	26 9	3 ¹ / ₂	6	6 ¹ / ₂	4 ¹ / ₂	7 ¹ / ₂	8 ¹ / ₂	19 4	21·2	6·3	14·9	427
1902	94 7 5	28 1	4 ¹ / ₂	6 ¹ / ₂	7 ¹ / ₂	5 ¹ / ₂	7 ¹ / ₂	8 ¹ / ₂	18 1	21·3	6·4	14·9	434
1903	90 15 8	26 9	4 ¹ / ₂	6 ¹ / ₂	7	5 ¹ / ₂	7 ¹ / ₂	8 ¹ / ₂	16 2	21·5	6·6	14·9	447
1904	88 5 6	23 4	4 ¹ / ₂	5 ¹ / ₂	6 ¹ / ₂	5 ¹ / ₂	7 ¹ / ₂	8 ¹ / ₂	15 2	22·4	7·1	15·3	460
1905	89 16 9	29 8	4 ¹ / ₂	5 ¹ / ₂	7	5 ¹ / ₂	7 ¹ / ₂	8 ¹ / ₂	14 11 ¹ / ₄	23·0	7·2	15·8	458
1906	88 6 6	28 3	4 ¹ / ₂	5 ¹ / ₂	6 ¹ / ₂	6 ¹ / ₂	8	9 ¹ / ₂	15 9	22·6	7·2	15·4	469
1907	84 3 4	30 7	4 ¹ / ₂	5 ¹ / ₂	7 ¹ / ₂	6 ¹ / ₂	8 ¹ / ₂	9 ¹ / ₂	19 6	22·2	7·2	15·0	483
1908	86 1 2	32 0	4	5 ¹ / ₂	7 ¹ / ₂	5 ¹ / ₂	7 ¹ / ₂	8 ¹ / ₂	17 6	22·6	7·5	15·1	498
1909	83 16 11	36 11	4 ¹ / ₂	6	7	4	6	8	16 11	22·5	7·7	14·8	514

* The prices of Consols for the years 1860-88 relate to stock bearing 3 per cent. interest, from 1889 to 31st March, 1903, to stock bearing 2³/₄ per cent., and since then to stock bearing 2¹/₂ per cent.

† From the Board of Trade Statistical Abstract.

‡ The Registrar-General is unable to give precise information as to the price of meat for the years 1889-91.

§ The prices of coal are furnished by the Mineral Statistics Department of the Home Office.

¶ Derived from Returns published by the Local Government Board, of the number of persons in receipt of Relief on each Saturday.

¶ March Quarter only.

TABLE 52.—Meteorological Elements,

YEAR.	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years.	Fall of Rain in Inches.	Departure from Average of 50 Years.	Mean Degree of Humidity of the Air (Saturation =100).	Departure from Average of 50 Years.	Mean Tempera- ture of the Air.	Departure from Average of 50 Years.	
	Miles.	Miles.	Inches.	Inches.	%	%	°	°	
1860	..	1676	- 265	32·0	+ 7·9	84	+ 3	47·0	- 2·4
1861	..	1666	- 275	20·8	- 3·3	84	+ 3	49·4	0·0
1862	..	1680	- 261	26·2	+ 2·1	84	+ 3	49·5	+ 0·1
1863	..	1775	- 166	20·0	- 4·1	80	- 1	50·3	+ 0·9
1864	..	1597	- 344	16·7	- 7·4	78	- 3	48·5	- 0·9
1865	..	1553	- 388	29·0	+ 4·9	80	- 1	50·3	+ 0·9
1866	..	1917	- 24	30·7	+ 6·6	82	+ 1	49·8	+ 0·4
1867	..	1981	+ 40	28·4	+ 4·3	82	+ 1	48·6	- 0·8
1868	..	2029	+ 88	25·2	+ 1·1	78	- 3	51·5	+ 2·1
1869	..	2043	+ 102	24·0	- 0·1	81	0	49·5	+ 0·1
1870	..	1872	- 69	18·5	- 5·6	79	- 2	48·7	- 0·7
1871	..	1749	- 192	22·3	- 1·8	81	0	48·7	- 0·7
1872	..	1998	+ 57	30·0	+ 5·9	82	+ 1	50·7	+ 1·3
1873	..	1940	- 1	23·4	- 0·7	82	+ 1	48·9	- 0·5
1874	..	1915	- 26	20·0	- 4·1	82	+ 1	49·3	- 0·1
1875	..	1942	+ 1	28·2	+ 4·1	80	- 1	49·2	- 0·2
1876	..	2036	+ 95	24·2	+ 0·1	80	- 1	50·1	+ 0·7
1877	..	2184	+ 243	26·9	+ 2·8	79	- 2	49·4	0·0
1878	..	1880	- 61	29·2	+ 5·1	81	0	49·6	+ 0·2
1879	..	1873	- 68	31·3	+ 7·2	83	+ 2	46·2	- 3·2
1880	..	1928	- 13	29·8	+ 5·7	84	+ 3	49·4	0·0
1881	..	2030	+ 89	25·2	+ 1·1	81	0	48·7	- 0·7
1882	..	2151	+ 210	25·2	+ 1·1	84	+ 3	49·7	+ 0·3
1883	..	2058	+ 117	21·9	- 2·2	82	+ 1	49·4	0·0
1884	..	2034	+ 93	18·1	- 6·0	80	- 1	50·7	+ 1·3
1885	..	2008	+ 67	24·0	- 0·1	81	0	48·6	- 0·8
1886	..	1962	+ 21	24·2	+ 0·1	81	0	48·7	- 0·7
1887	..	1927	- 14	19·9	- 4·2	79	- 2	47·8	- 1·6
1888	..	2049	+ 108	27·5	+ 3·4	82	+ 1	47·7	- 1·7
1889	..	1934	- 7	23·3	- 0·8	83	+ 2	48·8	- 0·6
1890	..	1946	+ 5	21·9	- 2·2	81	0	48·6	- 0·8
1891	..	1945	+ 4	25·1	+ 1·0	82	+ 1	48·4	- 1·0
1892	..	1863	- 78	22·3	- 1·8	80	- 1	48·1	- 1·3
1893	..	1909	- 32	20·1	- 4·0	76	- 5	51·1	+ 1·7
1894	..	2019	+ 78	26·9	+ 2·8	81	0	49·9	+ 0·5
1895	..	1951	+ 10	19·7	- 4·4	78	- 3	49·3	- 0·1
1896	..	1932	- 9	22·4	- 1·7	79	- 2	50·2	+ 0·8
1897	..	2033	+ 92	22·1	- 2·0	79	- 2	50·3	+ 0·9
1898	..	1956	+ 15	18·9	- 5·2	78	- 3	51·3	+ 1·9
1899	..	1911	- 30	22·3	- 1·8	77	- 4	50·6	+ 1·2
1900	..	2050	+ 109	23·2	- 0·9	79	- 2	50·4	+ 1·0
1901	..	1970	+ 29	20·3	- 3·8	78	- 3	49·2	- 0·2
1902	..	1933	- 8	19·3	- 4·8	80	- 1	49·2	- 0·2
1903	..	2226	+ 285	35·5	+11·4	80	- 1	50·1	+ 0·7
1904	..	1913	- 28	20·7	- 3·4	82	+ 1	49·8	+ 0·4
1905	..	2063	+ 122	23·0	- 1·1	81	0	49·9	+ 0·5
1906	..	2093	+ 152	24·7	+ 0·6	79	- 2	50·7	+ 1·3
1907	..	1977	+ 36	22·3	- 1·8	81	0	49·7	+ 0·3
1908	..	1932	- 9	23·8	- 0·3	83	+ 2	50·1	+ 0·7
1909	..	2041	+ 100	25·7	+ 1·6	83	+ 2	48·9	- 0·5
Average in 50 Years. }	1941	—	24·1	—	81	—	49·4	—	

Greenwich, 1860-1909.

MEAN TEMPERATURE of the AIR in the Quarters ended the last day of								YEAR.
March.	Departure from Average of 50 Years.	June.	Departure from Average of 50 Years.	Sept.	Departure from Average of 50 Years.	Dec.	Departure from Average of 50 Years.	
°	°	°	°	°	°	°	°	
38·8	- 1·1	50·5	- 2·5	56·2	- 4·2	42·6	- 1·7	1860
39·9	0·0	51·8	- 1·2	60·4	0·0	45·5	+ 1·2	1861
41·0	+ 1·1	53·3	+ 0·3	58·8	- 1·6	45·0	+ 0·7	1862
42·6	+ 2·7	53·1	+ 0·1	58·8	- 1·6	46·8	+ 2·5	1863
37·9	- 2·0	53·1	+ 0·1	59·4	- 1·0	43·7	- 0·6	1864
36·5	- 3·4	56·2	+ 3·2	62·5	+ 2·1	46·0	+ 1·7	1865
41·2	+ 1·3	53·0	0·0	58·9	- 1·5	46·2	+ 1·9	1866
38·9	- 1·0	53·5	+ 0·5	59·7	- 0·7	42·5	- 1·8	1867
41·4	+ 1·5	55·8	+ 2·8	63·9	+ 3·5	45·1	+ 0·8	1868
41·3	+ 1·4	52·0	- 1·0	61·4	+ 1·0	43·3	- 1·0	1869
38·0	- 1·9	54·4	+ 1·4	60·7	+ 0·3	41·6	- 2·7	1870
40·2	+ 0·3	51·5	- 1·5	61·3	+ 0·9	41·8	- 2·5	1871
43·6	+ 3·7	52·8	- 0·2	61·1	+ 0·7	45·3	+ 1·0	1872
39·4	- 0·5	51·8	- 1·2	60·3	- 0·1	44·2	- 0·1	1873
41·4	+ 1·5	52·8	- 0·2	60·9	+ 0·5	42·3	- 2·0	1874
39·5	- 0·4	53·4	+ 0·4	60·7	+ 0·3	43·1	- 1·2	1875
39·5	- 0·4	51·7	- 1·3	61·8	+ 1·4	47·0	+ 2·7	1876
42·3	+ 2·4	51·9	- 1·1	58·5	- 1·9	45·0	+ 0·7	1877
41·5	+ 1·6	54·6	+ 1·6	60·8	+ 0·4	41·6	- 2·7	1878
37·1	- 2·8	49·5	- 3·5	58·1	- 2·3	39·9	- 4·4	1879
39·8	- 0·1	52·4	- 0·6	61·4	+ 1·0	44·0	- 0·3	1880
37·3	- 2·6	52·9	- 0·1	60·0	- 0·4	44·6	+ 0·3	1881
42·3	+ 2·4	53·0	0·0	58·1	- 2·3	44·7	+ 0·4	1882
40·0	+ 0·1	53·0	0·0	59·5	- 0·9	44·9	+ 0·6	1883
43·4	+ 3·5	52·5	- 0·5	62·7	+ 2·3	44·1	- 0·2	1884
40·3	+ 0·4	52·4	- 0·6	59·1	- 1·3	42·8	- 1·5	1885
36·5	- 3·4	52·5	- 0·5	61·2	+ 0·8	44·6	+ 0·3	1886
37·3	- 2·6	51·6	- 1·4	61·0	+ 0·6	41·3	- 3·0	1887
36·9	- 3·0	51·6	- 1·4	57·6	- 2·8	44·6	+ 0·3	1888
38·2	- 1·7	54·5	+ 1·5	58·9	- 1·5	43·5	- 0·8	1889
41·4	+ 1·5	52·8	- 0·2	58·4	- 2·0	40·8	- 3·5	1890
37·6	- 2·3	51·6	- 1·4	59·3	- 1·1	45·0	+ 0·7	1891
37·5	- 2·4	53·4	+ 0·4	59·2	- 1·2	42·3	- 2·0	1892
40·9	+ 1·0	57·0	+ 4·0	61·9	+ 1·5	44·6	+ 0·3	1893
41·4	+ 1·5	53·3	+ 0·3	58·6	- 1·8	46·4	+ 2·1	1894
35·2	- 4·7	55·1	+ 2·1	62·3	+ 1·9	44·7	+ 0·4	1895
42·2	+ 2·3	55·6	+ 2·6	60·4	0·0	42·4	- 1·9	1896
41·1	+ 1·2	53·1	+ 0·1	60·9	+ 0·5	46·0	+ 1·7	1897
41·5	+ 1·6	52·4	- 0·6	62·7	+ 2·3	48·5	+ 4·2	1898
41·8	+ 1·9	52·8	- 0·2	63·0	+ 2·6	44·7	+ 0·4	1899
39·2	- 0·7	52·8	- 0·2	61·8	+ 1·4	47·6	+ 3·3	1900
37·8	- 2·1	53·4	+ 0·4	61·7	+ 1·3	43·9	- 0·4	1901
40·5	+ 0·6	51·0	- 2·0	59·6	- 0·8	45·2	+ 0·9	1902
43·9	+ 4·0	51·2	- 1·8	60·0	- 0·4	45·2	+ 0·9	1903
39·5	- 0·4	53·8	+ 0·8	61·5	+ 1·1	44·3	0·0	1904
41·9	+ 2·0	53·8	+ 0·8	61·7	+ 1·3	42·2	- 2·1	1905
41·1	+ 1·2	52·8	- 0·2	63·2	+ 2·8	45·8	+ 1·5	1906
40·0	+ 0·1	52·9	- 0·1	60·1	- 0·3	45·8	+ 1·5	1907
39·5	- 0·4	53·8	+ 0·8	60·3	- 0·1	46·6	+ 2·3	1908
38·4	- 1·5	52·5	- 0·5	59·7	- 0·7	44·8	+ 0·5	1909
39·9	—	53·0	—	60·4	—	44·3	—	{ Average in 50 Years.

TABLE 53.—Quarterly Meteorological

Winter Spring Summer Autumn	.. Jan., Feb., March. .. April, May, June. .. July, Aug., Sept .. Oct., Nov., Dec.	Temperature of								Elastic Force of Vapour.		Weight of Vapour in a Cubic Foot of Air.		
		Air.			Evaporation.		Dew Point.		Air— Daily Range.					
		Mean of Maximum and Minimum.	Diff. from Average of 130 Years.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.		
1909.		°	°	°	°	°	°	°	°	in.	in.	grs.	gr.	
YEAR		48·9	+ 0·2	- 0·5	45·5	- 1·0	42·7	- 0·8	15·2	- 0·6	·285	- ·008	3·2	- 0·2
Winter Quarter		38·4	- 0·5	- 1·4	35·8	- 2·0	33·4	- 1·8	11·1	- 0·7	·194	- ·013	2·2	- 0·2
Spring do.		52·5	+ 0·1	- 0·4	47·8	- 1·3	43·7	- 1·5	20·1	+ 0·2	·288	- ·018	3·3	- 0·1
Summer do.		59·7	- 0·1	- 0·7	55·3	- 1·2	52·4	- 0·6	17·8	- 1·9	·396	- ·006	4·4	- 0·2
Autumn do.		44·8	+ 1·1	+ 0·4	42·8	+ 0·2	41·1	+ 0·5	11·7	0·0	·263	+ ·006	2·9	- 0·2

In this table + and - respectively signify that the number in the *preceding* column is

Elements, Greenwich, 1909.

Degree of Humidity.		Reading of Barometer, reduced to 32° F.		Weight of a Cubic Foot of Air.		Rain.		Readings of Thermometer on Grass.																
Mean (Saturation = 100).	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Amount.	Diff. from Average of 86 Years.	Number of Nights it was			Lowest Reading at Night.	Highest Reading at Night.	Winter	Jan., Feb., March.	Spring	April, May, June.	Summer	July, Aug., Sept.	Autumn	Oct., Nov., Dec.
								At or below 30°.	Between 30° and 40°.	Above 40°.														
%	%	ins.	in.	grs.	grs.	Sums.		Sums.			°	°	1909.											
						ins.	ins.						YEAR.											
83	+ 1	29·776	- ·001	544	+ 2	25·72	+ 0·92	148	118	99	10·7	56·6												
86	+ 2	29·770	- ·004	555	+ 3	4·48	- 0·46	65	19	6	10·7	44·3	Winter Quarter											
75	- 2	29·848	+ ·063	541	+ 3	6·55	+ 0·94	39	32	20	17·1	52·0	Spring do.											
81	+ 4	29·819	+ ·023	533	+ 3	7·44	+ 0·27	2	35	55	29·4	56·5	Summer do.											
89	0	29·668	- ·085	546	- 1	7·25	+ 0·17	42	32	18	11·5	56·6	Autumn do.											

above or below the average to the amount of the quantities to which the signs are affixed.

TABLE 54.—Monthly Meteorological Elements at Greenwich, 1909.

1909.	Baro- meter.	Air Temperature.						Hygrometer.				Earth Temperature.		Bright Sunshine.				
		Mean of		Mean of A and B.	Difference from Normal.†	Absolute Maximum and Minimum.			Mean of Observations at 9 a.m. and 9 p.m.*				At 1 foot depth.	At 3 ft. 2 in. depth.	Total Observed.	Difference from Normal.†	Per cent of Possible.	
		A Maxi- mum.	B Mini- mum.			Day of Month.	Mini- mum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.						
January	ins. 29.991	43.0	34.0	38.5	° +0.1	50	11, 15	21	28	58.0	1.5	ins. .209	88	° 43.3	hrs. 61	hrs. +20	23
February	29.965	43.5	30.9	37.2	-2.6	56	4	19	23	35.6	1.8	.176	84	° 40.8	91	+34	33
March	29.355	45.5	33.8	39.6	-2.9	62	29	14	5	38.8	1.6	.205	87	° 39.8	75	-24	21
April	29.818	60.6	38.6	49.6	+1.5	71	11	29	2	48.6	4.2	.248	73	° 45.8	250	+103	60
May	29.934	64.8	41.7	53.2	-0.6	84	22	33	16	53.5	5.3	.280	69	° 50.7	326	+140	68
June	29.792	62.4	47.2	54.8	-5.5	74	19	38	11	53.5	2.7	.336	82	° 54.7	107	-90	22
July	29.763	70.1	52.5	61.3	-2.4	78	18	46	1	60.0	4.1	.395	77	° 58.2	179	-57	36
August	29.832	72.9	52.5	62.7	-0.2	36	12	45	31	61.3	3.7	.425	79	° 61.2	228	+18	50
September	29.862	62.8	47.5	55.2	-3.0	71	6	37	2	54.5	2.1	.367	87	° 58.2	106	-49	28
October	29.646	59.5	45.6	52.5	+2.1	68	4	28	30	52.4	1.9	.344	88	° 55.9	91	-4	27
November	29.849	47.2	36.2	41.7	-1.7	57	6	28	25	40.7	1.4	.225	89	° 48.3	78	+30	29
December	29.510	45.2	35.0	40.1	+0.5	54	28	22	21	39.9	1.3	.221	90	° 44.1	50	+17	21
Year	29.776	56.5	41.3	48.9	-1.2	—	—	—	—	48.1	2.6	.285	83	° 50.1	1,642	+140	37

* The hours of observation are 9 a.m. and 9 p.m. local time.

† The averages used are obtained from observations extending over 65 years for Rain and Temperature, and 10 years for Sunshine.
Wind Force.—Beaufort Scale (0-12) is used. The number of observations of moderate and strong wind (force 4-7), the number of observations of calm, and the number of days of gale (force 8 and above) are given in the table.

TABLE 54—(continued).

1909.	Cloud.	Rain and other forms of Precipitation.			Weather. Number of days of							Wind. Number of Observations at 9 a.m. and 9 p.m.*												
		Most in a day.		Total Fall.	Difference from Normal†	Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky.††	Fog.	Wind force 8 and above.	Force (0-12).		Direction.									
		Amount.	Day of Month.										Moderate and Strong Wind. Force (4-7).	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.		
January	..	7.5	ins. 0.77	-1.11	ins. 0.26	15	12	2	1	2	2	17	11	0	12	7	4	8	4	1	2	9	20	7
February	..	6.0	0.63	-0.85	0.19	28	9	6	0	0	5	12	5	0	9	3	7	11	7	7	2	5	9	5
March	8.3	3.08	+1.56	0.51	6	22	10	1	0	1	19	1	0	7	2	9	6	3	8	13	12	4	5
April	4.9	1.64	+0.07	0.41	19	16	0	2	2	10	9	0	0	8	2	2	5	5	7	7	21	8	2
May	4.6	1.24	-0.68	0.66	25	10	1	0	0	6	6	0	0	6	2	6	9	11	4	6	17	4	3
June	8.2	3.67	+1.63	1.03	24	16	0	0	1	0	16	0	0	3	4	15	11	4	2	4	10	3	7
July	7.1	3.16	+0.76	0.81	27	18	0	1	3	1	14	0	0	6	0	8	1	1	4	4	27	13	8
August	5.1	1.80	-0.54	0.47	24	11	0	0	2	8	10	0	0	2	5	7	4	3	4	4	20	8	7
September	..	6.3	2.48	+0.33	0.40	13	17	0	1	1	2	9	5	0	2	4	13	10	7	4	4	9	5	4
October	..	6.6	4.06	+1.28	0.66	26	19	0	0	0	4	12	3	0	13	2	5	3	1	1	15	27	6	2
November	..	6.0	0.73	-1.43	0.41	29	14	2	0	0	4	9	16	0	6	8	10	10	3	1	3	12	7	6
December	..	7.8	2.40	+0.57	0.33	4	22	4	0	0	1	20	9	1	13	2	2	5	7	3	8	22	9	4
Year	6.6	25.72	+1.60	—	—	186	25	5	11	44	153	50	1	87	41	88	83	59	40	72	191	96	60

* A day is reckoned as a day of "clear sky" if the average of the estimates of the fraction of sky covered by cloud at 9 a.m. and 9 p.m. is less than .2, and as an "overcast" day if the average is greater than .8. Record is also kept of the days persistently cloudless and days persistently overcast from midnight to midnight. The number of such days for the period January to December, 1909, are:—clear sky, 0, 3, 0, 3, 1, 0, 0, 0, 0, 0, 0; and overcast, 1, 2, 1, 0, 0, 4, 1, 0, 0, 2, 0, 2.

TABLE 55.—Mean Annual Values of Meteorological

1909.	Station.	Height of Barometer Cistern above M.S.L.	Baro- meter.		Air Temperature.								Hygrometer.				Earth Tempera- ture.		Bright Sunshine.		
			Mean Pressure, at 32° F. at Level and Latitude of Station.		Mean of		Difference from Normal.	Absolute Maximum and Minimum.				Mean of Observa- tions at 9 a.m. and 9 p.m., or at 7 a.m.				At 1 foot depth.	At 4 feet depth.	Total Observed.	Difference from Normal.	Per cent. of Possible.	
					A	B		Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.						

† 3 feet.

‡ See note on p. 108.

Elements from Observations at several Stations in the Year 1909.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather. Number of days of								Wind. No. of Observations at 9 a.m. and 9 p.m., or at 7 a.m., 1 p.m., 6 p.m., or 9 p.m.									
	Total Fall.	Difference from Normal.	Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky. (See Note on p. 108.)	Overcast. (See Note on p. 108.)	Fog.	Wind force 8 and above.	Force (0-12).		Direction.							
			Amount.	Day of Month.									Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
Mean of Observations of amount at 9 a.m. and 9 p.m., or at 7 a.m.	Ins.	Ins.	Ins.																			
6.9	24.9	—	1.12	July 27	167	18	3	7	32	161	18	1	36	40	71	104	34	51	45	174	112	99
6.7	26.8	+ 1.6	1.14	July 27	192	9	1	5	79	188	15	—	—	28	62	47	23	12	22	52	61	58
6.0	24.9	+ 0.5	0.95	June 26	200	28	6	12	43	142	12	11	161	44	60	92	52	47	67	156	115	97
6.6	25.7	+ 1.6	1.08	June 24	186	25	5	11	44	153	50	1	87	41	88	83	59	40	72	191	96	60
6.4	27.9	+ 3.0	1.02	July 27	201	24	4	12	60	154	57	2	70	105	89	85	39	25	78	127	114	68
6.3	23.7	- 0.3	0.95	July 27	184	14	7	13	38	147	32	0	224	185	119	110	87	32	117	220	136	89
6.5	25.7	+ 1.4	1.14	—	188	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.3	36.3	—	1.53	Dec. 2	197	29	7	13	45	139	8	8	113	105	54	55	49	34	53	107	179	94
6.8	26.8	+ 0.4	1.13	June 24	159	21	2	8	38	160	15	6	20	26	111	80	32	31	85	156	162	47
6.2	27.9	+ 2.5	1.25	Aug. 17	222	31	10	25	43	130	44	8	198	115	90	43	16	27	107	155	105	72
6.8	26.7	+ 1.0	1.28	July 27	218	23	4	3	73	207	8	9	114	19	26	35	24	27	51	73	51	59
6.7	25.2	+ 0.4	1.30	Aug. 17	204	27	2	11	42	121	31	21	305	6	90	119	121	59	96	228	277	99
6.5	27.8	+ 0.4	1.19	July 27	185	22	2	10	45	155	4	1	83	67	74	61	62	40	71	123	115	117
6.6	27.5	+ 2.5	1.46	Aug. 17	191	15	7	12	57	157	25	2	179	49	86	88	42	45	91	144	106	79
6.5	29.1	- 1.4	1.14	Oct. 26	179	—	—	—	52	150	—	—	73	116	13	139	42	38	19	114	160	89
6.2	23.0	—	0.95	July 27	189	31	5	5	43	125	14	1	117	36	53	38	20	96	76	114	124	173
6.8	31.6	- 1.0	1.16	Mar. 6	187	36	0	13	26	137	40	1	32	85	82	75	14	49	71	143	103	108
6.1	47.2	- 3.4	1.46	Dec. 2	204	54	20	13	46	125	24	5	193	71	43	92	101	83	72	201	233	199
6.5	28.3	—	1.04	July 27	187	25	6	5	45	158	3	10	97	239	102	45	2	31	106	67	59	79
6.0	25.2	- 2.4	1.00	Mar. 6	174	17	2	3	70	142	10	1	57	65	20	62	36	91	85	179	106	86
6.4	27.9	+ 1.5	1.60	—	191	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.3	38.7	+ 6.5	2.18	Aug. 17	221	18	5	4	44	127	22	6	159	4	99	82	30	49	40	133	113	180
6.6	31.0	+ 3.4	3.32	Oct. 26	169	14	6	10	64	183	9	1	115	23	49	46	20	27	37	71	54	38
5.6	32.6	+ 5.0	1.87	Oct. 26	162	10	5	8	113	141	8	1	178	2	40	54	24	32	17	58	77	61
5.5	35.2	+ 4.3	1.97	Oct. 26	180	16	4	7	93	125	2	2	56	24	58	172	29	37	14	184	71	141
5.4	36.1	+ 5.2	1.93	Oct. 26	182	15	3	8	93	121	24	4	268	0	14	189	9	90	6	227	19	176
6.1	34.8	+ 5.2	1.86	Oct. 28	185	12	7	5	66	141	5	6	156	37	108	63	70	38	76	130	127	81
6.0	32.1	+ 5.0	3.32	—	189	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

The sunshine entered to Portsmouth is registered at Southsea.

TABLE 55 (continued).—Mean Annual Values of Meteorological

1909.	Station.	Height of Barometer Cistern above M.S.L.	Baro- meter. Mean Pressure at 32° F. at Level and Latitude of Station.	Air Temperature.								Hygrometer.				Earth Tempera- ture.		Bright Sunshine.		
				Mean of		Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum.				Mean of Observa- tions at 9 a.m. and 9 p.m., or at 7 a.m.				At 1 foot depth.	At 4 feet depth.	Total Observed.	Difference from Normal.	Per cent. of Possible.
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					
4. ENGLAND, E.:—				Ft.	Ins.	°	°	°	°	°	°	°	°	In.	%	°	°	Hrs.	Hrs.	%
(a) North, (b) South.																				
a	{ Cromer	139	29·766	54·0	42·0	48·0	—	84	Aug. 12	24	Mar. 5, 17	47·2	1·9	·290	87	—	—	1,518	—	34
	{ Hillington	92	29·813	54·5	39·9	47·2	-1·0	84	Aug. 12	17	Mar. 5	46·6	1·9	·285	87	—	—	1,470	- 29	33
	{ Norwich	93	—	54·9	41·2	48·1	—	83	Aug. 12, 15	20	Mar. 5	—	—	—	—	—	—	—	—	—
b	{ Cambridge	43	29·888	55·7	40·1	47·9	-1·0	85	Aug. 12	12	Mar. 5	47·3	2·3	·230	85	48·8	49·8	1,686	+126	38
	{ CLACTON.. ..	62	29·875	53·4	42·7	48·1	-1·5	84	Aug. 12	19	Mar. 5	46·6	1·6	·291	89	49·5	50·8	1,741	—	39
	{ Bennington	411	29·533	54·7	40·3	47·5	-0·8	84	Aug. 12	18	Mar. 5	46·4	2·3	·274	84	49·0	49·2	—	—	—
	{ Berkhamsted.. ..	397	29·527	55·1	39·5	47·3	-1·1	86	Aug. 12	17	Mar. 5	46·3	2·1	·277	86	49·0	—	1,582	—	36
District Value..				—	—	54·5	41·3	47·7	-0·5	86	—	12	—	—	—	49·2	50·0	1,621	+ 38	37
5. ENGLAND, N.E.:—																				
(a) North, (b) South.																				
a	{ Cockle Park (Morpeeth).	331	29·517	51·2	38·4	44·8	—	75	Aug. 9	19	Jan. 28 Mar. 5, 6	44·9	1·8	·269	87	44·8	45·8	1,382	—	31
	{ Shields	117	29·744	52·5	39·5	46·0	-1·2	78	Aug. 15	21	Mar. 5, 6	44·7	1·7	·266	88	—	—	—	—	—
	{ Durham	352	29·500	52·5	39·1	45·8	-1·0	81	Aug. 9	18	Jan. 27 Mar. 6 Dec. 21	45·5	2·1	·272	85	—	—	1,339	+ 22	30
	{ York	53	29·858	54·3	40·7	47·5	-0·6	82	Aug. 9	10	Dec. 21	46·9	2·2	·281	83	47·6	48·0	1,145	-131	26
b	{ Spurn Head*	28	29·850	52·2	43·0	47·6	-0·7	79	Aug. 15	22	Jan. 28	46·1	1·7	·281	88	—	—	—	—	—
	{ Line In†	42	—	54·6	39·9	47·3	-1·1	85	Aug. 12	12	Dec. 20	—	—	—	—	47·2	47·7	—	—	—
	{ Hull	12	29·898	54·4	41·0	47·7	-0·1	83	Aug. 15	12	Dec. 21	47·9	2·5	·285	83	47·2	47·9	986	—	22
District Value..				—	—	53·3	40·3	46·6	-0·7	85	—	10	—	—	—	47·1	47·7	1,400	- 51	32
6. ENGLAND, N.W.:—																				
(a) England, N.W. (b) North Wales.																				
a	{ Southport	42	29·880	52·9	41·9	47·4	-0·8	78	May 21	18	Dec. 21	47·3	2·3	·280	85	48·2	49·0	1,611	+145	36
	{ Manchester (City).	195	29·712	53·8	43·0	48·4	—	79	May 21	20	Jan. 28	48·0	3·0	·279	81	47·0	48·8	999	—	23
	{ Aspatria	254	29·617	52·8	39·9	46·4	-0·7	75	Aug. 9	13	Mar. 3	45·8	2·0	·276	86	—	—	1,534	—	35
	{ Stonyhurst	363	29·524	52·1	40·6	46·4	-1·0	75	May 21 Aug. 15	15	Dec. 21	46·2	2·5	·270	82	—	—	1,337	- 19	30
	{ Liverp'l, Bidston Obs.	197	29·701	52·8	42·9	47·9	-1·0	76	May 21	22	Dec. 21	47·5	2·7	·274	82	—	—	1,685	—	38
b	{ Llandudno	21	29·904	—	43·6	—	—	75	Aug. 12	24	Mar. 4	49·4	2·5	·302	84	—	—	1,611	+155	37
	{ Bettws-y-Coed	100	29·794	54·4	40·6	47·5	-2·2	82	Aug. 15	17	Mar. 4, 5	47·2	2·0	·287	87	46·7	47·8	1,287	—	29
District Value..				—	—	53·2	41·0	46·9	-1·3	82	—	10	—	—	—	47·3	48·0	1,511	+124	34

† See note on p. 108.

Elements from Observations at several Stations in the Year 1909.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather. Number of days of								Wind.										
													No. of Observations at 9 a.m. and 9 p.m., or at 7 a.m., 1 p.m., 6 p.m., or 9 p.m.										
	Mean of Observations of amount at 9 a.m. and 9 p.m., or at 7 a.m.	Total Fall.	Difference from Normal.	Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear sky. (See Note on p. 108.)	Overcast. (See Note on p. 108.)	Fog.	Wind force 8 and above.	Force (0-12).		Direction.							
Amount.				Day of Month.	Moderate and Strong Wind. (Force 4-7.)									Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	
	Ins.	Ins.	Ins.																				
7.3	23.8	—	1.08	Sept. 6	225	9	0	2	19	165	13	0	339	0	102	51	48	68	130	160	85	86	
6.9	33.6	+ 6.1	1.55	Aug. 1	214	18	7	11	28	158	7	1	85	90	63	122	54	41	25	130	122	83	
—	27.8	—	0.78	July 27	233	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6.3	23.1	+ 0.4	0.75	April 29	180	23	6	13	51	141	45	11	226	114	74	38	17	73	76	175	88	75	
6.5	25.1	—	1.06	Feb. 10	168	21	9	9	20	111	15	5	367	16	91	114	93	99	146	141	202	193	
6.7	27.3	+ 1.3	0.91	Oct. 28	203	31	5	17	46	163	50	1	45	179	35	78	42	52	54	121	135	34	
6.5	30.0	+ 1.5	1.41	June 1	193	35	11	13	50	147	30	0	10	144	45	74	43	33	75	90	144	82	
6.6	26.1	+ 2.4	2.50	—	199	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6.4	29.5	- 0.6	1.08	May 25	215	21	9	12	20	109	4	25	291	32	56	54	20	80	49	82	148	209	
7.6	28.6	+ 3.6	1.12	May 25	199	34	18	5	3	191	17	6	126	15	76	43	71	58	80	167	148	72	
7.2	24.8	- 2.4	0.75	May 25	182	39	6	8	35	189	8	17	110	149	61	41	33	23	95	129	119	80	
6.2	24.8	- 0.5	0.98	Aug. 17	194	31	3	13	49	128	23	0	32	9	121	37	62	42	147	70	181	61	
6.6	24.0	+ 4.4	1.21	Aug. 1	166	25	16	17	24	87	37	17	581	2	115	96	99	108	157	195	175	148	
—	27.2	+ 3.9	1.52	Aug. 17	196	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6.6	30.8	+ 5.0	2.68	Aug. 1	195	35	6	9	41	158	31	2	68	166	48	79	46	39	52	102	99	99	
6.2	27.4	+ 2.5	2.68	—	191	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6.5	35.7	+ 2.8	1.16	Oct. 23	198	13	32	10	26	136	13	18	356	40	63	64	77	93	88	87	128	90	
—	37.0	+ 1.8	1.26	July 30	191	14	6	10	—	—	19	0	33	22	73	79	82	84	110	124	100	56	
5.9	43.9	+ 4.9	1.76	Oct. 12	203	21	7	6	54	105	2	10	122	131	84	66	19	26	57	158	128	61	
6.5	48.8	+ 2.0	2.00	Feb. 3	213	33	20	23	43	144	4	0	75	238	39	81	36	15	52	109	117	43	
6.6	28.4	- 0.4	1.15	Dec. 2	202	21	21	18	30	128	12	4	167	5	49	68	88	95	59	134	165	67	
7.0	32.0	+ 1.2	1.27	Sept. 27	208	9	7	4	28	163	2	2	49	29	45	56	74	34	80	98	255	59	
6.0	50.6	—	1.64	Dec. 2	219	18	17	8	34	83	1	26	111	21	61	62	56	46	15	202	156	109	
6.7	37.9	+ 2.9	2.00	—	201	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 55 (continued).—Mean Annual Values of Meteorological

1909.	Height of Barometer Cistern above M.S.L.	Baro- meter.	Air Temperature.								Hygrometer.				Earth Tempera- ture.		Bright Sunshine.			
Station.		Mean Pressure, at 32° F. at Level and Latitude of Station.	Mean of		Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum.				Mean of Observa- tions at 9 a.m. and 9 p.m., or at 7 a.m.				At 1 foot depth.	At 4 feet depth.	Total Observed.	Difference from Normal.	Per cent. of Possible.	
			A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.						
7. ENGLAND, S.W.:—	Ft.	Ins.	°	°	°	°	°	°				°	°	In.	%	°	°	Hrs.	Hrs.	%
(a) South Wales.																				
(b) England, S.W.																				
a { <i>Llangammarch Wells.</i>	585	29·302	53·5	37·2	45·4	-2·4	81	Aug. 12	7	Mar. 4	45·9	2·1	·272	85	47·8	48·6	1,355	—	31	
PEMBROKE ..	150	29·760	53·4	44·5	49·0	-0·9	77	Aug. 26	Feb. 14,	Mar. 5	48·0	1·8	·298	87	—	—	1,845	+203	42	
Clifton	229	—	55·3	43·0	49·2	-0·7	83	Aug. 7	19	Mar. 5	—	—	—	—	—	—	1,614	—	37	
PORTLAND BILL	23	29·912	53·7	46·2	50·0	-1·0	76	Aug. 9, 15	26	Mar. 4	49·3	1·7	·318	88	—	—	—	—	—	
b { Plymouth*	116	29·849	56·5	44·3	50·4	-0·5	83	Aug. 9	25	Mar. 5	50·3	2·6	·314	84	51·3	—	1,864	+214	42	
Falmouth*	183	29·786	54·9	45·9	50·4	-0·6	77	Aug. 8	28	Dec. 20,	50·1	2·8	·302	82	—	—	1,975	+209	45	
Woolacombe ..	79	29·843	55·0	45·8	50·4	-1·8	81	Aug. 14	27	Mar. 5	50·2	2·8	·301	81	—	—	1,820	+194	41	
District Value..	—	—	54·6	42·6	48·4	-1·1	89	—	7	—	—	—	—	—	49·7	49·6	1,699	+133	38	
8. ENGLISH CHAN.:—																				
SCILLY	20	29·937	55·7	48·3	52·0	-0·3	72	Aug. 15	30	Feb. 28	50·2	2·6	·306	83	—	—	1,934	+123	44	
JERSEY	36	29·948	57·1	45·3	51·2	-0·9	83	Aug. 15	25	Jan. 29	49·8	2·3	·308	83	—	—	1,999	+ 72	45	
Guernsey (Brooklyn).	311	29·652	55·8	46·4	51·1	-0·7	80	Aug. 15	32	Feb. 27, Mar. 1, 4, Dec. 16	50·6	2·9	·308	81	52·2	—	1,971	+ 65	45	
District Value..	—	—	56·6	46·8	51·6	-0·5	84	—	25	—	—	—	—	—	—	—	1,974	+ 70	45	

NOTES ON THE STATISTICAL TABLES.

Hours of Observation.—The hours of observation are indicated by the type in which the names of stations are printed. Clarendon, normal climatological stations, 9 a.m. and 9 p.m.; **BLACK CAPITALS**, telegraphic reporting, normal climatological stations, 7 a.m., 1 p.m., 9 p.m. Roman, telegraphic reporting stations, 7 a.m., 6 p.m.; *Italics*, auxiliary climatological stations, 9 a.m. only (Ventnor, 9 a.m. and 6 p.m.). At stations marked * an additional observation is taken, at 3 p.m. in the case of stations printed in clarendon type, and at 1 p.m. in the case of stations printed in Roman type. These additional observations are used in preparing the wind summaries, and in computing the number of days of overcast or clear sky. At telegraphic reporting stations (black capitals or Roman type), the results given under "hygrometer" and "cloud" are based on the morning observations only. At Lincoln and Wakefield the hygrometrical results are based on the 9 a.m. observations only.

Barometer.—The correction for latitude has not been applied. The values are for station level. They are the means of readings at 9 a.m. only, or 9 a.m. and 9 p.m., or 7 a.m., 1 p.m., 9 p.m., or 7 a.m. and 6 p.m., as the case may be.

Rainfall.—The amounts are for the 24 hours commencing at the time of morning observation.

Weather Phenomena.—The number of days of Rain, Snow, Hail, Thunderstorm, Fog and Gale are counted irrespective of the hours at which the phenomena occur. Except in the case of rainfall (see above) the day is the civil day. A day is reckoned as a day of "clear sky," if the mean of the estimates of the "amount of cloud" at the fixed hours of observation is less than 2, and as an "overcast" day if the mean is greater than 8.

Elements from Observations at several Stations in the Year 1909.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather. Number of days of								Wind. No. of Observations at 9 a.m. and 9 p.m., or at 7 a.m., 1 p.m., 6 p.m., or 9 p.m.											
	Total Fall.	Difference from Normal.	Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky. (See Note on p. 108.)	Overcast. (See Note on p. 108.)	Fog.	Wind force 8 and above.	Force (0-12).		Direction.									
			Amount.	Day of Month.									Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.		
Mean of Observations of amount at 9 a.m. and 9 p.m., or at 7 a.m.	Ins.	Ins.	Ins.																					
7.7	47.9	—	1.36	Dec. 2	224	20	7	6	44	237	14	0	55	88	34	44	17	3	27	18	90	44		
6.6	33.1	- 2.0	1.85	Sept. 28	202	11	10	3	27	88	43	16	556	14	121	159	67	108	120	221	147	138		
—	36.8	+ 2.2	1.36	Oct. 15	182	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5.9	27.0	—	2.10	Dec. 16	170	6	0	6	41	83	24	21	565	15	88	162	100	66	78	211	214	161		
5.7	35.2	- 0.7	1.78	July 27	181	10	6	4	68	123	18	?	?	230	148	81	91	46	97	154	114	134		
5.2	37.3	- 8.1	1.75	Dec. 21	194	8	17	4	65	93	3	0	261	148	194	73	52	70	80	189	146	143		
5.5	34.8	+ 2.8	3.13	Sept. 28	194	13	11	6	79	111	8	1	215	24	44	152	68	62	25	154	58	143		
5.9	37.6	- 1.3	3.13	—	199	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8.1	27.0	- 6.6	0.92	Dec. 2	182	0	2	2	0	138	21	6	602	0	162	111	100	72	108	169	217	156		
6.4	31.7	- 2.5	1.44	June 3	204	16	23	9	45	105	27	14	528	2	47	145	132	103	60	144	259	203		
5.7	34.0	- 3.6	1.44	June 3	186	13	10	5	50	95	25	30	250	56	59	128	36	57	65	99	126	104		
6.5	30.4	- 2.5	1.44	—	189	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

Wind Summaries.—The results given under wind direction, and the number of observations of calms and of fresh or strong wind, are based on the observations at fixed hours (see above). At Falmouth, Kew and Stonyhurst the wind observations are based on the records of a standard Robinson anemometer (factor 2.2). (At Plymouth and Southport the equivalent values are obtained from a Dines Pressure Tube Anemometer.) Velocities of between 13 and 38 miles in the hour have been entered as “fresh or strong winds,” velocities of 39 miles in the hour, or above, as gales.

Averages.—The averages used are—Temperature and Rainfall for the 35 years 1871-1905; Bright Sunshine for the 25 years 1881-1905. The values are published in Appendix III. to the Weekly Weather Report of the Meteorological Office for 1906.

Royal Observatory, Greenwich.—The averages for Temperature and Rainfall, with which the current values are compared, are for the 65 years 1841-1905. The averages for sunshine are for the period 1897-1906. The earth temperatures are taken at a depth of 3 ft. 2 ins. The daily rainfall amounts are those for the 24 hours comprising the civil day.

Mean Values for Districts.—The yearly mean values for districts for temperature, rainfall and sunshine are computed from the data for those stations which are included in the Weekly Weather Report of the Meteorological Office. The selection of stations is not identical with that included in this Report. The district values, as quoted, are comparable with the statistics published in previous issues of the Weekly Weather Report of which a Summary is in course of preparation. The averages with which the current district values are compared are for the 25 years 1881-1905. The district values for amount of cloud and earth temperatures are taken from the Monthly Weather Report of the Meteorological Office.

TABLE 56.—INTERNATIONAL STATISTICS.—Males and Females at Twelve Groups of Ages in a Million Persons at All Ages.

		AUSTRALIAN COMMONWEALTH.										DENMARK.	SWEDEN.
		ENGLAND AND WALES.	SCOTLAND.	IRELAND.	NEW SOUTH WALES.	VICTORIA.	QUEENS- LAND.	SOUTH AUSTRA- LIA.	WESTERN AUSTRA- LIA.	TASMANIA.	NEW ZEALAND.	1901.	1900.
CENSUS YEAR	..	1901.	1901.	1901.	1901.	1901.	1901.	1901.	1901.	1901.	1901.	1901.	1900.
Persons All Ages	..	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
Under 5 years	..	114,262	119,191	99,290	117,093	109,865	124,440	110,526	112,288	120,974	112,338	124,559	114,695
5—	..	107,209	110,182	101,122	122,444	118,655	126,249	125,117	96,386	127,694	110,954	110,228	106,652
10—	..	102,735	104,944	103,080	119,113	111,566	115,847	120,771	80,517	122,545	110,292	103,787	103,001
15—	..	99,796	101,973	106,035	104,003	98,734	93,945	110,779	70,263	106,978	109,761	96,695	94,464
20—	..	95,946	96,886	99,625	93,802	90,087	92,967	94,265	103,843	95,144	107,615	84,231	82,861
25—	..	161,579	155,226	147,266	155,954	160,730	162,555	147,094	253,318	149,791	162,421	136,873	127,912
35—	..	122,849	117,021	108,276	126,987	133,836	130,328	121,878	162,260	123,026	109,295	114,127	116,635
45—	..	89,222	86,166	92,730	75,455	68,171	73,474	78,012	67,900	69,749	78,340	91,504	93,286
55—	..	59,741	60,010	78,768	47,188	49,760	47,189	49,362	33,472	42,528	57,581	69,113	76,750
65—	..	33,080	33,747	42,823	25,980	41,674	20,226	28,916	14,349	25,937	32,058	44,458	55,859
75 years and upwards	..	13,581	14,654	20,985	8,386	13,324	5,426	12,280	3,693	13,781	8,517	21,939	27,825
Age not stated	..	—	—	—	3,595	3,598	7,354	—	1,711	853	328	2,486	—
Males All Ages	..	483,543	486,070	493,418	524,199	502,674	556,549	508,604	613,638	519,635	525,407	487,213	487,971
Under 5 years	..	57,039	60,008	50,424	59,197	55,610	62,842	55,874	56,706	62,050	57,361	62,686	58,344
5—	..	53,462	55,748	51,232	62,054	59,976	64,109	62,757	48,288	64,705	56,054	55,634	54,209
10—	..	51,370	53,283	52,533	60,113	56,095	58,496	61,205	40,761	61,742	55,777	52,142	52,142
15—	..	49,420	51,509	52,705	51,892	49,025	47,983	55,176	38,496	54,431	54,914	48,484	48,223
20—	..	45,273	47,045	48,735	46,026	42,114	50,067	45,893	64,310	47,897	53,313	40,917	41,967
25—	..	76,425	74,298	71,967	80,250	76,667	93,462	73,677	166,556	79,421	84,120	65,203	62,187
35—	..	59,394	56,202	52,436	71,677	69,790	81,201	64,489	114,939	66,879	59,388	54,053	54,779
45—	..	42,924	41,180	43,616	43,501	35,365	46,554	43,574	47,104	38,017	44,708	43,940	43,721
55—	..	27,913	27,095	37,946	26,857	25,247	29,473	25,725	22,148	21,597	34,313	32,739	35,248
65—	..	14,691	14,152	21,598	15,333	23,192	12,675	14,214	9,738	14,002	20,069	20,516	25,273
75 years and upwards	..	5,632	5,550	10,226	4,624	7,459	3,092	6,020	2,531	8,198	4,801	9,347	11,878
Age not stated	..	—	—	—	2,675	2,134	6,595	—	1,461	696	559	1,282	—
Females All Ages	..	516,457	513,930	506,582	475,801	497,326	443,451	491,396	386,962	480,365	474,593	512,787	512,029
Under 5 years	..	57,223	59,183	48,866	57,896	54,255	61,598	54,652	55,582	58,924	54,977	61,873	56,351
5—	..	53,747	54,434	49,890	60,390	58,679	62,140	62,360	48,098	62,989	54,900	54,594	52,443
10—	..	51,365	51,661	50,547	59,000	55,471	57,351	59,566	39,756	60,803	54,515	51,365	50,919
15—	..	50,376	50,464	53,330	52,111	49,709	45,962	55,603	52,547	52,547	54,817	48,211	46,241
20—	..	50,673	49,841	50,890	47,776	47,973	42,900	48,372	39,533	47,247	54,302	43,314	40,894
25—	..	85,154	80,928	75,299	75,704	84,063	69,093	73,417	86,762	70,370	78,301	71,670	65,725
35—	..	63,455	60,819	55,840	55,310	64,046	49,127	47,321	56,147	56,147	49,907	60,074	61,856
45—	..	44,986	44,986	49,114	31,954	32,806	26,920	35,438	20,796	31,732	33,632	47,564	49,565
55—	..	31,828	32,915	40,822	20,331	24,513	17,716	23,637	11,324	20,931	23,268	36,384	41,502
65—	..	18,389	19,595	21,225	10,647	18,482	7,551	14,702	4,611	12,935	11,989	23,942	30,586
75 years and upwards	..	7,949	9,104	10,759	3,762	5,865	2,334	6,260	1,162	5,583	3,716	12,592	15,947
Age not stated	..	—	—	—	920	1,464	759	—	250	157	269	1,204	—

TABLE 56—continued.—INTERNATIONAL STATISTICS.—Males and Females at Twelve Groups of Ages in a Million Persons at All Ages.

CENSUS YEAR	RUSSIA (EURO- PEAN).	FINLAND.	GERMAN EMPIRE.	PRUSSIA.	AUSTRIA.	HUNGARY.	BULGARIA.	THE NETHER- LANDS.	BELGIUM.	FRANCE.	SWITZER- LAND.	SPAIN.	ITALY.
	1897.	1900.	1900.	1900.	1900.	1900.	1900.	1899.	1900.	1901.	1900.	1900.	1901.
Persons All Ages..	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
Under 5 years	151,215	129,898	130,753	133,830	130,537	133,866	145,739	129,852	117,061	93,190	114,082	116,089	126,866
5—	121,757	110,077	113,651	116,105	111,250	115,940	131,263	112,937	103,349	83,757	101,576	113,513	109,863
10—	112,418	105,430	103,579	105,641	102,301	106,155	124,898	105,419	96,686	84,126	94,538	105,272	104,437
15—	101,189	97,042	94,367	94,300	95,358	100,702	109,594	95,315	96,329	85,161	95,165	83,720	92,988
20—	83,477	87,518	90,468	88,688	87,381	80,733	71,772	87,470	90,522	82,753	90,725	83,530	81,559
25—	138,705	139,544	149,389	147,697	143,751	135,319	123,777	142,001	154,383	150,795	154,385	145,188	131,225
35—	111,339	115,479	115,980	116,533	118,838	122,325	98,639	109,778	119,008	133,934	123,450	123,035	115,862
45—	80,943	94,050	87,802	86,649	91,865	94,459	78,038	86,834	88,528	112,582	91,642	101,890	98,595
55—	56,466	68,609	65,217	62,839	68,351	66,155	64,845	70,316	72,244	91,652	76,145	74,653	76,858
65—	29,322	38,106	35,530	34,373	36,444	32,785	33,548	42,006	43,233	58,411	46,191	37,812	44,702
75 years and upwards	12,331	14,247	13,264	13,149	13,324	11,444	17,726	18,050	18,656	23,639	15,101	14,187	17,000
Age not stated	338	—	—	196	—	77	161	22	1	—	—	1,111	45
Males All Ages	489,599	494,765	492,082	492,318	491,485	497,656	509,995	493,835	493,722	491,977	490,741	488,015	497,385
Under 5 years	75,236	65,622	65,602	67,253	65,297	67,100	73,692	65,517	58,871	46,566	57,133	58,609	64,709
5—	60,389	55,376	56,894	58,259	55,976	57,992	65,921	56,752	51,807	41,830	50,857	57,250	55,882
10—	55,998	53,057	51,908	53,117	50,788	53,050	63,693	53,091	48,505	42,180	47,318	53,060	52,832
15—	48,484	48,385	47,360	47,496	46,026	49,332	55,652	47,772	48,376	42,487	48,008	40,528	46,065
20—	40,378	44,073	45,057	43,675	43,315	39,560	36,555	43,027	45,514	40,685	44,506	39,490	40,269
25—	67,095	69,907	74,282	73,386	70,525	66,462	61,410	69,020	77,444	74,886	77,050	69,888	63,722
35—	54,761	57,244	57,087	57,331	58,547	61,688	50,835	54,301	59,305	66,652	60,295	59,377	56,953
45—	39,151	45,616	41,958	41,465	44,516	47,406	39,516	42,737	43,463	54,924	43,624	48,665	48,477
55—	27,463	32,149	30,234	29,057	32,903	33,235	35,288	34,053	34,917	44,214	35,257	35,839	37,860
65—	14,339	16,981	15,991	15,446	16,952	16,237	18,295	19,509	20,339	27,241	19,803	18,190	22,126
75 years and upwards	6,132	5,752	5,769	5,725	6,040	5,550	9,046	8,046	8,180	10,282	6,890	6,540	8,472
Age not stated	173	—	—	108	—	44	92	10	1	—	—	579	18
Females All Ages..	510,401	505,235	507,918	507,682	508,515	502,344	490,005	506,165	503,278	508,023	509,259	511,985	502,615
Under 5 years	75,979	64,276	65,151	66,577	65,240	66,766	72,047	64,335	58,190	46,634	56,949	57,480	62,157
5—	61,368	54,701	56,757	57,846	55,274	57,948	65,342	56,185	51,542	41,927	50,719	56,263	53,981
10—	56,420	52,373	51,671	52,524	51,513	53,105	61,205	52,328	48,181	41,946	47,157	52,212	51,605
15—	52,705	48,057	47,067	46,804	48,732	51,370	53,942	47,543	47,953	42,674	47,157	43,192	46,923
20—	43,099	45,411	45,013	45,013	44,066	41,173	35,217	44,443	45,008	42,068	46,219	41,290	44,040
25—	71,610	69,637	75,107	74,311	73,226	68,857	62,367	72,981	76,939	75,909	77,335	75,300	67,503
35—	56,578	58,235	58,893	59,202	60,291	60,637	47,804	55,477	59,703	67,282	63,155	63,658	58,909
45—	48,434	45,844	45,844	47,349	47,349	47,093	38,522	44,097	45,065	57,658	48,018	53,225	50,118
55—	29,003	36,460	34,963	33,782	36,048	32,920	29,557	36,263	37,327	47,408	40,888	38,814	38,998
65—	15,483	21,125	19,539	18,927	19,492	16,548	15,253	22,497	22,894	31,170	23,388	19,622	22,576
75 years and upwards	6,199	8,495	7,495	7,424	7,284	5,894	8,680	10,004	10,476	13,557	8,211	7,647	8,528
Age not stated	165	—	—	88	—	33	69	12	0	—	—	532	27

TABLE 57.—Births and Deaths per 1000 of the Population, in the UNITED
(Tabulated from returns furnished by

YEAR.	UNITED KINGDOM.	ENGLAND AND WALES.	SCOTLAND.	IRELAND.	AUSTRALIAN COMMONWEALTH.						NEW ZEALAND.	PROVINCE OF ONTARIO.	CEYLON.	JAMAICA.	DENMARK.	NORWAY.	SWEDEN.
					NEW SOUTH WALES.	VICTORIA.	QUEENS- LAND.	SOUTH AUSTRALIA.	WESTERN AUSTRALIA.	TASMANIA.							
BIRTHS PER																	
1881	32.5	33.9	33.7	24.5	37.9	31.2	37.2	38.6	33.9	33.4	37.9	21.2	27.1	36.7	32.2	30.6	29.1
1882	32.3	33.8	33.5	24.0	37.2	30.1	35.9	38.0	35.8	33.8	37.3	22.1	26.7	35.7	32.3	31.1	29.4
1883	32.0	33.5	32.8	23.5	37.3	30.3	36.9	38.0	33.9	34.8	36.3	22.3	29.6	41.5	31.8	31.2	28.9
1884	32.2	33.6	33.7	23.9	38.4	30.9	35.8	39.0	33.8	36.5	35.9	23.1	31.3	36.1	33.3	31.3	30.0
1885	31.6	32.9	32.7	23.5	37.8	31.3	36.7	39.0	35.2	36.2	34.3	23.5	28.1	37.8	32.5	31.6	29.4
1886	31.5	32.8	32.9	23.2	37.4	31.3	37.8	36.8	39.2	35.5	33.1	22.0	27.1	36.1	32.4	31.2	29.8
1887	30.7	31.9	31.7	23.1	37.1	32.5	38.1	35.5	37.9	35.4	32.1	21.7	32.7	34.7	31.7	31.2	29.7
1888	30.1	31.2	31.3	22.8	37.2	32.7	37.8	34.4	35.9	34.8	31.2	21.8	31.8	39.1	31.5	31.2	28.8
1889	30.0	31.1	30.9	22.7	35.0	33.3	36.3	33.5	37.1	33.9	30.2	22.6	27.7	35.3	31.2	30.1	27.7
1890	29.2	30.2	30.4	22.3	35.4	33.6	37.2	33.3	34.7	33.5	29.4	22.0	31.9	38.4	30.5	30.3	28.0
1891	30.4	31.4	31.2	23.1	34.5	33.6	36.4	33.9	35.0	33.4	29.0	22.4	31.9	38.3	31.0	30.9	28.3
1892	29.5	30.4	30.7	22.5	34.0	32.5	35.8	32.6	33.1	32.7	27.8	19.5	30.2	37.3	29.6	29.6	27.0
1893	29.8	30.7	30.8	23.0	33.5	31.2	33.7	32.0	34.2	34.5	27.5	19.7	31.3	40.6	30.8	30.6	27.4
1894	28.8	29.6	29.9	23.0	31.7	29.1	31.9	30.8	28.3	31.9	27.3	19.1	33.2	37.2	30.4	29.6	27.1
1895	29.4	30.3	30.0	23.3	31.0	28.5	32.9	30.7	26.3	31.0	26.8	18.8	31.8	38.8	30.3	30.5	27.5
1896	29.0	29.6	30.4	23.7	28.7	27.2	30.1	29.0	22.7	29.2	26.3	20.6	32.0	38.5	30.5	30.2	27.2
1897	28.9	29.6	30.0	23.5	28.9	26.5	29.9	27.7	25.8	28.9	26.0	20.8	37.7	39.8	29.8	29.9	26.7
1898	28.7	29.3	30.1	23.3	27.6	25.5	28.3	25.8	29.4	27.5	25.7	20.2	38.8	38.1	30.2	30.1	27.1
1899	28.5	29.1	29.8	23.1	27.3	26.1	27.3	26.7	30.7	27.4	25.1	19.2	38.5	42.2	29.7	30.7	26.4
1900	28.2	28.7	29.6	22.7	27.4	25.8	30.2	25.8	30.8	28.1	25.6	19.6	38.6	35.7	29.7	29.9	27.0
1901	28.0	28.5	29.5	22.7	27.7	25.7	28.3	25.4	30.4	28.4	26.3	20.7	37.5	40.9	29.7	29.6	27.0
1902	28.0	28.5	29.2	23.0	27.1	25.1	27.7	24.8	30.3	28.9	25.9	21.3	38.5	39.3	29.2	29.0	26.5
1903	27.9	28.4	29.2	23.1	25.3	24.5	24.6	23.4	30.3	28.6	26.6	21.7	40.0	39.9	28.7	28.8	25.7
1904	27.5	27.9	28.7	23.6	26.7	24.6	27.1	24.9	30.3	29.6	26.9	22.3	38.5	36.1	28.9	28.1	25.8
1905	26.9	27.2	28.1	23.4	26.7	24.8	25.9	23.8	30.3	29.3	27.2	23.0	38.7	38.8	28.4	27.4	25.7
1906	26.8	27.1	27.9	23.6	27.0	25.1	26.3	23.7	30.0	29.5	27.1	22.9	35.7	38.1	28.5	26.7	25.7
1907	26.0	26.3	27.0	23.2	27.1	25.2	26.9	23.9	29.2	29.6	27.3	23.3	32.8	35.0	28.3	26.3	25.5
1908	26.3	26.5	27.2	23.3	26.8	24.6	26.7	24.7	28.9	30.8	27.4	24.9	40.1	37.6	28.3	26.2	25.7
1909	25.5	25.6	26.4	23.5	26.9	24.6	27.2	24.7	27.7	29.9	27.3	—	36.7	37.8	28.0	26.1	25.6
DEATHS PER																	
1881	18.7	18.9	19.3	17.5	15.1	14.2	15.0	14.5	13.6	14.8	11.1	11.9	27.2	26.0	18.3	17.0	17.7
1882	19.3	19.6	19.4	17.3	16.1	15.3	18.0	15.4	14.1	16.0	11.2	11.3	19.7	20.4	19.2	18.5	17.4
1883	19.6	19.6	20.2	19.2	14.6	14.3	18.8	15.1	17.9	17.4	11.4	10.9	19.3	23.0	18.4	17.2	17.3
1884	19.4	19.7	19.6	17.5	16.1	14.5	23.0	15.8	21.9	15.9	10.4	11.3	22.3	22.7	18.3	16.6	17.5
1885	19.1	19.2	19.3	18.4	16.5	15.0	19.6	12.9	17.6	15.9	10.6	11.5	29.1	22.6	17.8	16.6	17.8
1886	19.2	19.5	18.9	17.8	15.1	15.2	16.8	14.0	21.6	15.1	10.5	11.0	23.7	23.3	18.1	16.2	16.6
1887	19.0	19.1	19.0	18.2	13.4	15.7	14.6	12.9	17.1	16.1	10.3	11.1	24.0	24.2	18.2	16.2	16.1
1888	18.1	18.1	18.0	17.9	13.9	15.4	14.7	12.3	15.9	14.8	9.4	11.0	26.4	22.3	19.5	17.2	16.0
1889	18.1	18.2	18.4	17.4	13.9	17.8	15.4	11.4	14.2	15.0	9.4	10.9	28.5	22.2	18.5	17.6	16.0
1890	19.4	19.5	19.7	18.2	12.9	16.1	13.6	12.6	12.0	14.7	9.7	11.1	23.0	25.1	19.0	17.9	17.1
1891	20.0	20.2	20.7	18.4	14.3	16.2	12.8	13.3	17.0	15.0	10.3	11.3	28.7	22.7	20.0	17.5	16.8
1892	19.0	19.0	18.5	19.4	12.2	13.6	12.7	11.5	16.7	13.6	10.1	10.8	27.5	20.9	19.5	17.8	17.9
1893	19.0	19.2	19.3	18.0	13.3	14.1	13.3	13.5	15.3	13.7	10.2	10.6	29.6	22.1	19.0	16.3	16.8
1894	16.8	16.6	17.1	18.2	12.4	13.1	12.1	11.8	14.4	12.7	10.2	10.3	27.9	21.0	17.6	16.8	16.4
1895	18.7	18.7	19.4	18.5	11.9	13.2	11.4	11.4	17.8	11.7	9.9	10.2	27.6	22.7	16.9	15.5	15.2
1896	16.9	17.1	16.6	16.7	12.5	13.3	12.1	11.7	16.5	12.0	9.1	11.0	25.3	22.1	15.7	15.1	15.6
1897	17.6	17.4	18.4	18.5	11.1	12.8	11.3	11.5	17.0	12.0	9.1	11.7	23.7	23.0	16.6	15.3	15.4
1898	17.7	17.5	18.0	18.2	12.7	15.8	12.7	13.5	16.1	14.2	9.8	11.1	26.6	21.0	15.5	15.2	15.1
1899	18.2	18.2	18.1	17.7	11.9	14.0	12.1	12.5	13.8	12.9	10.2	12.0	30.6	22.8	17.3	16.7	17.7
1900	18.4	18.2	18.5	19.6	11.2	12.7	11.7	10.7	12.7	11.0	9.4	12.3	28.7	21.6	16.8	15.8	16.8
1901	17.1	16.9	17.9	17.8	11.7	13.2	11.9	11.1	13.4	10.4	9.8	13.0	27.6	21.9	15.8	14.9	16.1
1902	16.5	16.2	17.2	17.5	11.9	13.3	12.1	11.8	13.7	10.8	10.5	12.1	27.5	19.8	14.6	13.8	15.4
1903	15.8	15.4	16.6	17.5	11.6	12.9	12.4	10.7	12.6	11.9	10.4	12.9	25.9	24.6	14.7	14.8	15.1
1904	16.5	16.2	16.9	18.1	10.6	11.9	10.1	10.2	11.9	11.0	9.5	13.4	24.9	24.7	14.1	14.3	15.3
1905	15.5	15.2	15.9	17.1	10.1	12.1	10.5	10.1	10.8	10.1	9.3	13.5	27.7	21.9	15.0	14.8	15.6
1906	15.6	15.4	16.0	17.0	9.9	12.4	9.6	10.3	11.9	11.2	9.3	14.1	34.3	26.2	13.5	13.6	14.4
1907	15.4	15.0	16.2	17.7	10.6	11.7	10.4	9.7	11.1	11.2	10.9	14.3	30.1	28.3	14.2	14.2	14.6
1908	15.1	14.7	16.1	17.6	10.1	12.5	10.2	9.7	10.7	11.7	9.5	13.9	29.4	22.4	14.5	14.3	14.9
1909	14.8	14.5	15.3	17.2	9.6	11.2	9.7	9.3	9.9	10.0	9.2	—	30.3	21.7	13.1	13.5	13.7

KINGDOM and in certain COLONIES and FOREIGN COUNTRIES, 1881-1909.
the authorities of the various States.)

RUSSIA (EUROPEAN).	FINLAND.	GERMAN EMPIRE.	PRUSSIA.	AUSTRIA.	HUNGARY.	ROUMANIA.	BULGARIA.	SERVIA.	THE NETHERLANDS.	BELGIUM.	FRANCE.	SWITZERLAND.	SPAIN.	ITALY.	JAPAN.	CHILI.	YEAR.
1000 LIVING.																	
47.8	35.0	37.0	37.0	37.5	42.9	41.5	33.5	45.7	35.0	31.8	24.9	29.8	37.1	38.0	25.6	46.2	1881
50.4	36.3	37.2	37.6	38.9	43.8	40.4	36.5	44.4	35.3	31.6	24.8	28.9	36.2	37.1	24.9	41.9	1882
49.8	35.9	36.6	37.1	38.1	44.8	42.8	33.3	47.0	34.3	30.8	24.8	28.5	35.6	37.2	26.8	42.7	1883
49.0	36.1	37.2	37.6	38.6	45.6	41.4	38.2	47.6	34.9	30.9	24.7	28.3	36.7	39.0	25.8	40.3	1884
48.4	34.2	37.0	37.8	37.7	44.8	43.1	37.3	46.6	34.4	30.3	24.3	27.7	36.3	38.6	26.9	25.8	1885
46.5	35.3	37.0	37.7	38.1	45.6	42.2	32.3	42.0	34.6	29.9	23.9	27.8	36.7	37.0	27.3	32.0	1886
47.5	36.2	36.9	37.7	38.3	44.2	41.0	38.2	46.3	33.7	29.7	23.5	27.9	36.1	38.9	27.1	33.0	1887
49.9	34.9	36.6	37.5	38.1	43.8	42.4	37.5	45.7	33.7	29.4	23.1	27.7	36.4	37.5	29.6	35.4	1888
48.8	33.4	36.4	37.1	38.1	43.7	40.6	36.5	44.1	33.2	29.4	23.0	27.6	36.4	38.3	30.2	38.0	1889
48.2	32.7	35.7	36.6	36.5	40.3	38.5	34.9	40.2	22.9	29.0	21.8	26.6	34.4	35.8	28.3	37.6	1890
48.8	34.3	37.0	37.7	38.3	42.3	42.3	38.9	45.0	33.7	30.0	22.6	28.2	35.3	37.2	26.7	34.3	1891
47.2	31.5	35.7	36.3	36.1	40.4	39.0	35.8	42.4	32.0	28.9	22.3	27.7	35.8	36.2	29.4	38.3	1892
47.0	29.9	36.8	37.5	38.0	42.6	40.5	34.9	42.5	32.9	29.5	22.8	27.9	35.6	36.5	28.5	37.7	1893
48.7	30.8	35.9	36.6	36.8	41.5	40.9	37.6	42.4	32.7	29.0	22.3	27.3	34.8	35.5	28.9	39.5	1894
49.4	32.6	36.1	36.9	38.1	41.8	42.3	40.2	44.0	32.8	28.5	21.7	27.3	35.0	34.9	29.5	36.2	1895
49.7	32.1	36.3	36.9	38.0	40.5	40.7	41.0	41.2	32.7	29.0	22.5	28.1	35.9	34.8	30.0	34.6	1896
49.5	31.9	36.0	36.5	37.5	40.3	42.9	42.2	42.6	32.5	29.0	22.2	28.3	34.1	34.7	30.9	34.8	1897
48.7	34.0	36.1	36.7	36.3	37.7	36.7	39.1	35.1	31.9	28.6	21.8	28.5	33.3	33.5	31.3	33.1	1898
49.0	33.2	35.8	36.3	37.3	39.3	42.0	40.5	39.3	32.0	28.8	21.9	29.0	34.2	33.9	31.4	33.5	1899
49.4	32.0	35.6	36.1	37.3	39.3	38.8	42.2	42.0	31.5	28.9	21.4	28.6	33.8	33.0	31.7	34.6	1900
47.9	32.5	35.7	36.2	36.6	37.8	39.3	37.5	38.0	32.3	29.4	22.0	29.1	34.8	32.6	32.7	35.9	1901
49.1	31.5	35.1	35.5	37.0	38.8	39.0	38.3	38.0	31.8	28.4	21.7	28.7	35.4	33.4	32.9	35.7	1902
48.1	30.4	33.9	34.4	35.2	36.7	40.1	40.9	40.9	31.6	27.5	21.1	27.7	36.1	31.7	32.0	34.0	1903
48.4	31.8	34.1	34.7	35.5	37.0	40.1	42.4	39.8	31.4	27.1	20.9	27.7	33.9	32.8	30.6	35.4	1904
—	30.6	33.0	33.5	33.7	35.7	38.6	43.5	37.3	30.8	26.1	20.6	27.4	34.7	32.5	30.6	35.1	1905
—	31.4	33.1	33.8	34.9	36.0	40.5	44.0	41.3	30.4	25.7	20.6	27.4	33.4	31.9	28.9	36.6	1906
—	31.3	32.3	33.0	33.8	36.0	41.7	43.6	40.0	30.0	25.3	19.7	26.8	32.9	31.5	33.0	38.6	1907
—	30.8	32.1	32.8	33.5	36.3	40.8	40.4	36.8	29.7	24.9	20.2	27.1	33.2	33.4	33.9	39.3	1908
—	31.3	—	31.8	—	37.0	41.7	—	36.5	29.1	—	19.6	—	32.6	32.4	—	38.8	1909
1000 LIVING.																	
33.2	25.0	25.5	24.9	30.5	34.4	26.7	16.3	24.7	21.5	21.2	22.0	22.4	30.2	27.6	18.7	28.6	1881
39.5	22.3	25.7	25.4	30.6	35.3	28.2	19.0	23.0	20.7	20.5	22.2	21.9	31.4	27.6	18.1	29.2	1882
36.9	20.8	25.9	25.6	30.1	32.2	26.0	19.6	22.8	21.8	21.1	22.2	20.4	32.6	27.6	18.1	27.0	1883
32.7	20.9	26.0	25.7	29.4	31.0	25.5	17.1	25.0	22.2	21.2	22.6	20.2	30.5	26.9	18.6	23.8	1884
34.7	22.0	25.7	25.4	30.2	31.8	25.0	16.6	26.9	21.0	20.4	22.0	21.3	38.0	27.0	23.2	30.6	1885
31.2	22.2	26.2	26.1	29.5	31.7	26.7	19.1	29.6	21.8	21.3	22.5	20.7	29.3	28.7	24.4	32.4	1886
32.2	19.0	24.2	23.8	29.0	33.8	30.5	18.1	24.9	19.7	19.3	22.0	20.2	32.7	28.0	19.3	37.1	1887
32.3	19.8	23.7	22.8	29.4	32.0	30.6	18.1	24.4	20.4	20.3	21.9	19.9	30.1	27.5	19.0	37.3	1888
34.5	19.6	23.7	23.2	27.5	29.9	27.2	18.4	25.5	20.1	19.8	20.7	20.3	30.4	25.6	20.2	32.5	1889
35.7	19.5	24.4	24.1	29.3	32.4	28.4	21.0	25.3	20.5	20.8	22.8	20.9	32.1	26.3	20.4	36.2	1890
34.6	21.2	23.4	22.9	28.1	33.1	30.1	26.6	26.5	20.7	21.2	22.9	20.6	31.3	26.1	21.0	34.0	1891
42.1	23.7	24.1	23.4	28.7	35.1	34.7	31.4	33.5	21.0	21.8	22.8	19.0	30.6	26.2	21.6	36.5	1892
33.1	20.9	24.6	24.2	27.2	31.2	30.8	27.5	29.7	19.2	20.3	22.5	20.1	29.7	25.2	22.7	33.1	1893
34.0	19.2	22.3	21.8	27.9	30.5	31.7	27.2	28.0	18.5	18.6	21.2	20.1	30.3	25.0	20.1	32.7	1894
35.0	17.7	22.1	21.8	27.6	29.7	27.6	26.2	26.9	18.6	19.5	22.2	19.2	29.0	25.0	20.2	27.3	1895
32.8	18.5	20.8	20.7	26.3	28.9	29.1	24.1	27.0	17.2	17.5	20.0	17.8	29.6	24.1	21.4	29.2	1896
31.4	17.5	21.3	20.9	25.6	28.5	29.6	25.4	26.5	16.9	17.2	19.4	17.7	28.4	21.9	20.3	28.1	1897
33.2	17.4	20.5	20.0	24.9	28.0	26.5	23.0	22.9	17.0	17.6	20.9	18.3	28.2	22.9	20.4	26.4	1898
31.0	19.9	21.5	21.4	25.6	27.2	27.5	24.7	24.3	17.1	18.8	21.1	17.7	28.8	21.9	21.1	26.9	1899
31.1	21.5	22.1	21.8	25.3	26.9	24.2	22.5	23.3	17.8	19.3	21.9	19.3	28.9	23.8	20.4	33.3	1900
32.1	20.6	20.7	20.5	24.0	25.4	26.2	23.1	21.0	17.2	17.2	20.1	18.0	27.7	22.0	20.4	34.3	1901
31.5	18.5	19.5	19.2	24.7	27.0	27.7	23.8	22.3	16.3	17.3	19.5	17.2	26.0	22.2	20.9	27.1	1902
30.0	17.9	20.0	19.7	23.8	36.1	24.8	22.7	23.5	15.6	17.0	19.2	17.6	24.8	22.4	20.0	26.9	1903
29.8	17.7	19.6	19.2	23.7	24.8	24.4	21.2	21.1	15.9	16.9	19.4	17.8	25.4	21.1	21.2	28.8	1904
—	18.4	19.8	19.6	25.0	27.8	25.0	21.8	24.4	15.3	16.5	19.6	17.9	25.4	21.9	22.0	32.3	1905
—	17.5	18.2	17.9	22.4	24.8	24.3	22.3	24.0	14.8	16.4	19.9	17.0	25.6	20.8	19.8	32.9	1906
—	17.9	18.0	17.8	22.6	25.2	26.7	22.3	22.8	14.6	15.7	20.2	16.8	24.0	20.7	20.9	29.6	1907
—	18.5	18.1	17.9	22.3	24.8	27.7	24.3	23.7	15.0	16.5	19.0	16.2	23.3	22.6	21.0	31.6	1908
—	16.7	—	17.0	—	25.1	27.8	—	29.3	13.7	—	19.3	—	23.4	21.4	—	31.5	1909

TABLE 58.—UNITED KINGDOM. **Population, Marriages, Births, and Deaths, 1881-1909.**

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	34,934,476	490,240	1,135,660	654,295	14·0	32·5	18·7	124
1882	35,206,617	506,060	1,137,820	678,143	14·4	32·3	19·3	133
1883	35,449,721	509,242	1,133,343	696,116	14·4	32·0	19·6	131
1884	35,724,231	505,984	1,154,782	693,150	14·1	32·2	19·4	138
1885	36,015,501	488,452	1,136,321	688,069	13·6	31·6	19·1	131
1886	36,313,582	482,360	1,145,577	698,208	13·3	31·5	19·2	140
1887	36,599,143	492,678	1,123,149	693,889	13·5	30·7	19·0	137
1888	36,881,271	498,372	1,112,694	668,037	13·5	30·1	18·1	130
1889	37,178,929	523,460	1,116,568	674,499	14·1	30·0	18·1	136
1890	37,484,764	542,974	1,096,717	727,102	14·5	29·2	19·4	143
1891*	37,802,440	551,940	1,148,259	757,497	14·6	30·4	20·0	141
1892	38,131,110	554,670	1,127,234	725,273	14·5	29·5	19·0	140
1893	38,490,333	535,096	1,147,764	732,449	13·9	29·8	19·0	151
1894	38,859,067	551,310	1,120,010	653,468	14·2	28·8	16·8	131
1895	39,221,109	559,492	1,154,898	735,244	14·3	29·4	18·7	152
1896	39,599,072	592,178	1,152,144	673,104	15·0	29·0	16·9	139
1897	39,987,294	606,172	1,157,224	704,470	15·2	28·9	17·6	150
1898	40,380,792	620,142	1,159,483	712,942	15·4	28·7	17·7	153
1899	40,774,296	635,246	1,163,279	741,091	15·6	28·5	18·2	154
1900	41,154,646	622,508	1,159,922	757,732	15·1	28·2	18·4	147
1901*	41,550,773	626,702	1,162,975	710,811	15·1	28·0	17·1	144
1902	41,961,199	633,224	1,174,639	691,155	15·1	28·0	16·5	128
1903	42,371,219	632,892	1,183,627	667,988	14·9	27·9	15·8	127
1904	42,793,272	626,176	1,181,803	707,278	14·6	27·5	16·5	139
1905	43,221,145	630,180	1,163,535	689,638	14·6	26·9	15·5	121
1906	43,661,092	651,634	1,170,622	681,343	14·9	26·8	15·6	127
1907	44,098,727	664,456	1,148,624	678,851	15·1	26·0	15·4	114
1908	44,546,522	638,580	1,173,784	675,185	14·3	26·3	15·1	118
1909†	45,095,833	626,572	1,145,813	667,570	13·9	25·5	14·8	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	3,189	8,714	17,192	4,292	13,808	7,346	18,037	—	65,307	17,365
1882	1,449	15,518	16,545	5,338	18,199	8,084	21,272	—	66,985	17,995
1883	984	11,759	15,750	5,204	15,480	7,929	19,620	—	69,229	18,646
1884	2,249	13,323	13,506	6,204	15,821	8,123	31,114	—	67,823	19,255
1885	2,870	17,244	8,446	5,455	16,699	6,370	16,683	—	66,806	19,658
1886	301	12,978	7,894	5,017	16,037	6,588	28,667	—	66,525	20,585
1887	537	19,670	10,011	5,629	15,849	6,730	24,490	—	62,682	21,553
1888	1,032	13,125	7,959	6,134	15,268	6,254	15,659	—	61,104	21,959
1889	31	17,254	7,856	6,694	15,974	6,774	22,142	—	61,787	23,431
1890	16	15,849	8,032	6,514	18,238	6,778	20,644	—	66,202	24,006
1891	56	14,688	6,003	6,147	17,329	6,533	17,115	—	63,914	24,983
1892	442	17,016	6,908	7,645	16,352	5,395	17,988	—	60,136	25,289
1893	1,526	15,831	8,271	10,869	13,371	8,652	34,723	—	60,422	26,231
1894	1,021	13,763	6,465	10,328	16,148	6,266	13,210	—	58,375	26,725
1895	416	13,855	5,904	8,914	12,589	6,816	31,506	—	59,946	28,234
1896	547	19,649	6,897	9,987	16,276	6,503	20,538	—	56,195	28,971
1897	38	15,837	5,815	8,562	16,159	6,504	31,133	—	58,590	30,290
1898	255	15,826	4,782	8,695	14,239	7,806	34,534	—	58,103	31,306
1899	176	13,129	4,758	10,371	13,011	7,997	35,935	—	59,163	32,551
1900	139	15,175	4,743	10,478	13,968	7,004	26,929	—	60,362	32,941
1901	633	11,133	5,139	10,013	14,079	6,617	34,117	—	57,549	34,042
1902	2,545	15,394	5,585	8,885	12,572	5,314	16,352	—	56,643	34,444
1903	841	10,969	4,775	7,092	12,530	4,379	20,905	—	56,321	35,935
1904	708	14,340	4,251	6,743	15,865	4,029	32,471	—	58,422	36,657
1905	125	13,547	4,215	6,418	11,533	3,927	23,078	—	54,540	37,644
1906	22	11,277	3,854	7,258	10,605	3,963	33,655	—	55,170	39,658
1907	12	14,362	3,552	6,689	13,549	3,073	12,523	—	55,082	39,634
1908	18	11,372	3,280	6,636	12,940	3,271	20,865	—	54,089	40,642
1909	—	—	—	—	—	—	—	—	—	—

* Census year.

† The figures for the year 1909 are provisional.

‡ See note † to England and Wales on next page.

TABLE 59.—ENGLAND AND WALES. **Population, Marriages, Births, and Deaths, 1881-1909.**

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	26,046,142	394,580	883,642	491,935	15'1	33'9	18'9	130
1882	26,334,942	408,810	889,014	516,654	15'5	33'8	19'6	141
1883	26,626,949	412,768	890,722	522,997	15'5	33'5	19'6	137
1884	26,922,192	408,602	906,750	530,828	15'1	33'6	19'7	147
1885	27,220,706	395,490	894,270	522,750	14'5	32'9	19'2	138
1886	27,522,532	392,142	903,760	537,276	14'2	32'8	19'5	149
1887	27,827,706	401,036	886,331	530,758	14'4	31'9	19'1	145
1888	28,136,258	407,642	879,868	510,971	14'4	31'2	18'1	136
1889	28,448,239	427,730	885,944	518,353	15'0	31'1	18'2	144
1890	28,763,673	446,056	869,937	562,248	15'5	30'2	19'5	151
1891*	29,085,819	453,052	914,157	587,925	15'6	31'4	20'2	149
1892	29,421,392	454,270	897,957	559,684	15'4	30'4	19'0	148
1893	29,760,842	437,378	914,572	569,958	14'7	30'7	19'2	159
1894	30,104,201	452,898	890,289	498,827	15'0	29'6	16'6	137
1895	30,451,528	456,408	922,291	568,997	15'0	30'3	18'7	161
1896	30,802,858	485,528	915,331	526,727	15'7	29'6	17'1	148
1897	31,158,245	498,290	921,683	541,487	16'0	29'6	17'4	156
1898	31,517,725	510,758	923,165	552,141	16'2	29'3	17'5	160
1899	31,881,365	524,668	928,646	581,799	16'5	29'1	18'2	163
1900	32,249,187	514,960	927,062	587,830	16'0	28'7	18'2	154
1901*	32,621,263	518,800	929,807	551,585	15'9	28'5	16'9	151
1902	32,997,626	523,500	940,509	535,538	15'9	28'5	16'2	133
1903	33,378,338	522,206	948,271	514,628	15'6	28'4	15'4	132
1904	33,763,434	515,712	945,389	549,784	15'2	27'9	16'2	145
1905	34,152,977	521,484	929,293	520,031	15'3	27'2	15'2	128
1906	34,547,016	540,076	935,081	531,231	15'6	27'1	15'4	132
1907	34,945,600	552,842	918,042	524,221	15'8	26'3	15'0	118
1908	35,348,780	529,880	940,383	520,456	14'9	26'5	14'7	120
1909	35,756,615	521,088	914,472	518,003	14'6	25'6	14'5	109

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.†	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	3,098	7,300	14,275	3,153	10,830	5,529	14,855	—	47,541	13,542
1882	1,317	12,711	13,732	3,992	15,259	6,036	17,544	—	48,715	14,057
1883	957	9,329	12,649	4,218	10,471	6,078	16,328	—	50,053	14,614
1884	2,234	11,324	10,863	5,020	11,476	6,380	27,225	—	49,325	15,198
1885	2,827	14,495	6,355	4,471	13,106	4,765	13,709	—	48,175	15,560
1886	275	12,013	5,986	4,098	12,936	5,061	25,286	—	47,872	16,243
1887	506	16,765	7,859	4,443	11,251	5,155	20,709	—	44,935	17,113
1888	1,026	9,784	6,378	4,815	12,287	4,848	13,068	—	44,248	17,506
1889	23	14,732	6,698	5,368	12,225	5,011	18,769	—	44,738	18,654
1890	16	12,614	6,974	5,150	13,756	5,146	17,840	—	48,366	19,433
1891	49	12,673	4,959	5,036	13,612	4,875	13,972	—	46,515	20,117
1892	431	13,553	5,618	6,552	13,406	4,037	15,342	—	43,323	20,353
1893	1,457	11,110	6,982	9,466	10,176	6,801	29,753	—	43,632	21,135
1894	820	11,757	5,032	8,774	12,354	4,781	10,789	—	41,641	21,422
1895	223	11,491	4,532	7,895	9,594	5,326	27,418	—	42,490	22,945
1896	541	17,618	5,476	8,993	13,266	5,125	17,412	—	40,251	23,521
1897	25	12,711	4,577	7,654	11,431	4,851	27,089	—	41,642	24,443
1898	253	13,220	3,548	7,661	10,175	5,708	30,153	—	41,335	25,196
1899	174	9,998	3,722	9,295	10,129	6,304	31,040	—	42,408	26,325
1900	85	12,710	3,844	9,345	11,467	5,591	23,531	—	42,987	26,721
1901	356	9,019	4,339	8,898	10,205	5,071	30,186	—	41,224	27,487
1902	2,464	12,930	4,875	7,802	9,805	4,149	14,147	—	40,671	27,872
1903	760	9,150	4,158	6,077	9,522	3,347	18,498	—	40,132	29,089
1904	507	12,306	3,770	5,763	11,909	3,153	29,759	—	41,851	29,682
1905	116	11,076	3,834	5,456	8,709	3,052	20,534	—	38,950	30,221
1906	21	9,444	3,475	6,108	8,313	3,169	30,563	—	39,746	31,668
1907	10	12,625	3,220	5,732	10,255	2,344	10,658	—	39,839	31,745
1908	12	8,011	2,827	5,569	9,851	2,651	18,442	—	39,499	32,717
1909	21	12,618	3,215	5,235	7,182	2,142	10,328	1	38,639	34,053

* Census year.

† The deaths from Asiatic cholera were not separately tabulated for the years 1881-1900.

TABLE 60.—SCOTLAND. Population, Marriages, Births, and Deaths, 1881-1909.

(Furnished by the Registrar-General, Scotland.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still- born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	3,742,564	52,008	126,171	72,325	13·9	33·7	19·3	112
1882	3,770,657	53,192	126,158	72,989	14·1	33·5	19·4	118
1883	3,798,961	53,738	124,458	76,891	14·1	32·8	20·2	119
1884	3,827,478	52,212	129,157	75,168	13·6	33·7	19·6	118
1885	3,856,207	50,608	126,100	74,607	13·1	32·7	19·3	120
1886	3,885,155	49,030	127,890	73,640	12·6	32·9	18·9	116
1887	3,914,318	49,752	124,418	74,546	12·7	31·7	19·0	122
1888	3,943,701	50,610	123,269	71,174	12·8	31·3	18·0	113
1889	3,973,305	52,688	122,783	73,238	13·3	30·9	18·4	121
1890	4,003,132	54,938	121,526	79,004	13·7	30·4	19·7	131
1891*	4,036,245	55,938	125,986	83,573	13·9	31·2	20·7	128
1892	4,078,910	57,340	125,043	75,545	14·1	30·7	18·5	117
1893	4,122,029	54,290	127,110	79,670	13·2	30·8	19·3	136
1894	4,165,606	55,208	124,367	71,113	13·3	29·9	17·1	117
1895	4,209,645	56,844	126,494	81,852	13·5	30·0	19·4	133
1896	4,254,153	60,540	129,172	70,677	14·2	30·4	16·6	115
1897	4,299,132	62,100	128,877	79,144	14·4	30·0	18·4	138
1898	4,344,589	64,224	130,861	78,397	14·8	30·1	18·0	134
1899	4,390,530	65,956	130,733	79,593	15·0	29·8	18·1	131
1900	4,436,958	64,888	131,401	82,296	14·6	29·6	18·5	128
1901*	4,483,830	62,774	132,192	80,107	14·0	29·5	17·9	129
1902	4,531,299	63,826	132,267	77,941	14·1	29·2	17·2	113
1903	4,579,223	64,702	133,525	76,002	14·1	29·2	16·6	118
1904	4,627,656	64,542	132,603	77,981	13·9	28·7	16·9	123
1905	4,676,603	62,540	131,410	74,536	13·4	28·1	15·9	116
1906	4,726,070	66,284	132,005	75,635	14·0	27·9	16·0	115
1907	4,776,063	66,596	128,840	77,296	13·9	27·0	16·2	110
1908	4,826,587	63,212	131,362	77,838	13·1	27·2	16·1	121
1909†	4,877,648	60,184	128,582	74,594	12·3	26·4	15·3	—

The Total Deaths include :—

YEAR.	Small- pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whoop- ing Cough.	Enteric Fever.	Diarrhoea and Dys- entery.	Asiatic Cholera.	Pulmon- ary Tubercu- losis.	Cancer (including Carcinoma and Sarcoma).
1881	19	1,012	1,573	816	1,620	1,004	1,617	—	7,739	1,914
1882	3	1,289	1,583	961	2,108	1,204	2,123	—	8,012	2,056
1883	11	1,629	1,336	747	2,968	998	1,728	—	8,401	2,037
1884	14	1,440	1,266	830	2,511	1,050	2,277	—	7,915	2,110
1885	39	1,426	944	688	2,157	889	1,688	—	7,922	2,173
1886	24	681	1,058	583	1,882	755	1,900	—	7,959	2,313
1887	17	1,598	1,179	805	3,212	835	1,926	—	7,418	2,373
1888	3	1,406	732	872	1,722	665	1,338	—	7,044	2,450
1889	8	1,948	701	968	2,268	795	1,891	—	7,098	2,643
1890	—	2,509	739	1,018	3,039	777	1,642	—	7,660	2,428
1891	—	1,775	736	830	2,437	799	1,770	—	7,361	2,703
1892	11	2,280	871	807	1,792	644	1,367	—	6,765	2,715
1893	68	3,639	832	992	2,026	932	2,763	—	6,921	2,816
1894	129	791	834	1,173	2,552	702	1,263	—	7,108	2,928
1895	47	2,063	782	744	1,948	730	2,379	—	7,688	2,993
1896	2	1,515	669	671	1,970	662	1,563	—	6,893	3,013
1897	10	2,056	716	569	2,877	655	2,203	—	7,200	3,212
1898	2	2,290	909	661	2,476	814	2,363	—	7,090	3,453
1899	1	1,599	831	697	1,894	803	2,592	—	7,275	3,572
1900	53	1,825	654	771	1,812	644	1,626	—	7,299	3,503
1901	278	1,655	595	739	2,751	717	2,239	—	6,776	3,662
1902	80	1,388	524	662	1,765	552	1,075	—	6,572	3,711
1903	41	1,133	407	640	1,946	552	1,312	—	6,630	3,798
1904	185	1,512	277	663	2,405	410	1,394	—	6,738	3,920
1905	4	1,662	211	657	2,243	373	1,226	—	6,374	4,132
1906	1	1,445	230	801	1,363	400	1,417	—	6,491	4,509
1907	1	1,153	233	674	2,485	367	798	—	6,415	4,551
1908	6	2,503	381	695	2,144	282	1,224	—	6,079	4,611
1909	—	—	—	—	—	—	—	—	—	—

* Census year. † The figures for the year 1909 are provisional.

TABLE 61.—IRELAND. Population, Marriages, Births, and Deaths, 1881-1909.

(Furnished by the Registrar-General, Ireland.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	5,145,770	43,652	125,847	90,035	8'5	24'5	17'5	91
1882	5,101,018	44,058	122,648	88,500	8'6	24'0	17'3	95
1883	5,023,811	42,736	118,163	96,223	8'5	23'5	19'2	98
1884	4,974,561	45,170	118,875	87,154	9'1	23'9	17'5	92
1885	4,938,588	42,354	115,951	90,712	8'6	23'5	18'4	95
1886	4,905,895	41,188	113,927	87,292	8'4	23'2	17'8	94
1887	4,857,119	41,890	112,400	88,585	8'6	23'1	18'2	95
1888	4,801,312	40,120	109,557	85,892	8'4	22'8	17'9	97
1889	4,757,385	43,042	107,841	82,908	9'0	22'7	17'4	94
1890	4,717,959	41,980	105,254	85,850	8'9	22'3	18'2	95
1891*	4,680,376	42,950	108,116	85,999	9'2	23'1	18'4	95
1892	4,633,808	43,060	104,234	90,044	9'3	22'5	19'4	105
1893	4,607,462	43,428	106,082	82,821	9'4	23'0	18'0	102
1894	4,589,260	43,204	105,354	83,528	9'4	23'0	18'2	102
1895	4,559,936	46,240	106,113	84,395	10'1	23'3	18'5	104
1896	4,542,061	46,110	107,641	75,700	10'2	23'7	16'7	95
1897	4,529,917	45,782	106,664	83,839	10'1	23'5	18'5	109
1898	4,518,478	45,160	105,457	82,404	10'0	23'3	18'2	110
1899	4,502,401	44,622	103,900	79,699	9'9	23'1	17'7	108
1900	4,468,501	42,660	101,459	87,606	9'5	22'7	19'6	109
1901*	4,445,630	45,128	100,976	79,119	10'2	22'7	17'8	101
1902	4,432,274	45,898	101,863	77,676	10'4	23'0	17'5	100
1903	4,413,658	45,984	101,831	77,358	10'4	23'1	17'5	93
1904	4,402,182	45,922	103,811	79,513	10'4	23'6	18'1	100
1905	4,391,565	46,156	102,832	75,071	10'5	23'4	17'1	95
1906	4,388,006	45,324	103,536	74,427	10'3	23'6	17'0	93
1907	4,377,064	45,018	101,742	77,334	10'3	23'2	17'7	92
1908	4,371,455	45,468	102,039	76,891	10'4	23'3	17'6	97
1909	4,371,570	45,300	102,759	74,973	10'4	23'5	17'2	92

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	72	402	1,344	323	1,358	813	1,565	—	10,027	1,909
1882	129	1,518	1,230	385	832	844	1,605	—	10,258	1,882
1883	16	801	1,765	239	2,041	853	1,564	—	10,775	1,995
1884	1	559	1,377	354	1,834	693	1,612	—	10,583	1,947
1885	4	1,323	1,147	296	1,436	716	1,286	—	10,709	1,925
1886	2	284	850	336	1,219	772	1,481	—	10,694	2,029
1887	14	1,307	973	381	1,386	740	1,855	—	10,329	2,067
1888	3	1,935	849	447	1,259	741	1,253	—	9,812	2,003
1889	—	574	457	358	1,481	968	1,482	—	9,951	2,134
1890	—	726	319	346	1,493	855	1,162	—	10,176	2,145
1891	7	240	308	281	1,280	859	1,373	—	10,038	2,163
1892	—	1,183	419	286	1,154	714	1,279	—	10,048	2,221
1893	1	1,082	457	411	1,169	919	2,207	—	9,869	2,280
1894	72	1,215	599	381	1,242	783	1,158	—	9,626	2,375
1895	146	301	590	305	1,047	760	1,709	—	9,768	2,296
1896	4	516	752	323	1,040	716	1,563	—	9,051	2,437
1897	3	1,070	522	339	1,851	998	1,841	—	9,748	2,635
1898	—	316	325	373	1,588	1,284	2,018	—	9,678	2,657
1899	1	1,532	205	379	988	890	2,303	—	9,480	2,654
1900	1	640	245	362	689	769	1,772	—	10,076	2,717
1901	2	459	205	376	1,123	829	1,692	—	9,549	2,893
1902	1	1,076	186	421	1,002	613	1,130	—	9,400	2,861
1903	40	686	210	375	1,062	480	1,095	—	9,559	3,048
1904	16	522	204	317	1,551	466	1,318	—	9,833	3,055
1905	5	809	170	305	581	502	1,318	—	9,216	3,291
1906	—	388	149	349	929	394	1,675	—	8,933	3,481
1907	1	584	99	283	809	362	1,067	—	8,828	3,338
1908	—	858	72	372	945	338	1,199	—	8,511	3,314
1909	—	443	129	395	1,175	305	1,002	—	8,051	3,502

Census year.

TABLE 62.—NEW SOUTH WALES. **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Government Statistician, New South Wales.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS.	DEATHS. Exclusive of Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	765,015	12,568	28,993	11,536	16·4	37·9	15·1	115
1882	798,540	13,896	29,702	12,816	17·4	37·2	16·1	131
1883	838,155	14,810	31,281	12,249	17·7	37·3	14·6	115
1884	883,145	14,964	33,946	14,220	16·9	38·4	16·1	126
1885	927,275	15,236	35,043	15,282	16·4	37·8	16·5	131
1886	969,455	15,622	36,284	14,587	16·1	37·4	15·1	128
1887	1,004,835	15,180	37,236	13,448	15·1	37·1	13·4	106
1888	1,035,705	15,688	38,525	14,408	15·1	37·2	13·9	111
1889	1,066,450	15,060	37,295	14,796	14·1	35·0	13·9	125
1890	1,101,840	15,752	38,960	14,218	14·3	35·4	12·9	105
1891*	1,142,025	16,914	39,458	16,286	14·8	34·5	14·3	119
1892	1,176,990	16,044	40,041	14,410	13·6	34·0	12·2	106
1893	1,203,170	15,498	40,342	16,022	12·9	33·5	13·3	115
1894	1,226,900	15,332	38,951	15,170	12·5	31·7	12·4	109
1895	1,250,760	16,060	38,774	14,914	12·8	31·0	11·9	106
1896	1,270,620	16,990	36,506	15,839	13·4	28·7	12·5	122
1897	1,290,375	17,626	37,247	14,264	13·7	28·9	11·1	102
1898	1,312,455	17,776	36,222	16,661	13·5	27·6	12·7	122
1899	1,333,605	18,550	36,461	15,901	13·9	27·3	11·9	119
1900	1,354,335	19,992	37,146	15,118	14·8	27·4	11·2	103
1901*	1,367,851	21,076	37,875	16,021	15·4	27·7	11·7	104
1902	1,395,299	20,972	37,835	16,646	15·0	27·1	11·9	110
1903	1,419,734	19,518	35,966	16,497	13·7	25·3	11·6	110
1904	1,446,535	20,844	38,667	15,360	14·4	26·7	10·6	82
1905	1,478,703	21,940	39,501	14,978	14·8	26·7	10·1	81
1906	1,514,390	23,102	40,948	14,975	15·3	27·0	9·9	75
1907	1,554,783	24,378	42,195	16,410	15·7	27·1	10·6	89
1908	1,588,550	25,284	42,525	16,090	15·9	26·8	10·1	76
1909	1,624,487	26,096	43,769	15,840	16·1	26·9	9·6	74

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery †	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	17	88	35	132	156	266	1,202	—	866	216
1882	23	10	39	175	109	450	1,432	—	917	215
1883	—	47	46	235	52	397	1,240	—	941	215
1884	3	45	229	165	201	516	1,584	—	1,003	233
1885	2	10	127	298	114	503	1,661	—	1,078	267
1886	—	6	88	140	244	591	1,310	—	1,051	333
1887	13	52	74	217	205	427	1,205	—	977	354
1888	2	218	111	240	35	434	1,331	—	1,045	404
1889	—	13	64	288	241	549	1,615	—	1,025	393
1890	—	7	67	440	254	306	1,092	—	1,029	392
1891	—	10	40	433	261	269	1,258	—	1,053	516
1892	1	2	69	334	225	328	1,266	—	1,018	510
1893	—	730	181	422	180	221	1,519	—	1,069	489
1894	1	143	111	355	225	329	1,385	—	1,042	516
1895	—	2	59	209	266	286	1,391	—	1,016	556
1896	—	4	48	168	100	509	1,939	—	1,038	627
1897	—	3	79	143	13	327	1,517	—	974	693
1898	1	510	83	169	241	387	1,803	—	1,104	714
1899	—	209	25	60	487	347	1,538	—	1,078	761
1900	—	10	9	63	106	398	1,622	—	1,056	765
1901	3	37	16	131	259	291	1,517	—	1,134	847
1902	1	107	61	74	261	276	1,926	—	1,123	869
1903	—	16	87	134	186	475	2,174	—	1,235	930
1904	—	21	50	156	147	249	1,329	—	1,156	954
1905	—	29	21	102	5	239	1,298	—	1,037	965
1906	—	17	42	100	10	271	1,542	—	1,007	1,027
1907	—	90	26	133	594	189	1,460	—	961	1,085
1908	—	32	40	123	58	307	1,549	—	1,008	1,058
1909	—	11	30	166	17	288	1,486	—	1,040	1,166

* Census year.

† Including enteritis and cholera infantum.

TABLE 63.—VICTORIA. Population, Marriages, Births, and Deaths, 1881-1909.

(Furnished by the Government Statist, Victoria.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED	BIRTHS.	DEATHS.	
1881*	868,942	11,792	27,145	12,302	13·6	31·2	14·2	115
1882	889,720	12,618	26,747	13,634	14·2	30·1	15·3	139
1883	910,130	13,542	27,541	13,006	14·9	30·3	14·3	114
1884	932,630	14,436	28,850	13,505	15·5	30·9	14·5	114
1885	956,880	14,790	29,975	14,364	15·5	31·3	15·0	126
1886	984,860	15,474	30,824	14,952	15·7	31·3	15·2	127
1887	1,016,750	15,536	33,043	16,005	15·3	32·5	15·7	130
1888	1,054,080	17,892	34,503	16,287	17·0	32·7	15·4	127
1889	1,090,350	18,388	36,359	19,392	16·9	33·3	17·8	153
1890	1,118,500	18,374	37,578	18,012	16·4	33·6	16·1	117
1891*	1,146,930	17,560	38,505	18,631	15·3	33·6	16·2	126
1892	1,163,360	15,446	37,831	15,851	13·3	32·5	13·6	107
1893	1,172,380	14,008	36,552	16,508	11·9	31·2	14·1	117
1894	1,179,230	14,058	34,258	15,430	11·9	29·1	13·1	104
1895	1,184,120	14,362	33,706	15,636	12·1	28·5	13·2	102
1896	1,183,115	15,250	32,178	15,714	12·9	27·2	13·3	110
1897	1,181,495	15,136	31,310	15,126	12·8	26·5	12·8	103
1898	1,182,885	15,240	30,172	18,695	12·9	25·5	15·8	134
1899	1,186,265	16,280	31,008	16,578	13·7	26·1	14·0	111
1900	1,193,333	16,616	30,779	15,215	13·9	25·8	12·7	95
1901*	1,204,045	16,812	31,008	15,904	13·9	25·7	13·2	103
1902	1,211,170	16,954	30,461	16,177	14·0	25·1	13·3	109
1903	1,208,880	15,210	29,569	15,595	12·6	24·5	12·9	106
1904	1,207,537	16,420	29,763	14,393	13·6	24·6	11·9	78
1905	1,212,517	17,548	30,107	14,676	14·5	24·8	12·1	83
1906	1,227,072	17,860	30,844	15,237	14·6	25·1	12·4	93
1907	1,246,860	19,150	31,369	14,542	15·4	25·2	11·7	73
1908	1,265,223	18,663	31,101	15,767	14·8	24·6	12·5	86
1909	1,283,961	18,862	31,549	14,436	14·7	24·6	11·2	71

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	62	86	114	167	351	786	—	1,199	351
1882	2	15	89	122	109	472	1,150	—	1,274	373
1883	—	7	59	131	48	661	1,024	—	1,212	450
1884	2	233	34	162	209	456	721	—	1,359	446
1885	2	69	14	152	163	424	942	—	1,384	445
1886	—	20	14	121	209	523	1,021	—	1,375	496
1887	1	78	4	199	129	630	1,071	—	1,557	527
1888	—	30	21	301	21	539	926	—	1,528	521
1889	—	19	41	652	234	906	1,183	—	1,571	629
1890	—	1	68	864	98	610	717	—	1,631	626
1891	—	4	26	402	168	352	738	—	1,483	699
1892	—	1	26	287	179	300	644	—	1,581	684
1893	—	659	21	141	117	258	598	—	1,572	734
1894	—	32	67	184	263	380	487	—	1,548	744
1895	—	—	32	145	125	281	451	—	1,567	760
1896	—	3	44	137	77	315	503	—	1,423	789
1897	—	7	87	263	11	269	452	—	1,375	774
1898	—	671	42	212	61	555	699	—	1,520	864
1899	1	34	15	141	297	344	462	—	1,339	842
1900	—	112	6	155	52	237	388	—	1,387	817
1901	1	50	2	147	186	185	398	—	1,416	882
1902	—	50	15	104	187	197	398	—	1,412	852
1903	—	21	46	100	110	254	421	—	1,341	920
1904	—	—	23	190	46	190	210	—	1,342	893
1905	—	79	10	80	20	121	193	—	1,235	953
1906	—	7	4	50	247	162	212	—	1,213	926
1907	—	41	2	86	128	89	895†	—	1,195	992
1908	—	20	21	93	67	173	1,343†	—	1,209	1,005
1909	—	4	42	81	169	132	933†	—	1,037	1,030

* Census year.

† Including enteritis and cholera infantum.

TABLE 64.—QUEENSLAND. **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Government Statistician, Queensland.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	221,011	3,406	8,220	3,320	15·4	37·2	15·0	112
1882	237,611	4,068	8,518	4,274	17·1	35·9	18·0	140
1883	267,865	4,784	9,890	5,041	17·9	36·9	18·8	133
1884	298,694	5,322	10,679	6,861	17·8	35·8	23·0	147
1885	318,415	5,684	11,672	6,235	17·9	36·7	19·6	149
1886*	332,510	5,570	12,582	5,575	16·8	37·8	16·8	126
1887	354,777	5,828	13,513	5,166	16·4	38·1	14·6	113
1888	377,201	6,508	14,247	5,529	17·3	37·8	14·7	121
1889	397,061	6,246	14,401	6,132	15·7	36·3	15·4	136
1890	414,716	6,390	15,407	5,638	15·4	37·2	13·6	101
1891*	404,772	5,810	14,715	5,170	14·3	36·4	12·8	101
1892	415,813	5,548	14,903	5,266	13·3	35·8	12·7	107
1893	426,798	5,048	14,394	5,695	11·8	33·7	13·3	118
1894	438,727	5,004	13,977	5,298	11·4	31·9	12·1	98
1895	452,852	5,642	14,874	5,152	12·5	32·9	11·4	91
1896	466,364	5,646	14,017	5,645	12·1	30·1	12·1	105
1897	478,440	5,788	14,313	5,423	12·1	29·9	11·3	95
1898	492,602	5,944	13,933	6,243	12·1	28·3	12·7	111
1899	508,864	6,898	13,899	6,144	13·6	27·3	12·1	109
1900	490,325	6,742	14,801	5,747	13·8	30·2	11·7	98
1901*	505,695	6,682	14,303	6,007	13·2	28·3	11·9	102
1902	513,612	6,486	14,216	6,204	12·6	27·7	12·1	100
1903	512,690	5,866	12,621	6,346	11·4	24·6	12·4	120
1904	519,178	6,156	14,082	5,250	11·9	27·1	10·1	76
1905	525,728	6,346	13,626	5,503	12·1	25·9	10·5	76
1906	532,783	7,176	14,019	5,095	13·5	26·3	9·6	75
1907	541,204	8,210	14,542	5,599	15·2	26·9	10·4	77
1908	555,171	8,018	14,828	5,680	14·4	26·7	10·2	70
1909	571,044	9,084	15,554	5,530	15·9	27·2	9·7	72

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	3	1	28	10	73	439	—	292	65
1882	—	32	2	29	54	150	585	—	404	54
1883	—	59	5	39	71	238	697	—	471	70
1884	—	6	8	41	21	542	1,377	—	572	94
1885	—	2	3	87	28	289	673	—	593	53
1886	—	1	7	98	62	304	551	16	494	92
1887	—	—	1	94	60	137	480	—	441	81
1888	—	3	3	86	73	163	553	—	492	88
1889	—	—	1	90	83	282	653	—	470	130
1890	—	—	61	162	28	103	468	—	515	117
1891	—	—	26	157	17	106	457	2	501	134
1892	1	1	2	107	73	124	422	—	423	130
1893	—	186	2	106	128	109	478	—	476	121
1894	—	113	—	114	35	102	323	—	446	157
1895	—	2	1	67	128	72	338	—	420	189
1896	—	—	1	31	65	130	375	—	444	183
1897	—	—	—	42	42	183	355	—	418	187
1898	—	138	87	70	146	149	324	—	421	229
1899	—	116	59	82	128	149	295	—	407	243
1900	—	7	11	48	73	136	318	—	427	229
1901	—	1	3	41	84	148	356	—	427	278
1902	—	4	4	28	21	133	308	—	458	285
1903	—	44	13	58	30	189	348	—	402	252
1904	—	5	11	42	85	91	133	—	410	297
1905	—	1	1	40	10	95	118	—	397	351
1906	—	5	1	39	8	88	134	—	361	292
1907	—	20	—	54	121	84	448†	—	347	353
1908	—	39	—	26	37	108	547†	—	349	337
1909	—	7	1	49	37	88	504†	—	341	341

* Census year.

† Including enteritis.

TABLE 65.—SOUTH AUSTRALIA (excluding the NORTHERN TERRITORY). **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Registrar-General, South Australia.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION (exclusive of Aborigines).	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	277,670	4,616	10,708	4,012	17·3	38·6	14·5	—
1882	285,115	5,060	10,844	4,393	17·7	38·0	15·4	—
1883	293,937	5,078	11,173	4,435	17·3	38·0	15·1	—
1884	303,426	5,110	11,847	4,789	16·8	39·0	15·8	—
1885	308,648	4,894	12,046	3,987	15·9	39·0	12·9	113
1886	303,561	3,952	11,177	4,234	13·0	36·8	14·0	126
1887	305,247	3,954	10,831	3,944	13·0	35·5	12·9	111
1888	305,510	4,168	10,510	3,759	13·6	34·4	12·3	96
1889	308,078	4,124	10,318	3,501	13·4	33·5	11·4	94
1890	311,500	4,470	10,364	3,923	14·3	33·3	12·6	97
1891*	316,560	4,630	10,737	4,211	14·6	33·9	13·3	91
1892	323,746	4,238	10,544	3,711	13·1	32·6	11·5	97
1893	333,852	4,220	10,683	4,520	12·6	32·0	13·5	117
1894	339,907	4,188	10,476	4,001	12·3	30·8	11·8	94
1895	343,381	4,096	10,537	3,921	11·9	30·7	11·4	95
1896	344,810	4,366	10,012	4,038	12·7	29·0	11·7	101
1897	344,313	3,898	9,535	3,973	11·3	27·7	11·5	109
1898	346,854	4,428	8,945	4,675	12·8	25·8	13·5	140
1899	351,658	4,530	9,397	4,406	12·9	26·7	12·5	112
1900	354,268	4,610	9,143	3,774	13·0	25·8	10·7	100
1901*	357,556	4,608	9,079	3,974	12·9	25·4	11·1	100
1902	359,968	4,752	8,927	4,236	13·2	24·8	11·8	94
1903	361,724	4,520	8,475	3,873	12·5	23·4	10·7	97
1904	365,586	5,052	9,100	3,719	13·8	24·9	10·2	70
1905	370,791	5,188	8,832	3,761	14·0	23·8	10·1	73
1906	376,335	5,358	8,921	3,872	14·2	23·7	10·3	76
1907	384,255	6,140	9,209	3,736	15·9	23·9	9·7	66
1908	394,536	6,224	9,756	3,834	15·8	24·7	9·7	70
1909	407,377	6,550	10,064	3,782	16·1	24·7	9·3	61

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	72	50	123	27	85	344	—	274	91
1882	—	11	34	166	43	146	457	—	341	89
1883	—	12	24	157	128	135	456	—	313	86
1884	—	139	29	196	53	134	422	—	323	109
1885	—	6	4	188	90	132	315	—	307	100
1886	—	3	13	117	93	93	307	—	339	104
1887	—	2	7	87	30	143	335	—	353	110
1888	—	1	3	179	9	108	202	—	365	116
1889	—	1	1	148	2	128	284	—	289	133
1890	—	1	3	231	129	94	164	—	294	129
1891	—	—	4	223	42	73	182	—	329	156
1892	—	—	2	139	12	83	209	—	307	148
1893	—	261	5	130	121	62	249	—	340	171
1894	—	28	35	113	60	80	201	—	356	162
1895	—	2	10	53	44	71	192	—	335	166
1896	—	—	4	25	17	93	244	—	308	186
1897	—	—	7	34	—	106	233	—	308	185
1898	1	54	15	52	112	145	294	—	317	184
1899	—	27	16	49	106	111	192	—	312	203
1900	—	2	5	38	29	57	205	—	299	210
1901	1	5	1	22	51	72	196	—	302	216
1902	—	235	—	35	36	89	150	—	292	267
1903	—	5	19	25	60	57	160	—	296	261
1904	—	—	10	22	25	32	100	—	289	226
1905	—	—	8	14	6	41	107	—	279	249
1906	—	1	12	16	16	48	102	—	307	279
1907	—	5	5	14	73	39	227†	—	293	270
1908	—	14	—	11	18	38	302†	—	352	270
1909	—	1	—	18	20	38	252†	—	320	310

* Census year.

† Including enteritis.

TABLE 66.—WESTERN AUSTRALIA. **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Government Statistician, Western Australia.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF MEAN POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS.	DEATHS. Exclusive of Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	29,516	394	1,001	402	13·3	33·9	13·6	—
1882	30,390	430	1,089	430	14·1	35·8	14·1	—
1883	31,233	434	1,058	560	13·9	33·9	17·9	—
1884	32,329	460	1,094	707	14·2	33·8	21·9	—
1885	34,072	512	1,200	600	15·0	35·2	17·6	—
1886	37,385	594	1,466	806	15·9	39·2	21·6	155
1887	41,036	632	1,556	702	15·4	37·9	17·1	157
1888	42,312	608	1,518	673	14·4	35·9	15·9	124
1889	42,918	600	1,594	611	14·0	37·1	14·2	88
1890	44,994	556	1,561	540	12·4	34·7	12·0	90
1891*	51,009	826	1,786	869	16·2	35·0	17·0	120
1892	55,847	824	1,848	931	14·7	33·1	16·7	141
1893	61,690	784	2,112	945	12·7	34·2	15·3	118
1894	75,055	964	2,123	1,081	12·8	28·3	14·4	126
1895	90,148	1,266	2,373	1,604	14·0	26·3	17·8	143
1896	122,696	2,154	2,782	2,020	17·6	22·7	16·5	184
1897	155,563	3,318	4,021	2,643	21·3	25·8	17·0	183
1898	168,999	3,348	4,968	2,716	19·8	29·4	16·1	166
1899	168,528	3,342	5,174	2,324	19·8	30·7	13·8	140
1900	176,905	3,562	5,454	2,240	20·1	30·8	12·7	126
1901*	188,313	3,642	5,718	2,519	19·3	30·4	13·4	129
1902	205,755	4,048	6,232	2,823	19·7	30·3	13·7	142
1903	221,278	4,128	6,699	2,788	18·7	30·3	12·6	141
1904	236,516	4,176	7,176	2,817	17·7	30·3	11·9	113
1905	250,207	4,246	7,582	2,709	17·0	30·3	10·8	104
1906	259,811	4,522	7,800	3,084	17·4	30·0	11·9	110
1907	263,749	4,228	7,711	2,924	16·0	29·2	11·1	98
1908	268,347	4,024	7,754	2,882	15·0	28·9	10·7	85
1909	274,755	3,996	7,601	2,706	14·5	27·7	9·9	78

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	15	12	17	—	26	6
1882	—	—	—	1	—	8	25	—	21	9
1883	—	30	—	21	—	10	20	—	25	10
1884	—	95	—	5	1	10	28	—	36	10
1885	—	4	—	1	3	22	14	—	29	17
1886	—	—	—	5	61	14	53	—	27	15
1887	—	—	—	4	4	21	58	—	46	17
1888	—	—	—	3	—	8	63	—	42	18
1889	—	—	—	4	—	13	45	—	39	20
1890	—	—	—	3	—	3	25	—	43	15
1891	—	—	—	3	19	19	35	—	49	20
1892	—	—	—	7	13	55	67	—	47	16
1893	7	21	—	8	—	28	48	—	44	19
1894	2	6	—	8	4	73	62	—	53	22
1895	—	—	1	12	21	325	101	—	57	25
1896	—	—	—	9	9	400	129	—	83	30
1897	—	1	2	26	3	407	150	—	87	51
1898	—	34	—	34	8	296	227	—	113	55
1899	—	5	1	7	29	148	145	—	114	60
1900	—	1	1	3	31	128	111	—	137	52
1901	—	45	1	10	13	120	101	—	151	83
1902	—	19	2	8	23	181	142	—	146	85
1903	—	3	2	18	42	132	96	—	144	92
1904	—	1	2	35	17	87	95	—	198	105
1905	—	1	3	35	1	107	74	—	162	127
1906	—	5	2	59	11	128	93	—	213	154
1907	—	6	—	64	103	123	341†	—	206	131
1908	—	27	2	106	20	75	304†	—	193	140
1909	1	9	—	75	3	83	281†	—	188	182

* Census year.

† Diarrhoea and enteritis.

TABLE 67.—TASMANIA. Population, Marriages, Births, and Deaths, 1881-1909.

(Furnished by the Government Statistician, Tasmania.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	117,314	1,712	3,918	1,733	14·6	33·4	14·8	103
1882	119,474	1,938	4,043	1,909	16·2	33·8	16·0	104
1883	122,242	2,240	4,259	2,122	18·3	34·8	17·4	124
1884	125,352	2,006	4,578	1,990	16·0	36·5	15·9	100
1885	128,160	2,108	4,637	2,036	16·4	36·2	15·9	113
1886	130,442	1,970	4,627	1,976	15·1	35·5	15·1	105
1887	133,802	1,878	4,736	2,161	14·0	35·4	16·1	101
1888	137,167	1,902	4,777	2,036	13·9	34·8	14·8	96
1889	140,262	1,934	4,757	2,098	13·8	33·9	15·0	106
1890	143,734	1,908	4,813	2,118	13·3	33·5	14·7	106
1891*	148,955	1,976	4,971	2,234	13·3	33·4	15·0	95
1892	151,727	1,990	4,965	2,069	13·1	32·7	13·6	99
1893	151,241	1,696	5,216	2,071	11·2	34·5	13·7	105
1894	152,286	1,694	4,852	1,938	11·1	31·9	12·7	90
1895	154,426	1,692	4,790	1,811	11·0	31·0	11·7	82
1896	157,702	1,928	4,603	1,890	12·2	29·2	12·0	89
1897	162,108	2,104	4,684	1,940	13·0	28·9	12·0	88
1898	166,559	2,194	4,580	2,356	13·2	27·5	14·2	116
1899	170,659	2,294	4,674	2,202	13·4	27·4	12·9	116
1900	172,775	2,664	4,864	1,902	15·4	28·1	11·0	80
1901*	173,679	2,676	4,930	1,805	15·4	28·4	10·4	89
1902	175,922	2,626	5,085	1,904	14·9	28·9	10·8	79
1903	177,547	2,688	5,080	2,105	15·1	28·6	11·9	111
1904	178,826	2,700	5,292	1,969	15·1	29·6	11·0	91
1905	179,259	2,730	5,257	1,815	15·2	29·3	10·1	80
1906	180,634	2,796	5,333	2,018	15·5	29·5	11·2	91
1907	178,296	2,822	5,291	2,001	15·8	29·6	11·2	82
1908	181,742	2,862	5,614	2,129	15·7	30·8	11·7	75
1909	184,163	2,994	5,506	1,843	16·3	29·9	10·0	65

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	1	12	22	11	50	61	—	145	65
1885	—	20	—	23	16	30	115	—	145	60
1886	—	1	—	12	27	47	108	—	145	57
1887	11	—	2	35	13	112	157	—	154	67
1888	—	—	5	43	—	80	100	—	116	68
1889	—	—	1	43	8	113	123	—	121	70
1890	—	—	1	49	41	49	117	—	138	79
1891	—	—	3	21	7	82	61	1	134	68
1892	—	—	3	69	2	46	92	—	129	69
1893	—	35	1	50	43	23	74	—	137	79
1894	—	14	1	44	5	33	69	—	142	80
1895	—	—	—	24	22	46	57	—	116	75
1896	—	1	2	14	10	45	48	—	113	95
1897	—	—	5	12	—	47	52	—	135	81
1898	—	45	7	10	4	83	108	—	125	99
1899	—	13	15	19	54	46	59	—	101	91
1900	—	—	9	10	20	30	42	—	107	93
1901	—	—	1	16	4	23	73	—	100	95
1902	—	1	22	3	23	25	25	—	102	109
1903	19	—	26	9	65	38	66	—	112	100
1904	—	1	4	4	26	22	57	—	113	93
1905	—	3	1	10	—	23	23	—	134	97
1906	—	4	—	4	1	37	68	—	119	94
1907	—	1	—	8	47	37	28	—	113	112
1908	—	4	—	11	23	37	45	—	139	123
1909	—	2	2	11	2	37	16	—	115	124

* Census year.

TABLE 68.—NEW ZEALAND. **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Registrar-General, New Zealand.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	493,482	6,554	18,732	5,491	13·3	37·9	11·1	92
1882	509,309	7,200	19,009	5,701	14·1	37·3	11·2	88
1883	529,292	7,224	19,202	6,061	13·6	36·3	11·4	104
1884	552,590	7,600	19,846	5,740	13·7	35·9	10·4	79
1885	573,362	7,626	19,693	6,081	13·3	34·3	10·6	89
1886*	582,117	6,976	19,299	6,135	12·0	33·1	10·5	98
1887	596,374	7,126	19,135	6,137	11·9	32·1	10·3	94
1888	605,371	7,234	18,902	5,708	11·9	31·2	9·4	72
1889	611,716	7,264	18,457	5,772	11·9	30·2	9·4	79
1890	620,730	7,594	18,278	5,994	12·2	29·4	9·7	79
1891*	629,783	7,610	18,273	6,518	12·1	29·0	10·3	91
1892	642,245	8,004	17,876	6,459	12·5	27·8	10·1	89
1893	661,349	8,230	18,187	6,767	12·4	27·5	10·2	88
1894	679,196	8,356	18,528	6,918	12·3	27·3	10·2	81
1895	692,417	8,220	18,546	6,863	11·9	26·8	9·9	88
1896*	706,846	9,686	18,612	6,432	13·7	26·3	9·1	77
1897	721,609	9,856	18,737	6,595	13·7	26·0	9·1	72
1898	736,260	10,182	18,955	7,244	13·8	25·7	9·8	80
1899	749,984	10,922	18,835	7,680	14·6	25·1	10·2	96
1900	763,594	11,720	19,546	7,200	15·3	25·6	9·4	75
1901*	777,968	12,190	20,491	7,634	15·7	26·3	9·8	71
1902	797,793	12,788	20,655	8,375	16·0	25·9	10·5	83
1903	820,217	13,496	21,829	8,528	16·5	26·6	10·4	81
1904	845,022	13,966	22,766	8,087	16·5	26·9	9·5	71
1905	870,000	14,400	23,682	8,061	16·6	27·2	9·3	68
1906*	895,594	15,184	24,252	8,339	17·0	27·1	9·3	62
1907	919,105	16,384	25,094	10,066	18·0	27·3	10·9	89
1908	945,063	16,678	25,940	9,043	18·0	27·4	9·5	68
1909	971,784	16,188	26,524	8,959	16·7	27·3	9·2	62

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	113	104	83	20	124	436	—	468	134
1882	—	86	153	142	68	110	327	—	438	147
1883	—	15	26	84	246	157	509	—	500	158
1884	—	31	17	112	167	104	208	—	498	191
1885	—	1	12	104	91	118	399	—	514	177
1886	—	54	7	78	132	123	455	—	500	214
1887	—	30	18	92	138	158	475	—	534	238
1888	—	6	21	143	72	130	214	—	476	263
1889	—	3	19	113	19	118	355	—	499	260
1890	—	1	31	116	82	145	290	—	520	295
1891	—	1	24	86	242	119	319	—	495	295
1892	—	—	4	195	115	134	329	—	524	307
1893	—	525	1	128	55	97	193	—	545	332
1894	—	14	5	92	190	115	207	—	576	408
1895	—	—	6	76	150	94	232	—	553	383
1896	—	1	4	74	24	124	334	—	523	389
1897	—	1	2	49	2	106	257	—	596	395
1898	—	57	2	45	6	120	275	—	597	471
1899	—	137	—	58	123	93	298	—	593	468
1900	—	9	10	63	90	68	199	—	577	430
1901	—	7	17	44	9	95	139	—	596	515
1902	—	134	39	54	83	53	275	—	617	536
1903	1	143	131	23	204	61	184	—	570	582
1904	—	10	13	27	35	73	193	—	598	571
1905	—	8	10	35	3	45	128	—	496	566
1906	—	12	18	35	26	48	97	—	556	623
1907	—	101	25	55	307	53	314	—	612	674
1908	—	19	60	35	42	90	198	—	607	657
1909	—	26	26	64	41	55	102	—	588	711

* Census year.

TABLE 69.—DOMINION OF CANADA—PROVINCE OF ONTARIO. Population, Marriages, Births, and Deaths, 1881-1909.

(Furnished by the Deputy Registrar-General of Ontario.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.†
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	1,923,610†	26,212	40,714	22,821	13·6	21·2	11·9	—
1882		26,898	42,429	21,800	14·0	22·1	11·3	—
1883		28,554	42,981	21,049	14·8	22·3	10·9	—
1884		27,292	44,504	21,702	14·2	23·1	11·3	—
1885		27,350	45,228	22,105	14·2	23·5	11·5	—
1886	2,115,971	27,690	46,458	23,184	13·1	22·0	11·0	—
1887	2,115,971	28,920	45,904	23,414	13·7	21·7	11·1	—
1888	2,148,971	29,102	46,953	23,734	13·5	21·8	11·0	—
1889	2,148,971	29,760	48,538	23,329	13·8	22·6	10·9	—
1890	2,161,971	28,926	47,433	24,013	13·4	22·0	11·1	—
1891*	2,122,716	28,378	47,472	24,013	13·4	22·4	11·3	—
1892	2,146,020	28,964	41,947	23,120	13·5	19·5	10·8	—
1893	2,167,460	28,950	42,686	22,903	13·4	19·7	10·6	—
1894	2,189,116	28,682	41,899	22,538	13·1	19·1	10·3	—
1895	2,211,101	27,974	41,474	22,461	12·7	18·8	10·2	—
1896	2,263,492	29,808	46,680	24,857	13·2	20·6	11·0	—
1897	2,257,378	30,586	46,888	26,508	13·5	20·8	11·7	—
1898	2,279,929	30,750	46,067	25,409	13·5	20·2	11·1	—
1899	2,302,705	33,028	44,286	27,747	14·3	19·2	12·0	125
1900	2,325,712	34,214	45,549	28,543	14·7	19·6	12·3	138
1901*	2,184,144	36,070	45,281	28,500	16·5	20·7	13·0	121
1902	2,205,965	36,144	46,973	26,713	16·4	21·3	12·1	104
1903	2,198,692	39,660	47,709	28,399	18·0	21·7	12·9	115
1904	2,203,968	39,578	49,158	29,600	18·0	22·3	13·4	107
1905	2,208,364	40,852	50,808	29,748	18·5	23·0	13·5	121
1906	2,214,116	39,692	50,621	31,244	17·9	22·9	14·1	137
1907	2,220,430	43,830	51,838	31,756	19·7	23·3	14·3	121
1908	2,226,860	42,116	55,388	30,947	18·9	24·9	13·9	124
1909	—	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	5	148	470	1,704	270	616	1,084	—	2,446	313
1882	15	75	543	1,708	183	555	649	—	2,591	397
1883	4	177	405	1,076	123	469	593	—	2,667	403
1884	63	81	382	929	154	492	653	—	2,506	422
1885	30	78	314	1,282	192	482	529	—	2,499	463
1886	19	149	260	1,833	205	386	716	—	2,573	440
1887	—	169	116	1,716	124	569	834	—	2,556	614
1888	—	128	132	1,450	187	529	934	—	2,551	635
1889	—	141	159	1,101	225	565	1,192	—	2,417	714
1890	—	186	151	893	190	545	978	—	2,503	685
1891	—	79	216	952	102	744	911	—	2,379	402
1892	—	117	240	890	145	445	917	—	2,592	410
1893	?	?	?	942	?	?	?	—	2,552	?
1894	?	?	454	1,075	?	?	?	—	2,379	?
1895	?	?	?	942	?	588	?	—	2,472	?
1896	—	136	99	932	187	552	?	—	2,922	?
1897	—	80	169	976	169	355	1,511	—	3,161	927
1898	—	115	222	634	126	405	1,773	—	3,291	975
1899	7	40	246	599	124	452	1,561	—	3,405	1,041
1900	11	143	170	738	185	682	2,299	—	3,484	1,055
1901	7	181	268	772	166	500	1,267	—	3,243	1,094
1902	7	143	346	676	204	392	1,050	—	2,694	1,048
1903	21	55	580	687	204	391	1,337	—	2,723	1,156
1904	3	30	163	608	109	482	1,127	—	2,877	1,253
1905	3	63	72	503	181	446	1,835	—	2,667	1,224
1906	4	128	64	423	240	891	2,075	—	2,911	1,411
1907	4	166	102	380	214	520	1,298	—	2,530	1,329
1908	2	38	163	450	246	662	1,753	—	2,511	1,348
1909	—	—	—	—	—	—	—	—	—	—

* Census year.

† Census population.

‡ The infantile mortality rates in previous Reports were inclusive of stillbirths, which are now, for the first time, excluded.

NOTE.—A ? denotes that the figures are not available for the whole Province.

TABLE 70.—CEYLON. **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Registrar-General, Ceylon.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.†	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.†	BIRTHS.	DEATHS.	
1881*	2,755,558	24,174	74,794	75,012	9.4	27.1	27.2	170
1882	2,773,389	26,428	74,042	54,672	10.3	26.7	19.7	138
1883	2,781,711	31,780	82,240	53,680	12.3	29.6	19.3	136
1884	2,793,689	27,540	87,407	62,398	10.6	31.3	22.3	157
1885	2,815,166	21,446	79,234	81,908	8.2	28.1	29.1	189
1886	2,830,359	40,428	76,836	67,041	15.4	27.1	23.7	152
1887	2,855,216	34,342	93,223	68,496	13.0	32.7	24.0	152
1888	2,901,262	29,276	92,289	76,724	10.9	31.8	26.4	167
1889	2,938,977	25,582	81,465	83,845	9.4	27.7	28.5	174
1890	2,980,245	30,216	95,106	68,600	10.9	31.9	23.0	145
1891*	3,021,579	29,474	96,493	86,643	10.5	31.9	23.7	170
1892	3,088,405	33,366	93,233	84,937	11.7	30.2	27.5	162
1893	3,121,093	34,654	97,800	92,422	11.9	31.3	29.6	177
1894	3,144,561	45,566	104,301	87,784	15.4	33.2	27.9	165
1895	3,193,821	61,382	101,480	88,301	20.4	31.8	27.6	169
1896	3,240,501	39,358	103,854	81,893	12.8	32.0	25.3	158
1897	3,315,768	43,638	125,019	78,538	14.0	37.7	23.7	140
1898	3,395,519	48,508	131,620	90,256	15.3	38.8	26.6	169
1899	3,429,745	64,988	132,190	104,983	20.1	38.5	30.6	197
1900	3,520,574	56,384	136,051	100,873	17.2	38.6	28.7	178
1901*	3,582,697	47,472	134,252	98,813	14.2	37.5	27.6	170
1902	3,629,986	55,632	141,893	99,680	16.4	38.5	27.5	173
1903	3,703,615	47,068	148,027	96,084	13.7	40.0	25.9	164
1904	3,767,826	43,894	145,253	93,940	12.5	38.5	24.9	174
1905	3,901,471	42,376	150,785	108,160	11.7	38.7	27.7	176
1906	3,968,541	36,010	141,847	136,271	9.7	35.7	34.3	198
1907	3,971,340	37,966	130,403	119,377	10.3	32.8	30.1	186
1908	4,008,742	42,104	160,713	117,982	11.3	40.1	29.4	183
1909	4,056,002	40,242	148,891	122,969	10.7	36.7	30.3	202

The Total Deaths† include:—

YEAR	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	237	610	—	227	88	—	11,636	991	1,717	69
1882	320	78	—	208	52	—	8,624	857	1,756	84
1883	335	5	—	201	88	—	8,125	800	1,817	97
1884	347	41	—	118	69	—	8,495	812	2,010	99
1885	726	50	—	239	64	—	11,819	1,294	1,949	83
1886	462	166	—	159	103	—	10,792	893	1,936	85
1887	89	170	—	145	67	—	9,808	933	1,885	92
1888	145	184	—	147	239	2,768	12,747	1,331	2,010	117
1889	97	235	—	130	102	2,990	11,826	2,563	1,977	141
1890	88	287	—	178	38	2,854	8,495	1,872	2,104	171
1891	452	574	—	152	51	3,398	11,529	3,398	2,233	139
1892	69	390	—	105	69	3,140	18,108	2,833	2,373	187
1893	37	254	—	153	65	3,628	22,396	645	2,575	235
1894	3	188	—	13	107	3,644	22,408	530	2,512	196
1895	5	372	—	7	50	4,042	22,291	589	2,445	207
1896	21	384	—	11	53	3,943	20,019	428	2,873	123
1897	25	563	—	6	61	3,603	18,886	104	2,782	177
1898	13	292	—	15	43	4,638	19,975	302	2,889	175
1899	96	188	—	14	65	5,262	21,201	—	3,167	191
1900	41	123	—	15	111	5,437	22,058	217	3,217	233
1901	80	207	—	8	53	4,902	23,954	52	3,390	213
1902	35	194	—	11	40	5,477	21,551	139	3,297	219
1903	6	153	—	18	63	5,243	19,880	6	3,383	212
1904	2	64	—	16	34	4,739	17,804	4	3,488	190
1905	112	211	—	8	167	6,025	22,867	1	3,733	207
1906	72	296	—	10	66	9,440	33,448	204	4,153	182
1907	27	89	—	8	34	7,729	27,606	77	4,096	148
1908	303	102	—	17	108	8,240	20,681	33	4,039	169
1909	82	232	—	22	82	9,665	22,297	8	4,195	158

* Census year.

† Registration of marriages is not compulsory in Ceylon, except among the Kandyan Sinhalese. The figures in these columns relate to persons whose marriages were registered

‡ The Registrar-General, Ceylon, states that "too much reliance should not be placed on the figures given under Causes of Death, as, in the large majority of cases outside the towns the cause of death is not medically certified, and registration is made in the vernacular languages, and by registrars who possess no medical qualifications."

TABLE 71.--JAMAICA. Population, Marriages, Births, and Deaths, 1881-1909.

(Furnished by the Registrar-General, Jamaica.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	580,804	4,356	21,340	15,125	7.4	36.7	26.0	173
1882	588,718	4,736	20,749	11,874	8.0	35.7	20.4	141
1883	594,023	5,738	24,132	13,397	9.6	41.5	23.0	153
1884	591,819	5,906	21,402	13,484	9.9	36.1	22.7	165
1885	596,383	5,990	22,558	13,500	10.0	37.8	22.6	159
1886	603,354	4,780	21,831	14,060	7.9	36.1	23.3	154
1887	603,500	5,326	20,964	14,641	8.8	34.7	24.2	170
1888	613,376	6,706	24,025	13,696	10.9	39.1	22.3	162
1889	624,105	6,446	22,044	13,874	10.3	35.3	22.2	175
1890	634,930	7,120	24,507	16,040	11.2	38.4	25.1	188
1891*	645,829	6,810	24,744	14,711	10.5	38.3	22.7	175
1892	655,595	6,698	24,475	13,717	10.2	37.3	20.9	165
1893	667,554	7,468	27,365	14,885	11.1	40.6	22.1	168
1894	678,786	7,258	25,298	14,321	10.6	37.2	21.0	168
1895	690,667	6,484	26,842	15,716	9.3	33.8	22.7	178
1896	701,181	6,052	27,064	15,535	8.6	38.5	22.1	176
1897	713,384	5,322	28,447	16,474	7.4	39.8	23.0	177
1898	725,033	6,724	27,648	15,290	9.2	38.1	21.0	176
1899	740,171	7,534	31,259	16,880	10.1	42.2	22.8	170
1900	751,588	6,442	26,869	16,243	8.5	35.7	21.6	174
1901	763,545	6,404	31,268	16,756	8.3	40.9	21.9	163
1902	778,120	7,202	30,605	15,413	9.2	39.3	19.8	162
1903	794,053	7,152	31,687	19,593	9.0	39.9	24.6	187
1904	802,609	5,760	29,025	19,863	7.1	36.1	24.7	193
1905	814,800	6,232	31,618	17,871	7.6	33.8	21.9	165
1906	827,744	11,014	31,547	21,723	13.2	33.1	26.2	197
1907	834,012	12,592	29,210	23,672	14.8	35.0	28.3	223
1908	843,648	7,052	31,785	18,928	8.3	37.6	22.4	175
1909	856,785	7,086	32,402	18,636	8.2	37.8	21.7	174

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	1	15	7	17	341	47	1,658	—	1,071	57
1882	—	4	1	23	4	30	636	—	1,005	43
1883	1	114	—	21	—	29	868	—	1,083	65
1884	—	109	1	35	—	22	800	—	1,097	66
1885	—	6	—	20	1	31	816	—	979	64
1886	187	1	—	12	1	33	883	—	1,043	65
1887	672	2	—	21	1	41	885	—	958	61
1888	25	5	—	9	1	54	727	—	935	73
1889	—	67	—	9	65	49	825	—	1,032	70
1890	—	175	1	3	1,924	48	726	—	1,064	80
1891	—	22	—	9	7	53	976	—	1,085	91
1892	—	2	1	6	—	42	846	—	1,050	88
1893	—	1	—	13	13	49	912	—	1,040	96
1894	—	—	1	10	202	57	763	—	1,102	102
1895	—	9	—	16	326	75	914	—	1,182	115
1896	—	121	—	14	495	89	868	—	1,191	113
1897	—	19	—	12	311	117	808	—	1,168	97
1898	—	4	—	9	138	65	623	—	1,156	108
1899	—	23	—	14	25	90	661	—	1,187	129
1900	—	128	—	12	—	55	703	—	1,204	124
1901	—	33	—	7	2	71	766	—	1,148	118
1902	—	3	—	2	—	96	599	—	1,149	109
1903	—	—	1	3	292	89	1,482	—	1,232	125
1904	—	3	1	4	1,546	131	934	—	1,308	128
1905	—	—	—	12	40	69	733	—	1,240	153
1906	—	97	—	6	5	86	793	—	1,328	141
1907	—	150	1	4	2	223	1,327	—	1,451	126
1908	—	2	—	4	—	243	781	—	1,317	136
1909	—	—	—	5	—	244	820	—	1,232	157

NOTE.—The figures in the table for the years 1881-1889 relate to the 12 months ended 30th September in each of those years; those for 1890 and subsequent years to the 12 months ended 31st March of the following year.

* Census year.

TABLE 72.—DENMARK (the Kingdom properly so-called). Population, Marriages, Births, and Deaths, 1881-1909.

(Furnished by the Director of the Statistical Bureau, Denmark.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	1,995,000	31,058	64,145	36,471	15·6	32·2	18·3	121
1882	2,013,000	30,992	65,070	38,738	15·4	32·3	19·2	151
1883	2,029,000	31,284	64,474	37,403	15·4	31·8	18·4	138
1884	2,051,000	31,940	68,340	37,597	15·6	33·3	18·3	137
1885	2,076,000	31,290	67,464	36,999	15·0	32·5	17·8	122
1886	2,102,000	29,668	68,062	38,076	14·2	32·4	18·1	136
1887	2,124,000	29,452	67,417	38,645	13·9	31·7	18·2	134
1888	2,143,000	30,182	67,427	41,868	14·0	31·5	19·5	143
1889	2,161,000	30,466	67,385	40,004	14·1	31·2	18·5	141
1890*	2,179,000	29,950	66,376	41,377	13·8	30·5	19·0	133
1891	2,195,000	29,882	67,937	43,954	13·6	31·0	20·0	134
1892	2,210,000	30,078	65,468	43,079	13·5	29·6	19·5	140
1893	2,226,000	31,478	68,530	42,295	14·2	30·8	19·0	150
1894	2,248,000	31,374	68,300	39,508	14·0	30·4	17·6	134
1895	2,276,000	32,294	68,871	38,573	14·2	30·3	16·9	137
1896	2,306,000	33,646	70,271	36,090	14·6	30·5	15·7	126
1897	2,338,000	34,928	69,576	38,744	15·0	29·8	16·6	129
1898	2,371,000	35,794	71,670	36,671	15·1	30·2	15·5	123
1899	2,403,000	35,874	71,355	41,477	15·0	29·7	17·3	154
1900	2,432,000	36,996	72,129	40,891	15·2	29·7	16·8	128
1901*	2,462,000	35,198	73,211	38,786	14·3	29·7	15·8	134
1902	2,491,000	35,298	72,795	36,408	14·2	29·2	14·6	114
1903	2,519,000	35,852	72,348	36,945	14·2	28·7	14·7	116
1904	2,546,000	36,450	73,691	35,903	14·3	28·9	14·1	112
1905	2,574,000	36,958	73,082	38,598	14·3	28·4	15·0	121
1906*	2,600,000	33,716	74,216	35,231	14·9	28·5	13·5	109
1907	2,630,000	40,206	74,327	37,275	15·3	28·3	14·2	106
1908	2,692,000	40,022	76,232	39,072	14·8	28·3	14·5	123
1909	2,726,000	39,888	76,301	35,807	14·6	28·0	13·1	—

The Total Deaths in Copenhagen and other large Cities include:—

YEAR.	Popula- tion of Cities.	Small- pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whoop- ing Cough.	Enteric Fever.	Diarrhoea and Dys- enter.	Asiatic Cholera.	Pulmon- ary Tuberc- ulosis.	Cancer (including Carcinoma and Sarcoma).
1880*	553,497	—	—	—	—	—	—	—	—	—	—
1881	—	5	30	184	194	236	167	437	—	1,435	593
1882	—	12	502	154	125	280	216	972	—	1,530	606
1883	—	4	17	61	125	318	165	685	—	1,502	641
1884	—	—	353	41	151	290	248	924	—	1,569	686
1885	—	23	188	129	199	174	146	548	—	1,540	726
1886	—	—	46	78	302	191	175	1,003	—	1,497	722
1887	—	—	798	148	570	378	142	748	—	1,596	775
1888	—	—	385	241	671	238	149	733	—	1,798	782
1889	—	3	32	106	779	272	256	1,220	—	1,637	866
1890*	726,355	1	269	195	960	368	102	766	—	1,645	832
1891	—	10	216	78	810	257	136	826	—	1,619	927
1892	—	—	255	68	676	301	109	674	—	1,557	837
1893	—	—	80	132	683	370	101	1,300	—	1,516	936
1894	—	1	220	316	574	144	100	794	—	1,492	875
1895	—	—	215	127	272	383	122	889	—	1,521	933
1896	—	1	186	55	178	251	94	994	—	1,393	1,022
1897	—	—	166	31	198	151	87	996	—	1,466	1,054
1898	—	—	63	76	147	444	93	756	—	1,412	1,073
1899	—	—	142	173	176	358	102	1,583	—	1,405	1,063
1900	—	—	56	140	163	120	83	887	—	1,566	1,123
1901*	958,905	6	260	102	124	324	131	1,339	—	1,409	1,201
1902	—	—	151	85	100	389	50	567	—	1,303	1,276
1903	—	—	81	65	76	279	59	899	—	1,376	1,229
1904	—	1	102	50	49	342	44	1,029	—	1,446	1,313
1905	—	—	184	56	96	247	49	1,117	—	1,481	1,338
1906*	1,023,334	—	131	20	70	227	35	1,153	—	1,348	1,344
1907	—	1	151	15	90	437	38	561	—	1,336	1,438
1908	—	—	103	68	87	320	59	1,313	—	1,420	1,415
1909	—	—	—	—	—	—	—	—	—	—	—

* Census year.

TABLE 73.—NORWAY. **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Director of the Central Statistical Bureau, Norway.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	1,909,700	24,632	58,342	32,427	12·9	30·6	17·0	96
1882	1,906,300	25,748	59,375	35,325	13·5	31·1	18·5	110
1883	1,905,600	25,420	59,498	32,834	13·3	31·2	17·2	96
1884	1,915,100	26,494	60,025	31,730	13·8	31·3	16·6	98
1885	1,929,800	26,048	61,052	32,111	13·5	31·6	16·6	93
1886	1,943,900	25,638	60,716	31,566	13·2	31·2	16·2	90
1887	1,955,200	24,982	60,908	31,675	12·8	31·2	16·2	89
1888	1,961,800	24,308	61,277	33,645	12·4	31·2	17·2	95
1889	1,969,200	24,832	59,188	34,704	12·6	30·1	17·6	109
1890*	1,981,600	25,844	60,108	35,492	13·0	30·3	17·9	98
1891	1,996,900	26,358	61,721	34,856	13·2	30·9	17·5	97
1892	2,010,000	25,484	59,430	35,769	12·7	29·6	17·8	105
1893	2,021,400	25,948	61,918	32,915	12·8	30·6	16·3	89
1894	2,039,800	25,932	60,450	34,355	12·7	29·6	16·8	104
1895	2,065,900	26,678	62,932	32,189	12·9	30·5	15·5	96
1896	2,094,100	27,924	63,308	31,574	13·3	30·2	15·1	96
1897	2,123,700	28,440	63,417	32,389	13·4	29·9	15·3	97
1898	2,155,400	30,078	64,821	32,693	14·0	30·1	15·2	91
1899	2,185,300	31,060	67,013	36,563	14·2	30·7	16·7	105
1900*	2,211,300	30,444	66,149	34,932	13·8	29·9	15·8	90
1901	2,234,700	29,520	66,207	33,295	13·2	29·6	14·9	93
1902	2,253,600	28,770	65,262	31,163	12·8	29·0	13·8	75
1903	2,264,900	27,132	65,155	33,567	12·0	28·8	14·8	79
1904	2,274,100	26,962	63,955	32,467	11·9	28·1	14·3	76
1905	2,285,700	26,538	62,698	33,793	11·6	27·4	14·8	81
1906	2,296,300	27,180	61,316	31,214	11·8	26·7	13·6	69
1907	2,305,700	27,906	60,722	32,789	12·1	26·3	14·2	67
1908	2,321,600	28,306	60,866	33,181	12·2	26·2	14·3	76
1909†	2,341,200	28,200	61,200	31,600	12·0	26·1	13·5	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	14	314	1,028	549	421	208	512	—	2,595	874
1882	52	679	1,231	1,380	311	249	782	—	2,649	892
1883	—	10	818	1,641	247	228	563	—	2,664	959
1884	3	1	505	1,782	343	197	635	—	2,619	1,006
1885	6	1	571	1,638	239	171	520	—	2,862	1,047
1886	—	3	898	1,548	235	165	714	—	2,701	1,038
1887	1	212	623	1,801	260	172	778	—	2,694	1,116
1888	5	487	461	1,632	448	139	675	—	2,827	1,112
1889	3	372	327	2,057	480	222	1,044	—	2,877	1,144
1890	1	123	454	2,528	216	184	739	—	3,055	1,148
1891	14	187	305	1,754	183	210	670	—	3,085	1,237
1892	3	334	215	1,368	453	87	822	2	3,358	1,278
1893	1	125	195	1,615	170	137	1,086	—	3,559	1,405
1894	1	470	275	1,620	436	140	1,115	—	3,663	1,449
1895	3	146	242	620	462	141	977	—	3,837	1,464
1896	—	185	224	356	470	185	1,076	—	3,892	1,691
1897	3	240	162	349	296	145	1,052	—	4,123	1,802
1898	6	243	113	379	369	164	600	—	4,391	1,802
1899	—	214	127	283	450	172	1,505	—	4,773	1,931
1900	—	216	177	181	365	133	880	—	4,888	2,008
1901	—	103	118	156	338	174	1,829	—	4,337	2,126
1902	—	287	106	242	461	102	508	—	4,249	1,964
1903	—	300	120	334	440	144	700	—	4,488	2,112
1904	—	234	72	318	140	99	720	—	4,489	2,182
1905	6	87	130	444	468	86	571	—	4,652	2,248
1906	—	42	80	477	428	126	627	—	4,539	2,239
1907	—	132	59	511	255	78	382	—	4,656	2,310
1908	19	293	85	555	225	79	849	—	4,376	2,252
1909	—	—	—	—	—	—	—	—	—	—

NOTE.—The deaths from the several diseases for the earlier years are incomplete; only about 50 per cent. of the causes of death were stated in 1881, against 85 per cent. in 1901.

* Census year.

† The figures for the year 1909 are provisional.

TABLE 74.—SWEDEN. Population, Marriages, Births, and Deaths, 1881-1909.

(Furnished by the Director of the Central Statistical Bureau, Sweden.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	4,568,956	56,602	132,804	80,800	12.4	29.1	17.7	113
1882	4,575,680	57,934	134,300	79,406	12.7	29.4	17.4	125
1883	4,591,355	58,898	132,875	79,487	12.9	28.9	17.3	116
1884	4,624,022	60,400	138,745	81,077	13.1	30.0	17.5	113
1885	4,663,609	61,822	137,308	82,781	13.3	29.4	17.8	114
1886	4,699,979	60,266	139,882	78,045	12.8	29.8	16.6	111
1887	4,726,045	59,034	140,169	76,227	12.5	29.7	16.1	103
1888	4,741,579	56,150	136,451	75,831	11.8	28.8	16.0	100
1889	4,761,333	56,956	132,069	76,124	12.0	27.7	16.0	107
1890*	4,779,695	57,222	133,597	81,824	12.0	28.0	17.1	103
1891	4,793,866	55,880	135,516	80,603	11.7	28.3	16.8	108
1892	4,804,808	54,676	129,622	85,894	11.4	27.0	17.9	109
1893	4,815,508	54,438	131,729	81,027	11.3	27.4	16.8	101
1894	4,848,667	55,702	131,409	79,444	11.5	27.1	16.4	101
1895	4,896,221	57,456	134,599	74,368	11.7	27.5	15.2	95
1896	4,940,914	58,752	134,308	77,259	11.9	27.2	15.6	103
1897	4,986,100	60,442	132,999	76,558	12.1	26.7	15.4	99
1898	5,036,275	61,800	136,523	75,949	12.3	27.1	15.1	91
1899	5,080,160	63,420	133,882	89,678	12.5	26.4	17.7	112
1900*	5,116,922	62,956	138,139	86,146	12.3	27.0	16.8	99
1901	5,155,835	62,556	139,370	82,772	12.1	27.0	16.1	103
1902	5,186,990	61,792	137,364	79,722	11.9	26.5	15.4	86
1903	5,210,022	60,176	133,896	78,610	11.6	25.7	15.1	93
1904	5,241,051	61,366	134,952	80,152	11.7	25.8	15.3	84
1905	5,277,848	61,776	135,409	82,443	11.7	25.7	15.6	88
1906	5,315,970	65,166	136,620	76,366	12.3	25.7	14.4	81
1907	5,357,384	66,502	136,793	78,149	12.4	25.5	14.6	77
1908	5,403,657	66,168	138,874	80,568	12.2	25.7	14.9	85
1909†	5,453,021	65,000	139,400	74,600	11.9	25.6	13.7	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.‡	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.§	Cancer (including Carcinoma and Sarcoma).§
1881	299	1,097	1,905	4,708	815	1,143	1,545	—	—	—
1882	159	1,721	1,364	4,423	1,044	1,325	3,206	—	—	—
1883	125	1,253	2,721	4,287	481	1,320	1,765	—	—	—
1884	58	321	3,305	3,490	726	1,398	1,962	—	—	—
1885	4	538	3,811	2,576	1,257	1,078	1,428	—	—	—
1886	2	445	3,326	2,333	1,116	1,220	2,091	—	—	—
1887	5	1,280	2,160	2,945	579	1,055	1,620	—	—	—
1888	9	1,383	1,259	2,102	700	879	1,378	—	—	—
1889	2	417	1,345	2,174	725	1,193	1,970	—	—	—
1890	2	733	2,382	2,796	1,003	1,068	1,374	—	—	—
1891	2	1,770	1,658	2,382	922	1,109	1,615	—	—	—
1892	4	422	1,587	2,704	956	1,022	1,338	—	—	—
1893	25	159	1,657	3,804	841	950	1,486	1	—	—
1894	21	302	1,115	3,582	874	905	1,386	5	—	—
1895	—	463	788	2,220	577	761	1,462	—	—	—
1896	2	665	654	1,871	1,109	809	1,675	—	—	—
1897	1	620	415	1,701	1,038	752	1,508	—	—	—
1898	1	324	271	1,881	1,047	710	1,288	—	—	—
1899	1	786	414	2,974	1,092	803	1,785	—	—	—
1900	2	459	426	2,610	626	704	1,598	—	—	—
1901	—	378	485	2,617	884	647	2,005	—	—	—
1902	1	638	436	1,754	1,084	539	985	—	—	—
1903	2	807	352	1,382	953	275	863	—	—	—
1904	1	173	437	1,346	885	266	878	—	—	—
1905	3	142	624	1,710	765	517	1,085	—	—	—
1906	—	198	387	1,146	881	334	932	—	—	—
1907	—	440	221	834	630	339	746	—	—	—
1908	1	490	252	643	962	478	917	—	—	—
1909	—	—	—	—	—	—	—	—	—	—

* Census year. † The figures for the year 1909 are provisional.
‡ Including Brain Fever and acute polio-myelitis.
§ The deaths from these diseases are not tabulated for the whole of Sweden.

TABLE 75.—RUSSIA, EUROPEAN (50 Governments, excluding Finland and the Provinces of the Vistula and of the Caucasus). **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Central Statistical Committee, Ministry of the Interior.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	—	1,462,542	3,679,694	2,560,483	18·8	47·8	33·2	252
1882	—	1,437,864	3,926,661	3,076,262	18·4	50·4	39·5	301
1883	—	1,470,126	3,834,964	2,881,430	18·8	49·8	36·9	284
1884	—	1,386,608	4,007,858	2,674,065	17·0	49·0	32·7	248
1885	81,725,185†	1,366,588	3,957,528	2,833,108	16·8	48·4	34·7	270
1886	85,395,209†	1,364,076	3,972,797	2,661,898	16·0	46·5	31·2	248
1887	—	1,467,098	4,062,606	2,757,722	17·2	47·5	32·2	256
1888	—	1,616,520	4,268,601	2,760,971	18·8	49·9	32·3	250
1889	—	1,485,364	4,232,577	2,991,608	17·2	48·8	34·5	275
1890	—	1,436,550	4,227,915	3,130,996	16·4	48·2	35·7	289
1891	—	1,494,302	4,372,419	3,095,552	16·6	48·8	34·6	274
1892	—	1,567,778	4,033,402	3,596,585	18·4	47·2	42·1	307
1893	—	1,575,054	4,298,323	3,028,300	17·2	47·0	33·1	252
1894	—	1,696,766	4,391,658	3,062,022	18·8	48·7	34·0	265
1895	—	1,685,262	4,539,176	3,213,841	18·4	49·4	35·0	280
1896	—	1,619,694	4,634,809	3,063,047	17·4	49·7	32·8	274
1897*	94,494,853	1,714,742	4,692,621	2,976,453	18·2	49·5	31·4	260
1898	—	1,651,204	4,625,558	3,156,303	17·4	48·7	33·2	279
1899	97,143,469	1,796,404	4,764,678	3,013,114	18·4	49·0	31·0	240
1900	98,379,841	1,746,036	4,853,804	3,055,030	17·6	49·4	31·1	252
1901	100,172,597	1,724,816	4,801,190	3,218,501	17·2	47·9	32·1	272
1902	101,634,686	1,755,818	4,993,248	3,204,333	17·2	49·1	31·5	260
1903	103,423,601	1,838,164	4,978,305	3,103,213	17·8	48·1	30·0	256
1904	105,650,900†	1,602,624	5,118,663	3,149,958	15·2	48·4	29·8	—
1905	—	—	—	—	—	—	—	—
1906	—	—	—	—	—	—	—	—
1907	—	—	—	—	—	—	—	—
1908	—	—	—	—	—	—	—	—
1909	—	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881										
1882										
1883										
1884										
1885										
1886										
1887										
1888										
1889										
1890										
1891										
1892										
1893										
1894										
1895										
1896										
1897										
1898										
1899										
1900										
1901										
1902										
1903										
1904										
1905										
1906										
1907										
1908										
1909										

NOTE.—The deaths from the several diseases are not tabulated for the whole of the Russian Empire.

* Census year. † Estimated to the 1st January.

TABLE 76.—FINLAND. **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Central Statistical Bureau, Finland.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS.	DEATHS. Exclusive of Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	2,071,712	28,566	72,436	51,744	13·8	35·0	25·0	186
1882	2,097,972	31,856	76,053	46,821	15·2	36·3	22·3	164
1883	2,129,848	33,092	76,378	44,291	15·5	35·9	20·8	149
1884	2,163,471	33,170	78,147	45,204	15·3	36·1	20·9	148
1885	2,194,532	31,956	75,129	48,261	14·6	34·2	22·0	162
1886	2,223,545	32,496	78,576	49,514	14·6	35·3	22·2	157
1887	2,258,356	34,358	81,724	42,875	15·2	36·2	19·0	132
1888	2,296,159	33,496	80,172	45,417	14·6	34·9	19·8	146
1889	2,330,940	32,198	77,881	45,679	13·8	33·4	19·6	142
1890*	2,380,469	33,770	77,860	46,479	14·2	32·7	19·5	142
1891	2,396,814	33,144	82,128	50,715	13·8	34·3	21·2	145
1892	2,423,580	29,650	76,433	57,486	12·2	31·5	23·7	170
1893	2,445,668	28,190	73,030	51,002	11·5	29·9	20·9	143
1894	2,472,341	32,226	76,206	47,467	13·0	30·8	19·2	140
1895	2,506,452	36,512	81,783	44,482	14·6	32·6	17·7	129
1896	2,543,583	38,378	81,656	47,061	15·1	32·1	18·5	143
1897	2,580,820	39,826	82,330	45,233	15·4	31·9	17·5	133
1898	2,622,679	41,222	89,106	45,751	15·7	34·0	17·4	128
1899	2,663,871	39,078	88,358	53,042	14·7	33·2	19·9	137
1900*	2,697,490	36,590	86,339	57,915	13·6	32·0	21·5	153
1901	2,728,757	37,070	88,637	56,223	13·6	32·5	20·6	145
1902	2,762,985	35,016	87,082	50,999	12·7	31·5	18·5	129
1903	2,798,658	35,308	85,120	49,992	12·6	30·4	17·9	127
1904	2,836,668	37,292	90,253	50,227	13·1	31·8	17·7	120
1905	2,874,563	37,264	87,841	52,773	13·0	30·6	18·4	135
1906	2,912,972	39,874	91,401	50,857	13·6	31·4	17·5	119
1907	2,954,330	40,532	92,457	53,028	13·7	31·3	17·9	112
1908	2,993,826	40,182	92,148	55,305	13·4	30·8	18·5	125
1909	3,036,087	38,336	95,005	50,577	12·8	31·3	16·7	111

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping Cough.‡	Enteric Fever.†	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.‡	Cancer (including Carcinoma and Sarcoma).§
1881	8,057	2,336	—	—	—	5,049	1,759	—	5,725	—
1882	4,137	1,412	—	—	—	4,911	1,727	—	5,082	—
1883	784	3,642	—	—	—	4,507	1,484	—	5,351	—
1884	321	4,179	—	—	—	4,570	1,480	—	5,568	—
1885	279	5,256	—	—	—	4,402	1,522	—	5,467	—
1886	266	5,696	—	—	—	4,516	1,725	—	5,602	—
1887	180	1,767	—	—	—	4,444	1,192	—	5,561	—
1888	99	1,048	—	—	—	4,885	1,808	2	6,120	—
1889	130	1,425	—	—	—	4,800	2,825	—	5,801	—
1890	90	2,933	—	—	—	4,985	1,642	2	6,279	—
1891	105	5,702	—	—	—	4,780	1,738	—	6,137	—
1892	790	7,576	—	—	—	5,540	1,489	3	6,777	—
1893	876	3,890	—	—	—	5,333	1,588	13	6,336	—
1894	255	3,287	—	—	—	4,703	1,403	29	6,383	—
1895	72	1,479	—	—	—	4,505	1,413	4	6,335	—
1896	56	1,692	—	—	—	4,836	1,766	—	6,765	—
1897	52	1,797	—	—	—	4,063	1,779	—	6,620	—
1898	77	2,414	—	—	—	4,016	1,707	—	6,687	—
1899	83	5,126	—	—	—	4,360	1,766	—	7,530	—
1900	49	6,282	—	—	—	4,939	2,176	—	8,011	—
1901	103	4,900	—	—	—	4,723	4,441	—	7,720	—
1902	72	3,283	—	—	—	4,479	1,557	—	8,090	—
1903	35	2,632	—	—	—	3,857	2,330	—	8,044	—
1904	36	1,398	—	—	—	4,202	1,573	—	8,490	—
1905	18	1,222	—	—	—	4,348	2,366	—	8,445	—
1906	29	2,258	—	—	—	4,579	1,816	—	7,858	—
1907	23	3,251	—	—	—	4,642	1,436	5	8,295	—
1908	24	2,773	—	—	—	5,254	2,380	5	8,713	—
1909	61	2,043	—	—	—	4,029	1,822	8	7,941	—

* Census year.

† The deaths from diphtheria and croup are included under enteric fever.

‡ The deaths from whooping cough are included under pulmonary tuberculosis.

§ The deaths from the several forms of malignant disease are not available.

TABLE 77.—GERMAN EMPIRE. Population, Marriages, Births, and Deaths, 1881-1909.

(Furnished by the Presidents of the Statistical Department, German Empire, and of the Imperial Health Office, Berlin.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS.	DEATHS. Exclusive of Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	45,425,887	677,818	1,682,149	1,156,391	14.9	37.0	25.5	—
1882	45,716,815	700,914	1,702,348	1,176,853	15.3	37.2	25.7	—
1883	46,013,927	705,998	1,683,699	1,190,002	15.3	36.6	25.9	—
1884	46,334,474	725,192	1,725,583	1,203,500	15.7	37.2	26.0	—
1885*	46,704,503	737,238	1,729,927	1,199,742	15.8	37.0	25.7	—
1886	47,131,981	744,652	1,746,133	1,233,737	15.8	37.0	26.2	—
1887	47,627,738	741,318	1,757,079	1,151,924	15.6	36.9	24.2	—
1888	48,165,671	753,308	1,761,407	1,142,826	15.6	36.6	23.7	—
1889	48,715,494	778,678	1,772,570	1,153,087	16.0	36.4	23.7	—
1890*	49,239,445	790,712	1,759,253	1,199,006	16.1	35.7	24.4	—
1891	49,762,206	798,796	1,840,172	1,164,421	16.1	37.0	23.4	—
1892	50,266,216	797,550	1,795,971	1,211,402	15.9	35.7	24.1	—
1893	50,756,521	802,468	1,865,715	1,248,201	15.8	36.8	24.6	—
1894	51,339,492	816,132	1,841,205	1,144,331	15.9	35.9	22.3	—
1895*	52,001,060	828,436	1,877,278	1,151,488	15.9	36.1	22.1	—
1896	52,753,455	864,214	1,914,749	1,098,966	16.4	36.3	20.8	—
1897	53,569,271	895,540	1,926,690	1,142,056	16.7	36.0	21.3	—
1898	54,406,277	917,754	1,964,731	1,117,860	16.9	36.1	20.5	—
1899	55,248,225	943,038	1,980,304	1,185,197	17.1	35.8	21.5	—
1900*	56,045,886	952,982	1,996,139	1,236,382	17.0	35.6	22.1	—
1901	56,861,612	936,658	2,032,313	1,174,489	16.5	35.7	20.7	207
1902	57,709,213	914,416	2,024,735	1,122,492	15.9	35.1	19.5	183
1903	58,575,463	926,300	1,983,078	1,170,905	15.8	33.9	20.0	204
1904	59,430,283	955,644	2,025,847	1,163,183	16.1	34.1	19.6	196
1905*	60,285,103	971,812	1,987,153	1,194,314	16.1	33.0	19.8	205
1906	61,139,923	997,980	2,022,477	1,112,202	16.3	33.1	18.2	185
1907	61,994,743	1,007,928	1,999,933	1,117,309	16.3	32.3	18.0	176
1908	62,849,563	1,001,240	2,015,052	1,135,490	15.9	32.1	18.1	178
1909	—	—	—	—	—	—	—	—

The Total Deaths† include:—

YEAR.	Estimated Population in the middle of each Year.	Small-pox.	Measles (including R6theln).	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma, Sarcoma, and New Growths).
1892	47,125,446	105	14,614	10,437	55,746	18,766	8,230	151,309	8,937	113,720	28,745
1893	47,625,932	151	13,555	13,575	75,322	19,713	7,392	149,927	360	115,641	30,013
1894	48,259,077	84	16,130	8,884	63,162	21,428	6,314	138,996	479	113,971	31,137
1895	48,818,672	27	9,536	8,538	37,527	17,063	6,129	171,016	1	112,087	32,071
1896	49,356,136	10	13,462	8,142	31,503	19,495	5,587	132,025	—	107,103	33,620
1897	49,893,600	5	10,793	6,720	25,788	21,056	5,771	162,269	—	107,089	34,584
1898	50,431,064	16	12,728	9,031	23,642	18,004	5,081	158,997	—	100,544	35,504
1899	51,843,158	25	12,794	13,369	23,816	19,015	5,756	161,771	—	104,698	38,209
1900	52,624,706	49	12,317	13,169	20,477	18,445	5,894	182,830	—	108,827	37,946
1901	53,406,252	52	16,334	13,351	21,142	19,766	5,691	163,435	—	103,154	39,917
1902	54,187,799	12	14,085	12,949	17,457	18,754	3,769	123,037	—	101,730	40,613
1903	54,969,346	18	14,979	14,851	18,707	16,797	4,028	138,876	—	102,972	42,535
1904	58,433,571	25	12,389	12,651	18,982	17,753	4,115	154,823	—	106,709	46,723
1905	59,413,982	27	9,421	9,351	16,967	18,856	3,750	147,605	77	106,552	48,078
1906†	61,139,923	47	13,340	9,974	14,692	17,948	3,478	132,417	—	98,152	49,127
1907†	61,994,743	63	11,330	11,151	14,089	12,830	3,012	113,219	—	97,555	50,930
1908	62,849,563	65	10,612	10,852	14,958	16,388	2,979	119,601	1	95,402	51,948
1909	—	—	—	—	—	—	—	—	—	—	—

* Census year.

† The causes of death for the whole of the German Empire are not available for years prior to 1906. The deaths in this table for the years 1892-1903 relate to ten of the federated states, representing 94 per cent. of the total population of the German Empire, and those for 1904 and 1905 to 23 states.

‡ The deaths from measles, whooping cough, and cancer for the years 1906 and 1907 are incomplete.

TABLE 78.—PRUSSIA (including Heligoland since 1891). **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the President of the Statistical Department, Prussia.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still- born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	27,382,662	419,172	1,013,266	682,415	15·3	37·0	24·9	199
1882	27,560,419	434,478	1,036,507	700,389	15·8	37·6	25·4	208
1883	27,746,488	441,496	1,029,187	711,437	15·9	37·1	25·6	211
1884	27,955,360	451,878	1,051,505	718,283	16·2	37·6	25·7	213
1885*	28,207,721	461,414	1,065,001	717,089	16·4	37·8	25·4	204
1886	28,484,191	463,176	1,074,801	742,955	16·3	37·7	26·1	225
1887	28,790,042	459,998	1,085,490	686,369	16·0	37·7	23·8	199
1888	29,137,429	466,842	1,091,661	665,617	16·0	37·5	22·8	193
1889	29,493,056	481,992	1,094,903	682,954	16·3	37·1	23·2	207
1890*	29,825,633	489,314	1,092,539	717,335	16·4	36·6	24·1	210
1891	30,165,866	491,812	1,138,533	689,602	16·3	37·7	22·9	201
1892	30,501,468	490,894	1,106,786	714,815	16·1	36·3	23·4	211
1893	30,830,253	496,696	1,156,578	746,665	16·1	37·5	24·2	206
1894	31,222,040	501,920	1,143,329	679,929	16·1	36·6	21·8	196
1895*	31,666,802	507,458	1,168,230	689,794	16·0	36·9	21·8	212
1896	32,160,484	529,644	1,185,500	666,795	16·5	36·9	20·7	191
1897	32,683,961	549,386	1,194,083	683,034	16·8	36·5	20·9	205
1898	33,207,438	560,788	1,219,532	665,144	16·9	36·7	20·0	193
1899	33,730,915	574,816	1,225,695	720,697	17·0	36·3	21·4	204
1900*	34,254,392	586,128	1,235,924	745,541	17·1	36·1	21·8	213
1901	34,801,607	577,134	1,260,573	713,792	16·6	36·2	20·5	200
1902	35,365,770	563,064	1,255,928	677,426	16·0	35·5	19·2	172
1903	35,929,933	570,768	1,235,387	708,033	15·9	34·4	19·7	194
1904	36,494,096	589,464	1,264,734	702,257	16·2	34·7	19·2	185
1905*	37,058,259	599,976	1,241,869	726,862	16·2	33·5	19·6	198
1906	37,622,422	619,844	1,269,775	673,761	16·4	33·8	17·9	177
1907	38,186,585	626,078	1,259,804	681,064	16·4	33·0	17·8	168
1908	38,750,748	622,262	1,269,544	694,126	16·1	32·8	17·9	173
1909	39,306,793	615,808	1,249,040	667,782	15·7	31·8	17·0	164

The Total Deaths include:—										
YEAR.	Small- pox.	Measles (including Röteln).	Scarlet Fever.	Diphtheria and Croup.	Whoop- ing Cough.	Fever.	Diarrhoea and Dys- entery.†	Asiatic Cholera.	Tuberc- ulosis.‡	Cancer (including Carcinoma, Sarcoma, and New Growths).
1881	990	8,433	17,180	39,850	13,855	15,487	23,599	—	84,363	8,525
1882	1,007	9,887	16,484	49,855	15,655	13,914	25,574	—	85,359	8,778
1883	547	10,371	13,187	45,890	14,714	12,804	27,809	—	88,837	9,383
1884	413	13,435	16,573	49,702	14,622	12,657	31,745	—	87,756	9,865
1885	395	16,042	17,750	53,842	13,620	9,782	25,621	—	88,056	10,108
1886	143	19,326	12,301	55,033	15,152	8,972	35,078	—	88,283	10,919
1887	148	11,470	8,311	50,597	14,555	7,670	27,213	—	84,124	10,981
1888	84	8,248	6,691	38,519	14,470	6,795	26,770	—	84,109	11,906
1889	159	9,380	7,749	40,814	13,416	7,106	38,119	—	82,529	12,819
1890	36	12,150	8,670	43,497	17,299	6,121	32,607	—	84,086	12,904
1891	36	6,110	4,918	36,160	13,438	6,019	35,799	—	80,151	13,487
1892	91	10,606	6,267	40,201	13,929	6,243	43,563	866	76,161	15,122
1893	136	8,751	9,956	55,401	15,272	5,303	43,743	289	76,977	15,740
1894	77	9,706	6,779	46,026	14,755	4,772	36,411	478	74,656	16,480
1895	24	6,184	7,067	28,717	12,329	4,697	54,784	—	73,752	16,850
1896	7	10,116	6,892	24,251	14,846	4,328	37,931	—	70,373	17,643
1897	5	6,814	5,471	20,077	15,142	4,308	51,280	—	70,380	18,315
1898	12	9,040	7,708	18,147	12,748	3,729	49,082	—	65,560	18,695
1899	25	9,752	12,136	18,593	13,351	4,416	57,610	—	68,408	20,011
1900	46	6,803	12,039	16,138	13,313	4,631	64,017	—	70,602	20,430
1901	47	10,744	11,831	16,809	13,990	4,420	62,962	—	67,445	21,488
1902	13	10,080	11,134	14,175	13,284	2,846	36,756	—	66,726	21,876
1903	14	9,702	12,427	14,914	11,663	2,874	56,859	—	70,049	23,420
1904	17	7,367	10,202	14,162	12,051	2,867	68,128	—	69,326	25,050
1905	10	6,292	7,446	12,005	13,327	2,730	80,286	77	70,323	25,704
1906	30	9,107	7,770	10,025	11,749	2,419	70,322	—	64,459	26,498
1907	23	6,925	8,484	9,307	8,827	2,168	58,898	—	65,054	28,034
1908	61	7,379	8,482	9,797	10,672	2,065	65,860	1	63,320	28,531
1909	18	6,657	8,455	9,832	9,875	1,911	58,864	9	60,871	29,429

* Census year.

† The deaths from diarrhoea for the years 1881-1902 relate to children under 15 years of age.

‡ Deaths from pulmonary tuberculosis were not separately tabulated for the entire period.

TABLE 79.—AUSTRIA. **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the President of the Statistical Central Commission, Austria.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	22,209,173	353,966	833,476	676,515	15.9	37.5	30.5	—
1882	22,458,476	366,756	873,522	686,951	16.3	38.9	30.6	—
1883	22,522,423	352,032	858,832	677,337	15.6	38.1	30.1	—
1884	22,696,370	353,342	878,321	666,523	15.8	38.6	29.4	—
1885	22,865,317	351,084	861,391	691,229	15.4	37.7	30.2	—
1886	23,027,423	361,046	876,851	679,994	15.7	38.1	29.5	—
1887	23,212,423	364,854	890,186	673,878	15.7	38.3	29.0	—
1888	23,399,791	372,546	890,663	688,122	15.9	38.1	29.4	—
1889	23,604,923	356,260	899,168	648,224	15.1	38.1	27.5	—
1890*	23,795,286	353,446	869,703	697,935	15.1	36.5	29.3	—
1891	23,996,119	373,516	920,306	674,683	15.6	38.3	28.1	—
1892	24,163,944	375,970	872,098	694,746	15.6	36.1	28.7	—
1893	24,340,142	387,116	924,298	661,533	15.9	38.0	27.2	—
1894	24,537,039	388,952	902,159	683,944	15.9	36.8	27.9	—
1895	24,731,121	399,522	941,184	682,899	16.2	38.1	27.6	238
1896	24,961,694	396,922	948,419	657,011	15.9	38.0	26.3	235
1897	25,212,994	407,686	944,764	646,019	16.2	37.5	25.6	220
1898	25,462,769	399,322	923,241	635,115	15.7	36.3	24.9	228
1899	25,714,019	427,502	960,205	658,269	16.6	37.3	25.6	219
1900*	25,975,976	428,428	967,939	658,680	16.5	37.3	25.3	226
1901	26,291,190	427,514	961,501	631,377	16.3	36.6	24.0	210
1902	26,572,015	413,154	984,240	656,400	15.5	37.0	24.7	218
1903	26,841,221	418,270	943,953	638,092	15.6	35.2	23.8	211
1904	27,106,432	420,292	961,430	642,333	15.5	35.5	23.7	219
1905	27,337,991	425,854	921,764	684,537	15.6	33.7	25.0	216
1906	27,581,146	434,634	961,258	619,063	15.8	34.9	22.4	209
1907	27,862,590	419,628	942,169	629,913	15.0	33.8	22.6	204
1908†	28,129,961	427,340	941,375	627,771	15.2	33.5	22.3	—
1909	—	—	—	—	—	—	—	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.‡	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	18,019	10,812	14,608	36,648	23,698	18,712	33,326	—	84,533	9,364
1882	21,154	9,573	16,906	38,769	24,242	17,561	40,937	—	84,329	9,545
1883	13,310	9,903	13,340	31,066	23,957	15,342	37,616	—	90,249	9,991
1884	11,521	11,953	12,503	28,588	27,695	14,774	36,766	—	88,608	10,364
1885	13,212	11,479	12,410	29,490	24,785	16,384	40,713	—	92,164	10,877
1886	8,794	14,209	12,147	31,666	20,977	15,890	42,581	—	91,555	11,122
1887	9,591	14,073	15,737	35,512	21,792	14,807	41,855	—	85,616	11,086
1888	14,138	12,627	14,571	32,532	20,561	14,049	42,807	—	89,599	11,537
1889	12,358	8,990	10,453	28,845	23,156	11,531	43,208	—	81,583	12,175
1890	5,935	15,182	12,158	28,414	27,274	11,099	46,317	—	93,364	12,525
1891	6,838	11,816	13,749	28,888	20,654	10,543	43,362	—	86,657	13,027
1892	6,087	8,941	13,790	28,412	17,178	13,637	59,774	—	88,043	13,774
1893	5,821	7,503	12,695	28,531	15,429	11,123	45,398	—	83,885	14,352
1894	2,512	14,228	12,287	32,578	14,621	9,207	50,114	—	88,539	14,912
1895	1,164	8,577	13,547	29,874	19,016	8,901	7,942	459	91,663	15,757
1896	897	7,928	16,341	27,401	18,208	7,851	4,066	19	88,278	16,410
1897	1,450	9,229	14,316	23,347	12,956	7,382	4,834	—	86,278	17,109
1898	2,521	13,765	15,009	19,740	10,622	7,127	3,557	—	83,682	17,667
1899	1,899	11,556	14,614	18,198	12,307	6,290	2,583	—	88,251	17,961
1900	369	5,731	10,422	13,723	13,452	6,229	3,291	—	92,196	18,423
1901	96	8,166	12,551	13,152	12,123	5,878	1,712	—	87,897	19,154
1902	30	17,169	14,930	11,251	15,984	4,813	1,600	—	89,648	19,685
1903	17	5,546	15,573	11,227	11,911	5,301	2,991	—	90,230	19,728
1904	17	8,260	9,767	11,961	9,704	5,237	1,365	—	89,830	20,231
1905	20	6,789	8,099	10,740	9,737	4,864	2,848	—	98,312	20,744
1906	39	9,107	10,554	9,228	13,255	4,127	1,364	—	86,754	21,391
1907	41	6,805	10,006	6,893	10,606	4,164	2,525	—	87,627	21,431
1908	14	7,923	14,965	8,009	8,972	4,201	827	—	84,947	21,788
1909	—	—	—	—	—	—	—	—	—	—

NOTE.—The figures in these tables refer exclusively to the civil population.

* Census year.

† The figures for the year 1908 are provisional.

‡ The deaths in this column for 1895 and subsequent years refer to dysentery only.

TABLE 30.—HUNGARY. Population, Marriages, Births, and Deaths, 1881-1909.

(Furnished by the Director of the Central Statistical Office, Kingdom of Hungary.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS.	DEATHS. Exclusive of Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	15,797,000	315,466	676,891	542,880	19·9	42·9	34·4	—
1882	15,919,000	327,678	696,682	561,579	20·6	43·8	35·3	—
1883	16,064,000	335,312	718,908	516,468	20·9	44·8	32·2	—
1884	16,265,000	335,056	741,206	504,473	20·6	45·6	31·0	—
1885	16,472,000	330,598	737,358	524,619	20·1	44·8	31·8	—
1886	16,676,000	321,586	759,865	527,961	19·3	45·6	31·7	—
1887	16,861,000	303,248	744,737	569,380	18·0	44·2	33·8	—
1888	17,031,000	317,762	745,867	545,169	18·7	43·8	32·0	—
1889	17,233,000	281,226	753,312	513,467	16·3	43·7	29·9	—
1890*	17,404,000	285,366	701,504	563,609	16·4	40·3	32·4	—
1891	17,536,168	301,650	742,416	581,263	17·2	42·3	33·1	255
1892	17,647,293	325,414	712,608	618,765	18·4	40·4	35·1	274
1893	17,779,476	333,022	758,222	554,941	18·8	42·6	31·2	239
1894	17,963,599	332,150	744,995	547,194	18·6	41·5	30·5	244
1895	18,155,843	307,862	758,302	538,768	17·0	41·8	29·7	240
1896	18,355,347	294,954	742,936	530,368	16·2	40·5	28·9	226
1897	18,554,494	302,338	748,064	528,967	16·4	40·3	28·5	222
1898	18,738,579	312,416	706,833	524,390	16·8	37·7	28·0	222
1899	18,927,595	341,652	743,272	514,334	18·2	39·3	27·2	206
1900*	19,144,142	339,374	752,718	515,234	17·8	39·3	26·9	219
1901	19,366,180	340,632	731,721	491,804	17·6	37·8	25·4	205
1902	19,585,304	338,058	759,739	528,058	17·2	38·8	27·0	216
1903	19,789,127	320,442	725,239	515,926	16·2	36·7	26·1	212
1904	19,999,589	364,340	740,799	495,836	18·2	37·0	24·8	195
1905	20,185,201	341,120	720,532	560,921	16·8	35·7	27·8	230
1906	20,362,913	353,652	733,953	504,790	17·4	36·0	24·8	205
1907	20,571,946	402,862	740,867	518,614	19·6	36·0	25·2	208
1908	20,786,278	377,296	755,888	516,128	18·2	36·3	24·8	199
1909	21,014,281	357,770	776,395	526,798	17·0	37·0	25·1	212

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Infective Enteritis, Infantile	Diarrhoea and Dysentery.†	Asiatic Cholera.	Tuberculosis.‡	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—	—
1888	—	—	—	—	—	—	—	—	—	—	—
1889	—	—	—	—	—	—	—	—	—	—	—
1890	—	—	—	—	—	—	—	—	—	—	—
1891	—	—	—	—	—	—	—	—	—	—	—
1892	—	—	—	—	—	—	—	—	—	—	—
1893	—	—	—	—	—	—	—	—	—	—	—
1894	—	—	—	—	—	—	—	—	—	—	—
1895	—	—	—	—	—	—	—	—	—	—	—
1896	—	—	—	—	—	—	—	—	—	—	—
1897	1,506	5,182	8,645	14,007	15,069	7,255	9,486	—	—	59,860	4,975
1898	1,656	9,111	11,666	14,005	12,433	8,224	11,876	—	—	68,511	5,458
1899	1,363	10,950	12,258	12,552	8,968	6,782	8,675	—	—	73,323	5,267
1900	815	7,327	9,658	9,941	7,616	6,193	8,573	—	—	72,467	7,021
1901	841	7,983	11,486	9,227	7,028	5,538	6,019	—	—	70,731	6,941
1902	322	10,103	14,135	9,038	12,817	5,338	6,834	—	—	75,145	7,461
1903	249	6,965	16,318	10,740	9,500	5,554	6,542	—	—	76,637	7,742
1904	445	5,969	14,467	9,013	5,360	5,089	5,461	—	—	77,923	8,112
1905	457	8,816	9,100	8,132	6,650	6,499	7,337	—	—	89,120	8,110
1906	232	9,894	8,829	7,150	8,103	5,509	6,073	—	—	78,225	8,229
1907	146	8,569	11,758	7,166	8,807	5,440	5,615	—	—	79,018	8,635
1908	121	9,299	13,598	9,288	6,369	5,058	4,571	—	—	76,940	9,022
1909	101	8,163	10,654	9,212	7,044	6,336	6,997	—	—	75,954	9,175

* Census year.

† Infective enteritis relates to deaths certified by physician-coroners.

‡ The deaths from pulmonary tuberculosis being incomparable, those from tuberculosis have been substituted.

TABLE 81.—ROUMANIA. Population, Marriages, Births, and Deaths, 1881-1909.

(Furnished by the Director of the Statistical Department, Roumania.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION to the end of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	4,622,674	84,134	192,004	123,390	18.2	41.5	26.7	177
1882	4,687,722	88,484	189,220	132,411	18.8	40.4	28.2	199
1883	4,776,193	94,412	204,301	124,069	19.8	42.8	26.0	175
1884	4,862,037	81,096	201,413	123,808	16.6	41.4	25.5	178
1885	4,960,043	79,172	213,581	123,814	16.0	43.1	25.0	180
1886	5,046,363	77,976	212,820	134,739	15.4	42.2	26.7	183
1887	5,108,406	77,922	209,573	155,769	15.2	41.0	30.5	193
1888	5,177,629	76,672	219,658	158,674	14.8	42.4	30.6	199
1889	5,256,221	82,244	213,222	142,869	15.6	40.6	27.2	191
1890	5,318,341	77,288	204,667	150,786	14.6	38.5	28.4	211
1891	5,392,576	88,534	228,283	162,287	16.6	42.3	30.1	210
1892	5,424,517	83,514	211,679	187,977	15.4	39.0	34.7	243
1893	5,485,739	81,054	222,115	169,132	14.8	40.5	30.8	217
1894	5,544,706	99,072	226,605	175,877	17.8	40.9	31.7	227
1895	5,635,434	82,934	238,191	155,702	14.8	42.3	27.6	201
1896	5,709,959	94,648	232,428	166,142	16.6	40.7	29.1	230
1897	5,795,235	83,216	248,845	171,808	14.4	42.9	29.6	216
1898	5,863,037	87,522	215,029	155,358	15.0	36.7	26.5	222
1899*	5,956,690	100,289	250,450	163,881	16.8	42.0	27.5	198
1900	6,045,389	80,814	234,843	146,144	13.4	38.8	24.2	191
1901	6,125,742	87,500	240,704	160,351	14.2	39.3	26.2	—
1902	6,195,798	110,908	241,884	171,828	18.0	39.0	27.7	—
1903	6,292,032	109,576	252,242	156,008	17.4	40.1	24.8	—
1904	6,392,273	103,624	256,177	155,936	16.2	40.1	24.4	—
1905	6,480,300	102,382	247,959	159,932	15.8	38.6	25.0	—
1906	6,535,572	133,726	262,438	157,204	20.6	40.5	24.3	—
1907	6,634,265	140,526	274,487	175,794	21.3	41.7	26.7	—
1908	6,771,722	122,998	272,850	185,393	18.4	40.8	27.7	—
1909	6,865,739	126,424	282,342	188,325	18.7	41.7	27.8	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.†	Cancer (including Carcinoma and Sarcoma).†
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	1,046	323	550	1,366	183	—	101	—	—	—
1887	1,471	1,291	1,088	1,096	332	—	611	—	—	—
1888	2,662	268	1,574	656	190	—	378	—	—	—
1889	885	352	446	304	189	—	109	—	—	—
1890	236	1,055	295	1,236	199	—	185	—	—	—
1891	241	360	713	1,128	776	1,363	283	—	—	—
1892	308	402	829	1,077	808	1,056	384	—	—	—
1893	239	875	1,620	907	613	734	200	872	—	—
1894	26	2,568	3,638	1,187	495	629	1,527	—	—	—
1895	638	729	2,080	1,092	488	573	281	—	—	—
1896	2,813	331	1,773	1,339	623	407	349	—	—	—
1897	1,512	452	889	2,297	1,178	972	97	—	—	—
1898	99	2,026	728	1,928	1,482	712	260	—	—	—
1899	63	1,954	2,101	1,814	706	819	685	—	—	—
1900	2	307	2,263	1,251	925	496	275	—	—	—
1901	1	1,176	3,036	1,293	600	671	716	—	—	—
1902	14	2,854	4,189	981	1,425	628	728	—	—	—
1903	2	2,028	3,760	829	1,358	914	1,085	—	—	—
1904	18	1,671	2,099	631	618	813	972	—	—	—
1905	—	319	1,152	477	1,013	932	1,369	—	—	—
1906	2	224	1,309	441	1,290	1,027	632	—	—	—
1907	—	1,433	2,362	376	1,102	1,160	591	—	—	—
1908	—	1,662	5,260	303	2,360	1,400	494	—	—	—
1909	1	705	7,392	358	1,081	1,982	503	—	—	—

* Census year.

† Deaths from pulmonary tuberculosis and cancer are not separately tabulated for the whole of the Kingdom of Roumania.

TABLE 82.—BULGARIA. **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Director of the Statistical Bureau, Bulgaria.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	2,020,633	40,534	67,591	32,287	20·0	33·5	16·3	69
1882	2,046,303	39,590	74,612	38,854	19·4	36·5	19·0	106
1883	2,072,299	40,690	79,278	40,673	19·6	38·3	19·6	75
1884	2,098,627	36,542	80,257	35,787	17·4	38·2	17·1	78
1885	2,125,289	27,880	79,344	35,183	13·2	37·3	16·6	75
1886	2,152,289	39,192	69,714	41,044	18·2	32·3	19·1	105
1887	2,179,632	40,178	83,179	39,396	18·4	38·2	18·1	78
1888*	3,169,671	52,444	118,823	57,278	16·6	37·5	18·1	92
1889	3,200,485	50,806	116,918	58,893	15·8	36·5	18·4	92
1890	3,231,599	58,846	112,772	67,854	18·2	34·9	21·0	108
1891	3,263,016	59,316	126,924	86,817	18·2	38·9	26·6	121
1892	3,294,737	55,106	117,883	103,550	16·8	35·8	31·4	144
1893*	3,336,276	43,934	116,319	91,829	13·2	34·9	27·5	147
1894	3,387,995	53,280	127,516	92,037	15·8	37·6	27·2	142
1895	3,440,517	62,460	138,338	90,210	18·2	40·2	26·2	144
1896	3,493,852	58,398	143,255	84,076	16·8	41·0	24·1	134
1897	3,548,014	58,454	149,631	90,134	16·4	42·2	25·4	147
1898	3,603,017	56,464	141,046	82,725	15·6	39·1	23·0	143
1899	3,653,872	64,154	148,172	90,324	17·6	40·5	24·7	158
1900*	3,715,593	61,322	156,962	83,667	16·6	42·2	22·5	131
1901	3,772,444	65,638	141,373	87,239	17·9	37·5	23·1	143
1902	3,829,402	72,082	148,719	91,093	18·8	38·8	23·8	143
1903	3,887,219	73,368	159,164	88,314	18·8	40·9	22·7	154
1904	3,945,911	89,236	167,263	83,731	22·6	42·4	21·2	142
1905*	4,005,488	86,482	174,189	87,304	21·6	43·5	21·8	159
1906	4,065,965	77,540	178,989	90,870	19·1	44·0	22·3	154
1907	4,127,361	81,700	180,059	92,193	19·8	43·6	22·3	154
1908	4,189,684	74,096	169,328	101,807	17·7	40·4	24·3	170
1909	4,252,861	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881										
1882										
1883										
1884										
1885										
1886										
1887										
1888										
1889										
1890										
1891										
1892										
1893										
1894										
1895										
1896										
1897										
1898										
1899										
1900										
1901										
1902										
1903										
1904										
1905										
1906										
1907										
1908										
1909										

NOTE.—The deaths from the several diseases are not tabulated for the whole of Bulgaria.

NOTE.—The figures for the years 1881-1887 relate to North Bulgaria only, those for 1888 and subsequent years include Eastern Roumelia.

* Census year.

TABLE 83.—SERVIA. **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Director of the State Statistical Bureau, Servia.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	1,764,844	41,864	80,678	43,645	23.7	45.7	24.7	149
1882	1,806,967	44,016	80,274	41,648	34.3	44.4	23.0	150
1883	1,855,352	44,194	87,151	42,263	23.8	47.0	22.8	145
1884	1,901,736	40,740	90,441	47,552	21.4	47.6	25.0	166
1885*	1,946,354	34,214	90,627	52,313	17.6	46.6	26.9	174
1886	1,977,224	46,652	83,091	58,525	23.6	42.0	29.6	192
1887	2,026,958	45,110	93,911	50,481	22.3	46.3	24.9	156
1888	2,077,427	45,474	94,865	50,700	21.9	45.7	24.4	140
1889	2,123,362	43,506	93,724	54,093	20.5	44.1	25.5	155
1890*	2,161,961	43,110	87,020	54,723	19.9	40.2	25.3	145
1891	2,191,908	46,392	98,538	58,149	20.2	45.0	26.5	167
1892	2,211,606	42,036	93,833	74,135	19.0	42.4	33.5	196
1893	2,240,270	47,358	95,232	66,568	21.1	42.5	29.7	175
1894	2,272,992	49,926	96,488	63,766	22.0	42.4	28.0	163
1895*	2,312,484	41,193	101,676	62,184	17.8	44.0	26.9	158
1896	2,345,837	41,682	96,752	63,399	17.8	41.2	27.0	167
1897	2,384,205	42,314	101,605	63,237	17.7	42.6	26.5	167
1898	2,413,694	45,042	84,789	55,300	18.7	35.1	22.9	161
1899	2,450,392	48,912	96,246	59,548	20.0	39.3	24.3	152
1900*	2,492,882	62,406	104,772	58,034	25.0	42.0	23.3	150
1901	2,535,956	42,060	96,348	53,274	16.6	38.0	21.0	145
1902	2,576,517	53,036	98,000	57,439	20.6	38.0	22.3	151
1903	2,621,576	49,002	105,553	60,494	19.0	40.9	23.5	151
1904	2,671,505	61,098	106,259	56,330	22.9	39.8	21.1	135
1905*	2,688,747	53,216	100,242	65,276	19.8	37.3	24.4	165
1906	2,735,147	55,956	112,973	65,851	20.4	41.3	24.0	144
1907	2,784,036	59,130	111,340	62,451	21.2	40.0	22.8	147
1908	2,821,015	51,730	103,903	66,924	18.4	36.8	23.7	153
1909	2,847,891	53,282	110,226	83,350	18.7	36.5	29.3	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—
1888	1,773	—	—	—	—	—	2,483	—	—	—
1889	1,986	—	—	—	—	4,307	1,439	—	—	—
1890	1,916	—	—	—	—	5,486	1,726	—	—	—
1891	?	—	—	—	—	3,169	2,345	—	—	—
1892	2,184	2,341	6,511	7,691	4,367	5,437	5,437	—	5,626	121
1893	3,516	2,411	7,221	4,344	3,798	3,285	3,285	—	6,505	140
1894	4,233	1,304	9,934	4,227	3,232	1,576	1,576	—	5,482	156
1895	2,865	612	11,653	5,643	2,678	1,505	1,505	—	5,055	128
1896	5,567	386	11,572	5,174	2,471	1,654	1,654	—	5,109	154
1897	1,548	306	7,693	5,741	3,412	2,833	2,833	—	5,413	167
1898	2,693	420	3,401	5,745	2,726	1,358	1,358	—	5,228	178
1899	4,203	1,953	4,241	5,019	2,638	1,454	1,454	—	5,811	233
1900	1,343	2,074	3,194	5,703	2,351	1,922	1,922	—	6,396	235
1901	799	1,799	1,937	3,913	2,432	1,677	1,677	—	6,166	230
1902	1,654	2,635	1,875	5,214	2,179	1,460	1,460	—	6,843	238
1903	3,148	2,593	1,992	7,544	1,834	1,685	1,685	—	7,276	248
1904	1,067	2,498	1,366	4,642	1,964	1,798	1,798	—	7,400	275
1905	2,607	3,418	1,433	4,408	435	2,066	2,066	—	8,940	279
1906	4,778	4,696	1,415	4,166	451	2,263	2,263	—	7,861	290
1907	996	3,974	1,142	4,986	367	1,739	1,739	—	8,143	371
1908	1,722	3,987	915	5,866	371	2,177	2,177	—	8,799	355
1909	—	—	—	—	—	—	—	—	—	—

* Census year.

TABLE 84.—THE NETHERLANDS. **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Director of the Netherlands Central Statistical Bureau.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	† PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	† PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	4,087,334	59,698	142,969	87,726	14.6	35.0	21.5	182
1882	4,143,524	59,142	146,454	85,950	14.2	35.3	20.7	175
1883	4,199,018	59,630	144,102	91,656	14.2	34.3	21.8	187
1884	4,251,669	61,056	148,480	94,413	14.4	34.9	22.2	194
1885	4,307,142	59,788	148,028	90,304	13.8	34.4	21.0	169
1886	4,363,434	60,596	150,851	95,239	13.8	34.6	21.8	192
1887	4,420,864	61,848	149,157	87,093	14.0	33.7	19.7	162
1888	4,478,401	61,724	151,094	91,241	13.8	33.7	20.4	173
1889*	4,527,264	62,988	150,529	91,135	14.0	33.2	20.1	177
1890	4,537,990	64,608	149,329	93,246	14.0	32.9	20.5	171
1891	4,593,155	65,414	154,687	94,844	14.2	33.7	20.7	169
1892	4,645,660	66,660	148,714	97,530	14.4	32.0	21.0	174
1893	4,701,243	68,622	159,005	90,372	14.6	32.9	19.2	164
1894	4,764,279	68,940	154,722	87,970	14.4	32.7	18.5	152
1895	4,827,549	71,196	158,130	90,007	14.8	32.8	18.6	167
1896	4,894,055	72,980	160,247	84,291	15.0	32.7	17.2	148
1897	4,966,431	73,592	161,441	83,856	14.8	32.5	16.9	148
1898	5,039,418	73,626	160,765	85,813	14.6	31.9	17.0	156
1899*	5,107,098	75,980	163,289	87,319	14.8	32.0	17.1	149
1900	5,159,347	78,838	162,611	92,043	15.2	31.5	17.8	155
1901	5,221,180	80,522	168,380	89,967	15.4	32.3	17.2	149
1902	5,305,207	79,889	168,728	86,248	15.2	31.8	16.3	130
1903	5,389,082	79,415	170,108	83,933	14.9	31.6	15.6	135
1904	5,470,301	80,530	171,495	87,128	14.7	31.4	15.9	137
1905	5,550,690	80,766	170,767	85,016	14.6	30.8	15.3	131
1906	5,631,824	83,739	170,952	83,259	14.9	30.4	14.8	127
1907	5,709,755	85,912	171,510	83,356	15.0	30.0	14.6	112
1908	5,786,231	83,066	171,861	86,936	14.4	29.7	15.0	125
1909	5,861,813	82,548	170,766	80,283	14.1	29.1	13.7	99

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.†	Diarrhoea and Dysentery.§	Asiatic Cholera.	Pulmonary Tuberculosis.¶	Cancer (including Carcinoma and Sarcoma).
1881	75	874	400	240	1,626	877	1,756	—	7,991	2,353
1882	153	784	275	314	1,633	813	1,674	—	8,163	2,421
1883	673	1,012	259	554	1,196	765	1,883	—	8,547	2,436
1884	62	2,193	1,017	703	994	764	2,119	—	8,645	2,621
1885	31	657	1,286	718	1,955	571	1,312	—	8,583	2,841
1886	72	2,035	844	814	1,326	670	2,733	—	8,594	2,925
1887	18	1,541	428	689	973	568	1,677	—	7,845	2,887
1888	1	1,655	188	535	1,864	556	1,778	—	8,335	3,111
1889	10	1,620	98	658	1,273	622	2,075	—	8,804	3,411
1890	1	1,526	77	671	1,276	579	1,633	—	8,865	3,332
1891	10	1,331	74	684	1,649	631	1,689	—	8,979	3,648
1892	49	1,200	246	665	1,488	711	1,240	193	8,906	3,712
1893	190	795	233	934	1,521	566	1,743	113	8,647	3,798
1894	625	737	128	903	1,269	496	1,232	53	9,010	3,859
1895	79	538	166	603	1,535	518	1,821	—	8,897	4,122
1896	34	1,171	202	617	1,477	481	1,368	—	8,429	4,329
1897	1	538	162	543	1,094	447	711	—	8,631	4,487
1898	7	838	106	474	1,357	507	554	—	8,027	4,685
1899	—	405	206	439	1,488	583	588	—	7,937	4,900
1900	6	1,326	152	428	1,180	544	423	—	8,451	4,733
1901	7	2,741	101	631	1,211	474	9,227	—	7,171	4,894
1902	5	2,430	128	540	1,053	454	5,980	—	7,028	5,040
1903	22	1,223	132	484	860	457	7,874	—	7,117	5,331
1904	11	2,399	175	485	1,409	485	8,444	1	7,081	5,356
1905	13	1,182	191	445	1,226	461	7,682	—	7,533	5,618
1906	6	1,400	155	357	1,002	453	7,833	—	7,531	5,673
1907	6	1,477	269	352	1,035	372	5,149	—	7,403	5,813
1908	1	1,576	302	365	1,325	363	7,443	—	6,917	5,947
1909	—	968	177	338	1,002	317	5,034	18	7,186	6,012

* Census year.
† The figures for 1902 and subsequent years are exclusive of foreigners.
‡ Including Typhus.
§ The deaths in this column for 1901 and subsequent years include those of children under two years of age from gastro-enteritis.
¶ The deaths in this column for 1881-1886 include those from diabetes.

TABLE 85.—BELGIUM. **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Director-General of the Statistical Department, Belgium.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION to the end of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	5,585,846	78,974	175,411	117,007	14·3	31·8	21·2	155
1882	5,655,197	78,428	176,345	114,298	14·0	31·6	20·5	151
1883	5,720,807	77,332	174,484	119,196	13·7	30·8	21·1	154
1884	5,784,958	78,410	176,721	121,070	13·6	30·9	21·2	168
1885	5,853,278	79,820	175,043	117,775	13·8	30·3	20·4	150
1886	5,909,975	79,284	175,091	124,904	13·5	29·9	21·3	178
1887	5,974,743	84,982	175,466	115,296	14·4	29·7	19·3	145
1888	6,030,043	84,854	175,586	121,097	14·2	29·4	20·3	165
1889	6,093,798	87,518	177,542	119,726	14·5	29·4	19·8	160
1890*	6,069,321	89,192	176,595	126,545	14·6	29·0	20·8	166
1891	6,136,444	90,898	181,917	128,786	15·0	30·0	21·2	162
1892	6,195,355	94,418	177,485	133,693	15·4	28·9	21·8	169
1893	6,262,272	94,130	183,062	125,530	15·2	29·5	20·3	165
1894	6,341,958	95,470	181,466	118,213	15·0	29·0	18·6	152
1895	6,410,783	99,424	183,015	125,148	15·5	28·5	19·5	172
1896	6,495,886	105,170	188,533	113,748	16·2	29·0	17·5	142
1897	6,586,593	108,396	190,987	113,586	16·5	29·0	17·2	149
1898	6,669,732	110,888	190,921	117,457	16·6	28·6	17·6	160
1899	6,744,532	111,530	194,268	126,963	16·5	28·8	18·8	167
1900*	6,693,548	115,422	193,789	129,046	17·2	28·9	19·3	172
1901	6,799,999	114,262	200,077	116,077	17·4	29·4	17·2	142
1902	6,896,079	112,314	195,871	119,330	16·2	28·4	17·3	144
1903	6,985,219	109,892	192,301	118,675	15·7	27·5	17·0	155
1904	7,074,910	113,480	191,721	119,506	16·0	27·1	16·9	152
1905	7,160,547	113,358	187,437	118,343	15·8	26·1	16·5	146
1906	7,238,622	116,776	186,271	118,884	16·1	25·7	16·4	153
1907	7,317,561	117,320	185,138	115,347	16·0	25·3	15·7	132
1908	7,386,444	115,128	183,834	121,964	15·6	24·9	16·5	147
1909	7,451,903	—	—	—	—	—	—	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.†	Cancer (including Carcinoma and Sarcoma).‡
1881	2,721	2,936	1,895	4,016	4,081	3,818	7,836	76	17,305	—
1882	1,570	3,048	1,712	4,184	3,953	3,120	7,925	85	16,844	—
1883	1,796	2,944	1,381	4,244	3,823	3,523	8,322	56	17,523	—
1884	1,355	2,622	1,476	4,898	4,267	3,164	10,139	97	17,334	—
1885	1,636	3,253	1,383	5,092	3,195	2,509	7,807	46	17,098	—
1886	1,213	2,653	1,211	5,425	4,318	2,784	10,502	58	17,085	—
1887	610	3,233	1,082	3,998	3,453	2,177	7,624	29	16,128	—
1888	865	2,936	964	3,586	3,366	2,287	7,833	30	11,324	—
1889	1,212	4,336	859	3,279	3,661	2,195	7,457	27	10,829	—
1890	636	4,187	1,064	3,433	4,166	2,491	7,756	30	10,859	—
1891	1,300	4,196	954	3,297	3,848	2,521	7,437	36	11,408	—
1892	2,528	4,319	871	3,130	3,205	2,508	8,305	981	10,491	—
1893	2,103	4,137	847	3,331	3,487	2,150	7,503	452	9,982	—
1894	537	2,766	816	3,237	3,071	1,775	6,678	1,228	7,478	—
1895	298	3,535	1,159	2,383	3,782	1,843	9,064	41	9,698	—
1896	130	3,134	1,003	1,982	3,290	1,584	6,852	27	9,524	—
1897	140	2,083	1,019	1,734	2,809	1,598	8,333	56	9,359	—
1898	158	2,364	1,726	1,682	2,734	1,491	9,696	84	9,311	—
1899	257	3,188	2,095	1,769	3,633	1,682	9,077	32	9,818	—
1900	193	2,610	1,360	1,828	3,459	1,702	9,738	37	9,117	—
1901	260	2,036	1,409	1,750	2,365	1,508	8,471	26	9,186	—
1902	652	3,305	992	1,817	2,651	1,228	7,405	17	9,077	—
1903	1,630	2,309	698	1,393	2,734	1,088	8,023	9	7,586	4,084
1904	656	2,758	726	1,289	2,918	1,051	8,839	6	7,716	3,969
1905	244	2,446	760	1,253	2,689	984	7,240	5	7,701	4,203
1906	41	2,459	785	1,198	2,544	890	9,369	39	7,647	4,232
1907	55	2,011	927	1,141	2,354	874	7,195	2	7,377	4,396
1908	42	2,982	1,203	1,228	2,676	824	7,866	—	7,463	4,713
1909	—	—	—	—	—	—	—	—	—	—

* Census year.

† The deaths in this column for the years 1881-1887 include those from other chronic diseases of the lungs.

‡ The deaths from cancer were not separately tabulated prior to 1903.

TABLE 86.—FRANCE. Population, Marriages, Births, and Deaths, 1881-1909.

(Furnished by the Director of the Statistical Bureau, France.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	37,590,000	564,158	937,057	828,828	15·0	24·9	22·0	165
1882	37,730,000	562,120	935,566	838,539	14·9	24·8	22·2	165
1883	37,860,000	569,038	937,944	841,141	15·0	24·8	22·2	165
1884	38,010,000	579,110	937,758	858,784	15·2	24·7	22·6	177
1885	38,110,000	566,340	924,558	836,897	14·9	24·3	22·0	162
1886*	38,230,000	566,416	912,838	860,222	14·8	23·9	22·5	173
1887	38,260,000	554,120	899,333	842,797	14·5	23·5	22·0	161
1888	38,290,000	553,696	882,639	837,867	14·4	23·1	21·9	165
1889	38,370,000	545,806	880,453	794,933	14·2	23·0	20·7	155
1890	38,380,000	538,664	838,059	876,505	14·0	21·8	22·8	176
1891*	38,350,000	570,916	866,377	876,882	14·9	22·6	22·9	161
1892	38,360,000	580,638	855,847	875,888	15·1	22·3	22·8	181
1893	38,380,000	574,588	874,672	867,526	14·9	22·8	22·5	173
1894	38,420,000	573,324	855,388	815,620	14·9	22·3	21·2	158
1895	38,460,000	575,830	834,173	861,986	14·7	21·7	22·2	180
1896*	38,520,000	580,302	865,586	771,886	15·1	22·5	20·0	148
1897	38,680,000	582,924	859,107	751,019	15·1	22·2	19·4	152
1898	38,800,000	574,358	843,933	810,073	14·8	21·8	20·9	169
1899	38,900,000	591,504	847,627	816,233	15·3	21·9	21·1	163
1900	38,900,000	598,168	827,297	853,285	15·5	21·4	21·9	161
1901*	38,980,000	606,938	857,274	784,876	15·6	22·0	20·1	142
1902	39,055,000	589,572	845,378	761,434	15·1	21·7	19·5	135
1903	39,124,000	591,992	826,712	753,606	15·1	21·1	19·2	137
1904	39,190,000	597,442	818,229	761,203	15·2	20·9	19·4	144
1905	39,222,000	605,246	807,291	770,171	15·4	20·6	19·6	136
1906*	39,270,000	612,974	806,847	780,196	15·6	20·6	19·9	143
1907†	39,222,000	629,512	773,645	793,537	16·0	19·7	20·2	135
1908†	39,267,000	631,856	791,712	745,271	16·1	20·2	19·0	—
1909†	39,282,000	615,902	769,969	756,545	15·7	19·6	19·3	—

The Total Deaths in Towns‡ with populations exceeding 5,000 persons include :—

YEAR.	Popu-lation of Towns.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whoop-ing Cough.	Enteric Fever.	Diarrhoea and Dys-entery.§	Asiatic Cholera.	Pulmon-ary Tuberc-ulosis.	Cancer (including Carcinoma and Sarcoma).
1889	11,521,260	2,136	3,894	695	6,988	2,054	5,362	20,786	—	29,516	?
1890	—	1,537	7,196	731	6,850	2,317	5,133	23,023	1	33,192	?
1891*	12,223,548	1,897	3,813	713	6,373	1,933	4,546	21,844	—	32,074	?
1892	—	1,699	2,705	647	6,018	1,573	5,130	26,562	—	31,080	10,761
1893	—	1,336	4,662	801	6,231	1,741	4,512	23,523	—	31,025	11,442
1894	—	1,155	3,056	647	4,774	1,633	3,870	19,618	—	31,418	11,607
1895	—	1,082	2,095	675	2,263	1,660	3,367	24,420	—	33,076	11,955
1896*	12,869,412	1,076	3,290	744	2,207	1,432	2,969	19,240	—	32,751	12,212
1897	—	190	2,831	412	1,550	1,259	3,182	21,996	—	31,316	12,631
1898	—	105	2,828	541	1,588	1,581	3,400	25,798	—	31,980	12,789
1899	—	670	3,046	796	1,775	1,775	4,501	23,409	—	33,282	13,161
1900	—	1,783	2,521	574	1,800	1,105	4,210	23,173	—	34,357	13,392
1901*	13,771,440	1,017	1,937	550	2,269	1,504	2,868	16,757	—	37,160	12,385
1902	—	2,553	2,317	511	2,191	1,837	2,727	15,779	—	37,483	12,463
1903	—	2,350	2,163	496	1,578	1,254	2,773	15,706	—	37,512	12,912
1904	—	735	2,055	410	1,264	1,247	2,650	18,368	2	37,613	13,312
1905	—	292	1,783	308	1,161	1,053	2,168	14,916	—	37,642	13,793
1906*	39,270,000	631	3,754	907	3,314	3,492	5,453	41,639	2	71,496	27,306
1907†	39,222,000	2,679	3,763	1,623	3,637	3,534	5,133	30,698	—	74,746	29,284
1908	39,267,000	—	—	—	—	—	—	—	—	—	—
1909	39,282,000	—	—	—	—	—	—	—	—	—	—

NOTE.—The deaths of Frenchmen abroad, civil or military, are registered in the books of the Commune in which they were last domiciled.

* Census year.

† The figures for the years 1907-9 are provisional.

‡ The figures relate to 567 towns for the years 1889-1895, to 584 towns for the years 1896-1900, to 616 towns for the years 1901-5, and to the whole of France for the years 1906 and 1907.

§ For the year 1901 and subsequent years, the deaths in this column relate to children under 2 years of age.

TABLE 87.—SWITZERLAND. **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Federal Statistical Bureau, Switzerland.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	2,852,463	38,850	85,142	63,979	13·6	29·8	22·4	187
1882	2,863,367	38,828	82,689	62,849	13·6	28·9	21·9	172
1883	2,874,271	39,392	81,974	58,733	13·7	28·5	20·4	164
1884	2,885,175	39,796	81,571	58,301	13·8	28·3	20·2	161
1885	2,896,079	40,210	80,349	61,548	13·9	27·7	21·3	173
1886	2,906,983	40,160	80,763	60,061	13·8	27·8	20·7	164
1887	2,917,887	41,292	81,287	58,939	14·2	27·9	20·2	162
1888*	2,928,791	41,412	81,098	58,229	14·1	27·7	19·9	153
1889	2,939,695	41,382	81,176	59,715	14·1	27·6	20·3	159
1890	2,950,599	41,672	78,548	61,805	14·1	26·6	20·9	157
1891	2,965,053	42,528	83,596	61,183	14·3	28·2	20·6	163
1892	3,002,263	43,768	83,125	57,178	14·6	27·7	19·0	150
1893	3,039,472	43,768	84,897	61,059	14·4	27·9	20·1	152
1894	3,076,682	44,376	84,142	61,885	14·4	27·3	20·1	153
1895	3,113,891	45,364	84,973	59,747	14·6	27·3	19·2	159
1896	3,151,101	47,568	88,428	56,096	15·1	28·1	17·8	132
1897	3,188,310	49,908	90,078	56,399	15·7	28·3	17·7	141
1898	3,225,520	50,228	91,793	58,914	15·6	28·5	18·3	155
1899	3,262,729	50,824	94,472	57,591	15·6	29·0	17·7	136
1900*	3,299,939	51,074	94,316	63,606	15·5	28·6	19·3	150
1901	3,328,842	50,756	97,028	60,018	15·2	29·1	18·0	137
1902	3,357,907	50,256	96,481	57,702	14·9	28·7	17·2	132
1903	3,391,645	50,566	93,824	59,626	14·9	27·7	17·6	133
1904	3,427,627	51,006	94,867	60,859	14·9	27·7	17·8	140
1905	3,454,754	52,538	94,653	61,800	15·2	27·4	17·9	129
1906	3,491,163	54,596	95,595	59,204	15·6	27·4	17·0	127
1907	3,524,529	55,320	94,508	59,252	15·6	26·8	16·8	121
1908	3,554,672	55,268	96,245	57,697	15·6	27·1	16·2	108
1909	—	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.†	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	167	537	278	2,246	861	1,067	4,012	—	5,665	2,866
1882	22	250	316	2,313	918	866	3,151	—	5,982	2,874
1883	24	220	243	1,504	441	665	3,155	—	6,089	2,941
1884	64	157	247	1,705	607	1,008	3,600	1	5,904	3,042
1885	426	390	150	1,468	643	599	3,348	—	6,413	3,134
1886	182	341	99	1,100	987	531	3,108	—	6,420	3,294
1887	14	451	163	975	366	445	3,527	—	5,836	3,276
1888	17	249	270	818	499	450	2,791	—	6,204	3,389
1889	3	470	429	1,070	734	481	3,073	—	6,165	3,354
1890	32	481	400	990	536	441	3,000	—	6,639	3,405
1891	26	594	533	1,337	724	349	3,498	—	6,141	3,528
1892	35	316	211	1,135	562	345	3,616	—	5,785	3,706
1893	15	870	138	1,599	377	380	3,832	—	5,756	3,653
1894	51	473	58	1,930	694	302	3,184	—	6,222	3,802
1895	1	185	62	999	581	305	4,094	—	6,377	3,923
1896	8	423	89	848	511	288	2,776	—	6,051	3,916
1897	1	272	47	760	476	261	3,921	—	6,106	4,088
1898	2	354	34	994	445	308	5,011	—	5,984	4,125
1899	3	264	38	1,106	601	269	3,780	—	5,823	4,130
1900	30	809	34	981	695	220	4,150	—	6,692	4,285
1901	37	829	71	1,052	846	240	3,767	—	6,241	4,271
1902	2	456	73	726	512	207	3,936	—	6,280	4,258
1903	4	545	162	540	561	169	3,812	—	6,381	4,447
1904	4	821	279	607	836	265	4,252	—	6,452	4,464
1905	36	657	312	668	654	174	3,350	—	6,630	4,555
1906	14	569	153	516	649	167	3,930	—	6,407	4,593
1907	8	613	140	528	433	176	2,995	—	6,063	4,414
1908	2	226	147	565	489	135	2,580	—	6,150	4,669
1909	—	—	—	—	—	—	—	—	—	—

* Census year,

† The deaths in this column relate to diarrhoea in young children.

TABLE 88.—SPAIN (including the Balearic, Canary Islands and Ceuta). **Population, Marriages, Births, and Deaths, 1881-1909.**

(Furnished by the Director-General Instituto Geografico y Estadistico.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	16,951,100	215,708	629,582	511,810	12·7	37·1	30·2	189
1882	17,043,500	205,796	616,901	534,793	12·1	36·2	31·4	192
1883	17,136,300	212,322	610,559	559,500	12·4	35·6	32·6	204
1884	17,229,600	227,984	631,694	526,434	13·2	36·7	30·5	186
1885	17,323,500	220,470	628,932	657,664	12·7	36·3	38·0	192
1886	17,417,800	221,220	638,548	509,480	12·7	36·7	29·3	175
1887*	17,512,700	191,820	632,174	573,490	11·0	36·1	32·7	199
1888	17,599,500	197,436	640,592	529,021	11·2	36·4	30·1	184
1889	17,678,100	275,090	643,433	538,044	15·6	36·4	30·4	—
1890	17,757,100	281,142	610,417	570,181	15·8	34·4	32·1	—
1891	17,836,400	312,380	629,854	557,995	17·5	35·3	31·3	—
1892	17,916,000	302,534	641,731	547,604	16·9	35·8	30·6	—
1893	17,996,000	281,736	640,324	534,721	15·7	35·6	29·7	—
1894	18,076,400	282,338	628,382	540,579	15·6	34·8	30·3	—
1895	18,157,100	279,912	636,130	527,192	15·4	35·0	29·0	—
1896	18,238,200	265,290	654,796	539,145	14·5	35·9	29·6	—
1897	18,319,700	257,360	625,304	520,210	14·0	34·1	28·4	—
1898	18,401,500	250,818	612,343	518,795	13·6	33·3	28·2	—
1899	18,433,700	312,226	632,588	533,109	16·9	34·2	28·8	—
1900*	18,536,200	322,402	627,848	536,716	17·4	33·8	28·9	204
1901	18,668,000	315,624	650,649	517,578	16·9	34·8	27·7	186
1902	18,812,000	327,834	666,687	488,289	17·4	35·4	26·0	181
1903	18,997,000	308,978	685,265	470,387	16·3	36·1	24·8	162
1904	19,173,000	290,916	649,878	486,889	15·2	33·9	25·4	173
1905	19,333,000	273,794	670,651	491,369	14·2	34·7	25·4	161
1906	19,486,000	276,968	650,385	499,018	14·2	33·4	25·6	173
1907†	19,639,000	272,646	646,374	472,012	13·9	32·9	24·0	—
1908†	19,794,000	282,092	657,699	460,959	14·3	33·2	23·3	—
1909†	19,945,000	253,992	650,487	466,639	13·0	32·6	23·4	—

The Total Deaths include:—

YEAR.	Small-pox.†	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—
1888	—	—	—	—	—	—	—	—	—	—
1889	—	—	—	—	—	—	—	—	—	—
1890	—	—	—	—	—	—	—	—	—	—
1891	—	—	—	—	—	—	—	—	—	—
1892	—	—	—	—	—	—	—	—	—	—
1893	—	—	—	—	—	—	—	—	—	—
1894	—	—	—	—	—	—	—	—	—	—
1895	—	—	—	—	—	—	—	—	—	—
1896	—	—	—	—	—	—	—	—	—	—
1897	—	—	—	—	—	—	—	—	—	—
1898	—	—	—	—	—	—	—	—	—	—
1899	—	—	—	—	—	—	—	—	—	—
1900	6,497	12,010	1,237	8,489	4,750	11,426§	75,080	17	23,026	7,294
1901	5,250	18,463	1,140	6,299	3,889	9,594	70,757	17	28,649	7,912
1902	5,590	10,746	1,184	5,247	4,236	8,587	69,836	—	27,983	8,117
1903	4,699	9,989	1,011	4,751	4,551	8,164	70,658	2	27,096	8,315
1904	2,859	9,770	978	3,823	4,559	8,397	78,057	9	28,523	8,825
1905	2,740	13,763	1,046	3,524	4,386	7,158	72,071	1	26,827	8,719
1906	4,342	8,699	1,399	3,390	4,434	8,068	84,331¶	—	27,502	9,113
1907†	3,256	6,837	2,351	3,630	3,406	6,832	62,775¶	—	27,017	9,211
1908†	2,802	7,188	2,201	3,932	4,837	6,319	69,456¶	1	26,651	9,947
1909†	3,965	7,735	1,735	4,263	3,537	5,367	62,580¶	—	24,762	9,914

* Census year.

† The figures for the years 1907-09 are provisional.

‡ Including Chicken-pox.

§ Including Typhus.

¶ Excluding Dysentery.

TABLE 89.—ITALY. Population, Marriages, Births, and Deaths, 1881-1909.

(Furnished by the Director of the Statistical Department, Italy.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in each Year. (See Note.)	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	28,459,628	460,286	1,081,125	784,181	16·2	38·0	27·6	—
1882	28,563,773	448,082	1,061,094	787,326	15·7	37·1	27·6	—
1883	28,773,790	463,890	1,071,452	794,196	16·1	37·2	27·6	—
1884	28,984,382	479,026	1,130,741	780,361	16·5	39·0	26·9	—
1885	29,194,398	467,862	1,125,970	787,217	16·0	38·6	27·0	—
1886	29,404,414	466,620	1,086,960	844,603	15·9	37·0	28·7	—
1887	29,614,430	471,258	1,152,906	823,992	15·9	38·9	28·0	—
1888	29,825,022	473,766	1,119,563	820,431	15·9	37·5	27·5	—
1889	30,035,038	460,902	1,149,197	768,068	15·3	38·3	25·6	—
1890	30,245,054	443,944	1,083,103	795,911	14·7	35·8	26·3	192
1891	30,455,070	455,312	1,132,139	795,327	15·0	37·2	26·1	188
1892	30,665,662	457,144	1,110,573	802,779	14·9	36·2	26·2	184
1893	30,875,678	456,206	1,126,296	776,713	14·8	36·5	25·2	180
1894	31,085,694	463,162	1,102,935	776,372	14·9	35·5	25·0	184
1895	31,295,710	456,304	1,092,102	783,813	14·6	34·9	25·0	187
1896	31,506,302	445,206	1,095,505	758,129	14·1	34·8	24·1	177
1897	31,716,318	458,082	1,101,848	695,602	14·4	34·7	21·9	165
1898	31,926,334	439,194	1,070,074	732,265	13·8	33·5	22·9	169
1899	32,136,350	471,330	1,088,558	703,393	14·7	33·9	21·9	156
1900	32,346,366	465,262	1,067,376	768,917	14·4	33·0	23·8	172
1901*	32,475,253	469,638	1,057,763	715,036	14·5	32·6	22·0	165
1902	32,744,743	475,026	1,093,074	727,181	14·5	33·4	22·2	175
1903	32,921,317	474,422	1,042,090	736,311	14·4	31·7	22·4	168
1904	33,139,697	495,616	1,085,431	698,604	15·0	32·8	21·1	164
1905	33,362,167	511,746	1,084,518	730,340	15·3	32·5	21·9	166
1906	33,541,094	521,560	1,070,978	696,875	15·5	31·9	20·8	160
1907	33,776,087	520,208	1,062,333	700,333	15·4	31·5	20·7	155
1908	34,129,304	566,320	1,138,813	770,054†	16·6	53·4	22·6‡	153
1909	34,417,537	530,526	1,113,984	737,221	15·4	32·4	21·4	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.†	Cancer (including Carcinoma and Sarcoma).
1887	16,249	23,768	14,631	28,206	11,140	27,800	99,475	8,150	39,123	12,631
1888	18,110	20,961	9,050	25,683	7,633	23,869	98,799	—	41,423	12,625
1889	13,416	13,800	6,444	19,915	12,275	23,071	98,223	—	42,756	12,923
1890	7,017	14,396	7,344	15,059	13,090	20,118	99,438	—	41,183	12,917
1891	2,910	19,551	7,294	16,747	8,983	19,207	106,788	—	39,514	13,094
1892	1,453	12,399	7,890	16,634	7,594	15,619	103,898	—	39,715	13,069
1893	2,638	12,953	6,596	17,783	6,847	15,065	103,640	3,040	38,380	13,224
1894	2,606	9,001	4,511	15,585	8,261	13,639	101,314	20	40,169	13,841
1895	2,998	11,322	3,814	11,466	8,678	15,590	114,362	—	41,624	15,089
1896	2,033	11,499	3,234	9,286	6,660	16,397	108,719	—	41,069	15,482
1897	1,003	6,156	3,907	8,881	7,938	15,557	99,852	—	38,670	15,967
1898	420	5,429	4,492	7,808	7,420	17,412	112,259	—	38,335	16,330
1899	214	7,433	4,487	6,893	7,886	14,963	95,101	—	39,807	16,680
1900	316	8,827	1,483	5,790	6,565	15,060	115,190	—	41,733	16,873
1901	3,396	5,562	1,185	5,444	6,916	11,748	98,617	—	38,512	17,141
1902	2,413	9,961	1,338	4,514	7,202	11,358	111,570	—	35,722	17,634
1903	6,049	7,283	1,991	4,064	6,521	11,671	108,712	—	36,924	17,774
1904	3,093	5,332	1,611	4,519	5,958	12,239	104,592	—	39,152	18,860
1905	482	6,738	1,689	4,255	5,767	10,896	115,564	—	40,349	19,348
1906	169	9,726	2,724	4,253	6,165	9,424	108,868	—	40,899	20,653
1907	451	8,184	2,940	5,634	6,142	8,614	97,195	—	41,968	20,668
1908	559	11,740	3,464	5,921	5,545	9,287	94,950	—	41,587	21,828
1909	758	11,042	2,704	5,785	5,213	9,731	104,909	—	42,092	21,868

NOTE.—The population figures given for census years show the numbers enumerated on 31st December in 1881 and on 10th February, 1901; for the years 1881-1901 the population is estimated on the assumption that the annual rate of increase had been uniform throughout that period; for 1902 and following years the population is obtained by applying the natural increase and balance of migration.

* Census year.
† Including 77,283 deaths in the earthquake at Messina and Reggio (28th December, 1908); excluding these deaths, the death-rate was 20·3.
‡ The deaths in this column also include those from general tuberculosis.

TABLE 91.—CHILI. Population, Marriages, Births, and Deaths, 1881-1909.

(Furnished by Oficina Central de Estadística, Santiago.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.*	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	2,199,180	31,978	101,635	62,866	15·4	46·2	28·6	—
1882	2,237,949	33,756	93,902	65,425	15·0	41·9	29·2	—
1883	2,266,426	34,518	96,688	61,283	15·2	42·7	27·0	—
1884	2,482,185	35,746	99,994	58,909	14·4	40·3	23·8	—
1885	2,527,320	11,262	66,247	77,388	4·4	25·8	30·6	308
1886	2,545,803	14,138	82,569	82,491	5·6	32·0	32·4	240
1887	2,564,285	16,326	85,267	95,336	6·4	33·0	37·1	219
1888	2,582,768	19,334	91,337	96,488	7·4	35·4	37·3	268
1889	2,601,250	23,602	100,698	84,741	9·0	38·0	32·5	288
1890	2,619,733	21,908	98,538	95,547	8·4	37·6	36·2	306
1891	2,638,215	13,706	79,235	89,422	5·0	34·3	34·0	412
1892	2,656,698	25,790	103,065	97,004	9·4	38·3	36·5	334
1893	2,675,180	27,568	103,082	88,775	10·2	37·7	33·1	331
1894	2,693,663	29,452	108,724	88,157	10·8	39·5	32·7	313
1895	2,983,359	29,562	110,158	81,682	9·8	36·2	27·3	292
1896	3,008,569	33,944	106,638	88,095	11·2	34·6	29·2	304
1897	3,049,352	26,908	109,057	85,956	8·8	34·8	28·1	344
1898	3,082,178	27,842	104,536	81,419	9·0	33·1	26·4	329
1899	3,110,085	27,006	106,787	83,778	8·6	33·5	26·9	337
1900	3,128,095	26,662	110,697	104,312	8·4	34·6	33·3	349
1901	3,146,577	34,940	115,745	108,199	11·0	35·9	34·3	366
1902	3,173,783	33,502	115,813	86,107	10·6	35·7	27·1	366
1903	3,206,043	31,824	115,524	86,378	9·8	34·0	26·9	263
1904	3,238,764	32,590	116,950	93,254	10·1	35·4	28·8	—
1905	3,400,924	34,416	119,441	110,258	10·1	35·1	32·3	—
1906	3,187,741	37,506	117,032	104,890	11·4	36·6	32·9	328
1907	3,254,451	42,572	126,104	96,449	13·0	38·6	29·6	297
1908	3,302,204	42,974	129,733	104,226	13·0	39·3	31·6	320
1909	3,329,030	39,274	129,333	104,707	11·8	38·8	31·5	—

The Total Deaths† include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.‡	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	2,286	2,370	9	445	1,153	244	4,375	—	5,636	329
1886	4,841	2,485	6	757	653	236	2,532	—	5,622	239
1887	1,374	461	16	413	329	224	4,047	13,568	6,513	367
1888	1,119	1,791	—	460	1,483	255	3,160	8,622	5,530	437
1889	929	3,781	119	439	1,024	819	3,248	60	6,680	468
1890	6,754	3,217	72	428	1,603	846	3,471	—	5,996	475
1891	6,012	2,556	137	692	1,381	922	2,742	—	6,863	464
1892	4,062	1,151	260	777	666	861	2,011	—	7,077	457
1893	3,803	872	72	1,122	1,979	1,164	2,139	—	7,698	455
1894	2,337	1,138	60	2,667	2,847	687	1,559	—	7,714	546
1895	2,048	852	40	2,425	2,689	859	1,159	—	6,877	426
1896	946	1,535	78	3,124	2,604	882	1,388	—	6,521	554
1897	—	—	—	—	—	—	—	—	—	—
1898	—	—	—	—	—	—	—	—	—	—
1899	—	—	—	—	—	—	—	—	—	—
1900	—	—	—	—	—	—	—	—	—	—
1901	—	—	—	—	—	—	—	—	—	—
1902	—	—	—	—	—	—	—	—	—	—
1903	445	131	2	830	1,534	1,437	3,346	—	7,859	894
1904	1,739	—	4	463	1,514	1,207	2,455	—	9,035	1,253
1905	8,906	2,602	208	481	2,038	2,961	2,401	—	6,859	972
1906	3,335	2,388	64	428	3,012	5,690	2,173	—	8,651	1,190
1907	858	174	54	275	2,479	4,360	2,417	—	7,636	1,233
1908	421	1,472	42	226	2,207	3,777	3,385	—	8,561	1,483
1909	3,172	1,038	94	362	2,228	5,710	5,506	—	8,657	1,406

* The births and deaths for the years 1881-1884, 1886, 1888, 1890 and 1891 are inclusive of stillborn.

† Complete statistics of causes of death are not available for the years 1897-1902.

‡ The deaths in this column for 1906 and subsequent years relate to diarrhoea and enteritis.

TABLE 92.—UNITED STATES OF AMERICA (REGISTRATION AREA).
Population and Deaths, 1900-1909.

(Furnished by Chief Statistician for Vital Statistics, Bureau of the Census, U.S.A.)

NOTE.—The following Table embodies the Mortality Statistics collected and tabulated by the Bureau of the Census since 1900 from those States and Cities whose registration laws are considered to be efficient by the Bureau. The Registration Area for the years 1900-05 includes the States of Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont; the States of California, Colorado, Maryland, Pennsylvania, and South Dakota were added in 1906, those of Washington and Wisconsin in 1908 and Ohio in 1909.

Year.	Estimated Population to 1st June of each year.		The Registration Area includes :—		Deaths, excluding Still-births.	Death-rate per 1,000 persons living.
	Total United States (Continental).	Total Registration Area.	States.	Cities (not included in preceding column).		
1900	75,994,575	30,765,618	10	134	539,939	17.6
1901	77,292,021	31,292,130	10	126	518,207	16.6
1902	78,589,669	31,908,655	10	125	508,640	15.9
1903	79,922,397	32,536,989	10	125	524,415	16.1
1904	81,261,856	33,135,453	10	124	551,354	16.6
1905	82,574,195	33,757,811	10	124	545,533	16.2
1906	83,941,510	40,996,317	15	78	658,105	16.1
1907	85,532,761	41,758,037	15	77	687,034	16.5
1908	86,874,990	45,028,767	17	75	691,574	15.4
1909	88,262,446	48,776,893	18	55	732,538	15.0

The Total Deaths include :—										
Year.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Enteritis under 2 years.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1900	611	3,865	3,135	13,314	3,719	11,044	33,479	—	55,504	19,381
1901	1,085	2,287	4,113	10,667	3,051	10,127	28,523	—	54,735	20,171
1902	2,111	3,033	4,041	9,859	3,854	10,980	26,903	—	52,079	20,847
1903	1,382	3,221	3,991	10,363	5,171	11,149	26,697	—	53,910	22,325
1904	709	3,659	3,610	9,444	2,183	10,557	30,315	—	58,763	23,395
1905	308	2,557	2,284	8,039	3,599	9,479	33,032	—	56,770	24,330
1906	95	5,087	3,227	10,793	6,324	13,160	42,581	—	65,341	29,020
1907	74	4,302	4,309	10,154	4,856	12,670	41,563	—	66,374	30,514
1908	92	4,611	5,577	10,052	4,969	11,375	44,521	—	67,376	33,465
1909	79	4,860	5,781	10,358	4,906	10,722	44,648	—	70,040	37,562

BIRTHS, DEATHS, AND MARRIAGES.

Registered in the Year

1909.

BIRTHS, DEATHS, AND MARRIAGES, 1909.

REGISTRATION DIVISIONS AND COUNTIES.*		BIRTHS (exclusive of Still-born).					DEATHS (exclusive of Still-born).			MARRIAGES.
		Total.	Legitimate.		Illegitimate.		Total.	Males.	Females	
			Males.	Females.	Males.	Females.				
	ENGLAND AND WALES	914472	447215	429748	19248	18261	518003	265203	252800	260544
No	I.—LONDON.	118078	57696	55694	2421	2267	68616	35260	33356	38166
1	LONDON	118078	57696	55694	2421	2267	68616	35260	33356	38166
	II.—SOUTH EASTERN.	82041	40114	38427	1800	1700	47960	24463	23497	24621
2	SURREY	19910	9789	9342	412	367	10866	5491	5375	5439
3	KENT	22611	10963	10719	449	480	12660	6471	6189	6490
4	SUSSEX	12565	6128	5756	370	311	8884	4318	4566	4256
5	HAMPSHIRE ..	20354	10036	9523	421	374	11571	6083	5488	6428
6	BERKSHIRE ..	6601	3198	3087	148	168	3979	2100	1879	2008
	III.—SOUTH MIDLAND.	60362	29624	28434	1182	1122	31735	15907	15828	17039
7	MIDDLESEX ..	27763	13829	13150	389	395	12045	5993	6052	6898
8	HERTFORDSHIRE	6093	2961	2889	127	116	3651	1832	1819	1703
9	BUCKINGHAMSH.	4191	2064	1960	89	78	2348	1192	1156	1252
10	OXFORDSHIRE ..	4263	2100	1937	111	115	2756	1441	1315	1437
11	NORTHAMPTONS.	7942	3842	3744	184	172	4811	2419	2392	2548
12	HUNTINGDONSH.	1089	504	523	35	27	629	326	303	303
13	BEDFORDSHIRE ..	4135	1997	1944	103	91	2572	1259	1313	1354
14	CAMBRIDGESH. ..	4886	2327	2287	144	128	2923	1445	1478	1544
	IV.—EASTERN.	52765	25699	24808	1135	1123	27583	14013	13570	14503
15	ESSEX	32899	16326	15590	493	490	15724	7990	7734	8570
16	SUFFOLK	8673	4084	4062	274	253	5059	2612	2447	2639
17	NORFOLK	11193	5289	5156	368	380	6800	3411	3389	3294
	V.—SOUTH WESTERN.	42765	21082	19974	889	820	27621	13599	14022	14092
18	WILTSHIRE	6394	3219	2922	138	115	3583	1793	1790	1880
19	DORSETSHIRE ..	4428	2185	2075	88	80	2744	1393	1351	1414
20	DEVONSHIRE ..	14993	7321	7056	321	295	9958	4895	5063	5198
21	CORNWALL	6836	3323	3201	149	163	4781	2302	2479	2304
22	SOMERSETSHIRE	10114	5034	4720	193	167	6555	3216	3339	3296
	VI.—WEST MIDLAND.	104366	50858	49395	2118	1995	59910	30678	29232	28162
23	GLOUCESTERSH..	15246	7365	7280	311	290	9454	4678	4776	4788
24	HEREFORDSHIRE	2407	1143	1110	94	60	1642	847	795	732
25	SHROPSHIRE ..	6225	2930	2924	181	190	3918	1924	1994	1625

* The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with the Poor Law Unions. The Counties are grouped in Registration Divisions, the County of Monmouth being by this arrangement included in the Welsh Division. The differences between Registration Counties and Administrative Counties are shown in Table 2 of the Census County Volumes.

BIRTHS, DEATHS, AND MARRIAGES, 1909.—*continued.*

REGISTRATION DIVISIONS AND COUNTIES.		BIRTHS (exclusive of Still-born).					DEATHS (exclusive of Still-born).			MARRIAGES.
		Total.	Legitimate.		Illegitimate.		Total.	Males.	Females.	
			Males.	Females.	Males.	Females.				
No.	VI.—WEST MIDLAND— <i>continued.</i>									
26	STAFFORDSHIRE	39678	19283	18756	858	781	21731	11394	10337	9699
27	WORCESTERSH. ..	13387	6521	6350	266	250	7708	3901	3807	3730
28	WARWICKSHIRE	27423	13616	12975	408	424	15457	7934	7523	7588
	VII.—NORTH MIDLAND.	61163	29706	28540	1493	1424	32034	16327	15707	17214
29	LEICESTERSHIRE	11634	5752	5405	247	230	6552	3267	3285	3496
30	RUTLANDSHIRE ..	459	234	212	6	7	309	145	164	138
31	LINCOLNSHIRE ..	13791	6611	6362	445	373	7450	3916	3534	4179
32	NOTTINGHAMSH.	20545	9904	9625	492	524	10353	5197	5156	5444
33	DERBYSHIRE ..	14734	7205	6936	303	290	7370	3802	3568	3957
	VIII.—NORTH WESTERN.	149627	73522	70364	2916	2825	93197	47612	45585	42576
34	CHESHIRE	21473	10531	10092	422	428	12370	6292	6078	5950
35	LANCASHIRE ..	128154	62991	60272	2494	2397	80827	41320	39507	36626
	IX.—YORKSHIRE.	100902	49028	47207	2383	2284	58058	29865	28193	29293
36	WEST RIDING ..	76144	37022	35787	1683	1652	44622	22861	21761	22663
37	EAST RIDING (with York).	13425	6497	6195	396	337	7075	3738	3337	3745
38	NORTH RIDING ..	11333	5509	5225	304	295	6361	3266	3095	2885
	X.—NORTHERN.	72740	35730	33937	1630	1443	36122	19074	17048	17613
39	DURHAM	44364	21925	20745	898	796	20672	11073	9599	10315
40	NORTHUMBERLD.	20177	9960	9406	463	408	10496	5481	5015	4943
41	CUMBERLAND ..	6936	3302	3202	233	199	4144	2125	2019	1931
42	WESTMORLAND ..	1263	603	584	36	40	810	395	415	429
	XI.—WELSH.	69663	34156	32968	1281	1258	35167	18405	16762	17260
43	MONMOUTHSH. ..	12795	6402	6029	175	189	5481	2959	2522	2957
44	GLAMORGANSH. ...	35674	17636	17058	486	494	15973	8614	7359	8535
45	CARMARTHENSH.	4025	1982	1894	71	78	2133	1066	1067	1100
46	PEMBROKESHIRE	2047	938	1004	51	54	1337	666	671	650
47	CARDIGANSHIRE	1598	753	750	49	46	1448	642	806	498
48	BRECKNOCKSH. ..	1410	700	652	31	27	900	483	417	413
49	RADNORSHIRE ..	406	199	188	10	9	247	128	119	90
50	MONTGOMERYSH.	1356	631	615	55	55	907	483	424	378
51	FLINTSHIRE	1825	896	848	44	37	979	503	476	385
52	DENBIGHSHIRE ..	3516	1683	1651	93	89	2135	1076	1059	888
53	MERIONETHSH. ..	1259	579	577	53	50	935	451	484	328
54	CARNARVONSH. ..	2926	1374	1335	119	98	2132	1056	1076	851
55	ANGLESEY	826	383	367	44	32	560	278	282	187

I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1909.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.*	AREA in Acres. †	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
1.—LONDON.									
1.—Paddington.	1356	143976	2915	2773	142	2165	1064	1101	1475
1 Paddington North <i>H</i> ..	539	63603	1445	1413	32	614	293	321	—
2 Paddington Central <i>W,3H</i> ..	429	50053	1201	1098	103	1317	677	640	—
3 Paddington South	388	30320	269	262	7	234	94	140	—
2.—Kensington.	2291	176628	3197	3051	146	2780	1310	1470	1572
1 Kensington Town <i>2W,w,2H</i> ..	1596	128037	2747	2611	136	2378	1124	1254	—
2 Brompton <i>2H</i>	695	48591	450	440	10	402	186	216	—
3.—Fulham.‡	3990	249528	7098	6783	315	3724	1867	1857	2318
1 North Hammersmith <i>3W,w,H</i> ..	1535	49192	1532	1466	66	855	414	441	—
2 South Hammersmith <i>w,2H</i> ..	751	63047	1360	1323	37	926	468	458	—
3 North West Fulham <i>W</i> ..	485	45180	1864	1742	122	912	467	445	—
4 North East Fulham <i>F</i> ..	514	46405	1130	1082	48	627	332	295	—
5 South Fulham <i>W</i>	705	45704	1212	1170	42	404	186	218	—
4.—Chelsea.	660	73842	1314	1237	77	1652	867	785	622
1 Chelsea North <i>W,w,3H</i> ..	353	42514	680	618	62	1134	570	564	—
2 Chelsea South <i>W,2H</i> ..	307	31328	634	619	15	518	297	221	—
5.—St. George Hanover Square.	1837	123256	1930	1874	106	1685	945	740	1367
1 Mayfair and Knightsbridge ..	915	28743	202	198	4	162	83	79	—
2 Belgrave <i>W,2H</i>	539	55815	942	864	78	794	446	348	—
3 St. Margt. and St. John <i>6H</i> ..	433	43698	836	812	24	729	416	313	—
6.—Westminster.	216	33081	387	362	25	223	129	94	386
1 St. James and St. Anne <i>W,6H</i> ..	216	33081	387	362	25	223	129	94	—
7.—St. Marylebone.	1473	133301	4054	3274	780	1769	842	927	1237
1 All Souls <i>8H</i>	243	35391	656	591	65	817	399	418	—
2 St. Mary <i>W,4H</i>	224	37948	2237	1553	684	396	197	199	—
3 Christchurch	601	39536	865	842	23	328	152	176	—
4 St. John <i>2H</i>	405	20426	296	288	8	228	94	134	—
8.—Hampstead.	2265	81942	1295	1246	49	1067	475	592	680
1 Hampstead <i>W,F,6H</i> ..	2265	81942	1295	1246	49	1067	475	592	—
9.—St. Pancras.	2694	235317	5281	5041	240	3627	1894	1733	1991
1 West St. Pancras <i>2H</i> ..	613	60562	1364	1327	37	656	318	338	—
2 South St. Pancras <i>w,10H</i> ..	297	55707	1012	943	69	1031	602	429	—
3 East St. Pancras <i>W,H</i> ..	632	60320	1564	1460	104	1063	547	516	—
4 North St. Pancras <i>2W</i> ..	1152	58728	1341	1311	30	877	427	450	—

* The Registration Districts, 634 in number at the end of the year 1909, are generally co-extensive with the Poor Law Unions of the same names. They are divided into Sub-districts (2015 in number), each having a Registrar of Births and Deaths. The letter *W* denotes a Workhouse, or a Workhouse Infirmary belonging to the District or Union in which it stands; *w* indicates a similar Institution belonging wholly or partly to other Districts or Unions; *F* a Hospital for Infectious Diseases; *H* another Hospital; *L* a Lunatic Asylum. When a Sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The deaths in these Institutions are shown on pages 231-282.

† These areas are derived from those published in the Census Report for 1901. They do not include space occupied by foreshore or tidal water of rivers and creeks.

‡ 3.—The district of FULHAM comprises the two Poor Law Parishes of HAMMERSMITH and FULHAM.

I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
1.—LONDON—continued.										
10.—Islington.		3092	334991	3024	7766	258	4818	2443	2375	2765
No.	Tufnell W	411	31995	753	716	37	1096	576	520	—
1	Upper Holloway 2W,w,H..	299	33978	989	877	112	1120	627	493	—
2	Tollington 2W,w,H	315	33922	696	676	20	272	126	146	—
3	Lower Holloway	413	41424	1072	1053	19	391	186	205	—
4	Barnsbury	310	54478	1444	1420	24	543	262	281	—
5	Islington South East F ..	545	75397	1784	1755	29	826	396	430	—
6	Highbury 2H	799	63797	1286	1269	17	570	270	300	—
11.—Hackney.		4151	270357	6610	6218	392	3560	1775	1785	2035
1	Stoke Newington H ..	863	51247	1002	994	8	470	226	244	—
2	North Hackney	1081	50398	990	981	9	474	217	257	—
3	Central Hackney 2w,F ..	857	50536	1291	1271	20	545	275	270	—
4	South West Hackney 3H..	586	59921	1774	1482	292	824	427	397	—
5	South East Hackney 2W,w,H	764	58255	1553	1490	63	1247	630	617	—
12.—St. Giles.		232	31436	931	884	47	259	148	111	376
1	St. Giles and Bloomsbury 2W,2H	232	31436	931	884	47	259	148	111	—
13.—Strand.		399	21674	168	155	13	510	322	188	309
1	Strand W,4H	399	21674	168	155	13	510	322	188	—
14.—Holborn.		762	129432	3934	3870	64	1698	884	814	1031
1	Holborn W,5H	202	29612	539	527	12	830	460	370	—
2	Clerkenwell H	317	63704	1697	1677	20	539	261	278	—
3	St. Luke* 3H,L	243	36116	1698	1666	32	329	163	166	—
15.—London City.		672	26923	245	237	8	917	568	349	448
1	St. Botolph H	239	10299	115	114	1	85	42	43	—
2	St. Sepulchre and Allhallows W,2H	433	16624	130	123	7	832	526	306	—
16.—Shoreditch.		658	118637	3500	3367	133	2037	1058	979	967
1	Shoreditch South 3H ..	256	46362	1196	1174	22	408	202	206	—
2	Shoreditch North West W,w,H	176	36127	1213	1109	104	1269	668	601	—
3	Shoreditch North East ..	226	36148	1091	1084	7	360	188	172	—
17.—Bethnal Green.		759	129680	4018	3950	68	2254	1210	1044	908
1	Bethnal Green North East 2W,2H,L	470	65138	1982	1930	52	1708	947	761	—
2	Bethnal Green South West H	289	64542	2036	2020	16	546	263	283	—
18.—Whitechapel.		378	78768	2344	2290	54	2232	1292	940	458
1	Spitalfields	37	27969	658	653	5	160	85	75	—
2	Mile End New Town W,H	114	28718	1240	1191	49	1942	1133	809	—
3	Goodman's Fields	177	22081	446	446	—	130	74	56	—
19.—St. George in the East.		244	49068	1702	1662	40	697	355	342	275
1	St. George and St. John 2W	244	49068	1702	1662	40	697	355	342	—

* 14: 3.—On 1st January, 1909, Finsbury (3) sub-district was renamed St. Luke.

I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1909—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males	Females.	
1.--LONDON--continued.										
20.--Stepney.		466	57937	1747	1728	19	947	484	463	351
1	Shadwell and Ratcliff w,H	221	25568	725	718	7	609	311	298	—
2	Limehouse W.. ..	245	32369	1022	1010	12	338	173	165	—
21.--Mile End Old Town.		678	112827	4086	4027	59	1350	694	656	1317
1	Mile End Old Town South Western H.	319	63698	2705	2696	9	484	241	243	—
2	Mile End Old Town North Eastern W,w.	359	49129	1381	1331	50	866	453	413	—
22.--Poplar.		2328	168822	5052	4914	138	2791	1509	1282	1365
1	Bow	556	41989	1213	1199	14	400	209	191	—
2	Bromley 3w,H	606	68319	2075	2041	34	1692	943	749	—
3	Poplar W,w	1166	58514	1764	1674	90	699	357	342	—
23.--Southwark.		1132	206180	5718	5578	140	3020	1573	1447	1941
1	Christchurch and St. Saviour Southwark W,2H.	210	23319	557	546	11	924	531	393	—
2	Kent Road	105	21904	696	689	7	221	101	120	—
3	St. George the Martyr West W,2H,L.	183	39094	974	959	15	620	347	273	—
4	Newington North	227	49022	1405	1382	23	484	235	249	—
5	Newington South W	407	72841	2086	2002	84	771	359	412	—
24.--St. Olave (Bermondsey).		1500	130760	4075	3998	77	1968	1031	937	1032
1	St. Olave 2W	122	9817	286	256	30	116	69	47	—
2	Bermondsey W	626	82483	2723	2693	30	910	438	472	—
3	Rotherhithe W,F	752	38460	1066	1049	17	942	524	418	—
25.--Lambeth.		4080	301895	8471	7986	485	4900	2454	2446	2439
1	Waterloo 2H	172	27440	1482	1452	30	398	205	193	—
2	Lambeth Church H	182	27440	725	713	12	1036	575	461	—
3	Kennington 2W	398	52518	1507	1362	145	1429	727	702	—
4	Stockwell FH	583	63826	1946	1716	230	696	351	345	—
5	Brixton H	1027	73673	1603	1561	42	779	353	426	—
6	Norwood 3W,H	1718	56998	1208	1182	26	562	243	319	—
26.--Wandsworth.		11268	400829	11245	10922	323	5761	2841	2920	3415
1	East Battersea H	947	72203	1950	1925	25	692	323	369	—
2	North West Battersea	363	49656	1532	1497	35	498	249	249	—
3	South West Battersea 2W,H	850	47048	794	776	18	1273	672	601	—
4	Clapham 2H	1075	51361	1290	1255	35	589	270	319	—
5	Streatham W,2w,2F,2L	3370	88019	2778	2719	59	1587	795	792	—
6	Springfield 2W,L	888	27959	1088	969	119	446	207	239	—
7	Southfields H	1557	40444	1324	1302	22	426	192	234	—
8	Putney	2218	24139	489	479	10	250	133	117	—
27.--Camberwell.		4480	259339	6587	6427	160	4124	2154	1970	1967
1	Dulwich	1266	13359	231	229	2	138	69	69	—
2	Camberwell South W,w	846	40206	1006	935	71	1292	702	590	—
3	Camberwell North W,2L	716	65584	1578	1552	26	1328	706	622	—
4	St. George	328	47331	1359	1342	17	448	214	234	—
5	Peckham North	427	48913	1411	1391	20	503	248	255	—
6	Peckham South 2W,w	897	43946	1002	978	24	415	215	200	—
28.--Greenwich.		3424	185034	5167	5038	129	2621	1368	1253	1222
1	Deptford North	436	37613	1167	1155	12	400	212	188	—
2	Deptford Central F	508	45481	1362	1328	34	551	253	293	—
3	Deptford South	730	34625	767	754	13	348	171	177	—
4	Greenwich West H	298	23456	648	635	13	266	125	141	—
5	Greenwich East 2W,H	1452	43859	1223	1166	57	1056	602	454	—

I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
1.—LONDON—continued.											
29.—Lewisham.			10774	134721	3798	3683	115	1825	862	963	1032
No.											
1	Eltham <i>w,H</i>		3760	7226	271	267	4	112	62	50	—
2	Lee <i>w,H</i>		1616	25490	475	468	7	263	110	153	—
3	Lewisham <i>2W,w,F</i>		3680	58352	1938	1863	75	1069	516	553	—
4	Sydenham <i>H</i>		1718	43653	1114	1085	29	381	174	207	—
30.—Woolwich.			6507	131086	3135	3049	86	1635	842	793	865
1	Charlton <i>F,2H</i>		1991	21134	404	398	6	334	181	153	—
2	Woolwich <i>5H</i>		1130	41625	1130	1106	24	398	205	193	—
3	Plumstead West <i>W,H</i>		1282	39376	856	838	18	388	194	194	—
4	Plumstead East <i>2W</i>		2104	28951	745	707	38	515	262	253	—

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909.

2.—SURREY.									
31.—Epsom.	43882	62021	1573	1510	63	1646	877	769	438
1 Carshalton <i>w,2F,4H,L</i>	12228	32997	841	819	22	796	411	385	—
2 Epsom <i>W,w,2F,H,4L</i>	13074	17429	466	434	32	734	405	329	—
3 Leatherhead <i>2H</i>	18580	11595	266	257	9	116	61	55	—
32.—Chertsey.	43638	40597	1008	975	33	485	251	234	293
1 Walton <i>3H</i>	8230	15658	380	369	11	172	91	81	—
2 Chertsey <i>W,F</i>	16296	15486	414	396	18	224	120	104	—
3 Chobham	19112	9453	214	210	4	89	40	49	—
33.—Guildford.	65648	62122	1524	1465	59	906	479	427	451
1 Woking <i>F,2H,L</i>	19292	19783	594	578	16	351	195	156	—
2 Ripley	9179	3022	65	63	2	40	26	14	—
3 Albury <i>H</i>	17793	5029	93	89	4	42	15	27	—
4 Guildford <i>W,F,H</i>	6616	22460	546	511	35	380	199	181	—
5 Godalming <i>H</i>	12768	11828	226	224	2	93	44	49	—
34.—Farnham.	41215	62458	1953	1884	69	765	430	335	448
1 Frimley <i>F,2H</i>	13998	11879	374	362	12	151	81	70	—
2 Aldershot <i>2F,3H</i>	4178	30974	1058	1038	20	307	173	134	—
3 Farnham <i>W,3H</i>	10003	11979	359	330	29	228	129	99	—
4 Frensham <i>F,H</i>	13036	7626	162	154	8	79	47	32	—
35.—Hambleton.	63196	21660	487	467	20	276	138	138	141
1 Witley <i>W,H,L</i>	30355	10584	257	247	10	140	71	69	—
2 Cranley <i>H</i>	32841	11076	230	220	10	136	67	69	—
36.—Dorking.	40864	17449	342	331	11	212	107	105	106
1 Capel <i>2H</i>	24820	4750	87	85	2	49	27	22	—
2 Dorking <i>W,F,H</i>	16044	12699	255	246	9	163	80	83	—
37.—Reigate.	50645	42740	925	881	44	526	247	279	289
1 Betchworth <i>L</i>	18006	7014	164	159	5	85	39	46	—
2 Reigate <i>W,3H,L</i>	5994	25993	551	526	25	340	165	175	—
3 Horley <i>2F,H</i>	26645	9733	210	196	14	101	43	58	—
38.—Godstone.	52345	27864	685	660	25	482	238	244	164
1 Godstone <i>W,F,6H,2L</i>	52345	27864	685	660	25	482	238	244	—

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
2.—SURREY—continued.											
39.—Croydon.			32562	194541	6161	5912	249	2976	1421	1555	1630
No. 1	Coulsdon L		11069	8166	285	280	5	194	99	95	—
2	South Croydon w,H		4200	49309	1033	1009	24	488	216	272	—
3	West Croydon 3W,F,2H		2168	42888	1649	1517	132	1036	514	522	—
4	North Croydon H		2644	41698	1254	1212	42	460	200	260	—
5	Penge w		770	22465	385	372	13	232	108	124	—
6	Mitcham 2w		11711	30015	1555	1522	33	566	284	282	—
40.—Kingston.			24551	137716	3937	3778	159	1868	925	943	1056
1	Wimbledon F,3H		3221	41652	1181	1137	44	451	207	244	—
2	Kingston 3W,H		6224	42068	1229	1150	79	753	382	371	—
3	Surbiton F,H		3046	15017	347	333	14	171	88	83	—
4	Esher 2H		7496	15523	480	471	9	187	84	103	—
5	Hampton F,H,L		4564	23456	700	687	13	306	161	142	—
41.—Richmond.			5009	49493	1315	1268	47	724	378	346	423
1	Richmond W,H		2491	31672	613	585	28	449	244	205	—
2	Mortlake F		2518	17821	702	683	19	275	134	141	—
3.—KENT.											
42.—Bromley.			40978	85739	2112	2035	77	1057	493	564	535
1	Bromley F,3H		4703	27354	699	680	19	314	151	163	—
2	Beckenham H		7825	28497	613	601	12	304	132	172	—
3	Orpington W,F		21117	13442	393	351	42	272	134	138	—
4	Chislehurst 2H		7333	16446	407	403	4	167	76	91	—
43.—Dartford.			52316	96051	2692	2631	61	1339	700	639	579
1	Bexley w,F,H		8678	21151	597	581	16	217	99	118	—
2	Erith F,H		3854	25296	733	721	12	256	146	110	—
3	Dartford W,4F,H,3L		13334	36175	996	968	28	731	384	347	—
4	Farningham 3H		26450	13429	366	361	5	135	71	64	—
44.—Gravesend.			1259	27196	626	613	13	415	219	196	186
1	Gravesend 2W,2H		1259	27196	626	613	13	415	219	196	—
45.—Strood.			36937	40336	1149	1106	43	474	259	215	286
1	Northfleet 5F		20049	17299	526	513	13	215	117	98	—
2	Strood W		16888	23037	623	593	30	259	142	117	—
46.—Hoo.			20021	4262	74	69	5	31	19	12	35
1	Hoo W,F		20021	4262	74	69	5	31	19	12	—
47.—Medway.			11820	97400	2959	2878	81	1312	702	610	841
1	Rochester and Chatham W,3F,2H.		6797	55744	1528	1468	60	869	447	422	—
2	Gillingham 2F,2H		5023	41656	1431	1410	21	443	255	188	—
48.—Malling.			47352	28295	656	615	41	351	175	176	161
1	Aylesford W,2F		21428	18526	412	379	33	219	117	102	—
2	Wrotham		25924	9769	244	236	8	132	58	74	—
49.—Sevenoaks.			66596	30790	666	631	35	332	170	162	201
1	Shoreham F		19575	7214	156	147	9	67	30	37	—
2	Sevenoaks W,F,2H		21198	15674	344	326	18	199	102	97	—
3	Penshurst F		25823	7902	166	158	8	66	38	28	—
50.—Tonbridge.			47680	66803	1369	1294	75	953	454	499	439
1	Tonbridge Wells F,3H		12916	41362	789	759	30	570	265	305	—
2	Tonbridge W,F,H		15648	17410	395	356	39	285	148	137	—
3	Brenchley 2F		19116	8031	185	179	6	98	41	57	—

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	3.—KENT—continued.									
	51.—Maidstone.	39004	49086	1153	1092	61	894	460	434	359
1	Yalding	21309	7164	179	169	10	74	35	39	—
2	Loose 2W,F	13687	8406	196	181	15	172	95	77	—
3	Maidstone F,2H,L	4008	33516	778	742	36	648	330	318	—
	52.—Hollingbourn.	57670	12546	280	264	16	153	83	70	85
1	Hollingbourn W,F	22259	4284	93	81	12	61	35	26	—
2	Lenham	16260	3102	73	70	3	29	15	14	—
3	Headcorn	19151	5160	114	113	1	63	33	30	—
	53.—Cranbrook.	41315	12944	243	230	13	156	75	81	82
1	Cranbrook W,F,2H	20574	6129	107	99	8	89	44	45	—
2	Hawkhurst H	20741	6815	136	131	5	67	31	36	—
	54.—Tenterden.	47323	8766	199	185	14	137	57	80	53
1	Tenterden W.. ..	47323	8766	199	185	14	137	57	80	—
	55.—West Ashford.	42340	20559	448	432	16	266	136	130	145
1	Calehill W,2F	22775	4987	92	89	3	75	36	39	—
2	Ashford F,H	19565	15572	356	343	13	191	100	91	—
	56.—East Ashford.	54800	13112	303	282	21	191	107	84	102
1	Brabourne W,F	27209	7595	176	164	12	137	73	64	—
2	Wye	27591	5517	127	118	9	54	34	20	—
	57.—Bridge.	42003	12384	276	263	13	276	132	144	79
1	Chartham L	18519	7014	159	151	8	207	94	113	—
2	Barham W,F.. ..	23484	5370	117	112	5	69	38	31	—
	58.—Canterbury.	3517	19804	475	455	20	294	152	142	131
1	Canterbury W,2F,2H,L	3517	19804	475	455	20	294	152	142	—
	59.—Blean.	28835	24548	551	530	21	321	164	157	151
1	Sturry	8903	6689	125	124	1	62	34	28	—
2	Herne W,2F,4H	13857	9958	234	218	16	147	81	66	—
3	Whitstable	6075	7901	192	188	4	112	49	63	—
	60.—Faversham.	44682	26422	543	508	35	290	145	145	182
1	Boughton	21331	5686	118	113	5	38	20	18	—
2	Faversham W,F,H	8266	15667	317	291	26	198	99	99	—
3	Teynham 2F	15085	5069	168	104	4	54	26	28	—
	61.—Milton.	31827	28190	753	720	33	322	152	170	212
1	Milton W,F,H	31827	28190	753	720	33	322	152	170	—
	62.—Sheppey.	22401	22275	528	520	8	239	132	107	175
1	Minster W,2F,2H	8227	21029	507	500	7	228	122	106	—
2	Eastchurch	14174	1246	21	20	1	11	10	1	—
	63.—Thanet.	26187	68461	1326	1260	66	1048	528	520	463
1	Minster W	15331	5829	133	114	19	141	76	65	—
2	Margate 2w,8H	4370	27141	456	441	15	366	177	189	—
3	Broadstairs w,F,4H	2930	7193	137	130	7	102	52	50	—
4	Ramsgate W,4H,L	3556	28298	600	575	25	439	223	216	—

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS,				AREA in Acres.	POPULATION, 1901.	BIRTHS (<i>exclusive of Still-born</i>).			DEATHS		MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.		Females.
3.—KENT— <i>continued.</i>												
No.	64.—Eastry.			46464	31533	682	641	41	403	214	189	201
1	Sandwich	W,F,H	21765	8987	192	180	12	153	86	67	—
2	Wingham	8336	3061	60	58	2	30	15	15	—
3	Eythorne	8206	1906	41	41	—	25	11	14	—
4	Deal	F,H	8157	17579	389	362	27	195	102	93	—
65.—Dover.				29067	48942	1180	1128	52	645	341	304	390
1	St. Margaret's at Cliffe*	12462	3611	80	75	5	52	28	24	—
2	Dover	W,F,4H	1945	42672	1045	1002	43	561	296	265	—
3	Hougham	14660	2659	55	51	4	32	17	15	—
66.—Elham.				43725	52134	1218	1158	60	685	355	330	379
1	Folkestone	W,2F,13H	6306	40228	921	888	33	499	252	247	—
2	Elham	W,F	21259	3662	102	81	21	87	51	36	—
3	Hythe	2F,H	16160	8244	195	189	6	99	52	47	—
67.—Romney Marsh.				43771	6566	150	142	8	76	47	29	38
1	New Romney	W,F,H	27021	3707	84	76	8	54	31	23	—
2	Lydd	16750	2859	66	66	—	22	16	6	—
4.—SUSSEX.												
68.—Rye.				38242	11057	217	208	9	133	72	61	87
1	Rye	W	15895	6097	126	121	5	82	46	36	—
2	Beckley	F	22347	4960	91	87	4	51	26	25	—
69.—Hastings.				13603	65556	1028	963	65	878	368	510	426
1	Ore	W,F,H	10571	8136	203	179	24	193	92	101	—
2	All Saints	1018	30548	504	476	28	319	133	186	—
3	St. Mary Magdalen	10H	2014	26872	321	308	13	366	143	223	—
70.—Battle.				53924	23937	472	441	31	296	111	185	159
1	Bexhill†	H	15888	15955	303	283	20	203	76	127	—
2	Battle†	W	38036	7982	169	158	11	93	35	58	—
71.—Eastbourne.				41305	51132	1064	1002	62	642	294	348	399
1	Westham	2F	18418	3392	87	80	7	44	24	20	—
2	Eastbourne	W,F,6H	8977	43756	885	831	54	556	253	303	—
3	Seaford	F,H	13910	3984	92	91	1	42	17	25	—
72.—Hailsham.				58063	15728	397	371	26	298	152	146	101
1	Hurstmonceux	29144	7257	171	164	7	81	46	35	—
2	Hellingly	W,F,L	28919	8471	226	207	19	217	106	111	—
73.—Ticehurst.				52136	16297	305	288	17	199	97	102	101
1	Ticehurst	W,F	27780	7843	154	141	13	123	60	63	—
2	Wadhurst	F	24356	8454	151	147	4	76	37	39	—
74.—Uckfield.				75785	23606	476	459	17	286	135	151	169
1	Rotherfield	25322	8991	202	194	8	107	49	58	—
2	Framfield	15334	4122	78	75	3	44	20	24	—
3	Isfield	W,H	6038	3591	67	64	3	59	25	34	—
4	Maresfield	29091	6902	129	126	3	76	41	35	—
75.—East Grinstead.				52313	18001	411	398	13	272	145	127	129
1	Withyham	18514	3648	85	83	2	56	30	26	—
2	East Grinstead	W,F,H	15128	8610	204	197	7	150	87	63	—
3	Worth	18671	5743	122	118	4	66	28	38	—

* 65 : 1.—On 31st December, 1909, St. Margaret (1) sub-district was re-named St. Margaret's at Cliffe.
† 70 : 1, 2.—On 1st August, 1909, the boundary between these sub-districts was altered, *see* page 501. The births and deaths are shown as if the change had taken place at the beginning of the year.

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate	Total.	Males.	Females.	
	4.—SUSSEX—continued.									
	76.—Cuckfield.	57379	26075	517	502	15	331	169	162	156
1	Cuckfield <i>W,H</i>	34985	14477	293	284	9	196	106	90	—
2	Hurstpierpoint <i>F,H</i>	22394	11598	224	218	6	135	63	72	—
	77.—Lewes.	50972	23457	442	422	20	368	172	196	125
1	Chailey <i>W,2F,2H,L</i>	32119	9046	175	165	10	189	88	101	—
2	Lewes <i>W,F,H</i>	18853	14411	267	257	10	179	84	95	—
	78.—Newhaven.	27061	12132	256	242	14	134	81	53	50
1	Newhaven <i>W,2w,F,H</i>	27061	12132	256	242	14	134	81	53	—
	79.—Brighton.	1629	102320	2109	1961	139	1692	865	827	812
1	East Brighton <i>W,3H</i>	890	49283	1063	987	76	1021	540	481	—
2	West Brighton <i>5H</i>	739	53037	1037	974	63	671	325	346	—
	80.—Steyning.	46143	80797	1841	1742	99	1328	639	689	604
1	Preston <i>F</i>	5332	22268	603	588	18	347	157	190	—
2	Hove <i>5H</i>	2795	36847	636	592	44	574	271	303	—
3	Shoreham <i>W,F</i>	14565	15674	471	440	31	324	177	147	—
4	Steyning	23451	6008	128	122	6	83	34	49	—
	81.—Horsham.	76613	28162	608	585	23	398	209	189	197
1	South Horsham	24774	4743	117	114	3	70	45	25	—
2	North Horsham <i>W,2H</i>	32003	19164	404	385	19	280	143	137	—
3	West Horsham <i>H</i>	19836	4255	87	86	1	48	21	27	—
	82.—Petworth.	45754	8529	177	169	8	124	64	60	43
1	Petworth Northern <i>W</i>	25298	3843	83	80	3	61	33	28	—
2	Petworth Southern <i>W,F,H</i>	20456	4686	94	89	5	63	31	32	—
	83.—Thakeham.	40632	7302	181	173	8	105	54	51	39
1	Pulborough	18149	3696	91	86	5	46	20	26	—
2	Washington <i>W</i>	22483	3606	90	87	3	59	34	25	—
	84.—East Preston.	34930	38918	871	815	56	580	295	285	310
1	Worthing <i>F,5H</i>	10015	24191	563	532	31	384	182	202	—
2	Littlehampton <i>W,3H</i>	8964	9790	208	185	23	157	94	63	—
3	Arundel <i>H</i>	16001	4937	100	98	2	39	19	20	—
	85.—Westhampnett.	71757	20108	449	432	17	265	130	135	142
1	Yapton	17002	4096	94	90	4	45	27	18	—
2	Bognor <i>4H</i>	2753	6562	144	140	4	113	55	58	—
3	Oving	24731	5560	133	124	9	63	30	33	—
4	Boxgrove	27271	3890	78	78	—	44	18	26	—
	86.—Chichester.	1538	12244	265	247	18	289	139	150	68
1	Chichester <i>W,F,H,L</i>	1538	12244	265	247	18	289	139	150	—
	87.—Midhurst.	66775	13612	282	270	12	179	83	96	92
1	Midhurst <i>W,H</i>	23808	6570	135	127	8	89	45	44	—
2	Fernhurst	13847	2417	53	52	1	37	15	22	—
3	Harting	29120	4625	94	91	3	53	23	30	—
	88.—Westbourne.	32026	6815	206	194	12	87	44	43	47
1	Westbourne <i>W,F</i>	32026	6815	206	194	12	87	44	43	—

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
5.—HAMPSHIRE.										
89.—Havant.		14216	11188	246	235	11	150	78	72	73
No. 1	Havant W,F,H	14216	11188	246	235	11	150	78	72	—
90.—Portsmouth.		6031	138923	5858	5648	210	3170	1627	1543	1848
1	North End and Buckland ..	2931	44960	1813	1764	49	635	325	310	—
2	Kingston and East Southsea W,F,6H,L.	1614	43144	1582	1521	61	1231	629	602	—
3	Portsea and Landport 2H	699	53022	1469	1398	71	759	412	347	—
4	Portsmouth and Mid South- sea 6H.	787	47797	994	965	29	545	261	284	—
91.—Alverstoke.		3872	28884	867	838	29	454	278	176	239
1	Alverstoke W,F,H	3872	28884	867	838	29	454	278	176	—
92.—Fareham.		36650	20386	503	492	11	372	195	177	173
1	Fareham W,F,2H,L ..	17243	12116	288	282	6	281	149	132	—
2	Titchfield	19407	8270	215	210	5	91	46	45	—
93.—Isle of Wight.		94068	82418	1676	1591	85	1185	595	590	559
1	Cowes F,2H,L	13960	15313	419	410	9	196	101	95	—
2	Newport W,H,L	16149	16498	359	325	34	337	179	158	—
3	Ryde F,H	7331	18167	315	301	14	244	120	124	—
4	Brading F,2H	13337	13240	242	236	6	150	73	77	—
5	Godshill F,3H	19980	11108	194	179	15	168	73	95	—
6	Calbourne	23311	8092	147	140	7	90	49	41	—
94.—Lymington.		40128	13551	356	343	13	202	103	99	111
1	Lymington W,F	25783	8939	219	209	10	131	62	69	—
2	Milford H	14345	4612	137	134	3	71	41	30	—
95.—Christchurch.		31033	69340	1475	1397	78	1125	604	521	576
1	Christchurch 2W,F,H ..	26988	15618	494	452	42	342	192	150	—
2	Bournemouth F,11H ..	4045	53722	981	945	36	783	412	371	—
96.—Ringwood.		36447	6220	172	162	10	75	37	38	42
1	Ringwood W,H	36447	6220	172	162	10	75	37	38	—
97.—Fordingbridge.		36186	6137	141	135	6	80	38	42	42
1	Fordingbridge W,H ..	36186	6137	141	135	6	80	38	42	—
98.—New Forest.		68563	14600	328	309	19	194	104	90	105
1	Lyndhurst H	23684	3820	75	68	7	41	21	20	—
2	Fawley	23158	3891	82	80	2	57	30	27	—
3	Eling W	21721	6889	171	161	10	96	53	43	—
99.—Southampton.		4501	104824	2253	2171	82	1281	675	606	784
1	Southampton Eastern* W,H	1944	69919	} 2253	2171	82	1281	675	606	—
2	Southampton Western* W,2F,3H	2557	34905							
100.—South Stoneham.		23003	37106	1896	1823	73	905	489	416	482
1	St. Mary Extra H,L ..	6196	18855	653	637	16	214	129	85	—
2	South Stoneham* W,F ..	10149	15107	750	723	27	337	173	164	—
3	Millbrook*	6658	3144	493	463	30	354	187	167	—
101.—Romsey.		32029	10623	261	249	12	117	56	61	69
1	Romsey W,H	13070	6757	163	153	10	76	36	40	—
2	Michelmersh	18959	3866	98	96	2	41	20	21	—
102.—Stockbridge.		44314	6130	147	135	12	72	39	33	39
1	Broughton	22599	2916	61	58	3	25	15	10	—
2	Stockbridge W	21715	3214	86	77	9	47	24	23	—

* 99 : 1, 2 ; 100 : 2, 3.—On 1st July, 1909, Southampton (1) sub-district was abolished and its constituent parts divided into two new sub-districts Southampton Eastern (1) and Southampton Western (2), and on the same date the boundaries between these sub-districts and 100 : 2, 3 were altered, *see* page 501. As regards the first change the births and deaths for the new sub-districts cannot be shown separately, as regards the second change the births and deaths are included in the figures for the sub-districts in which they were registered.

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.	
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.		
5.—HAMPSHIRE— <i>continued.</i>												
No.	103.—Winchester.*			79822	35196	317	791	26	463	245	218	244
1	Micheldever <i>F</i>			36254	4607	89	89	—	43	21	22	—
2	Winchester <i>W,F,H</i>			9233	21635	482	460	22	309	168	141	—
3	Twyford			17578	5274	144	143	1	61	32	29	—
4	Hursley <i>W</i>			16757	3680	102	99	3	50	24	26	—
104.—Droxford.				48646	11778	241	228	13	152	74	78	90
1	Bishops Waltham			12698	3970	96	91	5	44	21	23	—
2	West Meon			13819	2088	34	32	2	26	12	14	—
3	Hambledon <i>W,H</i>			22129	5720	111	105	6	82	41	41	—
105.—Catherington.				13144	3068	74	73	1	44	21	23	27
1	Horndean <i>W,F</i>			13144	3068	74	73	1	44	21	23	—
106.—Petersfield.				45896	12561	316	304	12	162	89	73	93
1	Petersfield <i>W,F,H</i>			19998	9116	238	228	10	133	73	60	—
2	East Meon			25898	3445	78	76	2	29	16	13	—
107.—Alresford.				42316	6983	146	142	4	101	54	47	49
1	Ropley			23903	3568	88	86	2	43	22	21	—
2	Alresford <i>W</i>			18413	3415	58	56	2	58	32	26	—
108.—Alton.				61759	16345	495	477	18	235	125	110	151
1	Alton <i>W,F,H</i>			33824	9861	228	217	11	150	81	69	—
2	Binsted			27935	6484	267	260	7	85	44	41	—
109.—Hartley Wintney.				57489	30513	714	689	25	349	194	155	223
1	Odiham <i>W,H</i>			24678	9509	241	232	9	112	53	59	—
2	Farnborough <i>2H</i>			12473	15552	374	365	9	149	89	60	—
3	Hartley Wintney <i>W,H</i> ..			20338	5452	99	92	7	88	52	36	—
110.—Basingstoke.				76957	21711	517	501	16	307	156	151	169
1	Basingstoke <i>W,F,H</i>			19714	13504	333	319	14	211	109	102	—
2	Bramley			23218	4562	114	112	2	56	28	28	—
3	Dummer			34025	3645	70	70	—	40	19	21	—
111.—Whitchurch.				31358	5823	139	135	4	65	42	23	49
1	Whitchurch <i>W,F</i>			31358	5823	139	135	4	65	42	23	—
112.—Andover.				74218	15800	515	498	17	220	113	107	129
1	Longparish			27183	3943	82	78	4	44	23	21	—
2	Amport <i>H</i>			18876	2731	183	181	2	31	17	14	—
3	Andover <i>W,F,H</i>			14021	7564	215	207	8	125	65	60	—
4	Hurstbourne Tarrant ..			14138	1562	35	32	3	20	8	12	—
113.—Kingsclere.				45986	8500	201	193	8	91	52	39	62
1	Highclere			20514	3463	74	73	1	31	19	12	—
2	Kingsclere <i>W,F</i>			25472	5037	127	120	7	60	33	27	—
6.—BERKSHIRE.												
114.—Newbury.				44216	21057	472	446	26	333	187	146	148
1	Newbury <i>W,F,H</i>			1828	11061	235	221	14	216	124	92	—
2	Speen			27624	5382	111	107	4	62	36	26	—
3	Thatcham <i>2H</i>			14764	4614	126	118	8	55	27	28	—

* 103.—The District of WINCHESTER comprises the two Poor Law Unions of Winchester (Micheldever Winchester, and Twyford sub-districts) and Hursley (Hursley sub-district).

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS		MARRIAGES.		
						Total.	Legitimate.	Illegitimate.	Total.	Males		Females.	
No.	6.—BERKSHIRE— continued.												
	115.—Hungerford.				96430	15562	368	341	27	202	98	104	77
1	Kintbury..	24211	3682	83	79	4	38	19	19	—
2	Hungerford	W	38650	7606	185	166	19	117	58	59	—
3	Lambourn	33569	4274	100	96	4	47	21	26	—
	116.—Faringdon.				64984	12312	302	287	15	180	98	82	104
1	Shrivenham	22081	3283	87	84	3	46	21	25	—
2	Faringdon	W,H	42903	9029	215	203	12	134	77	57	—
	117.—Abingdon.				55710	17325	372	345	27	243	119	124	136
1	Fyfield	20155	3422	66	63	3	45	24	21	—
2	Abingdon	W,F,H	13228	8592	187	171	16	148	68	80	—
3	Sutton Courtenay*	22327	5311	119	111	8	50	27	23	—
	118.—Wantage.				76978	15608	373	357	16	224	115	109	83
1	Wantage	W,H	35280	9725	242	232	10	151	79	72	—
2	Ilsley	41698	5883	131	125	6	73	36	37	—
	119.—Wallingford.				42696	13786	344	322	22	257	141	116	88
1	Cholsey	W,L	21276	6096	157	152	5	133	74	59	—
2	Wallingford	W,F,H	21420	7690	187	170	17	124	67	57	—
	120.—Bradfield.				64369	18117	407	391	16	252	127	125	133
1	Bucklebury	W	36256	7580	164	154	10	101	58	43	—
2	Tilehurst	F,H..	28113	10537	243	237	6	151	69	82	—
	121.—Reading.				5876	72217	1744	1663	81	995	513	482	578
1	St. Mary	W,H	2197	29246	817	770	47	406	206	200	—
2	St. Giles	F,H	3679	42971	927	893	34	589	307	282	—
	122.—Wokingham.				44401	17937	419	404	15	243	128	115	125
1	Wokingham	W,H	23346	10097	269	258	11	155	77	78	—
2	Wargrave	21055	7840	150	146	4	88	51	37	—
	123.—Maidenhead.				29926	23554	601	574	27	343	191	152	208
1	Maidenhead	W,F,H	29926	23554	601	574	27	343	191	152	—
	124.—Easthampstead.				27033	15757	366	353	13	186	105	81	71
1	Bracknell	W,H	22497	10186	227	218	9	115	54	61	—
2	Sandhurst	L	4536	5571	139	135	4	71	51	20	—
	125.—Windsor.				21070	40299	833	802	31	521	278	243	257
1	Egham	2H,L	14101	18302	392	377	15	216	103	113	—
2	Windsor	W,F,4H	6969	21997	441	425	16	305	175	130	—

* 117: 3.—On 1st April, 1909, Nuneham Courtenay (3) and Sutton Courtenay (4) sub-districts were united and called Sutton Courtenay (3). The births and deaths are shown as if the change had taken place at the beginning of the year.

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
7.—MIDDLESEX.										
126.—Staines.		24331	33861	972	926	46	518	269	219	221
No.	Sunbury <i>w</i>	11054	18683	516	498	18	229	123	106	—
1	Staines <i>W,H</i>	13277	15178	456	428	28	289	146	143	—
127.—Uxbridge.		26858	39003	1565	1509	56	845	438	407	321
1	Hillingdon <i>W,F,H</i>	6035	13661	478	451	27	251	135	116	—
2	Uxbridge <i>H</i>	12757	8984	280	272	8	113	60	53	—
3	Hayes <i>w,2F,H,L</i>	8066	16358	807	786	21	481	243	238	—
128.—Brentford.		20980	178866	6451	6227	224	3019	1492	1527	1770
1	Isleworth <i>3W,3F,H</i>	6859	30863	1166	1079	87	800	414	386	—
2	Twickenham <i>F,2H</i>	2421	20991	702	671	31	311	153	158	—
3	Brentford <i>3F,2H</i>	4319	48289	1679	1643	36	743	358	385	—
4	Chiswick <i>H</i>	1249	29809	866	840	26	419	209	210	—
5	Acton <i>w,F,3H</i>	6132	48914	2038	1994	44	746	358	388	—
129.—Willesden.*		4384	114811	4066	3958	108	1451	721	730	1403
1	Willesden <i>W,F,2H</i>	4384	114811	4066	3958	108	1451	721	730	
130.—Hendon.*		29185	52494	2011	1975	36	772	382	390	472
1	Harrow <i>F,H</i>	13809	25523	1109	1092	17	383	191	192	
2	Edgware <i>2F,2H</i>	6994	4521	104	103	1	38	16	22	
3	Hendon <i>2W,w,F</i>	8382	22450	798	780	18	351	175	176	2711
131.—Barnet.		25767	58970	1330	1787	43	1026	494	532	
1	South Mimms <i>2F,2H</i>	17755	7308	184	181	3	72	33	39	
2	Barnet <i>W,F,2H</i>	3324	17970	481	461	20	282	139	143	—
3	Finchley <i>F,3H,L</i>	4688	33692	1165	1145	20	672	322	350	
132.—Edmonton.		47102	332463	10868	10597	271	4414	2197	2217	—
1	Hornsey <i>F,H</i>	2875	72056	1474	1450	24	684	296	388	
2	Wood Green <i>w,H</i>	1625	34233	1193	1173	20	411	191	220	
3	West Tottenham <i>F</i>	995	48741	1810	1771	39	579	279	300	
4	East Tottenham <i>2H</i>	2019	53962	1990	1957	33	815	423	392	
5	Edmonton <i>W,2w,3F</i>	7491	61892	2556	2447	109	1097	577	520	
6	Enfield <i>2W,F,H</i>	12601	42738	1399	1359	40	617	319	298	
7	Waltham Abbey <i>F</i>	11017	6549	141	139	2	79	41	38	
8	Cheshunt <i>F,H</i>	8479	12292	305	301	4	132	71	61	
8.—HERTFORD-SHIRE.										
133.—Ware.		36158	21175	481	463	18	302	160	142	127
1	Hoddesdon	7987	8783	191	187	4	89	45	44	—
2	Stanstead	7985	2959	70	70	—	34	16	18	—
3	Ware <i>W</i>	6909	6511	166	152	14	133	72	61	—
4	Standon	13277	2922	54	54	—	46	27	19	—
134.—Bishop Stortford.		54471	21498	498	474	24	318	172	146	129
1	Stortford <i>W,2F,H</i>	15804	11616	289	270	19	199	110	89	—
2	Stansted	18610	5799	120	116	4	63	34	29	—
3	Braughing <i>H</i>	20057	4083	89	88	1	56	28	28	—
135.—Royston.+		91067	21046	474	449	25	332	170	162	139
1	Buntingford <i>W,F</i>	28470	5020	121	117	4	95	48	47	—
2	Royston <i>H</i>	34140	7732	160	154	6	100	54	46	—
3	Melbourn <i>W,F</i>	28457	8294	193	178	15	137	68	69	—
136.—Hitchin.		66840	28749	833	779	54	443	221	222	239
1	Baldock	32157	10816	383	361	22	150	78	72	—
2	Hitchin† <i>W,3H</i>	34683	17933	450	418	32	293	143	150	—

* 129, 130.—On 1st October, 1909, Willesden (3) sub-district of HENDON Registration District was created a separate Registration District WILLESDEN (129), and HENDON Registration District was renumbered (130). The births and deaths are shown as if the change had taken place at the beginning of the year; the marriages for the new Districts cannot be shown separately.

† 135.—The District of ROYSTON comprises the two Poor Law Unions of Buntingford (Buntingford sub-district) and Royston (Royston and Melbourn sub-districts).

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	8.—HERTFORD-SHIRE—continued.									
	137.—Hertford.	35435	17036	362	350	12	246	127	119	106
1	Watton <i>F</i>	16615	3658	71	71	—	47	22	25	—
2	Hertford <i>W,F,H</i>	18820	13378	291	279	12	199	105	94	—
	138.—Hatfield.*	30063	9816	265	260	5	114	57	57	60
1	Hatfield <i>W,H</i>	23486	7551	202	198	4	80	38	42	—
2	Welwyn <i>W,F,H</i>	6582	2265	63	62	1	34	19	15	—
	139.—St. Albans.	41402	33008	912	866	46	566	276	290	253
1	Harpenden	20616	11654	308	296	12	133	56	77	—
2	St. Albans <i>W,F,H,2L</i>	20786	21354	604	570	34	433	220	213	—
	140.—Watford.	36953	53936	1491	1458	33	859	431	428	404
1	Bushey† <i>2H</i>	12012	7396	1491	1458	33	859	431	428	—
2	Watford† <i>2W,2F,H</i>	2061	29430							
3	Rickmansworth†	14035	9304							
4	Abbots Langley† <i>w,L</i>	8845	7806							
	141.—Hemel Hempstead.	27179	17276	444	425	19	261	136	125	134
1	Hemel Hempstead† <i>W,F,2H</i>	15542	14069	363	349	14	220	116	104	—
2	Flamstead	11637	3207	81	76	5	41	20	21	—
	142.—Berkhampstead.	26852	16220	333	326	7	210	82	128	112
1	Berkhampstead <i>W</i>	11507	8790	173	170	3	118	52	66	—
2	Tring <i>2F</i>	15345	7430	160	156	4	92	30	62	—
	9.—BUCKINGHAM-SHIRE.									
	143.—Amersham.	50396	22357	603	588	15	315	170	145	163
1	Missenden	6322	2291	63	61	2	37	15	22	—
2	Chesham <i>F,H</i>	13659	9772	230	224	6	124	62	62	—
3	Amersham <i>W</i>	20568	7206	222	217	5	118	73	45	—
4	Chalfont <i>H</i>	9847	3088	88	86	2	36	20	16	—
	144.—Eton.	42988	34792	895	860	35	415	213	202	265
1	Eton <i>W,F,2H</i>	20698	25280	673	644	29	285	144	141	—
2	Burnham <i>F</i>	22290	9512	222	216	6	130	69	61	—
	145.—Wycombe.	75498	45377	1149	1093	56	542	257	285	351
1	Wycombe <i>H</i>	18756	24476	669	649	20	270	127	143	—
2	Marlow <i>2F,H</i>	13709	10102	271	260	11	116	46	70	—
3	Princes Risborough	22782	6376	115	107	8	70	34	36	—
4	Stokenchurch <i>2W</i>	20251	4423	94	77	17	86	50	36	—
	146.—Aylesbury.	75411	24865	517	492	25	483	246	237	166
1	Haddenham <i>L</i>	27541	5657	129	122	7	172	78	94	—
2	Aylesbury <i>W,F,H</i>	19395	13668	287	272	15	244	129	115	—
3	Waddesdon	28475	5540	101	98	3	67	39	28	—
	147.—Winslow.	34525	7034	124	114	10	105	47	58	38
1	Winslow <i>W</i>	34525	7034	124	114	10	105	47	58	—
	148.—Newport Pagnell.	74206	28000	662	644	18	335	190	145	196
1	Fenny Stratford	33144	14814	373	366	7	174	101	73	—
2	Newport Pagnell <i>W</i>	3432	4028	97	91	6	70	41	29	—
3	Olney	37630	9158	192	187	5	91	48	43	—

* 138.—The District of HATFIELD comprises the two Poor Law Unions of Hatfield (Hatfield sub-district) and Welwyn (Welwyn sub-district).

† 140: 1, 2, 3, 4.—On 1st July, 1909, the boundaries between these sub-districts were altered, *see* page 591. The births and deaths for the altered sub-districts cannot be shown separately.

‡ 141: 1.—On 1st December 1909, Kings Langley (1) and Hemel Hempstead (2) sub-districts were united and called Hemel Hempstead (1). The births and deaths are shown as if the change had taken place at the beginning of the year.

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
9.—BUCKINGHAMSHIRE—continued.											
149.—Buckingham.			54022	10636	241	233	8	153	69	84	73
No.											
1	Buckingham <i>W,F,H</i> ..		26769	6205	130	125	5	106	48	58	—
2	Tingewick		27253	4431	111	108	3	47	21	26	—
10.—OXFORDSHIRE.											
150.—Henley.			59540	23826	618	584	34	324	173	151	208
1	Henley <i>W,F,H</i>		25971	10893	233	219	14	157	87	70	—
2	Caversham		14550	9211	331	315	16	113	61	57	—
3	Watlington <i>F,H</i>		19019	3722	54	50	4	49	25	24	—
151.—Thame.			61413	13174	253	240	13	172	90	82	98
1	Lewknor		27835	4530	89	86	3	51	34	17	—
2	Thame <i>W,3F,H</i>		33578	8644	164	154	10	121	56	65	—
152.—Headington.			29093	38605	857	813	44	709	365	344	276
1	Wheatley <i>2F</i>		12619	3206	75	73	2	47	21	26	—
2	St. Clement <i>W,2w,F,5H,2L</i> ..		16474	35399	782	740	42	662	344	318	—
153.—Oxford.			1720	22896	529	501	28	233	112	121	197
1	Oxford <i>F</i>		1720	22896	529	501	28	233	112	121	—
154.—Bicester.			63008	12284	292	271	21	173	99	74	114
1	Bletchington <i>F</i>		32188	5761	139	131	8	60	28	32	—
2	Bicester <i>W,F</i>		30820	6523	153	140	13	113	71	42	—
155.—Woodstock.			47854	12071	277	264	13	192	103	89	83
1	Deddington		21412	4404	94	89	5	74	46	28	—
2	Woodstock <i>W</i>		26442	7667	183	175	8	118	57	61	—
156.—Witney.			77795	19283	455	435	20	306	157	149	148
1	Eynsham		18077	4361	89	85	4	61	37	24	—
2	Bampton		23691	4053	103	100	3	57	25	32	—
3	Witney <i>W</i>		15043	7229	191	181	10	135	67	68	—
4	Burford <i>H</i>		20984	3640	72	69	3	53	28	25	—
157.—Chipping Norton.			72511	16004	349	327	22	208	102	106	117
1	Charlbury		39293	8017	167	158	9	104	51	53	—
2	Chipping Norton <i>W</i>		33218	7987	182	169	13	104	51	53	—
158.—Banbury.			78487	28555	633	602	31	439	240	199	194
1	Bloxham		19702	5612	118	113	5	74	42	32	—
2	Swalcliffe		22744	4495	84	81	3	49	24	25	—
3	Cropredy		19596	3044	54	52	2	43	15	28	—
4	Banbury <i>W,2F,H</i>		16445	15404	377	356	21	273	159	114	—
11.—NORTHAMPTONSHIRE.											
159.—Brackley.			55825	10718	232	224	8	156	77	79	58
1	Brackley <i>W,H</i>		55825	10718	232	224	8	156	77	79	—
160.—Towcester.			42457	10720	224	213	11	156	79	77	68
1	Towcester* <i>W</i>		42457	10720	224	213	11	156	79	77	—

* 160: 1.—On 1st April, 1909, Abthorpe (1) and Towcester (2) sub-districts were united and called Towcester (1). The births and deaths are shown as if the change had taken place at the beginning of the year.

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	11.—NORTHAMPTON-SHIRE—continued.									
	161.—Potterspury.	24373	13759	345	340	5	199	90	109	103
1	Potterspury W	24373	13759	345	340	5	199	90	109	—
	162.—Hardingstone.	32924	11932	264	251	13	139	72	67	79
1	Brafield	12388	3118	53	52	1	30	16	14	—
2	Hardingstone W,2F ..	20536	8814	211	199	12	109	56	53	—
	163.—Northampton.	19315	89355	1969	1877	92	1432	725	707	690
1	St. Giles 2W,2H,L ..	5668	53817	1109	1044	65	905	459	446	—
2	All Saints	4537	31296	785	762	23	405	206	199	—
3	Bugbrooke L	9110	4242	75	71	4	122	60	62	—
	164.—Daventry.	64510	17205	372	353	19	255	122	133	108
1	Weedon	19827	4566	101	99	2	65	37	28	—
2	Daventry 2W,F ..	24567	7914	176	167	9	123	62	61	—
3	Long Buckby	20116	4725	95	87	8	67	23	44	—
	165.—Brixworth.	63647	11829	215	199	16	179	81	98	101
1	West Brixworth	32106	5569	101	93	8	77	29	48	—
2	East Brixworth W,F,H ..	31541	6260	114	106	8	102	52	50	—
	166.—Wellingborough.	55761	56042	1245	1189	56	635	315	320	385
1	Wellingborough W,F,H ..	26836	28917	629	595	34	351	183	168	—
2	Higham Ferrers	28925	27125	616	594	22	284	132	152	—
	167.—Kettering.	58189	48093	1250	1212	38	619	321	298	365
1	Burton Latimer W ..	22596	7129	173	171	2	70	34	36	—
2	Kettering W,2F,H ..	2814	28653	746	719	27	379	200	179	—
3	Rothwell	32779	12311	331	322	9	170	87	83	—
	168.—Thrapston.	51744	14941	361	342	19	188	112	76	95
1	Thrapston W	27802	7490	174	162	12	98	53	45	—
2	Raunds	23942	7451	187	180	7	90	59	31	—
	169.—Oundle.	69516	10494	210	197	13	148	73	75	65
1	Oundle W,F	69516	10494	210	197	13	148	73	75	—
	170.—Peterborough.	104132	53859	1255	1189	66	705	352	353	431
1	Stilton	30495	5579	144	140	4	65	37	28	—
2	Peterborough W,2F,H ..	22681	39452	890	841	49	532	259	273	—
3	Crowland	33114	7047	180	167	13	85	44	41	—
4	Thorney	17842	1781	41	41	—	23	12	11	—
	12.—HUNTINGDON-SHIRE.									
	171.—Huntingdon.	79735	18095	427	406	21	248	129	119	129
1	Ramsey F	27066	5907	170	164	6	61	25	36	—
2	Sawtry	16493	1793	43	43	—	8	5	3	—
3	Spaldwick	20362	2140	54	49	5	27	14	13	—
4	Huntingdon W,2F,H ..	15814	8255	160	150	10	152	85	67	—

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
12.—HUNTINGDON-SHIRE—continued.										
No.	172.—St. Ives.	61914	14776	344	323	21	213	108	105	80
1	Warboys	15738	2847	86	80	6	37	16	21	—
2	Somersham	15298	3096	86	83	3	44	24	20	—
3	Swavesey	14445	2468	51	49	2	44	21	23	—
4	St. Ives W	16433	6365	121	111	10	88	47	41	—
173.—St. Neots.										
	65920	13879	318	298	20	168	89	79	94	
1	St. Neots	30548	7888	175	168	7	88	44	44	—
2	Kimbolton W.. ..	35372	5991	143	130	13	80	45	35	—
13.—BEDFORDSHIRE.										
174.—Bedford.										
	96654	57636	1181	1120	61	735	340	395	407	
1	Riseley*	28546	4217	73	71	2	44	18	26	—
2	Harrold	11583	2356	36	34	2	36	17	19	—
3	Turvey	9251	1747	24	23	1	20	10	10	—
4	Bedford and Kempston W,F	17412	27735	503	473	30	333	156	177	—
5	Bedford and Cardington F,H	29862	21631	545	519	26	302	139	163	—
175.—Biggleswade.										
	58275	26718	601	569	32	432	219	213	169	
1	Biggleswade W,2F	31474	14591	372	356	16	215	114	101	—
2	Stotfold L	26801	12127	229	213	16	217	105	112	—
176.—Amptill.										
	69992	21323	461	439	22	313	151	162	162	
1	Shillington	12579	3473	74	69	5	46	24	22	—
2	Amptill W,2F	20120	7506	165	156	9	116	56	60	—
3	Cranfield	10832	2727	68	67	1	27	15	12	—
4	Woburn 2H	26461	7617	154	147	7	124	56	68	—
177.—Leighton Buzzard.										
	42639	18071	370	352	18	241	119	122	138	
1	Leighton Buzzard W,4F ..	21537	12329	259	246	13	182	85	97	—
2	Wing	7278	2029	40	36	4	24	13	11	—
3	Ivinghoe	6213	1396	27	27	—	11	4	7	—
4	Edlesborough	7611	2317	44	43	1	24	17	7	—
178.—Luton.										
	39778	51174	1522	1461	61	851	430	421	478	
1	Dunstable F	13672	9248	203	196	7	124	57	67	—
2	Luton 2W,F,2H	26106	41926	1319	1265	54	727	373	354	—
14.—CAMBRIDGE-SHIRE.										
179.—Caxton.										
	51403	8397	173	163	10	116	56	60	47	
1	Caxton W	51403	8397	173	163	10	116	56	60	—
180.—Chesterton.										
	80995	33246	816	783	33	483	237	246	248	
1	Chesterton† W,F	41014	19487	492	474	18	260	121	139	—
2	Cherry Hinton† F,L	39981	13759	324	309	15	223	116	107	—
181.—Cambridge.										
	3233	38379	853	804	49	597	285	312	329	
1	St. Andrew the Less W,F..	1398	28424	724	680	44	377	175	202	—
2	St. Andrew the Great 2H..	1835	9955	129	124	5	220	110	110	—

* 174: 1.—On 1st June, 1909, Riseley (1) and Sharnbrook (2) sub-districts were united and called Riseley (1). The births and deaths are shown as if the change had taken place at the beginning of the year.

† 180: 1, 2.—On 1st March, 1909, Willingham (1), Fulbourn (2), and Shelford (3), sub-districts were abolished, and their constituent parts divided into two new sub-districts Chesterton (1) and Cherry Hinton (2), see page 502. The births and deaths are shown as if the change had taken place at the beginning of the year.

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (<i>exclusive of Still-born.</i>)			DEATHS			MARRIAGES.
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
14.—CAMBRIDGE-SHIRE— <i>continued.</i>												
182.—Linton.				50916	11257	215	202	13	138	73	65	69
1	Duxford			15371	4642	80	77	3	40	23	17	—
2	Linton W			16949	3854	78	71	7	71	36	35	—
3	Balsham			18596	2761	57	54	3	27	14	13	—
183.—Newmarket.				101353	32103	736	701	35	392	199	193	212
1	Cheveley			39714	7966	176	170	6	84	43	41	—
2	Newmarket W,F,H			5649	10688	208	194	14	137	70	67	—
3	Burwell			23130	4913	105	100	5	52	29	23	—
4	Soham			32860	8536	247	237	10	119	57	62	—
184.—Ely.				80747	20096	462	445	17	301	152	149	157
1	Haddenham			16458	3347	74	72	2	43	24	19	—
2	Sutton			19952	3021	68	67	1	47	27	20	—
3	Ely W			15993	7691	165	157	8	143	67	76	—
4	Littleport			28344	6037	155	149	6	68	34	34	—
185.—North Witchford.				59524	16994	494	467	27	245	121	124	150
1	Chatteris W			23981	6798	175	164	11	128	63	65	—
2	March F			35603	10196	319	303	16	117	58	59	—
186.—Whittlesey.				26180	7103	201	187	14	119	54	65	43
1	Whittlesey W			26180	7103	201	187	14	119	54	65	—
187.—Wisbech.				111789	33105	936	862	74	532	268	264	289
1	Leverington			26443	5120	181	170	11	65	34	31	—
2	Wisbech W,F,H			6476	9831	232	207	25	181	88	93	—
3	Walpole St. Peter			15056	2581	66	60	6	34	16	18	—
4	Terrington St. Clement			23836	4871	142	131	11	65	34	31	—
5	Walsoken			19860	6008	194	182	12	108	57	51	—
6	Upwell			20118	4694	121	112	9	79	39	40	—

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909.

15.—ESSEX.									
No. 189.—West Ham.	18784	580386	19382	18909	473	8239	4137	4102	4806
1 Stratford H	1091	52974	1496	1473	23	641	333	308	—
2 Forest Gate w	787	52745	1050	1036	14	538	269	269	—
3 Plaistow F,2H	1249	90921	3347	3302	45	1255	617	638	—
4 Canning Town H	1556	70718	2875	2788	87	1057	541	516	—
5 South East Ham 2F	1991	37342	1701	1674	27	551	273	278	—
6 North East Ham w,H	1333	58666	1828	1777	51	605	290	315	—
7 Wanstead F	1679	9179	209	206	3	89	38	51	—
8 South Leyton W	631	50467	1400	1256	144	762	368	394	—
9 North Leyton 2W,w,F	1963	48445	1735	1705	30	1591	853	738	—
10 Walthamstow 2H,L	6504	108929	3741	3692	49	1150	555	595	—
189.—Epping.									
1 Chigwell F,3H	11778	16397	427	420	7	208	116	92	—
2 Epping W,F	19298	7853	195	180	15	129	79	50	—
3 Barlow	17041	6211	119	113	6	72	34	38	—
190.—Ongar.									
1 Bobbingworth	24327	4753	98	94	4	76	35	41	—
2 Chipping Ongar W,w	22909	5291	119	116	3	86	49	37	—
191.—Romford.									
1 Romford W,2F,H	15873	20413	687	640	47	389	209	180	—
2 Ilford F,2L	8496	41244	1696	1656	40	890	425	465	—
3 Barking Town F	3805	21547	844	829	15	339	169	170	—
4 Hornchurch w,L	19477	12261	386	379	7	135	65	70	—

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS <i>exclusive of Still-born</i>).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
15.—ESSEX— <i>continued</i> .										
192.—Orsett.		41298	33746	1070	1041	29	473	254	219	222
No. 1	Grays 2w,F,H	15998	26570	850	831	19	346	188	158	—
2	Orsett W	25300	7176	220	210	10	127	66	61	—
193.—Billericay.		49854	22436	501	467	34	498	256	242	118
1	Brentwood 4w,2H,L	25584	16821	355	335	20	408	201	207	—
2	Wickford W	24270	5615	146	132	14	90	55	35	—
194.—Chelmsford.		86157	36297	797	769	28	411	215	196	280
1	Ingatestone F	28523	6226	151	144	7	74	36	38	—
2	Chelmsford W,F,H	16393	16317	344	333	11	198	105	93	—
3	Great Waltham	25764	6415	152	148	4	61	27	34	—
4	Great Baddow F	15477	7339	150	144	6	78	47	31	—
195.—Rochford.		63121	51170	1859	1787	72	990	516	474	562
1	Rochford W,2F	39638	11133	315	292	23	212	119	93	—
2	Prittlewell 2F,H	8453	32772	1298	1255	43	685	347	338	—
3	Great Wakering	15030	7265	246	240	6	93	50	43	—
196.—Maldon.		89887	23117	563	540	28	362	178	184	164
1	Southminster	35208	7438	165	158	7	97	45	52	—
2	Maldon W,H	27557	8558	204	187	17	168	83	85	—
3	Tollesbury F	27122	7121	199	195	4	97	50	47	—
197.—Tendring.		84076	45025	1177	1132	45	604	323	281	334
1	Clacton F,3HL	13062	8860	220	209	11	114	55	59	—
2	Thorpe W	23196	7503	191	177	14	141	85	56	—
3	Harwich 2F	1541	10070	356	348	8	125	73	52	—
4	Manningtree L	17077	7783	167	162	5	73	33	40	—
5	Ardleigh	29200	10809	243	236	7	151	77	74	—
198.—Colchester.		11333	38373	991	956	35	518	275	243	340
1	Colchester South East 2H	5931	22006	594	581	13	223	116	107	—
2	Colchester North West W,F,H,L.	5402	16367	397	375	22	295	159	136	—
199.—Lexden.		71049	21146	473	452	26	269	144	125	166
1	Wivenhoe	22665	8196	171	163	8	82	46	36	—
2	Stanway W	24964	6500	166	157	9	98	54	44	—
3	Fordham	23420	6450	141	132	9	89	44	45	—
200.—Halstead.		39359	16249	310	299	11	203	92	111	116
1	Halstead W,F,H	18847	10554	193	184	9	141	62	79	—
2	Hedingham F	20512	5695	117	115	2	62	30	32	—
201.—Braintree.		68285	26893	557	535	22	372	168	204	185
1	Finchingfield	16724	3275	57	55	2	32	15	17	—
2	Becking W,H	11714	4667	88	85	3	116	57	59	—
3	Coggeshall	14309	5819	126	120	6	67	25	42	—
4	Witham	14835	5860	117	114	3	73	37	36	—
5	Braintree F	10703	7272	169	161	8	84	34	50	—
202.—Dunmow.		73503	15705	326	302	24	224	126	98	89
1	Dunmow W,F,H	40410	8980	171	165	6	134	83	51	—
2	Thaxted H	33093	6725	155	137	18	90	43	47	—

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued*.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	15.—ESSEX—continued.									
	203.—Saffron Walden.	64676	16132	312	300	12	237	125	112	112
1	Newport	19000	3970	69	66	3	45	27	18	—
2	Saffron Walden W,F,H ..	24280	9026	166	159	7	152	80	72	—
3	Radwinter	21396	3136	77	75	2	40	18	22	—
	16.—SUFFOLK.									
	204.—Risbridge.	53926	16049	332	306	26	232	103	129	100
1	Haverhill W,F	18586	8701	195	181	14	146	74	72	—
2	Wickhambrook	18813	3258	55	52	3	35	13	22	—
3	Clare	16527	4090	82	73	9	51	16	35	—
	205.—Sudbury.	80521	27040	467	433	34	362	191	171	170
1	Bulmer*	26500	4847	89	84	5	53	27	26	—
2	Bures* H	24398	5278	113	104	9	65	37	28	—
3	Sudbury* W,F,H	4604	8245	117	107	10	157	81	76	—
4	Melford*	25019	8670	148	138	10	87	46	41	—
	206.—Cosford.	52890	14863	337	313	24	182	92	90	85
1	Lavenham	27116	6881	178	167	11	85	36	49	—
2	Hadleigh W	25774	7982	159	146	13	97	56	41	—
	207.—Bury St. Edmunds.	86945	30783	714	664	50	436	218	218	210
1	Rougham	25954	4677	91	86	5	63	34	29	—
2	Bury St. Edmunds W,F,H ..	2947	16255	377	347	30	239	123	116	—
3	Ixworth	24228	4801	121	115	6	68	32	36	—
4	Fornham	33816	5050	125	116	9	66	29	37	—
	208.—Mildenhall.	64870	8290	163	152	11	111	63	48	51
1	Mildenhall W,H	64870	8290	163	152	11	111	63	48	—
	209.—Stow.	56810	19167	449	419	30	215	114	101	126
1	Walsham le Willows	19179	4858	101	96	5	51	24	27	—
2	Rattlesden W	20840	5422	131	118	13	65	38	27	—
3	Stowmarket F	16791	8887	217	205	12	99	52	47	—
	210.—Hartismere.	107352	23735	534	487	47	348	180	168	157
1	Mendlesham W	32047	7844	180	160	20	137	74	63	—
2	Botesdale	22463	5670	112	105	7	73	38	35	—
3	Stradbroke	25606	5200	120	109	11	65	32	33	—
4	Dennington	27236	5021	122	113	9	73	36	37	—
	211.—Bosmere.	58883	14097	322	297	25	202	109	93	110
1	Coddenham W,F	31068	6896	154	137	17	125	70	55	—
2	Needham Market	27815	7201	168	160	8	77	39	38	—
	212.—Samford.	45351	12253	254	244	10	164	94	70	93
1	Capel St. Mary	22614	5827	116	109	7	65	33	32	—
2	Holbrook W,H	22737	6426	138	135	3	99	61	38	—

* 205: 1, 2, 3, 4.—On 1st February, 1909, Melford (4) sub-district was abolished and changes were made in the boundaries of Bulmer (1), Bures (2), Sudbury (3), and Hartest (5), re-named Melford (4), sub-districts, see page 502. The births and deaths are shown as if the change had taken place at the beginning of the year.

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued*.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (<i>exclusive of Still-born</i>).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	16.—SUFFOLK—<i>cont.</i>									
	213.—Ipswich.	8112	66630	1804	1708	96	1034	544	490	596
1	Ipswich Western	4383	30649	773	734	39	380	197	183	—
2	Ipswich Eastern <i>2w,F,H,L</i>	3729	35981	1031	974	57	654	347	307	—
	214.—Woodbridge.	78472	25582	516	487	29	396	198	198	144
1	Carlford	25989	5901	112	104	8	45	27	18	—
2	Colneis <i>H</i>	26572	10051	247	236	11	118	58	60	—
3	Woodbridge and Wilford <i>F,L</i>	25911	9630	157	147	10	233	113	120	—
	215.—Plomesgate.	75373	19611	413	375	38	223	115	108	105
1	Framlingham	19405	5407	109	97	12	57	26	31	—
2	Orford <i>W,H</i>	34087	6736	145	125	20	94	49	45	—
3	Aldeburgh	21881	7468	159	153	6	72	40	32	—
	216.—Blything.	94316	25577	623	590	33	358	178	180	177
1	Leiston*	50362	12372	309	295	14	174	87	87	—
2	Southwold* <i>W,2H</i>	43954	13205	314	295	19	184	91	93	—
	217.—Wangford.	35570	14885	316	294	22	184	96	88	140
1	Bungay	17103	5401	98	93	5	61	28	33	—
2	Beccles <i>W,F,H</i>	18467	9484	218	201	17	123	68	55	—
	218.—Mutford.	31741	43338	1429	1377	52	612	317	295	375
1	Oulton Broad <i>W,F</i>	15851	9764	360	340	20	179	90	89	—
2	Lowestoft <i>F,2H</i>	2178	29850	980	953	27	400	209	191	—
3	Belton	13712	3724	89	84	5	33	18	15	—
	17.—NORFOLK.									
	219.—Yarmouth.	3524	50704	1339	1268	71	953	507	451	429
1	Yarmouth Southern <i>2H,L</i> ..	479	15526	378	355	23	282	148	134	—
2	Yarmouth Northern <i>W,F,H</i>	896	19845	512	477	35	425	229	196	—
3	Gorleston <i>F,H</i>	2149	15333	449	436	13	251	130	121	—
	220.—Flegg.	29049	9803	298	283	15	143	69	74	77
1	East Flegg	13261	5030	160	152	8	77	40	37	—
2	West Flegg <i>W</i>	15788	4773	138	131	7	66	29	37	—
	221.—Smallburgh.	66988	17329	400	367	33	204	99	105	115
1	Ludham	16469	3003	66	63	3	37	22	15	—
2	Smallburgh <i>W</i>	17203	3962	84	74	10	45	25	20	—
3	Stalham	17459	3981	84	80	4	36	17	19	—
4	North Walsham	15857	6383	166	150	16	86	35	51	—
	222.—Erpingham.	64227	22263	545	514	31	252	125	127	135
1	Cromer† <i>F,3H</i>	29337	11539	264	253	11	111	56	55	—
2	Sheringham† <i>W,H</i>	34890	10724	281	261	20	141	69	72	—
	223.—Aylsham.	69341	17053	380	353	27	209	101	108	104
1	Eynsford	41002	7842	189	180	9	85	38	47	—
2	Buxton <i>W</i>	28339	9211	191	173	18	124	63	61	—
	224.—St. Faith's.	48933	10378	208	191	17	169	72	97	61
1	St. Faith's <i>W,F,L</i>	48933	10378	208	191	17	169	72	97	—

* 216: 1, 2.—On 1st November, 1909, Westleton (1) Halesworth (2) and Wenhaston (3) sub-districts were abolished and their constituent parts were divided into two new sub-districts, Leiston (1) and Southwold (2), *see* page 503. The births and deaths are shown as if the change had taken place at the beginning of the year.

† 222: 1, 2.—On 1st September, 1909, Cromer (2) sub-district was abolished and its constituent parts divided between Repps, re-named Cromer (1), and Holt, re-named Sheringham (2), sub-districts, *see* page 504. The births and deaths are shown as if the change had taken place at the beginning of the year.

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
17.—NORFOLK—cont.										
No.	225.—Norwich.	7879	113922	3010	2854	156	1763	884	879	934
1	East Wymer* ..	7879	56120	3010	2854	156	1763	884	879	—
2	West Wymer* W,2F,3H,L ..		57802							
226.—Forehoe.		38528	11329	250	224	26	139	79	60	57
1	Costessey ..	15702	3485	76	67	9	31	18	13	—
2	Wymondham W,F ..	22826	7844	174	157	17	108	61	47	—
227.—Henstead.		42398	10358	215	199	16	114	59	55	61
1	Humbleyard W ..	22468	5302	127	118	9	66	35	31	—
2	Henstead ..	19930	5056	88	81	7	48	24	24	—
228.—Blofield.		45967	11845	263	244	19	225	110	115	55
1	Blofield W,L ..	19961	6935	144	133	11	168	82	86	—
2	South Walsham ..	26006	4910	119	111	8	57	28	29	—
229.—Loddon.		60321	12393	285	267	18	157	70	87	83
1	Aldeby H ..	28874	6346	156	149	7	69	28	41	—
2	Loddon W ..	31447	6047	129	118	11	88	42	46	—
230.—Depwade.		83959	23860	475	438	37	314	161	153	170
1	Harleston W ..	31591	8772	202	176	26	140	73	67	—
2	Diss H ..	19940	7464	125	120	5	90	47	43	—
3	Stratton ..	32428	7624	148	142	6	84	41	43	—
231.—Wayland.		68775	13793	313	285	28	179	82	97	81
1	Attleborough W ..	33214	8223	206	187	19	121	57	64	—
2	Watton H ..	35561	5570	107	98	9	58	25	33	—
232.—Mitford.		106911	23982	543	506	37	355	177	178	152
1	Shipdham ..	11579	2282	55	52	3	27	15	12	—
2	Mattishall ..	17003	3439	86	84	2	48	24	24	—
3	Bawdeswell ..	13556	2504	57	53	4	34	18	16	—
4	East Dereham W ..	18922	7992	169	151	18	136	70	66	—
5	Litcham ..	26969	3990	94	87	7	59	25	34	—
6	North Elmham ..	18882	3775	82	79	3	51	25	26	—
233.—Walsingham.		83142	19621	415	376	39	266	126	140	116
1	Fakenham ..	29061	7440	146	131	15	104	43	61	—
2	Walsingham W ..	32011	6592	162	144	18	101	52	49	—
3	Wells ..	22070	5589	107	101	6	61	31	30	—
234.—Docking.		87948	17634	387	343	44	250	114	136	96
1	Burnham..	40358	6570	148	141	7	84	35	49	—
2	Snettisham W,F,H ..	47590	11064	239	202	37	166	79	87	—
235.—Freebridge Lynn.		74774	11847	275	256	19	159	86	73	101
1	Hillington ..	26542	4124	99	94	5	58	31	27	—
2	Gayton W ..	33062	5328	118	104	14	74	40	34	—
3	Castle Rising ..	15170	2395	58	58	—	27	15	12	—

* 225: 1, 2.—On 1st July, 1909, the boundary between these sub-districts was altered, *see* page 504. The births and deaths for the altered sub-districts cannot be shown separately.

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS <i>(exclusive of Still-born).</i>			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
17.—NORFOLK—cont.											
236.—King's Lynn.			4696	20950	527	486	41	273	131	142	145
No. 1	North King's Lynn		629	12057	281	261	20	123	55	68	—
2	South King's Lynn W,F,H		4067	8893	246	225	21	150	76	74	—
237.—Downham.			82933	17309	410	385	25	252	125	127	120
1	Wiggenshall		32114	5863	147	137	10	65	26	39	—
2	Downham W		28145	7705	188	177	11	130	67	63	—
3	Fincham		22674	3741	75	71	4	57	32	25	—
238.—Swaffham.			82148	11015	226	202	24	140	77	63	66
1	Swaffham W,F,H		82148	11015	226	202	24	140	77	63	—
239.—Thetford.			138729	20366	429	404	25	279	157	122	136
1	Methwold		68470	8018	175	165	10	114	61	53	—
2	Thetford W,H		70259	12348	254	239	15	165	96	69	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909.

18.—WILTSHIRE.									
240.—Swindon.	53986	59285	1763	1699	64	780	390	390	452
1 Highworth W,F	24251	8919	262	235	27	175	93	82	—
2 Swindon F,2H	29735	50366	1501	1464	37	605	297	308	—
241.—Cricklade.	46734	11357	289	268	21	154	83	71	69
1 Wootton Bassett F	22427	5541	143	134	9	62	35	27	—
2 Cricklade W	24307	5816	146	134	12	92	48	44	—
242.—Malmesbury.	58535	12676	269	256	13	160	79	81	62
1 Malmesbury Eastern H ..	32583	5290	113	110	3	63	28	35	—
2 Malmesbury Western W,H	25952	7386	156	146	10	97	51	46	—
243.—Chippenham.	58967	22959	535	519	16	309	142	167	156
1 Castle Combe	20537	4054	90	88	2	60	34	26	—
2 Corsham	14985	7886	158	157	1	108	51	57	—
3 Chippenham W,F,H	11150	8447	235	223	12	111	43	68	—
4 Christian Malford	12295	2572	52	51	1	30	14	16	—
244.—Calne.	29324	8071	179	174	5	102	56	46	56
1 Calne W,F	29324	8071	179	174	5	102	56	46	—
245.—Marlborough.	44393	8458	190	182	8	111	49	62	52
1 Marlborough W,2F,H.. ..	44393	8458	190	182	8	111	49	62	—
246.—Devizes.	62762	19602	437	418	19	353	187	166	140
1 Devizes W,F,H,L	30133	13243	290	274	16	270	145	125	—
2 Lavington	32629	6359	147	144	3	83	42	41	—
247.—Melksham.	16379	18416	417	403	14	259	106	153	149
1 Melksham W,H	12744	6022	153	147	6	106	41	65	—
2 Trowbridge F,H	3635	12394	264	256	8	153	65	88	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	18.—WILTSHIRE— continued.									
	248.—Bradford on Avon.	18688	9585	212	201	11	114	57	57	63
1	Bradford on Avon W,H ..	18688	9585	212	201	11	114	57	57	—
	249.—Westbury.	31534	9704	189	185	4	141	65	76	80
1	Bradley	12810	3280	66	65	1	52	21	31	—
2	Westbury W,H	18724	6424	123	120	3	89	44	45	—
	250.—Warminster.	58458	11781	218	211	7	155	78	77	86
1	Warminster W,F,H ..	19124	7532	137	133	4	95	46	49	—
2	Longbridge Deverill ..	11295	1493	23	23	—	23	11	12	—
3	Heytesbury	28039	2756	58	55	3	37	21	16	—
	251.—Pewsey.	75219	11211	336	318	18	164	86	78	89
1	Netheravon W	39964	6121	150	140	10	83	45	38	—
2	Collingbourne F,H ..	35255	5090	186	178	8	81	41	40	—
	252.—Amesbury.	63453	8268	258	244	14	119	72	47	63
1	Orcheston	18651	1875	46	46	—	27	14	13	—
2	Amesbury W,H	28176	4470	162	152	10	66	40	26	—
3	Winterbourne F	16626	1923	50	46	4	26	18	8	—
	253.—Salisbury.	58712	29977	637	613	24	385	192	193	216
1	Alderbury	27279	4023	100	98	2	48	27	21	—
2	Downton	29713	5769	124	121	3	68	31	37	—
3	Salisbury W,H,L	1720	20185	413	394	19	269	134	135	—
	254.—Wilton.	56205	9670	202	196	6	120	59	61	67
1	Wilton W	24089	5951	117	115	2	77	42	35	—
2	Bishopstone	32116	3719	85	81	4	43	17	26	—
	255.—Tisbury.	43562	7714	173	167	6	97	54	43	44
1	Donhead	20017	3053	59	57	2	35	18	17	—
2	Tisbury W	11594	2947	76	75	1	42	25	17	—
3	Hindon	11951	1714	38	35	3	20	11	9	—
	256.—Mere.	32309	5210	90	87	3	60	38	22	36
1	Mere W	32309	5210	90	87	3	60	38	22	—
	19.—DORSETSHIRE.									
	257.—Shaftesbury.	43089	12955	227	218	9	179	89	90	87
1	Shaftesbury W,H ..	8273	4282	68	63	5	69	39	30	—
2	Fontmell	15215	2275	36	35	1	34	14	20	—
3	Gillingham	19601	6398	123	120	3	76	36	40	—
	258.—Sturminster.	39342	8804	165	161	4	100	55	45	51
1	Sturminster W	39342	8804	165	161	4	100	55	45	—
	259.—Blandford.	61959	12457	248	241	7	169	89	80	67
1	Milton Abbas H	29081	4295	88	85	3	48	23	25	—
2	Blandford W,F,H ..	32878	8162	160	156	4	121	66	55	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
19.—DORSETSHIRE— <i>continued.</i>									
260.—Wimborne.	81534	17110	381	365	16	216	99	117	128
1 Cranborne	42802	5838	123	121	2	55	31	24	—
2 Wimborne W,H	38732	11272	258	244	14	161	68	93	—
261.—Poole.	25284	32337	1086	1029	57	524	249	275	272
1 Canford F,H	13213	11371	470	447	23	182	90	92	—
2 Poole W,F,H	4256	18379	539	508	31	312	143	169	—
3 Lytchett	7815	2587	77	74	3	30	16	14	—
262.—Wareham.	92519	16001	350	336	14	212	112	100	125
1 Swanage H	12758	4936	125	121	4	62	34	28	—
2 Corfe Castle	11854	1967	47	46	1	26	13	13	—
3 Wareham W,F	37197	5516	100	94	6	85	44	41	—
4 Bere Regis	30710	3582	78	75	3	39	21	18	—
263.—Weymouth.	33201	42926	903	878	25	548	276	272	296
1 Upway 2F	18095	4558	99	97	2	78	32	46	—
2 Weymouth W,F,3H	2454	21753	528	507	21	326	156	170	—
3 Portland H	2897	15199	255	253	2	123	78	45	—
4 Abbotsbury	9755	1416	21	21	—	21	10	11	—
264.—Dorchester.*	117472	24001	467	451	16	348	197	151	175
1 Dorchester W,F,H	9045	10148	227	216	11	137	81	56	—
2 Puddletown	24168	3375	63	62	1	33	18	15	—
3 Maiden Newton L	37518	5414	78	77	1	121	70	51	—
4 Cerne W	46741	5064	99	96	3	57	28	29	—
265.—Sherborne.	38411	11485	218	206	12	142	68	74	75
1 Yetminster	21052	3402	69	68	1	36	15	21	—
2 Sherborne W,H	17359	8083	149	138	11	106	53	53	—
266.—Beaminster.	58693	9184	176	171	5	120	64	56	60
1 Evershot	17458	2079	44	44	—	20	13	7	—
2 Netherbury W	29139	4499	83	78	5	60	30	30	—
3 Beaminster	12096	2606	49	49	—	40	21	19	—
267.—Bridport.	32837	12708	207	204	3	186	95	91	78
1 Burton Bradstock F	16122	3443	49	49	—	45	21	24	—
2 Bridport W,H	673	5962	99	97	2	95	48	47	—
3 Whitchurch Canonicorum F	16042	3303	59	58	1	46	26	20	—
20.—DEVONSHIRE.									
268.—Axminster.	54548	15623	339	327	12	244	121	123	124
1 Lyme H	4821	2920	39	38	1	41	21	20	—
2 Axminster W,H	13551	3993	99	92	7	69	37	32	—
3 Chardstock F	17429	2752	69	67	2	42	21	21	—
4 Colyton	18747	5958	132	130	2	92	42	50	—
269.—Honiton.	87759	20285	395	385	10	269	134	135	152
1 Honiton W,H	55181	9146	177	170	7	114	57	57	—
2 Ottery St. Mary 2H	32578	11139	218	215	3	155	77	78	—

* 264.—The District of DORCHESTER comprises the two Poor Law Unions of Dorchester (Dorchester, Puddletown, and Maiden Newton sub-districts) and Cerne (Cerne sub-district).

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
20.—DEVONSHIRE— <i>continued.</i>												
No.	270.—St. Thomas.			125452	55372	1243	1214	29	934	432	502	355
1	Exmouth*	3H	17685	15387	285	282	3	205	104	101	—
2	Woodbury	13943	2769	62	58	4	37	16	21	—
3	Topsham	4916	3606	75	74	1	46	19	27	—
4	Heavitree	2F,2L	31602	13575	356	354	2	227	104	123	—
5	St. Thomas	W	36882	14496	386	370	16	224	102	122	—
6	Kenton	2L	20424	5539	79	76	3	195	87	108	—
	271.—Exeter.			1890	37718	833	763	70	602	285	317	360
1	Exeter	W,3H	1890	37718	833	763	70	602	285	317	—
	272.—Newton Abbot.			117200	80312	1547	1480	67	1211	566	645	575
1	Teignmouth	F,2H	11406	14393	274	261	13	231	101	130	—
2	Chudleigh	19056	5643	117	115	2	72	36	36	—
3	Moreton Hampstead	H	22899	2654	59	57	2	37	22	15	—
4	Ashburton	H	32322	5088	110	105	5	95	52	43	—
5	Newton Abbot	2W,F,H	21071	16951	391	369	22	299	144	155	—
6	Torquay	2F,9H	10446	35583	596	573	23	477	211	266	—
	273.—Totnes.			96475	41445	873	845	28	547	274	273	294
1	Paignton	F,H	10090	9473	202	195	7	158	72	86	—
2	Brixham	F,H	8145	8624	195	194	1	87	41	46	—
3	Dartmouth	F,H	4977	7969	174	167	7	94	55	39	—
4	Totnes	W,H	12219	5530	120	109	11	95	42	53	—
5	Buckfastleigh	20323	3972	69	69	—	37	18	19	—
6	Ugborough	H,L	25043	3662	76	74	2	55	33	22	—
7	Harberton	15678	2215	37	37	—	21	13	8	—
	274.—Kingsbridge.			73023	16133	306	288	18	250	111	139	106
1	Blackawton	13058	2063	43	40	3	27	9	18	—
2	Stokenham	16060	2924	48	46	2	50	21	29	—
3	West Alvington	W	15065	4247	79	70	9	68	29	39	—
4	Kingsbridge	H	12658	4137	87	84	3	59	31	28	—
5	Modbury	16182	2762	49	48	1	46	21	25	—
	275.—Plympton St. Mary.			74081	21368	443	432	11	271	133	138	164
1	Yealmpton†	31447	9710	190	184	6	108	51	57	—
2	Plympton†	W,2H	42634	11658	253	248	5	163	82	81	—
	276.—Plymouth.			2370	107636	2774	2651	123	1841	904	937	983
1	Plymouth North	2W,4H	960	28101	748	698	50	675	356	319	—
2	Plymouth South East	W,F	838	29962	819	795	24	416	189	227	—
3	Plymouth South West	2F,H	572	49573	1207	1158	49	750	359	391	—
	277.—East Stonehouse.			192	15111	376	358	18	295	181	114	136
1	East Stonehouse	W,H	192	15111	376	358	18	295	181	114	—
	278.—Devonport.			3044	70437	2171	2132	39	975	496	479	651
1	St. Aubyn	2H	376	22928	648	634	14	301	171	130	—
2	Stoke	W,2F	2243	24407	939	922	17	426	207	219	—
3	Tamar	H	425	23102	584	576	8	248	118	130	—
	279.—Tavistock.			159039	26907	457	434	23	348	173	175	154
1	Calstock	12023	7829	149	140	9	106	52	54	—
2	Tavistock	W,H	93908	14069	233	221	12	180	91	89	—
3	Lifton	53108	5009	75	73	2	62	30	32	—

* 270: 1.—On 1st December, 1909, East Budleigh (1) and Exmouth (2) sub-districts were united and called Exmouth (1). The births and deaths are shown as if the change had taken place at the beginning of the year.

† 275: 1, 2.—On 1st October, 1909, the boundary between these sub-districts was altered, *see* page 505. The births and deaths are shown as if the change had taken place at the beginning of the year.

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
20.—DEVONSHIRE— continued.											
280.—Okehampton.			133320	15756	368	349	19	255	148	107	121
No.											
1	Bratton Clovelly H		22629	1598	34	32	2	35	19	16	—
2	Hatherleigh		26698	2874	60	54	6	43	22	21	—
3	Okehampton W		28153	4461	119	113	6	81	47	34	—
4	Chagford H		20136	2432	62	61	1	38	25	13	—
5	Tawton		35704	4391	93	89	4	58	35	23	—
281.—Crediton.			94455	15553	282	271	11	228	116	112	104
1	Morchard Bishop		28994	3385	52	52	—	48	19	29	—
2	Bow		20522	2369	39	37	2	34	17	17	—
3	Crediton W		17106	5902	107	101	6	88	56	32	—
4	Cheriton Fitzpaine		27833	3897	84	81	3	58	24	34	—
282.—Tiverton.			110847	27378	544	524	20	360	174	186	178
1	Silverton*		15207	2706	58	54	4	35	19	16	—
2	Cullompton*		37229	9512	185	182	3	114	53	61	—
3	Tiverton W,F,H		17680	10382	186	174	12	149	70	79	—
4	Bampton.. ..		40731	4778	115	114	1	62	32	30	—
283.—South Molton.			123343	13812	260	247	13	184	101	83	99
1	Witheridge		73194	5737	100	97	3	67	38	29	—
2	South Molton W,2H		50149	8075	160	150	10	117	63	54	—
284.—Barnstaple.			144845	42060	356	309	47	614	283	331	328
1	Barnstaple W,F,H		1577	11999	260	240	20	192	84	108	—
2	Lynton H		35073	3142	51	47	4	43	22	21	—
3	Combe Martin		27957	3862	83	81	2	47	22	25	—
4	Ilfracombe 2F,H		44795	16847	328	312	16	260	128	132	—
5	Bishops Tawton		35443	6210	134	129	5	72	27	45	—
285.—Torrington.			83388	12501	261	246	15	177	73	104	89
1	High Bickington		18115	1988	43	42	1	25	16	9	—
2	Winkleigh		32998	3765	70	66	4	58	25	33	—
3	Shebbear.. ..		18084	2252	50	49	1	34	11	23	—
4	Great Torrington W,H		14191	4496	98	89	9	60	21	39	—
286.—Bideford.			62474	20603	469	444	25	256	145	111	156
1	Bideford W,F,H		5476	9189	193	179	14	113	64	49	—
2	Northam		4514	5731	139	137	2	72	44	28	—
3	Parkham		16956	2116	46	45	1	27	18	9	—
4	Hartland		29659	3147	78	70	8	38	17	21	—
5	Putford		5869	420	13	13	—	6	2	4	—
287.—Holsworthy.			85524	8637	196	178	18	97	45	52	69
1	Milton Damerel		23736	2138	39	35	4	23	13	10	—
2	Holsworthy W		20534	2947	81	71	10	32	11	21	—
3	Black Torrington		16022	1495	42	38	4	15	8	7	—
4	Ashwater		8710	758	14	14	—	7	5	2	—
5	Clawton		16522	1349	20	20	—	20	8	12	—
21.—CORNWALL.											
288.—Stratton.			55220	7316	164	156	8	92	39	53	40
1	Kilkhampton		16345	1465	31	30	1	11	6	5	—
2	Stratton W,H		13484	3745	86	82	4	53	19	34	—
3	Week St. Mary		25391	2106	47	44	3	28	14	14	—

* 282: 1, 2.—On 1st November, 1909, the boundary between these sub-districts was altered, *see* page 505. The births and deaths are shown as if the change had taken place at the beginning of the year.

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
21.—CORNWALL—cont.												
289.—Camelford.				52545	7188	134	129	5	112	55	57	49
No. 1	Boscastle			17660	2176	39	37	2	34	16	18	—
2	Camelford W			34885	5012	95	92	3	78	39	39	—
290.—Launceston.				104663	14310	260	249	11	166	87	79	94
1	Altarnun			22631	1756	26	23	3	11	8	3	—
2	North Petherwin			49530	4258	85	80	5	50	23	27	—
3	Launceston W,H			2189	4053	78	77	1	56	25	31	—
4	North Hill			30313	4243	71	69	2	49	31	18	—
291.—St. Germans.				43032	21147	432	418	14	226	103	123	107
1	Antony W			7701	10613	222	213	9	106	50	56	—
2	St. Germans			12582	2606	39	39	—	25	12	13	—
3	Saltash H			22749	7928	171	166	5	95	41	54	—
292.—Liskeard.				107851	23946	476	451	25	328	155	173	141
1	Callington			22883	5681	103	100	3	70	26	44	—
2	Liskeard* W,H			50638	9822	201	187	14	145	73	72	—
3	Looe* F.. ..			34330	8443	172	164	8	113	56	57	—
293.—Bodmin.				89179	19263	377	357	20	334	170	164	117
1	Lanlivery			18564	3963	94	90	4	57	30	27	—
2	St. Mabyn			28941	2629	50	48	2	28	14	14	—
3	Bodmin W,H,L			16517	7078	135	121	14	172	90	82	—
4	Egloshayle			25157	5593	98	98	—	77	36	41	—
294.—St. Columb.				78063	15428	378	360	18	252	136	116	130
1	Padstow			26541	4322	101	96	5	60	32	28	—
2	St. Columb W,F			31312	8130	198	188	10	136	74	62	—
3	Newlyn			20215	2976	79	76	3	56	30	26	—
295.—St. Austell.				58481	32937	771	737	34	510	238	272	280
1	Fowey H			8592	7692	147	142	5	111	51	60	—
2	St. Austell 2W			21924	15254	387	362	25	243	111	132	—
3	Mevagissey			13156	3964	61	60	1	50	26	24	—
4	Grampound			14809	6027	176	173	3	106	50	56	—
296.—Truro.				89363	33624	626	590	36	492	232	260	210
1	Probus			22029	3410	72	66	6	39	20	19	—
2	St. Just			16412	3605	54	53	1	46	15	31	—
3	St. Agnes F,3H			19338	6986	120	113	7	113	58	55	—
4	St. Clement W,F			11658	7486	139	124	15	137	60	77	—
5	Kenwyn H			10208	8621	177	170	7	109	53	51	—
6	Kea			9723	3516	64	64	—	48	21	27	—
297.—Falmouth.				25296	23171	463	446	20	352	172	180	174
1	Penryn			8213	7246	139	133	6	95	44	51	—
2	Falmouth W,F,3H			4377	13077	276	262	14	218	107	111	—
3	Constantine			12706	2848	51	51	—	39	21	18	—
298.—Helston.				73334	20773	412	397	15	309	139	170	150
1	Wendron			19085	6906	141	137	4	92	43	49	—
2	Helston W			10053	4261	76	69	7	80	30	50	—
3	St. Keverne			28095	4541	99	98	1	55	28	27	—
4	Breage			8605	2822	48	46	2	52	23	29	—
5	Crowan			7496	2243	48	47	1	30	15	15	—

* 292: 2, 3.—On 1st September 1909 Lerrin (4) sub-district was abolished and its constituent parts were divided between Liskeard (2) and Looe (3) sub-districts, *see* page 505. The births and deaths are shown as if the change had taken place at the beginning of the year.

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.		
21.—CORNWALL—cont.													
No.	299.—Redruth.			40426	48109	1221	1151	70	366	440	426	432	
1	Gwennap			10991	7375	166	157	9	110	58	52	—	
2	Redruth 2H			4006	10451	261	251	10	204	108	96	—	
3	Illogan W,F			8493	8885	257	229	28	210	118	92	—	
4	Camborne F			6931	14726	382	366	16	249	118	131	—	
5	Phillack			10005	6672	155	148	7	93	38	55	—	
300.—Penzance.				64880	49287	1079	1044	35	721	328	393	365	
1	Uny Lelant			12107	5389	109	106	3	65	29	36	—	
2	St. Ives			9092	7359	178	176	2	109	41	68	—	
3	Marazion			4766	2945	51	50	1	46	19	27	—	
4	Penzance W,F,H			13723	24430	511	487	24	335	158	177	—	
5	St. Just in Penwith			13512	6546	181	176	5	132	65	67	—	
6	St. Buryan			11680	2618	49	49	—	34	16	18	—	
301.—Isles of Scilly.				4041	2092	40	39	1	21	8	13	15	
1	Isles of Scilly W			4041	2092	40	39	1	21	8	13	—	
22.—SOMERSET-SHIRE.													
302.—Williton.				100679	16973	318	300	18	233	114	119	104	
1	Minehead F			24381	4442	93	90	3	64	31	33	—	
2	Dunster H			26269	3227	58	54	4	49	20	29	—	
3	Williton W			16206	5352	105	95	10	72	44	28	—	
4	Stogursey			15040	1770	20	20	—	23	8	15	—	
5	Stogumber			18783	2182	42	41	1	25	11	14	—	
303.—Dulverton.				78980	4609	111	109	2	55	31	24	30	
1	Dulverton W			78980	4609	111	109	2	55	31	24	—	
304.—Wellington.				61093	18314	359	349	10	231	111	120	124	
1	Wiveliscombe			10807	2794	60	58	2	36	16	20	—	
2	Milverton H			15361	3056	57	56	1	36	22	14	—	
3	Wellington W,H			13953	9127	167	160	7	124	58	66	—	
4	Culmstock			20972	3337	75	75	—	35	15	20	—	
305.—Taunton.				73109	38653	807	775	32	600	279	321	284	
1	Pitminster			23593	4057	67	63	4	43	22	21	—	
2	North Curry			22280	6562	147	142	5	63	26	37	—	
3	Taunton W,F,H			6928	23101	522	500	22	369	180	189	—	
4	Bishop's Lydeard L.. ..			20308	4933	71	70	1	125	51	74	—	
306.—Bridgwater.				88382	33655	787	764	23	505	246	259	269	
1	North Petherton			28948	6625	127	125	2	79	40	39	—	
2	Bridgwater W,F,H			16610	18706	488	472	16	323	156	167	—	
3	Huntspill			33554	6357	134	132	2	88	45	43	—	
4	Middlezoy			9270	1967	38	35	3	15	5	10	—	
307.—Langport.				59410	13459	288	279	9	188	89	99	91	
1	Somerton W			34352	6568	153	148	5	97	45	52	—	
2	Langport			25058	6891	135	131	4	91	44	47	—	
308.—Chard.				57451	24250	511	499	12	307	146	161	155	
1	Ilminster			19086	6568	113	112	1	75	27	48	—	
2	Combe St. Nicholas			11782	1851	34	33	1	18	12	6	—	
3	Chard W			10760	7364	200	194	6	108	62	46	—	
4	Crewkerne H			15823	8467	164	160	4	106	45	61	—	

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
22.—SOMERSET-SHIRE—continued.											
309.—Yeovil.			55752	27381	627	602	25	393	180	213	215
No. 1	Coker F.. ..	17400	4818	96	95	1	47	23	24	—	
2	South Petherton	4923	2723	66	65	1	43	19	24	—	
3	Martock	12915	5513	109	106	3	77	33	44	—	
4	Yeovil W,F,H.. ..	20514	14327	356	336	20	226	105	121	—	
310.—Wincanton.			64540	16399	319	306	13	195	103	92	105
1	Castle Cary	20256	5318	111	105	6	54	33	21	—	
2	Milborne Port H	19990	5331	91	90	1	57	30	27	—	
3	Wincanton W,H	24294	5750	117	111	6	84	40	44	—	
311.—Frome.			52752	22172	433	419	14	289	139	150	147
1	Nunney	16552	2429	61	61	—	32	20	12	—	
2	Frome W,F,H	8581	12164	204	195	9	166	66	100	—	
3	Road	11576	2609	55	53	2	32	18	14	—	
4	Kilmersdon	16043	4970	113	110	3	59	35	24	—	
312.—Shepton Mallet.			50109	15076	367	350	17	185	104	81	90
1	Shepton Mallet W,H	28009	11073	264	251	13	133	72	61	—	
2	Evercreech	22100	4003	103	99	4	52	32	20	—	
313.—Wells.			66646	23650	494	475	19	398	201	197	166
1	Wells W,F,2H,L	35367	11826	242	227	15	246	123	123	—	
2	Glastonbury F,H	31279	11824	252	248	4	152	78	74	—	
314.—Axbridge.			97529	47922	970	935	35	682	354	328	352
1	Axbridge W,2H	24358	6766	146	136	10	128	78	50	—	
2	Burnham	23755	9058	198	192	6	133	69	64	—	
3	Weston super Mare F,4H.. ..	21125	24857	489	475	14	340	172	168	—	
4	Blagdon	28291	7241	137	132	5	81	35	46	—	
315.—Clutton.			47897	25763	779	760	19	351	182	169	174
1	Harptree W,H	18188	3893	73	67	6	66	34	32	—	
2	Chew Magna	13183	3601	88	87	1	42	22	20	—	
3	High Littleton H	6145	5785	186	184	2	81	37	44	—	
4	Midsomer Norton F	10381	12484	432	422	10	162	89	73	—	
316.—Bath.			30727	77604	1513	1448	65	1158	535	623	621
1	Twerton	14450	14985	413	406	7	197	101	96	—	
2	Bathwick F	3458	6983	92	89	3	81	37	44	—	
3	Lyncombe 2W	1849	14372	338	310	28	272	134	138	—	
4	Walcot 6H	939	31183	488	462	26	487	212	275	—	
5	Batheaston	10031	10081	182	181	1	121	51	70	—	
317.—Keynsham.			33028	36175	951	924	27	479	253	226	236
1	Bitton	7533	7139	156	152	4	105	60	45	—	
2	Kingswood.. ..	4089	20767	567	553	14	247	128	119	—	
3	Keynsham W,w,F	21406	8269	228	219	9	127	65	62	—	
318.—Long Ashton.			51994	24138	480	460	20	306	149	157	133
1	Long Ashton W	21939	6744	142	134	8	83	46	37	—	
2	Yatton F,2H	17769	10474	193	186	7	132	63	69	—	
3	St. George	12286	6920	145	140	5	91	40	51	—	

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
23.—GLOUCESTER-SHIRE.										
No.	319.—Bristol.	17341	339042	8537	8233	304	4894	2414	2480	2669
1	Clifton* 2H	17341	46445	8265	7962	303	4769	2352	2417	—
2	Bristol Central* 4H ..		45662							
3	Bedminster* 3F		56959							
4	Knowle*		12645							
5	St. George*		53629							
6	St. Phillip and St. Jacob* ..		51225	272	271	1	125	62	63	—
7	Stapleton* 2W,2H,L ..		21236							
8	Ashley* 4H		41790							
9	Westbury on Trym* W,H ..		9451							
320.—Chipping Sodbury.		69736	22104	463	449	14	272	131	141	120
1	Winterbourne H	6452	4483	97	94	3	53	24	29	—
2	Chipping Sodbury F	14657	5600	106	102	4	56	28	28	—
3	Marshfield	16478	3296	51	50	1	47	19	28	—
4	Hawkesbury	20870	3392	87	85	2	39	23	16	—
5	Iron Acton W.. ..	11279	5333	122	118	4	77	37	40	—
321.—Thornbury.		64118	18487	386	367	19	229	124	105	137
1	Almondsbury H	26915	7023	120	116	4	78	39	39	—
2	Thornbury W.. ..	17623	5187	106	99	7	77	40	37	—
3	Berkeley F,H.. ..	19580	6277	160	152	8	74	45	29	—
322.—Dursley.		26786	11636	229	222	7	168	84	84	91
1	Wotton under Edge	10598	4609	90	86	4	61	29	32	—
2	Dursley W,F	16188	7027	139	136	3	107	55	52	—
323.—Westbury on Severn.		41526	22864	626	598	28	308	161	147	154
1	Newnham W.. ..	26201	6644	132	127	5	111	58	53	—
2	East Dean F	15325	16220	494	471	23	197	103	94	—
324.—Newent.		40846	3249	189	175	14	109	60	49	53
1	Newent W	18342	4026	91	83	8	60	32	28	—
2	Redmarley	22504	4223	98	92	6	49	28	21	—
325.—Gloucester.		32984	58734	1417	1361	56	1067	574	493	426
1	Barnwood 2F,H,2L	21460	7932	123	122	1	253	126	127	—
2	Gloucester Northern 3W,F,2H.	741	19993	449	423	26	444	270	174	—
3	Gloucester Southern.. ..	10783	30809	845	816	29	370	178	192	—
326.—Wheatenhurst.		24383	6105	121	118	3	79	37	42	37
1	Haresfield	14571	2643	56	55	1	26	10	16	—
2	Frampton W.. ..	9812	3462	65	63	2	53	27	26	—
327.—Stroud.		39987	39974	714	683	31	564	272	292	286
1	Stonehouse F.. ..	2935	5788	89	86	3	89	40	49	—
2	Painswick 2H.. ..	8325	3138	50	48	2	38	22	16	—
3	Bisley F	12022	5422	99	95	4	58	22	36	—
4	Stroud W,H	2601	11774	212	200	12	219	118	101	—
5	Rodborough	4242	6043	118	111	7	72	36	36	—
6	Minchinhampton	4637	3737	64	64	—	33	11	22	—
7	Horsley	5225	4072	82	79	3	55	23	32	—
328.—Tetbury.		29686	6145	136	133	3	84	42	42	47
1	Didmorton	9383	1086	22	21	1	11	6	5	—
2	Tetbury W,H	20303	5059	114	112	2	73	36	37	—

* 319: 1-9.—On 1st April, 1909, the boundaries between these sub-districts were altered, see page 505. The births and deaths for sub-districts 1-8 cannot be shown separately.

VI.—WEST MIDLAND DIVISION—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	23.—GLOUCESTER-SHIRE—<i>cont.</i>									
	329.—Cirencester.	86277	19620	438	414	24	267	136	131	129
1	Cotswold	29143	3107	66	63	3	43	19	24	—
2	Cirencester W,2F,H ..	30628	11798	260	241	19	171	89	82	—
3	Fairford 2H	26506	4715	112	110	2	53	28	25	—
	330.—Northleach.	70018	8100	172	162	10	106	54	52	44
1	Bibury W,2F	31230	3991	94	86	8	57	30	27	—
2	Chedworth	38788	4109	78	76	2	49	24	25	—
	331.—Stow on the Wold.	44537	8151	170	163	7	88	43	45	42
1	Bourton on the Water H ..	23365	3814	78	75	3	36	16	20	—
2	Stow on the Wold W ..	21172	4337	92	88	4	52	27	25	—
	332.—Winchcomb.	57089	8825	211	203	8	130	69	61	48
1	Guiting W,F,H	35605	5079	129	126	3	89	48	41	—
2	Cleeve	21484	3746	82	77	5	41	21	20	—
	333.—Cheltenham.	26526	57882	1150	1090	60	916	396	520	399
1	Charlton Kings	21800	8443	192	190	2	101	36	65	—
2	Cheltenham W,F,3H ..	4726	49439	958	900	58	815	360	455	—
	334.—Tewkesbury.	40917	12709	287	274	13	173	81	92	106
1	Tewkesbury W,2F,H ..	40917	12709	287	274	13	173	81	92	—
	24.—HEREFORD-SHIRE.									
	335.—Ledbury.	50995	13733	267	247	20	169	75	94	85
1	Ledbury W,H	25786	9764	189	175	14	127	53	74	—
2	Yarkhill	25209	3969	78	72	6	42	22	20	—
	336.—Ross.	63229	16117	361	343	18	225	116	109	117
1	Sollershope	20438	2935	62	60	2	38	22	16	—
2	Ross W,H	23349	10407	236	224	12	151	72	79	—
3	St. Leonards	19442	2775	63	59	4	36	22	14	—
	337.—Hereford.*	146266	41978	900	853	47	647	324	323	259
1	Dewchurch	27133	4202	91	86	5	44	22	22	—
2	Fownhope	16885	4090	76	74	2	54	28	26	—
3	Burghill L	21650	4979	97	97	—	99	45	54	—
4	Hereford City W,F,2H ..	5031	21382	488	460	28	353	177	176	—
5	Madley	19966	2381	42	38	4	30	14	16	—
6	Kentchurch W	27153	2965	69	63	6	40	20	20	—
7	Clodock	28443	1979	37	35	2	27	18	9	—
	338.—Weobley.	49728	6951	147	135	12	93	53	40	54
1	Weobley W	29494	4098	90	83	7	63	39	24	—
2	Dilwyn	20234	2853	57	52	5	30	14	16	—
	339.—Bromyard.	61253	9907	229	207	22	147	82	65	51
1	Bromyard H	18645	3574	82	78	4	47	23	24	—
2	Bishops Frome	21945	3461	96	88	8	51	27	24	—
3	Brockhampton W,F ..	20668	2872	51	41	10	49	32	17	—
	340.—Leominster.	66409	13341	283	259	24	219	114	105	102
1	Leominster W,H	13844	6137	138	126	12	126	62	64	—
2	Bodenham	24752	3436	75	68	7	46	24	22	—
3	Kingsland	27813	3768	70	65	5	47	28	19	—

* 337.—The District of HEREFORD comprises the two Poor Law Unions of Hereford (Dewchurch, Fownhope, Burghill, and Hereford City sub-districts) and Dore (Madley, Kentchurch, and Clodock sub-districts).

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
24.—HEREFORDSHIRE—cont.												
341.—Kington.				101341	10522	220	209	11	142	83	59	64
No. 1	Brilley	15975	1679	33	33	—	19	11	8	—
2	Radnor	48739	2783	67	63	4	34	18	16	—
3	Kington	W,H	..	36627	6060	120	113	7	89	54	35	—
25.—SHROPSHIRE.												
342.—Ludlow.				85696	18373	408	384	24	258	121	137	113
1	Leintwardine	16428	2176	48	46	2	26	6	20	—
2	Ludlow	W,F,H	..	14694	8158	174	158	16	141	68	73	—
3	Cainham	13308	2957	65	63	2	31	18	13	—
4	Munslow	23590	2596	61	61	—	30	13	17	—
5	Diddlebury	17676	2486	60	56	4	30	16	14	—
343.—Clun.				86553	8491	181	169	12	114	56	58	45
1	Clun	H	..	34468	3467	77	70	7	45	20	25	—
2	Bishops Castle	W	..	17118	2364	48	43	5	35	23	12	—
3	Norbury	20934	1122	24	24	—	18	7	11	—
4	Lydbury	14033	1538	32	32	—	16	6	10	—
344.—Church Stretton.				46085	5295	131	122	9	60	32	28	41
1	Church Stretton	W	..	46085	5295	131	122	9	60	32	28	—
345.—Cleobury Mortimer.				57652	8870	254	243	11	121	55	66	42
1	Cleobury Mortimer	W	..	31056	5904	149	141	8	81	43	38	—
2	Stottesden	26596	2966	105	102	3	40	12	28	—
346.—Bridgnorth.				71954	14485	366	347	19	224	113	111	87
1	Chetton	40289	4095	108	101	7	58	27	31	—
2	Bridgnorth	W,F,H	..	3561	6181	146	137	9	109	57	52	—
3	Worfield	28104	4209	112	109	3	57	29	28	—
347.—Shifnal.				46946	11801	263	249	14	173	91	82	55
1	Albrighton	22864	3794	68	68	—	59	29	30	—
2	Shifnal	W,H	..	24082	8007	195	181	14	114	62	52	—
348.—Madeley.				28468	23845	615	576	39	363	189	174	137
1	Dawley	3630	7717	204	187	17	106	55	51	—
2	Madeley	W	..	7786	9129	237	223	14	150	69	81	—
3	Broseley	F,2H	..	17052	6999	174	166	8	107	65	42	—
349.—Atcham.				130653	49440	1136	1057	79	952	450	502	323
1	Condover	W	..	62418	9652	241	217	24	178	92	86	—
2	St. Mary	F,H	..	13825	23060	526	492	34	459	218	241	—
3	St. Chad	H,L	..	5814	8899	174	165	9	215	99	116	—
4	Westbury	48596	7829	195	183	12	100	41	59	—
350.—Oswestry.				33196	28262	678	648	30	413	211	202	175
1	Knockin	19996	3762	76	72	4	32	17	15	—
2	Llansilin	16170	1345	16	16	—	16	12	4	—
3	Oswestry	W,H	..	28106	15590	375	354	21	252	128	124	—
4	St. Martin's	H	..	18924	7565	211	206	5	113	54	59	—

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
25.—SHROPSHIRE— continued.										
351.—Ellesmere.		79409	14486	291	281	10	201	93	108	88
No. 1	Overton <i>H</i>	12281	2379	58	58	—	39	18	21	—
2	Hanmer	14807	2251	39	39	—	30	11	19	—
3	Ellesmere <i>W,H</i>	30474	6316	125	116	9	89	41	48	—
4	Baschurch <i>H</i>	21847	3540	69	68	1	43	23	20	—
352.—Wem.		52451	10415	240	231	9	149	78	71	80
1	Wem <i>W</i>	39862	8301	192	185	7	108	57	51	—
2	Prees	12589	2114	48	46	2	41	21	20	—
353.—Whitchurch.		40553	12060	287	254	33	136	60	76	89
1	Whitchurch <i>W,H</i>	23839	8316	204	178	26	90	43	47	—
2	Malpas	16714	3744	83	76	7	46	17	29	—
354.—Market Drayton.		65046	13849	354	329	25	230	116	114	94
1	Moreton Say	22858	3852	93	89	4	62	30	32	—
2	Market Drayton <i>W,F,H</i> ..	42188	9997	261	240	21	163	86	82	—
355.—Wellington.		35788	25854	718	678	40	338	176	162	151
1	Ercall Magna <i>H</i>	18903	2753	65	62	3	45	26	19	—
2	Wellington <i>W</i>	14279	15072	396	369	27	188	93	95	—
3	Wombidge	2606	8029	257	247	10	105	57	48	—
356.—Newport.		43217	13562	303	286	17	186	83	103	105
1	Newport <i>W,2F</i>	23704	9452	216	203	13	138	58	80	—
2	Gnosall	24513	4110	87	83	4	48	25	23	—
26.—STAFFORDSHIRE.										
357.—Stafford.		57897	31302	840	810	30	590	309	281	228
1	Stafford <i>W,2F,2H,2L</i> ..	57897	31302	840	810	30	590	309	281	—
358.—Stone.		68420	19639	435	424	11	280	137	143	121
1	Stone <i>W,H</i>	35392	14045	325	318	7	217	109	108	—
2	Eccleshall <i>F</i>	33028	5594	110	106	4	63	28	35	—
359.—Newcastle under Lyme.		29403	40345	1172	1105	67	652	329	323	352
1	Whitmore	6748	1131	17	17	—	12	5	7	—
2	Newcastle under Lyme <i>W,F</i>	11230	24206	688	646	42	418	212	206	—
3	Audley	11425	15008	467	442	25	222	112	110	—
360.—Wolstanton.		13885	98918	3635	3485	150	2046	1083	963	909
1	Wolstanton <i>F</i>	5422	22645	823	781	42	322	162	160	—
2	Tunstall <i>W</i>	5394	35349	1335	1290	45	867	463	404	—
3	Burslem <i>F,H</i>	3069	40924	1477	1414	63	857	458	399	—
361.—Stoke upon Trent.		10782	155516	5505	5202	303	3195	1719	1476	1343
1	Hanley	1957	62226	2154	2050	104	1065	544	521	—
2	Stoke upon Trent <i>2W,H</i> ..	1882	30458	1038	957	81	888	523	365	—
3	Fenton	1753	22742	883	840	43	454	241	213	—
4	Longton <i>H</i>	1947	35815	1281	1213	68	654	338	316	—
5	Stoke Rural <i>F</i>	3243	4275	149	142	7	134	73	61	—
362.—Leek.		77593	42400	1355	1297	58	795	384	411	296
1	Norton <i>2F</i>	11169	13280	506	490	16	248	108	140	—
2	Biddulph <i>F</i>	5671	6247	257	247	10	120	62	58	—
3	Leek <i>W,F,H</i>	19303	17951	472	448	24	365	179	186	—
4	Leek Frith	13473	1542	36	34	2	20	14	6	—
5	Longnor	27977	3380	84	78	6	42	21	21	—

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
26.—STAFFORD-SHIRE—<i>cont.</i>									
363.—Cheadle.	54169	24657	683	656	27	453	243	210	200
1 Alton	10249	3482	89	86	3	31	15	16	—
2 Ipstones <i>L</i>	19523	6024	155	148	7	196	101	95	—
3 Dilhorne	12694	7576	210	207	3	99	58	41	—
4 Cheadle <i>W,F</i>	11703	7575	229	215	14	127	69	58	—
364.—Uttoxeter.	66148	15808	373	359	14	201	110	91	107
1 Uttoxeter <i>W</i>	28632	10083	247	235	12	134	73	61	—
2 Abbots Bromley	15567	2173	45	45	—	23	14	9	—
3 Sudbury	21949	3552	81	79	2	44	23	21	—
365.—Burton upon Trent.	38215	92814	2385	2280	105	1252	650	602	679
1 Tutbury	26839	7185	220	210	10	93	39	54	—
2 Repton <i>F,L</i>	26239	7533	144	137	7	150	71	79	—
3 Gresley	15899	22297	689	667	22	243	123	120	—
4 Burton upon Trent <i>W,F,2H</i>	19238	55799	1332	1266	66	766	417	349	—
366.—Tamworth.	44519	24667	793	775	18	332	174	158	178
1 Tamworth <i>W,F,H</i>	44519	24667	793	775	18	332	174	158	—
367.—Lichfield.	76890	42542	1190	1143	47	737	363	374	299
1 Lichfield <i>W,2H,L</i>	36548	27805	817	784	33	521	246	275	—
2 Rugeley <i>F,3H</i>	40342	14737	373	359	14	216	117	99	—
368.—Cannock.	68839	47636	1663	1610	53	737	383	354	348
1 Brewood	44276	10929	273	261	12	136	62	74	—
2 Cannock <i>W,2F,H</i>	24554	36707	1390	1349	41	601	321	280	—
369.—Wolverhampton.*	55972	172743	5074	4852	222	3185	1723	1462	1229
1 Tettenhall	15414	8830	198	192	6	96	50	46	—
2 Kinver	16677	3158	68	65	3	60	34	26	—
3 Wombourn <i>W,F</i>	12734	6164	167	158	9	90	54	36	—
4 Wolverhampton Western <i>3H</i>	2044	53491	1393	1347	46	745	373	372	—
5 Wolverhampton Eastern <i>F,H</i>	1481	40696	1106	1061	45	879	474	405	—
6 Willenhall <i>2W,F</i>	5755	36370	1311	1231	80	888	511	377	—
7 Bilston <i>2F</i>	1867	24034	831	798	33	427	227	200	—
370.—Walsall.	22079	118607	4931	3887	144	2039	1076	963	933
1 Darlaston <i>F</i>	2361	15752	602	581	21	312	160	152	—
2 Bloxwich <i>F</i>	4097	17481	624	609	15	253	134	119	—
3 Walsall <i>W,F,H</i>	3929	67117	2153	2062	91	1178	623	555	—
4 Aldridge	11692	18257	652	635	17	296	159	137	—
371.—West Bromwich.	19424	172189	5540	5344	196	2734	1399	1335	1291
1 Handsworth <i>2F,L</i>	7752	55269	1512	1489	23	698	313	385	—
2 Oldbury	3525	25191	996	958	38	443	240	203	—
3 West Bromwich South West <i>H</i>	1544	34532	1129	1100	29	528	285	243	—
4 West Bromwich North East <i>W,w,F</i>	4316	30643	1010	928	82	664	356	308	—
5 Wednesbury <i>F</i>	2287	26554	893	869	24	401	205	196	—
372.—Dudley.	17205	152127	5004	4810	194	2503	1312	1191	1186
1 Rowley Regis <i>F</i>	3828	34670	1168	1144	24	521	293	228	—
2 Tipton <i>F</i>	2171	30543	1068	1037	31	443	238	205	—
3 Sedgley <i>W</i>	7591	38170	1217	1128	89	726	360	366	—
4 Dudley <i>F,H</i>	3615	48744	1551	1501	50	813	421	392	—

* 369.—The District of WOLVERHAMPTON comprises the two Poor Law Unions of Seisdon (Tettenhall, Kinver, and Wombourn sub-districts) and Wolverhampton (Wolverhampton Western, Wolverhampton Eastern, Willenhall, and Bilston sub-districts).

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
27.—WORCESTER-SHIRE.									
No. 373.—Stourbridge.*	16017	91507	2835	2740	95	1549	802	747	696
1 Halesowen* <i>F</i>	5276	22611	762	752	10	336	163	173	—
2 Stourbridge <i>H</i>	3369	30406	845	828	17	521	276	245	—
3 Kingswinford <i>W,F</i>	7372	38490	1228	1160	68	692	363	329	—
374.—Kidderminster.	37234	40769	913	871	42	687	356	331	271
1 Chaddesley Corbett	10583	2209	50	49	1	27	12	15	—
2 Wolverley	6497	2755	48	48	—	47	24	23	—
3 Kidderminster <i>W,F,H</i>	8385	27745	638	604	34	518	271	247	—
4 Lower Mitton	981	3111	60	57	3	33	21	12	—
5 Bewdley	10788	4949	117	113	4	62	23	34	—
375.—Tenbury.	36624	7005	139	134	5	90	50	40	37
1 Tenbury <i>WH</i>	36624	7005	139	134	5	90	50	40	—
376.—Martley.	55823	11980	270	248	22	180	113	67	74
1 Martley <i>W</i>	30498	6102	133	120	13	102	65	37	—
2 Leigh <i>F,H</i>	25325	5878	137	128	9	78	48	30	—
377.—Worcester.	8231	47793	1179	1117	62	732	350	382	346
1 Worcester <i>2W,F,3H</i>	8231	47793	1179	1117	62	732	350	382	—
378.—Upton on Severn.	54177	29316	526	493	33	466	213	253	149
1 Malvern <i>H,L</i>	14559	19478	305	287	18	313	133	180	—
2 Upton on Severn <i>W,F</i>	27268	6551	139	125	14	118	60	58	—
3 Kempsey	12350	3287	82	81	1	35	20	15	—
379.—Evesham.	47679	17629	495	481	14	244	135	109	137
1 Evesham <i>W,F,H</i>	18853	10509	293	282	11	170	99	71	—
2 Broadway	28826	7120	202	199	3	74	36	38	—
380.—Persnore.	53123	12754	295	275	20	205	111	94	77
1 Eckington	20458	3931	96	93	3	54	31	23	—
2 Persnore <i>W,F,H</i>	32665	8823	199	182	17	151	80	71	—
381.—Droitwich.	54201	18374	412	390	22	242	126	116	129
1 Ombersley <i>F</i>	27168	9403	214	206	8	111	60	51	—
2 Droitwich <i>W,H</i>	27033	8971	198	184	14	131	66	65	—
382.—Bromsgrove.	50399	35630	848	811	37	603	311	292	291
1 Bromsgrove <i>W,F,2H,L</i>	17001	16920	424	398	26	344	180	164	—
2 Belbroughton	15848	5623	94	90	4	62	25	37	—
3 Tardebigg <i>H</i>	17550	13087	330	323	7	197	106	91	—
383.—Kings Norton.*	29754	188062	5475	5311	164	2710	1334	1376	1523
1 Kings Norton <i>3W,w,F,H,L</i>	22453	57122	1885	1803	82	1018	517	501	—
2 Balsall Heath	454	38827	974	947	27	455	215	240	—
3 Edgbaston*	4918	37574	614	606	8	416	183	233	—
4 Smethwick <i>F</i>	1929	54539	2002	1955	47	821	419	402	—

* 373: 1 : 383: 3.—On 1st December, 1909, the boundary between these sub-districts was altered, *see* page 505. The births and deaths are included in the figures for the sub-districts in which they were registered.

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	28.—WARWICK-SHIRE.									
	384.—Birmingham.	2996	245216	7113	6869	244	4996	2670	2326	2095
1	Lady Wood <i>H</i>	1051	64955	1898	1866	32	906	454	452	—
2	All Saints <i>2W,F,L</i>	570	45884	1449	1339	110	1517	871	646	—
3	St. George <i>3H</i>	658	68358	2167	2103	64	1518	792	726	—
4	St. Martin <i>6H</i>	717	66019	1599	1561	38	1055	553	502	—
	385.—Aston.	31287	312263	9626	9392	234	4758	2427	2331	2481
1	Deritend	650	56292	1848	1810	38	771	367	404	—
2	Bordesley <i>F</i>	1331	54686	1566	1541	25	598	302	296	—
3	Duddeston	932	65572	1993	1972	21	937	495	442	—
4	Aston Manor	960	77326	2039	2001	38	971	486	485	—
5	Erdington <i>2W,2F,H,L</i> ..	10201	42845	1789	1685	104	1271	678	593	—
6	Sutton Coldfield <i>H</i>	17213	15542	391	383	8	210	99	111	—
	386.—Meriden.	48091	11346	272	264	8	152	86	66	52
1	Coleshill <i>W</i>	21156	5265	120	116	4	65	32	33	—
2	Meriden <i>W</i>	26935	6081	152	148	4	87	54	33	—
	387.—Atherstone.	28939	17729	600	583	17	244	123	121	158
1	Atherstone <i>W,F</i>	28939	17729	600	583	17	244	123	121	—
	388.—Nuneaton.	27722	28120	1256	1231	25	469	241	228	272
1	Nuneaton <i>W,F,H</i>	27722	28120	1256	1231	25	469	241	228	—
	389.—Foleshill.	19069	17002	721	702	19	313	157	156	146
1	Foleshill <i>W,F</i>	19069	17002	721	702	19	313	157	156	—
	390.—Coventry.	6030	70296	2618	2556	62	1290	646	644	799
1	St. John <i>W,F</i>	3068	26109	792	760	32	464	242	222	—
2	Holy Trinity <i>F,H</i>	2962	44187	1826	1796	30	826	404	422	—
	391.—Rugby.	80799	34328	894	865	29	491	230	261	263
1	Rugby <i>W,H</i>	18366	22835	622	600	22	327	155	172	—
2	Crick	24417	4343	113	110	3	71	35	36	—
3	Dunchurch <i>F</i>	38016	7150	159	155	4	93	40	53	—
	392.—Solihull.	49398	48618	1777	1729	48	833	398	435	492
1	Solihull <i>W,F,3H</i>	21192	41666	1626	1583	43	711	336	375	—
2	Knowle <i>L</i>	11774	3672	75	73	2	57	26	31	—
3	Tanworth	16432	3280	76	73	3	65	36	29	—
	393.—Warwick.	68300	54906	1080	1018	62	942	462	480	339
1	Warwick <i>W,F,H,L</i>	25616	17343	378	352	26	381	202	179	—
2	Leamington <i>2H</i>	13470	29077	481	458	23	436	198	238	—
3	Kenilworth <i>H</i>	29214	8486	221	208	13	125	62	63	—
	394.—Stratford on Avon.	77200	20842	437	405	32	295	145	150	160
1	Wellesbourne	27725	5316	115	111	4	65	39	26	—
2	Stratford on Avon <i>W,2F,2H</i>	29135	11523	237	219	18	170	77	93	—
3	Wootton Wawen	20340	4003	85	75	10	60	29	31	—
	395.—Alcester.	55447	20979	463	437	26	297	152	145	184
1	Feckenham	28588	13840	307	301	6	183	86	97	—
2	Alcester <i>W,F</i>	26859	7139	156	136	20	114	66	48	—

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (<i>exclusive of Still-born.</i>)			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
28.—WARWICK-SHIRE—<i>cont.</i>									
396.—Shipston on Stour.	78289	15053	349	336	13	239	127	112	87
No. 1 Blockley	28378	5735	143	138	5	85	42	43	—
2 Shipston on Stour <i>W,2F,2H</i>	17477	4969	117	113	4	94	56	38	—
3 Halford	32434	4349	89	85	4	60	29	31	—
397.—Southam.	52797	9903	217	204	13	138	70	68	57
1 Southam <i>W</i>	52797	9903	217	204	13	138	70	68	—

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909.

29.—LEICESTER-SHIRE.									
398.—Lutterworth.	57066	11029	240	227	13	161	89	72	62
No. 1 Lutterworth <i>W,H</i>	57066	11029	240	227	13	161	89	72	—
399.—Market Harborough.	71293	19187	442	422	20	237	122	115	126
1 Market Harborough <i>W,F</i> ..	71293	19187	442	422	20	237	122	115	—
400.—Billesdon.	52482	6172	187	134	53	396	219	177	49
1 Billesdon <i>W,w</i>	52482	6172	187	134	53	396	219	177	—
401.—Blaby.	33482	24895	561	544	17	377	190	187	194
No. 1 Wigston <i>w,F</i>	11203	14828	304	296	8	180	87	93	—
2 Enderby <i>W,L</i>	22279	10067	257	248	9	197	103	94	—
402.—Hinckley.	22581	23940	668	675	13	345	183	157	215
No. 1 Burbage	9141	5100	152	151	1	63	32	31	—
2 Hinckley <i>W,H</i>	7671	12454	360	351	9	204	116	88	—
3 Earl Shilton <i>F</i>	5769	6386	176	173	3	78	40	38	—
403.—Market Bosworth.	53413	17254	596	573	23	247	132	115	129
No. 1 Market Bosworth <i>W</i> ..	32861	5757	163	149	14	93	49	44	—
2 Ibstock <i>F</i>	20557	11497	433	424	9	154	83	71	—
404.—Ashby de la Zouch.	55446	44241	1507	1447	60	662	319	343	374
No. 1 Measham <i>F</i>	10662	4288	127	117	10	61	26	35	—
2 Hartshorn* <i>F</i>	19675	12650	416	409	16	184	88	96	—
3 Ashby de la Zouch* <i>W,H</i> ..	8305	6209	160	148	12	110	63	47	—
4 Whitwick <i>F</i>	16804	21094	804	782	22	307	142	165	—
405.—Loughborough.	45819	34897	829	786	43	487	240	247	253
No. 1 Loughborough <i>W,F,H</i> ..	19974	29690	732	690	42	414	207	207	—
2 Leake	25845	5207	97	96	1	73	33	40	—
406.—Barrow upon Soar.	50452	25528	634	618	16	423	213	210	157
No. 1 Barrow upon Soar	13299	6675	160	157	3	108	49	59	—
2 Quorndon <i>2H</i>	10350	6227	147	145	2	99	46	53	—
3 Rothley <i>W,F</i>	13294	5940	166	162	4	125	66	59	—
4 Syston <i>F</i>	13509	6686	161	154	7	91	52	39	—
407.—Leicester.	8586	211579	5366	5180	186	2895	1389	1506	1762
No. 1 North West Leicester <i>2H</i> ..	2393	75528	2229	2144	85	991	471	520	—
2 North East Leicester <i>W,L</i> ..	2107	58355	1376	1330	46	714	337	377	—
3 South Leicester <i>H</i>	4086	77696	1761	1706	55	1190	581	609	—

* 404 : 2, 3.—On 1st October, 1909, the boundary between these sub-districts was altered, *see* page 506. The births and deaths are shown as if the change had taken place at the beginning of the year.

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	29.—LEICESTER-SHIRE—<i>cont.</i>									
	408.—Melton Mowbray.	99545	22210	584	551	33	322	166	156	175
1	Melton Mowbray <i>W,F</i> ..	45484	13816	412	391	21	198	102	96	—
2	Waltham	54061	8394	172	160	12	124	64	60	—
	30.—RUTLAND-SHIRE.									
	409.—Oakham.	58001	10446	257	250	7	161	75	86	70
1	Oakham <i>W,H</i>	58001	10446	257	250	7	161	75	86	—
	410.—Uppingham.	50699	19297	202	196	6	148	70	78	68
1	Uppingham <i>W</i>	19851	5448	110	108	2	71	34	37	—
2	Great Easton	14208	2286	39	37	2	41	19	22	—
3	Barrowden.. ..	16640	2563	53	51	2	36	17	19	—
	31.—LINCOLNSHIRE.									
	411.—Stamford.	55690	16521	413	390	23	249	125	124	137
1	Stamford <i>W,H</i>	23484	12104	306	286	20	199	103	96	—
2	Barnack	32206	4417	107	104	3	50	22	28	—
	412.—Bourne.	92266	17573	406	373	33	244	106	138	152
1	Corby	21011	2829	57	53	4	31	12	19	—
2	Aslackby	28241	4019	77	71	6	51	21	30	—
3	Bourne <i>W</i>	34526	7199	180	164	16	106	45	61	—
4	Deeping	10488	3523	92	85	7	56	28	28	—
	413.—Spalding.	82003	21782	565	528	37	303	167	136	168
1	Pinchbeck	14460	2830	63	60	3	27	17	10	—
2	Donington	9983	2290	55	53	2	26	16	10	—
3	Gosberton	12417	2770	75	71	4	35	17	18	—
4	Spalding <i>W,F,H</i>	12704	9847	254	231	23	178	102	76	—
5	Moulton	17406	2790	81	79	2	25	11	14	—
6	Deeping St. Nicholas ..	15033	1255	37	34	3	12	4	8	—
	414.—Holbeach.	82426	17612	496	467	29	265	134	131	115
1	Gedney Hill	13125	1909	57	54	3	30	14	16	—
2	Long Sutton	35946	8613	251	239	12	92	45	47	—
3	Holbeach <i>W</i>	33355	7090	188	174	14	143	75	68	—
	415.—Boston.	106453	38349	1004	948	56	585	281	304	325
1	Kirton	50610	9581	238	229	9	111	53	58	—
2	Benington	49295	8469	231	219	12	104	58	46	—
3	Boston <i>W,F,H</i>	6548	20299	535	500	35	370	170	200	—
	416.—Sleaford.	137809	23727	559	526	33	328	158	170	163
1	Billingham	80790	11133	247	232	15	140	70	70	—
2	Sleaford <i>W,F,L</i>	57019	12594	312	294	18	188	88	100	—
	417.—Grantham.	105238	33033	863	819	44	514	269	245	266
1	Grantham South	76233	11091	252	238	14	151	68	83	—
2	Grantham North <i>W,F,H</i> ..	29005	21942	611	581	30	363	201	162	—
	418.—Lincoln.	159761	74670	1932	1816	116	1215	679	536	697
1	Lincoln South West	74838	12327	294	283	11	188	113	75	—
2	Lincoln Home <i>W,2F,H,2L</i> ..	26838	55294	1486	1387	99	926	513	413	—
3	Lincoln North East	58085	7049	152	146	6	101	53	48	—

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
31.—LINCOLNSHIRE —continued.										
No.	419.—Horncastle.	117447	18494	495	376	29	252	123	129	107
1	Wragby	32674	3561	64	63	1	31	16	15	—
2	Horncastle <i>W,F</i>	29801	7342	151	138	13	113	63	50	—
3	Tattershall <i>H</i>	54972	7591	190	175	15	108	44	64	—
420.—Spilsby.		129655	25124	579	543	31	350	184	166	176
1	Stickney	18796	2505	64	63	1	25	15	10	—
2	Wainfleet	24635	4546	118	113	5	57	27	30	—
3	Spilsby <i>W,H</i>	25255	5611	113	108	5	74	41	33	—
4	Burgh <i>F,3H</i>	24394	5682	139	129	10	100	54	46	—
5	Alford	36575	6780	145	135	10	94	47	47	—
421.—Louth.		159249	28958	625	573	52	429	211	218	230
1	Withern <i>H</i>	27477	3962	89	82	7	46	20	26	—
2	Louth <i>W,F,H</i>	39757	13021	273	246	27	227	111	116	—
3	Binbrook	28405	3344	82	75	7	36	15	21	—
4	Saltfleet	33632	4366	92	87	5	67	34	33	—
5	Tetney	29978	4265	89	83	6	53	31	22	—
422.—Grimsby.		47287	81150	3083	2918	165	1310	710	600	832
1	Great Grimsby <i>W,2F,H</i> ..	47287	81150	3083	2918	165	1310	710	600	—
423.—Caistor.		121084	15476	352	326	26	242	126	116	102
1	Caistor <i>W</i>	63476	7556	165	145	20	117	64	53	—
2	Market Rasen <i>F,H</i>	57608	7920	187	181	6	125	62	63	—
424.—Glanford Brigg.		151838	44704	1512	1430	82	654	353	296	413
1	Brigg <i>W</i>	52001	12165	338	310	28	192	102	90	—
2	Winterton <i>H</i>	53450	18297	779	742	37	287	163	124	—
3	Barton	46387	14242	395	378	17	175	93	82	—
425.—Gainsborough.		111441	35821	997	935	62	510	235	225	296
1	Scotter	32302	3957	102	100	2	58	31	27	—
2	Misterton <i>F</i>	30444	7493	176	164	12	108	61	47	—
3	Gainsborough <i>W,2F</i>	5057	19232	614	574	40	270	147	123	—
4	Marton <i>H</i>	43638	5139	105	97	8	74	46	28	—
32.—NOTTINGHAM-SHIRE.										
426.—East Retford.		92777	25619	657	615	42	374	190	184	197
1	Gringley	19354	3019	68	65	3	57	32	25	—
2	Clarbrough <i>W</i>	24312	6353	176	153	23	95	50	45	—
3	East Retford <i>F,H</i>	23684	11812	310	298	12	169	88	81	—
4	Tuxford	25427	4435	103	99	4	53	20	33	—
427.—Worksop.		79946	39240	1823	1750	73	690	352	338	430
1	Worksop <i>2W,F,H</i>	20727	16209	614	573	41	277	140	137	—
2	Carlton <i>F</i>	20446	3161	72	70	2	42	18	24	—
3	Anston	17442	6318	382	372	10	118	69	49	—
4	Carburton	21331	13552	755	735	20	253	125	128	—
428.—Mansfield.		57805	81618	4241	4064	177	1500	781	719	870
1	Warsop <i>H</i>	12008	7064	606	594	12	189	99	90	—
2	Pleasley <i>F</i>	16664	13481	769	736	33	255	129	126	—
3	Blackwell <i>F</i>	7296	15740	690	658	32	212	106	106	—
4	Sutton in Ashfield	7723	22818	1036	988	48	316	168	148	—
5	Mansfield <i>W,2F,H</i>	7068	21445	1105	1055	50	513	272	241	—
6	Blidworth	7046	1070	35	33	2	15	7	8	—

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	32.—NOTTINGHAM-SHIRE—<i>cont.</i>									
	429.—Basford.	90315	146747	5530	5338	192	2213	1135	1078	1359
1	Greasley	25945	42642	1729	1673	56	614	328	286	—
2	Ilkeston <i>F,H</i>	8823	39833	1662	1602	60	740	381	359	—
3	Beeston	5865	9908	295	287	8	112	52	60	—
4	Hucknall Torkard <i>F</i> ..	10014	17015	580	556	24	226	119	107	—
5	Arnold	15885	12058	393	375	18	201	93	108	—
6	Carlton	8791	19983	745	724	21	259	132	127	—
7	Wilford	14992	5308	126	121	5	61	30	31	—
	430.—Nottingham.	10935	239743	6772	6324	448	4541	2223	2318	2151
1	Nottingham South West* <i>3H</i>	2743	37169	2005	1865	140	1316	655	651	—
2	Nottingham South East* ..	994	36026							
3	Nottingham North East <i>H,2L</i>	1373	66282	1681	1575	106	1103	507	596	—
4	Nottingham North West <i>W,H</i>	1284	58380	1486	1421	65	786	354	432	—
5	Bulwell <i>W,w,3F,H</i>	4541	41886	1600	1463	137	1336	697	639	—
	431.—Southwell.	118468	19114	396	380	16	289	139	150	121
1	Southwell <i>W,F</i>	53208	10819	222	214	8	178	86	92	—
2	Kneesall	65260	8295	174	166	8	111	53	58	—
	432.—Newark.	96810	30871	805	757	48	502	257	245	230
1	North Collingham	25260	4322	83	77	6	62	26	36	—
2	Bassingham	17176	2132	44	44	—	33	18	15	—
3	Newark <i>W,H</i>	6225	16085	469	441	28	279	143	136	—
4	Balderton <i>F</i>	15891	3925	121	110	11	53	31	22	—
5	Claypole	32258	4407	88	85	3	75	39	36	—
	433.—Bingham.	69231	13753	321	301	20	244	120	124	86
1	Bingham <i>W,L</i>	69231	13753	321	301	20	244	120	124	—
	33.—DERBYSHIRE.									
	434.—Shardlow.	71265	55462	1734	1684	50	755	373	382	470
1	Castle Donington	14919	5932	145	138	7	69	36	33	—
2	Melbourne	14224	5321	128	120	8	60	24	36	—
3	Shardlow <i>W</i>	10963	5477	131	122	9	87	48	39	—
4	Stapleford	16043	27959	1501	980	21	369	180	189	—
5	Spondon <i>F</i>	15116	10773	329	324	5	170	85	85	—
	435.—Derby.	5640	115763	3242	3113	129	1815	907	908	971
1	Osmaston	1823	8936	417	403	14	128	67	61	—
2	Derby <i>W,F,5H,L</i>	3817	106827	2825	2710	115	1687	840	847	—
	436.—Belper.	66007	66809	2059	1991	68	930	475	455	545
1	Duffield	19186	6382	121	118	3	56	27	29	—
2	Horsley <i>H</i>	10705	7735	259	251	8	122	52	70	—
3	Belper <i>W</i>	3183	10934	313	294	19	192	103	89	—
4	Ripley <i>F</i>	13333	17925	635	618	17	242	119	123	—
5	Alfreton	4626	17505	584	568	16	232	128	104	—
6	Wirksworth <i>H</i>	14974	6328	147	142	5	86	46	40	—
	437.—Ashbourne.	97983	19894	452	425	27	263	133	130	129
1	Ashbourne† <i>W,F,H</i>	50882	12059	276	261	15	154	79	75	—
2	Brassington†	47101	7835	176	164	12	109	54	55	—

* 430 : 1, 2.—On 1st April, 1909, the boundary between these sub-districts was altered, *see* page 506. The births and deaths for the altered sub-districts cannot be shown separately.

† 437 : 1, 2.—On 1st December, 1909, the boundary between Ashbourne and Brassington sub-districts was altered, and on the same date Calton (2) sub-district was abolished and its constituent parts divided between Ashbourne (1) and Brassington (2), *see* page 506. The births and deaths are shown as if the change had taken place at the beginning of the year.

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
33.—DERBYSHIRE— <i>continued.</i>									
438.—Chesterfield.	93009	132856	4850	4645	205	2075	1103	972	1110
1 Ashover <i>F</i>	24020	24754	895	843	52	326	162	164	—
2 Chesterfield <i>2W,3F,H</i> ..	24435	59649	2098	2001	97	1054	577	477	—
3 Bolsover	11000	8758	530	517	13	165	86	79	—
4 Eckington <i>F</i>	18796	31330	1068	1035	33	421	221	200	—
5 Dronfield <i>F</i>	14758	8365	259	249	10	109	57	52	—
439.—Bakewell.	104618	33661	825	788	37	524	275	249	233
1 Bakewell <i>W,F</i>	55260	11154	263	248	15	184	94	90	—
2 Matlock <i>3H</i>	19793	14654	319	302	17	232	119	113	—
3 Tideswell	29565	7853	243	238	5	108	62	46	—
440.—Chapel en le Frith.	83490	26478	677	638	39	411	215	196	202
1 Buxton <i>F,2H</i>	16119	14880	349	329	20	211	103	108	—
2 Chapel en le Frith <i>W,F,H</i>	67371	11598	328	309	19	200	112	88	—
441.—Glossop.	20943	25677	544	517	27	374	188	186	208
1 Glossop <i>W,F,H</i>	20943	25677	544	517	27	374	188	186	—
442.—Hayfield.	17952	14432	351	340	11	223	133	90	89
1 Hayfield <i>W</i>	17952	14432	351	340	11	223	133	90	—

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909.

34.—CHESHIRE.									
443.—Stockport.	28166	156308	4153	4006	147	2661	1365	1296	1335
1 Hazel Grove	8502	13529	312	299	13	180	79	101	—
2 Hyde <i>F</i>	1566	23668	501	484	17	373	185	188	—
3 Bredbury	4889	8060	228	226	2	111	55	56	—
4 Stockport First <i>2W,F</i> ..	2533	45521	1302	1232	70	990	512	478	—
5 Stockport Second <i>H</i> ..	1161	27679	774	753	21	444	244	200	—
6 Stockport Third <i>F</i> ..	1798	19632	657	641	16	324	160	164	—
7 Heaton Norris <i>H</i>	1619	9392	170	165	5	120	64	56	—
8 Cheadle <i>H,L</i>	6398	8827	209	206	3	119	66	53	—
444.—Macclesfield.	85887	59354	1233	1172	61	955	476	479	464
1 Prestbury	13666	5117	119	117	2	60	29	31	—
2 Bollington	8308	6562	137	134	3	77	33	44	—
3 Rainow	15597	3527	89	88	1	33	21	12	—
4 Macclesfield <i>W,F,H,L</i> ..	2853	29737	619	580	39	608	312	296	—
5 Sutton <i>F</i>	13314	6642	119	109	10	79	34	45	—
6 Gawsworth	17983	2597	54	52	2	25	12	13	—
7 Alderley <i>H</i>	14166	5172	96	92	4	73	35	38	—
445.—Bucklow.	75413	79595	1952	1877	75	1156	585	571	578
1 Wilmslow <i>w</i>	14253	11238	223	219	4	145	72	73	—
2 Altrincham <i>F,2H</i>	12849	30955	762	738	24	407	207	200	—
3 Sale <i>2F,H</i>	9208	21126	600	583	17	311	157	154	—
4 Lymm <i>F</i>	16532	7469	180	168	12	101	52	49	—
5 Knutsford <i>W,H</i>	22571	8807	187	169	18	192	97	95	—
446.—Runcorn.	50434	39735	1172	1132	40	582	312	270	262
1 Budworth <i>W,2F</i>	24160	10225	300	289	11	169	98	71	—
2 Runcorn <i>F,H</i>	10449	21083	611	595	16	293	151	142	—
3 Frodsham <i>2H</i>	15825	8427	261	248	13	120	63	57	—
447.—Northwich.	62569	54735	1457	1394	63	733	374	359	413
1 Weaverham	18131	10265	237	228	9	125	57	68	—
2 Northwich <i>W,3F,H</i> ..	12148	23570	631	606	25	323	169	154	—
3 Over <i>F,H</i>	18255	13191	358	338	20	176	96	80	—
4 Middlewich	14035	7709	231	222	9	199	52	57	—

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	34.—CHESHIRE—<i>cont.</i>									
	448.—Congleton.	50570	32534	851	818	33	485	255	230	220
1	Church Hulme	14910	2917	67	66	1	47	24	23	—
2	Congleton <i>W,F,H</i>	13368	13270	344	326	18	212	106	106	—
3	Sandbach <i>W,F</i>	22292	16347	440	426	14	226	125	101	—
	449.—Nantwich.	101354	72993	1880	1754	126	1057	523	534	507
1	Crewe <i>F,2H</i>	33339	53058	1437	1355	82	713	343	370	—
2	Nantwich* <i>W,F</i>	25411	11667	269	235	34	229	115	114	—
3	Bunbury*	19767	3804	81	79	2	40	22	18	—
4	Wrenbury	22837	4464	93	85	8	75	43	32	—
	450.—Chester.†	101782	69897	1725	1639	86	1239	625	614	562
1	Tattenhall	63069	15258	355	330	25	207	108	99	—
2	Chester Castle‡ <i>W</i>	12777	25649	1370	1309	61	1032	517	515	—
3	Chester Cathedral‡ <i>W,2F,H,L</i>	25936	28990							
	451.—Wirral.	45573	44316	1468	1431	37	673	330	343	299
1	Neston <i>w,H</i>	15380	8698	254	248	6	121	66	55	—
2	Eastham	8854	7580	378	372	6	117	57	60	—
3	Bebington <i>W,2F,H</i>	6875	12760	431	417	14	205	104	101	—
4	Woodchurch <i>F,2H</i>	14664	15278	405	394	11	230	103	127	—
	452.—Birkenhead.	9240	165171	5582	5400	182	2829	1447	1382	1310
1	Birkenhead <i>F,3H</i>	1279	61736	2076	2019	57	1043	535	508	—
2	Tranmere <i>W</i>	4612	49853	1668	1597	71	929	472	457	—
3	Wallasey <i>3F,3H</i>	3349	53579	1338	1784	54	857	440	417	—
	35.—LANCASHIRE.									
	453.—Liverpool.	1858	147405	4944	4681	263	3969	2211	1758	1656
1	Scotland	519	52966	1955	1932	23	890	453	437	—
2	Exchange <i>3H</i>	534	41999	1128	1105	23	850	481	369	—
3	Abercromby <i>W,7H</i>	805	52440	1861	1644	217	2229	1277	952	—
	454.—Toxteth Park.	2375	136230	3978	3874	104	2424	1251	1173	847
1	Toxteth Park North West <i>F,2H.</i>	238	24733	789	774	15	541	304	237	—
2	Toxteth Park South West <i>w,F.</i>	375	34861	1375	1356	19	562	276	286	—
3	Toxteth Park Central <i>H</i> ..	444	46449	1120	1099	21	523	241	282	—
4	Toxteth Park East <i>W,H</i> ..	1318	30187	694	645	49	798	430	368	—
	455.—West Derby.	37242	529684	18363	17815	548	10088	5156	4932	4029
1	Crosby <i>H</i>	4762	31220	925	907	18	393	187	206	—
2	Litherland	8362	14626	665	656	9	243	132	111	—
3	Fazakerley <i>2W,F</i>	9444	5350	175	173	2	272	137	135	—
4	Walton <i>2W,w</i>	1944	54615	2142	1928	214	1794	895	899	—
5	Bootle <i>F,H</i>	1576	58556	1966	1936	30	967	483	484	—
6	Kirkdale <i>2w,H</i>	921	69386	2219	2187	32	1158	600	558	—
7	North Everton <i>w,F..</i>	303	54075	2003	1980	23	842	431	411	—
8	South Everton <i>W,H</i> ..	390	67394	2189	2133	56	1743	955	788	—
9	West Derby Western..	675	86694	2634	2568	66	1057	557	500	—
10	West Derby Eastern <i>w,F..</i>	2936	43856	1623	1567	56	1036	509	527	—
11	Wavertree <i>W,2w,2H</i> ..	5929	43912	1822	1780	42	583	270	313	—
	456.—Prescot.	53084	153648	5162	5011	151	2951	1616	1335	1147
1	Hale	8053	3000	84	83	1	37	20	17	—
2	Much Woolton <i>H</i>	2181	5822	129	127	2	50	25	25	—
3	Widnes <i>F,H</i>	10656	32718	1131	1100	31	511	266	245	—
4	Prescot <i>W,F</i> } <i>L</i> .. {	16902	23498	616	584	32	603	347	256	—
5	St. Helens <i>F,2H</i> } .. {	9415	85251	3104	3021	83	1717	938	779	—
6	Rainford <i>F</i>	5877	3359	98	96	2	33	20	13	—

* 449 : 2, 3.—On 1st January, 1909, the boundary between these sub-districts was altered : see page 506.

† 450.—The District of CHESTER comprises the two Poor Law Unions of Tarvin (Tattenhall sub-district) and Chester (Chester Castle and Chester Cathedral sub-districts).

‡ 450 : 2, 3.—On 1st November, 1909, the boundary between these sub-districts was altered : see page 506. The births and deaths for the altered sub-districts cannot be shown separately.

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
35.—LANCASHIRE— continued.										
457.—Ormskirk.		93070	108594	2318	2234	84	1637	764	873	788
No. 1	Bickerstaffe	11217	3401	93	89	4	37	21	16	—
2	Ormskirk 2W,F,H	574	6857	172	149	23	170	96	74	—
3	Aughton w,F	8705	6046	123	121	2	74	30	44	—
4	Halsall	18868	4068	86	80	6	57	33	24	—
5	Formby F	14405	21698	448	440	8	272	126	146	—
6	North Meols 2F,6H	10443	49908	878	853	25	767	334	433	—
7	Tarleton	12327	3483	82	78	4	46	23	23	—
8	Lathom F	16531	13133	436	424	12	214	101	113	—
458.—Wigan.		48408	191239	6642	6363	279	3787	1974	1813	1564
1	Standish	10729	10762	365	355	10	177	78	99	—
2	Aspull F	6428	13427	438	422	16	210	105	105	—
3	Wigan W,F,H	2188	60764	2064	1957	107	1456	774	682	—
4	Hindley 3F	6916	51072	1738	1668	70	1014	539	475	—
5	Pemberton F	11300	32295	1186	1140	46	554	274	280	—
6	Billinge	4596	4232	139	132	7	52	20	32	—
7	Ashton in Makerfield 2F ..	6251	18687	712	689	23	324	184	140	—
459.—Warrington.		27934	100012	3407	3314	93	2084	1084	1000	834
1	Newton in Makerfield F,H,L	5516	25274	854	840	14	422	221	201	—
2	Winwick L	4823	2437	74	70	4	264	101	163	—
3	Sankey F	8688	5149	159	154	5	83	48	35	—
4	Warrington W,F,H	3058	64242	2260	2191	69	1280	695	585	—
5	Rixton W	5849	2910	60	59	1	35	19	16	—
460.—Leigh.		24366	86254	2839	2742	97	1538	797	741	753
1	Lowton	5195	10082	331	321	10	179	76	103	—
2	Culcheth F	10885	16280	531	513	18	254	128	126	—
3	Leigh H	3531	28838	944	923	21	541	290	251	—
4	Atherton W,F	4755	31054	1033	985	48	564	303	261	—
461.—Bolton.		46447	257587	7149	6878	271	4088	2053	2035	2029
1	Farnworth W,F	5016	47556	1379	1297	82	1035	550	485	—
2	South West Bolton 2F,H ..	4693	34043	1060	1029	31	644	313	331	—
3	Halliwell	4229	25849	767	743	24	347	165	182	—
4	Horwich F	8817	29461	877	860	17	381	192	189	—
5	Tonge	3978	19718	540	521	19	258	133	125	—
6	Turton H	17335	12355	248	244	4	130	70	60	—
7	Little Bolton	728	45333	1172	1128	44	626	308	318	—
8	Great Bolton and Lever ..	1651	43272	1106	1056	50	667	322	345	—
462.—Bury.		35052	145569	3137	3012	125	2312	1124	1188	1180
1	Ramsbottom H	9563	16631	303	298	5	220	103	117	—
2	Tottington	2543	6118	127	123	4	88	46	42	—
3	Elton 2F	3539	15715	279	273	6	211	103	108	—
4	North Bury W,2H	2480	26222	602	566	36	613	314	299	—
5	Heywood F	6070	26905	660	629	31	412	196	216	—
6	South Bury	1366	18325	385	366	19	260	114	146	—
7	Radcliffe H	3080	24853	555	538	17	365	187	178	—
8	Whitefield	6411	10800	226	219	7	143	61	82	—
463.—Barton upon Irwell.		24539	114773	3177	3079	98	1753	899	854	903
1	Worsley w,F	8025	33918	900	878	22	458	227	231	—
2	Barton W,H	10824	40169	1193	1153	40	701	372	329	—
3	Stretford H	5690	40686	1084	1048	36	594	300	294	—
464.—Chorlton.		11712	342643	10080	9583	497	6483	3376	3107	3058
1	Didsbury W	6006	40170	1228	1079	149	1600	859	741	—
2	Ardwick	4198	151892	5186	5066	120	2315	1193	1122	—
3	Chorlton upon Medlock 3H	647	57894	1173	1029	144	1307	713	594	—
4	Hulme	861	92687	2493	2409	84	1261	611	650	—

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	35.—LANCASHIRE— continued.									
	465.—Salford.	6068	229450	7052	6796	256	4700	2445	2255	1787
1	Pendleton <i>W,H</i>	2652	51355	1774	1733	41	1641	821	820	—
2	Broughton <i>H</i>	1481	55342	1416	1362	54	741	370	371	—
3	Greengate <i>H</i>	696	51961	1526	1482	44	1041	580	461	—
4	Regent Road <i>W,F</i>	1239	70792	2336	2219	117	1277	674	603	—
	466.—Manchester.	1646	132316	3887	3784	103	2126	1037	1089	990
1	Ancoats <i>w,H</i>	400	44040	1324	1306	18	875	442	433	—
2	Central <i>W,5H</i>	748	30012	891	850	41	437	195	242	—
3	St. George	498	58264	1672	1628	44	814	400	414	—
	467.—Prestwich.	11808	196832	6625	6382	243	4650	2394	2256	1649
1	Cheetham <i>W,w,2H</i>	1654	49942	1496	1389	107	1586	919	667	—
2	Prestwich <i>F,L</i>	2448	12766	282	275	7	391	205	186	—
3	Blackley <i>W</i>	2750	24574	809	764	45	632	279	353	—
4	Failssworth	2371	26049	1041	1020	21	405	199	206	—
5	Newton Heath <i>F</i>	1341	36478	1109	1086	23	853	420	433	—
6	Bradford <i>H</i>	1244	47023	1888	1848	40	783	372	411	—
	468.—Ashton under Lyne.	38267	175063	4333	4160	173	3040	1500	1540	1382
1	Knott Lanes	2422	9962	295	286	9	158	80	78	—
2	Mossley	5485	23167	580	569	11	350	171	179	—
3	Ashton Town <i>W,F,H</i>	1346	43890	1069	991	78	1035	531	504	—
4	Audenshaw	3579	19730	533	515	18	301	165	136	—
5	Denton	2594	14934	391	384	7	235	115	120	—
6	Newton	1515	9098	226	219	7	134	54	80	—
7	Dukinfield	1405	18929	493	476	17	312	150	162	—
8	Stalybridge	3835	27869	600	579	21	409	191	218	—
9	Mottram	16086	7484	146	141	5	106	43	63	—
	469.—Oldham.	17603	215624	6175	5920	255	4090	2060	2030	2003
1	Oldham East <i>H</i>	2536	46429	1291	1234	57	785	384	401	—
2	Oldham Central <i>W,F</i>	832	45780	1323	1232	91	1231	620	611	—
3	Oldham South <i>H</i>	1368	45057	1314	1270	44	874	467	407	—
4	Chadderton <i>F</i>	3082	24892	818	792	26	397	198	199	—
5	Middleton	4775	25178	642	629	13	348	176	172	—
6	Royton <i>W</i>	2145	14881	458	442	16	265	127	138	—
7	Crompton	2865	13427	329	321	8	190	88	102	—
	470.—Rochdale.	32532	120433	2778	2647	131	2092	1031	1061	1087
1	Milnrow	5198	8241	148	140	8	120	56	64	—
2	Castleton No. 1	886	20507	510	490	20	287	142	145	—
3	Castleton No. 2 <i>F</i>	2942	20192	488	467	21	307	159	148	—
4	Spotland and Norden	6780	19137	404	387	17	271	127	144	—
5	Wardleworth <i>H</i>	767	20272	556	531	25	388	182	206	—
6	Whitworth and Wardle <i>2W</i>	8106	20918	451	413	38	553	275	278	—
7	Littleborough <i>F</i>	7853	11166	221	219	2	166	90	76	—
	471.—Haslingden.	27278	115223	2506	2425	81	1824	913	911	1036
1	Rawtenstall <i>W,F</i>	9535	31053	680	653	27	551	290	261	—
2	Bacup	6120	22505	484	467	17	363	191	172	—
3	Haslingden <i>F</i>	8196	18543	396	387	9	261	125	136	—
4	Accrington <i>F,H</i>	3427	43122	946	918	28	649	307	342	—
	472.—Burnley.	64899	197429	5099	4862	237	3181	1617	1564	1899
1	East Ward <i>W,2F,H</i>	18113	56054	1544	1450	94	1273	681	592	—
2	West Ward <i>F</i>	5437	47756	1261	1204	57	700	327	373	—
3	Padiham	14123	19430	506	481	25	280	137	143	—
4	Nelson <i>F</i>	4273	40104	934	895	39	483	242	241	—
5	Colne <i>F,H</i>	16695	32458	820	799	21	431	220	211	—
6	Pendle	6258	1627	34	33	1	14	10	4	—

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
35.—LANCASHIRE— continued.										
No.	473.—Clitheroe.	117951	22489	516	498	18	314	174	140	181
1	Gisburn	28345	2560	50	49	1	22	12	10	—
2	Slaidburn	45488	1395	26	23	3	21	14	7	—
3	Chipping	19804	2653	55	54	1	42	26	16	—
4	Clitheroe W	16881	13747	337	325	12	206	110	96	—
5	Whalley	7433	2134	48	47	1	23	12	11	—
474.—Blackburn.		45853	223520	5295	5080	215	3690	1799	1891	1956
1	Billington w	5965	2327	48	48	—	34	15	19	—
2	Harwood	6912	27199	661	650	11	342	165	177	—
3	Mellor	9132	2743	64	62	2	37	17	20	—
4	Blackburn Northern* W ..	3021	44563	2155	2081	74	1284	617	667	—
5	Blackburn South Western*	1747	45896							
6	Blackburn South Eastern* 2W,F,H.	2650	38757	981	904	77	1065	554	511	—
7	Oswaldtwistle	5414	20655	507	485	22	306	141	165	—
8	Darwen F	11012	41380	879	850	29	622	290	332	—
475.—Chorley.		54441	63001	1827	1772	55	1030	508	522	551
1	Brindle 2F	10659	6690	165	162	3	104	47	57	—
2	Leyland	10250	11733	335	323	12	171	77	94	—
3	Rivington F	9454	6957	184	183	1	98	49	49	—
4	Chorley W,H	10915	31404	988	954	34	586	308	278	—
5	Croston	13163	6217	155	150	5	71	27	44	—
476.—Preston.		66959	152231	3996	3804	192	2636	1308	1328	1147
1	Longton	13561	7879	200	198	2	108	57	51	—
2	East Preston	1573	38177	1008	948	60	598	279	319	—
3	North Preston 2F,2H ..	1083	43260	1222	1174	48	680	330	350	—
4	West Preston H	1315	31552	804	768	36	449	221	228	—
5	Walton le Dale 2F	9731	12182	332	327	5	184	83	101	—
6	Alston W	11485	6490	186	175	11	108	61	47	—
7	Broughton W,F,H,L ..	28211	12691	244	214	30	509	277	232	—
477.—Fylde.		56799	93697	2370	2241	129	1649	822	827	875
1	Kirkham 2W,F	26530	10256	277	241	36	223	107	116	—
2	Lytham 3H	8151	14366	292	287	5	224	103	121	—
3	Blackpool F,2H	8758	50190	1124	1050	74	895	454	441	—
4	Fleetwood F,H	13360	18885	677	663	14	307	158	149	—
478.—Garstang.		60612	11860	272	261	11	167	97	70	63
1	Stalmine	13155	3688	110	105	5	50	24	26	—
2	St. Michael	16353	2860	54	52	2	35	24	11	—
3	Garstang W	31104	5312	108	104	4	82	49	33	—
479.—Lancaster.		63150	67385	1511	1449	62	1161	610	551	503
1	Ellel	35397	4061	93	92	1	41	25	16	—
2	Heaton 2F,H	8878	15862	294	282	12	216	100	116	—
3	Lancaster W,F,H,2L ..	3506	40329	976	935	41	811	448	363	—
4	Warton.... .. .	15369	7133	148	140	8	93	37	56	—
480.—Lunesdale.		76267	6948	133	130	3	93	40	53	44
1	Caton	21218	2817	54	54	—	31	15	16	—
2	Wray W,F	28955	1757	36	35	1	35	16	19	—
3	Tunstall	10499	694	13	11	2	7	3	4	—
4	Arkholme	15595	1680	30	30	—	20	6	14	—
481.—Ulverston.		140573	42793	930	866	64	513	262	251	298
1	Cartmel	29875	6270	126	115	11	68	39	29	—
2	Colton	24867	3108	52	50	2	37	22	15	—
3	Ulverston W,F,H	8522	12029	284	256	28	175	87	88	—
4	Dalton	16877	15278	357	337	20	175	89	86	—
5	West Broughton	26864	2884	48	47	1	30	12	18	—
6	Hawkshead	33568	3224	63	61	2	28	13	15	—
482.—Barrow in Furness.		11023	57586	1653	1600	53	757	398	359	387
1	Barrow in Furness 2W,3F,H	11023	57586	1653	1600	53	757	398	359	—

* 474: 4, 5, 6.—On 1st November, 1909, the boundary between Blackburn Northern (4) and Blackburn Western, re-named South Western (5) sub-districts was altered, *see* page 506, and on the same date Blackburn Southern (6) was re-named Blackburn South Eastern. The births and deaths for the altered sub-districts cannot be shown separately.

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1909.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
36.—WEST RIDING.										
483.—Sedbergh.		52675	3935	61	59	2	54	29	25	27
No. 1	Sedbergh W	20712	2430	30	29	1	26	10	16	—
2	Garsdale	11068	429	12	11	1	13	8	5	—
3	Dent	20895	1076	19	19	—	15	11	4	—
484.—Settle.		152009	14319	310	294	16	178	99	79	96
1	Bentham F	59583	6297	139	131	8	72	38	34	—
2	Settle W	35783	5027	107	100	7	74	43	31	—
3	Long Preston	16304	2000	40	39	1	21	14	7	—
4	Kirkby Malham	22335	719	15	15	—	8	2	6	—
5	Arncliffe	18004	276	9	9	—	3	2	1	—
485.—Skipton.		159262	45261	1095	1034	61	635	321	314	394
1	Kettlewell	33147	660	11	11	—	7	4	3	—
2	Gargrave	17757	1996	44	37	7	27	13	14	—
3	Barnoldswick F	16574	11953	383	366	17	183	96	87	—
4	Kildwick	18162	10793	198	190	8	135	60	75	—
5	Skipton W,w,2F,H	25481	15277	343	318	25	227	122	105	—
6	Addingham	20786	3027	73	70	3	43	19	24	—
7	Grassington	27355	1555	43	42	1	13	7	6	—
486.—Pateley Bridge.		75072	8040	155	150	5	117	58	59	39
1	Ramsgill H	31762	860	21	20	1	10	8	2	—
2	Pateley Bridge W,F	11785	3397	61	60	1	54	22	32	—
3	Thornthwaite	14667	1343	23	22	1	13	6	7	—
4	Dacre Banks	16858	2440	50	48	2	40	22	18	—
487.—Ripon.		68607	15529	343	323	20	219	105	114	134
1	Kirkby Malzeard	25817	2256	42	41	1	35	19	16	—
2	Ripon W,2F,H	25783	11124	258	243	15	157	72	85	—
3	Dishforth	17007	2149	43	39	4	27	14	13	—
488.—Great Ouseburn.		45970	9574	235	224	11	133	63	70	60
1	Boroughbridge	14150	2645	49	46	3	41	23	18	—
2	Whixley W	19890	2892	68	66	2	44	19	25	—
3	Poppleton 2F	11930	4037	118	112	6	48	21	27	—
489.—Knaresborough.		41249	40504	989	926	63	610	290	320	306
1	Knaresborough W,F	18838	7761	231	212	19	144	62	82	—
2	Harrogate 5H	22411	32743	758	714	44	466	228	238	—
490.—Wetherby.		65801	15343	320	299	21	189	87	102	112
1	Wetherby W,F	65801	15343	320	299	21	189	87	102	—
491.—Wharfedale.		71045	57478	1139	1099	40	892	413	479	356
1	Horsforth 4H	12159	12587	234	225	9	141	59	82	—
2	Fewston W	25360	2893	68	64	4	71	39	32	—
3	Otley F,2L	11550	16037	334	322	12	366	165	201	—
4	Ilkley F,3H	11643	7933	142	137	5	92	42	50	—
5	Yeadon F	10333	18028	361	351	10	222	108	114	—
492.—Keighley.		36805	77463	1563	1507	56	1101	565	536	598
1	Bingley F,2H	12774	17383	300	289	11	247	127	120	—
2	Keighley W,H	15471	49413	1103	1060	43	720	371	349	—
3	Haworth	8560	10667	160	158	2	134	67	67	—
493.—Todmorden.		40354	42207	751	737	14	660	328	332	288
1	Hebden Bridge	27581	16789	248	244	4	230	103	127	—
2	Todmorden W,2F	12773	25418	503	493	10	430	225	205	—

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued*.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	36.—WEST RIDING <i>—continued.</i>									
	494.—Saddleworth.	18483	17018	394	379	15	296	148	148	126
1	Springhead	1558	4698	142	135	7	79	44	35	—
2	Saddleworth W,F	16925	12320	252	244	8	217	104	113	—
	495.—Huddersfield.	71611	166646	3983	3873	110	2741	1398	1343	1425
1	Slaithwaite	11805	9133	242	239	3	144	70	74	—
2	Honley W,2F,H	11521	14070	273	268	5	258	121	137	—
3	Holmfirth	10919	8585	176	171	5	97	42	55	—
4	Newmill	6395	5439	119	119	—	71	31	40	—
5	Kirkburton 2F,L	8801	11845	317	309	8	298	151	147	—
6	Almondbury F	3980	22957	540	531	9	315	174	141	—
7	Kirkheaton	5588	6027	138	134	4	79	45	34	—
8	Huddersfield 2H	4055	44921	1101	1063	38	793	406	387	—
9	Lockwood W	3824	27169	681	654	27	483	255	228	—
10	Golcar	4723	16500	396	385	11	203	103	100	—
	496.—Halifax.	52720	195136	3406	3284	122	2715	1338	1377	1440
1	Brighouse F	9856	33537	675	659	16	404	182	222	—
2	Elland F	5769	19816	324	316	8	229	105	124	—
3	Ripponden	13240	5779	90	89	1	75	38	37	—
4	Sowerby 2F	7077	22144	353	346	7	249	120	129	—
5	Halifax, South 2W,F,H ..	2940	70097	1170	1108	62	1209	629	580	—
6	Halifax, North 3F	13838	43763	794	766	28	549	264	285	—
	497.—North Bierley.	30492	129067	2511	2430	81	1911	891	1020	851
1	Cleckheaton 2F	3137	13870	278	271	7	179	88	91	—
2	Drighlington	3794	11530	246	241	5	161	85	76	—
3	North Bierley F	4255	22151	420	405	15	302	145	157	—
4	Thornton 2W,F	6248	13583	237	219	18	319	157	162	—
5	Wilsden	2638	3067	54	52	2	39	13	26	—
6	Shipley F,H	2182	25573	509	496	13	373	178	195	—
7	Idle	2913	16128	330	324	6	199	80	119	—
8	Calverley F	2926	8258	174	170	4	123	50	73	—
9	Pudsey	2399	14907	263	252	11	216	95	121	—
	498.—Bradford.	10802	228625	4530	4283	247	3536	1726	1810	2049
1	Bowling*	2238	56735	3451	3302	149	2379	1159	1220	—
2	Bradford Central* F,2H ..	1323	59914							
3	Manningham* 2H	5208	59567							
4	Horton 2W	2033	52409	1079	981	98	1157	567	590	—
	499.—Bramley.	7608	79700	1852	1793	54	1114	559	555	503
1	Bramley	2510	17299	410	405	5	242	113	129	—
2	Gildersome	992	3073	82	82	—	32	18	14	—
3	Wortley W,H	4106	59328	1360	1311	49	840	428	412	—
	500.—Leeds.	13961	254536	6444	6062	382	4376	2334	2042	2184
1	South-East Leeds	853	34299	1135	1084	51	586	281	305	—
2	North Leeds W	640	59281	1464	1332	132	1129	641	488	—
3	West Leeds 3H	1244	84340	1870	1739	131	1539	845	694	—
4	Kirkstall	3185	41561	951	911	40	487	258	229	—
5	Chapelton 2W,2F	8039	35055	1024	996	28	635	309	326	—
	501.—Hunslet.	12120	83002	2321	2217	104	1196	624	572	577
1	Hunslet	2220	69443	1892	1814	78	904	446	458	—
2	Templenewsam	3407	2459	72	67	5	37	22	15	—
3	Rothwell 2W,3F	6493	11100	357	336	21	255	156	99	—
	502.—Holbeck.	2579	33585	1062	1025	37	533	257	276	269
1	Holbeck W	2579	33585	1062	1025	37	533	257	276	—
	503.—Dewsbury.	25564	167643	3730	3628	152	2578	1273	1305	1416
1	Morley F	2895	21623	515	497	18	246	119	127	—
2	Batley H	2039	30321	736	712	24	428	209	219	—
3	Gomersal F	3258	12311	293	281	12	199	103	96	—
4	Liversedge	2832	23439	490	482	8	320	140	180	—
5	Mirfield F,H	3766	17040	353	341	12	262	132	130	—
6	Dewsbury W,H	1471	28060	559	502	57	594	311	283	—
7	Soothill F	2459	11656	261	252	9	192	95	97	—
8	Ossett F	3238	12903	306	298	8	182	91	91	—
9	Thornhill F	3606	10290	267	263	4	155	73	82	—

* 498 : 1, 2, 3.—On 1st March, 1909, the boundary between these sub-districts was altered, *see* page 506. Bradford East was re-named Bradford Central, and Bradford West was re-named Manningham. The births and deaths for the altered sub-districts cannot be shown separately.

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
36.—WEST RIDING <i>—continued.</i>									
504.—Wakefield.	41732	112365	3406	3286	120	1813	955	858	967
1 Bretton	10176	5691	177	174	3	64	35	29	—
2 Sandal F	8962	12832	456	444	12	178	84	94	—
3 Horbury F	2289	6900	176	168	8	88	44	44	—
4 Wakefield W,F,H,L ..	2441	41413	951	902	49	880	487	393	—
5 Ardsley	6541	12350	405	391	14	160	81	79	—
6 Stanley F,3L	5165	13406	439	427	12	182	94	88	—
7 Normanton F	6158	19773	802	780	22	261	130	131	—
505.—Pontefract.	54103	70258	2906	2775	131	1308	718	590	631
1 Knottingley	18142	11959	460	432	28	196	100	96	—
2 Whitley	17004	2210	64	64	—	32	18	14	—
3 Pontefract W,3F,H ..	12736	26609	1080	1025	55	480	273	207	—
4 Castleford 2F	6221	29480	1302	1254	48	600	327	273	—
506.—Hemsworth.	34750	23379	1300	1239	61	494	253	236	221
1 Hemsworth Eastern ..	19412	9528	519	497	22	212	94	118	—
2 Hemsworth Western W,F	15338	13851	781	742	39	282	164	118	—
507.—Barnsley.	34857	113518	5002	4739	263	2091	1099	992	1061
1 Darton	11316	15618	837	803	34	317	150	167	—
2 Barnsley W,2F,H ..	9222	56966	2325	2168	157	1153	618	535	—
3 Darfield	8818	30108	1359	1304	55	478	246	232	—
4 Worsborough	5501	10826	481	464	17	143	85	58	—
508.—Wortley.*	91331	53659	1537	1487	50	922	484	438	390
1 Cawthorne	8974	5070	137	130	7	71	37	34	—
2 High Hoyland	4870	3618	74	71	3	57	22	35	—
3 Penistone W,F	21265	8740	233	229	4	119	59	60	—
4 Wortley	8082	3425	82	80	2	37	21	16	—
5 Ecclesfield W,F,L ..	9368	18324	615	593	22	459	250	209	—
6 Bradfield F	38772	14482	396	384	12	179	95	84	—
509.—Ecclesall Bierlow.	23135	179676	5184	4959	225	2664	1411	1253	1343
1 Ecclesall North	654	32189	1138	1106	32	443	227	216	—
2 Ecclesall West Central W,F,5H.	7588	42828	1111	1062	49	690	357	333	—
3 Dore	5455	2217	44	44	—	27	20	7	—
4 Norton	5185	11959	513	492	21	169	86	83	—
5 Ecclesall South W ..	3613	35165	1135	1072	63	740	392	348	—
6 Sharrow	275	28323	616	585	31	271	150	121	—
7 Broomhall	365	26995	627	598	29	324	179	145	—
510.—Sheffield.	12826	246146	8694	8287	407	4619	2428	2191	2210
1 South Sheffield 2H ..	331	26538	979	946	33	560	280	280	—
2 North Sheffield F,H ..	282	38784	1127	1058	69	818	425	393	—
3 Sheffield Park W ..	2509	25323	814	777	37	429	238	191	—
4 Hillsborough	986	11763	483	470	13	219	117	102	—
5 West Brightside 3W ..	2090	40214	1427	1284	143	1129	625	504	—
6 East Brightside H ..	1594	37778	1228	1184	44	536	290	246	—
7 Attercliffe	1393	51585	2087	2040	47	759	382	377	—
8 Handsworth	3641	14161	549	528	21	169	71	98	—
511.—Rotherham.	50160	111604	4603	4423	180	1946	1056	890	1084
1 Aston F	7468	6818	262	258	4	94	54	40	—
2 South East Rotherham W,2F,H	11249	32232	1335	1270	65	666	379	287	—
3 North West Rotherham ..	3931	28016	1145	1095	50	407	211	196	—
4 Rawmarsh F	4963	17718	691	671	20	301	157	144	—
5 Wath F	9002	24051	937	900	37	392	215	177	—
6 Maltby	13547	2769	233	229	4	86	40	46	—

* 508.—The District of WORTLEY comprises the two Poor Law Unions of Penistone (Cawthorne, High Hoyland and Penistone sub-districts) and Wortley (Wortley, Ecclesfield, and Bradfield sub-districts).

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
36.—WEST RIDING —continued.											
512.—Doncaster.			112734	83832	3499	3347	152	1626	846	780	845
No.											
1	Tickhill W,F		20953	10185	455	428	27	232	130	102	—
2	Barnbrough F,2H		29633	30762	1740	1667	73	699	368	331	—
3	Doncaster F,H		1931	29081	732	698	34	476	236	240	—
4	Campsall		26827	5616	323	315	8	119	65	54	—
5	Bawtry		33390	8188	249	239	10	100	47	53	—
513.—Thorne.			69566	15722	474	450	24	257	123	134	125
1	Epworth		17844	3694	97	94	3	61	25	36	—
2	Thorne W		38434	7246	236	224	12	135	71	64	—
3	Crowle		13288	4782	141	132	9	61	27	34	—
514.—Goole.			41823	25486	913	870	43	406	212	194	210
1	Swinefleet		18192	3411	81	71	10	56	24	32	—
2	Goole W,2F,H		10079	17943	706	676	30	285	155	130	—
3	Snaith W		13552	4132	126	123	3	65	33	32	—
515.—Selby.			56362	16708	462	442	20	261	133	128	111
1	Carlton		13040	2205	61	56	5	33	17	16	—
2	Selby W,2H		25217	11403	313	302	11	188	98	90	—
3	Riccall		18105	3100	88	84	4	40	18	22	—
516.—Tadcaster.			72827	29507	920	874	46	431	232	199	215
1	Aberford F		29860	19054	655	627	28	281	157	124	—
2	Tadcaster W		29945	6541	158	147	11	92	46	46	—
3	Sherburn F		13022	3912	107	100	7	58	29	29	—
37.—EAST RIDING (with York).											
517.—York.			80100	92012	2403	2276	127	1265	668	597	710
1	Skelton 2F,L		13238	3469	63	60	3	109	63	46	—
2	York East W,3H,2L		2088	51225	1387	1307	80	739	397	342	—
3	York West		1642	26689	693	663	30	284	146	138	—
4	Bishopthorpe		6411	1960	47	43	4	24	7	17	—
5	Eserick L		23128	3807	97	93	4	56	23	33	—
6	Dunnington F		19275	3071	63	58	5	37	24	13	—
7	Flaxton		14318	1791	53	52	1	16	8	8	—
518.—Pocklington.			110638	13709	346	321	25	182	95	87	93
1	East Stamford Bridge		35044	3473	89	84	5	45	16	29	—
2	Pocklington W		42497	5920	150	138	12	85	50	35	—
3	Market Weighton		33097	4316	107	99	8	52	29	23	—
519.—Howden.			74856	12274	302	280	22	176	97	79	98
1	Holme		11522	1678	31	29	2	25	16	9	—
2	Bubwith*		17714	1573	37	33	4	22	13	9	—
3	Howden* W,F		24150	5367	147	134	13	65	31	34	—
4	Wallingfen		21470	3656	87	84	3	64	37	27	—
520.—Beverley.			79886	24454	591	545	46	418	224	194	179
1	South Cave		20032	3613	96	88	8	44	25	19	—
2	Beverley W,H,L		25614	17097	409	379	30	308	164	144	—
3	Lockington		22666	2521	46	42	4	42	23	19	—
4	Leven		11574	1223	40	36	4	24	12	12	—
521.—Sculcoates.			39113	173307	6322	6037	285	2778	1443	1335	1517
1	Southcoates F		5065	22421	944	916	28	355	191	164	—
2	Cottingham L		9119	4781	114	107	7	133	78	55	—
3	Ferriby		7574	1845	36	32	4	24	16	8	—
4	Hessle W		6692	38259	1589	1531	58	528	279	249	—
5	Hedon		5325	2007	56	54	2	17	8	9	—
6	Drypool F		2708	33897	1339	1289	50	539	266	273	—
7	East Sculcoates W		795	27449	1004	917	87	640	350	290	—
8	West Sculcoates H		1835	42648	1240	1191	49	542	255	287	—

* 519: 2, 3.—On 1st November, 1909, the boundary between these sub-districts was altered, *see* page 506. The births and deaths are shown as if the change had taken place at the beginning of the year.

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1909—continued.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	37.—EAST RIDING —continued.									
	522.—Hull.	1114	82245	2156	2041	115	1561	842	719	744
1	Humber <i>H</i>	395	30530	614	591	23	652	366	286	—
2	Myton <i>W,H</i>	719	51715	1542	1450	92	909	476	433	—
	523.—Patrington.	62425	8593	218	212	6	124	67	57	69
1	Patrington <i>W,H</i>	62425	8593	218	212	6	124	67	57	—
	524.—Skirlaugh.	66966	9359	234	216	18	104	57	47	55
1	Humbleton	11072	1096	25	23	2	13	7	6	—
2	Skirlaugh <i>W</i>	17513	2031	46	41	5	19	10	9	—
3	Aldbrough	11989	1320	35	34	1	14	7	7	—
4	Hornsea	13578	3637	103	97	6	51	29	22	—
5	Brandesburton	12814	1275	25	21	4	7	4	3	—
	525.—Driffield.	111423	17754	383	332	51	220	123	97	137
1	Foston	17575	2170	41	35	6	20	12	8	—
2	Driffield <i>W,H</i>	22776	8705	208	178	30	124	69	55	—
3	Bainton	33417	3474	62	54	8	44	23	21	—
4	Langtoft	37655	3405	72	65	7	32	19	13	—
	526.—Bridlington.	66474	20229	470	432	38	247	122	125	143
1	Skipsea	17162	1628	45	44	1	14	5	9	—
2	Bridlington <i>W,F,2H</i> ..	18672	15141	342	316	26	209	102	107	—
3	Hunmanby	30640	3460	83	72	11	24	15	9	—
	38.—NORTH RIDING.									
	527.—Scarborough.	88216	51110	1061	952	109	697	330	367	364
1	Filey	14622	4733	98	94	4	52	30	22	—
2	Scarborough <i>W,F,3H</i> ..	20147	40775	830	739	91	587	272	315	—
3	Hutton Bushell	40159	4195	91	81	10	37	17	20	—
4	Sherburn	13288	1407	42	38	4	21	11	10	—
	528.—Malton.	116056	20454	471	419	52	237	125	112	150
1	Rillington	37096	3389	84	77	7	28	13	15	—
2	Westow	24026	2349	61	53	8	22	10	12	—
3	Malton <i>W,H</i>	19393	10197	247	217	30	133	72	61	—
4	Hovingham	13142	1604	35	30	5	22	15	7	—
5	Bulmer	22399	2915	44	42	2	32	15	17	—
	529.—Easingwold.	74362	9909	212	197	15	139	77	62	62
1	Stillington	22218	2189	51	47	4	33	18	15	—
2	Easingwold <i>W,H</i>	38051	6226	140	130	10	92	52	40	—
3	Coxwold	14093	1494	21	20	1	14	7	7	—
	530.—Thirsk.	71650	12710	291	269	22	161	96	65	99
1	Topcliffe	24568	2798	78	72	6	31	18	13	—
2	Thirsk <i>W,H</i>	26504	8272	178	164	14	103	61	42	—
3	Sutton	20578	1640	35	33	2	27	17	10	—
	531.—Helmsley.*	113815	9967	223	204	19	95	43	52	55
1	Helmsley† <i>W</i>	67704	5176	118	109	9	40	20	20	—
2	Kirkby Moorside <i>W</i>	46111	4791	105	95	10	55	23	32	—
	532.—Pickering.	95930	10059	230	208	22	149	92	57	69
1	Lastingham	25206	2077	60	57	3	24	15	9	—
2	Pickering <i>W</i>	32952	5466	117	102	15	97	61	36	—
3	Allerston	27627	2093	43	40	3	26	14	12	—
4	Lockton	10145	423	10	9	1	2	2	—	—

* 531.—The District of HELMSLEY comprises the two Poor Law Unions of Helmsley (Helmsley sub-district) and Kirkby Moorside (Kirkby Moorside sub-district).

† 531: 1.—On 1st July, 1909, Helmsley (1) and Oswaldkirk (2) sub-districts were united and called Helmsley (1). The births and deaths are shown as if the change had taken place at the beginning of the year.

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1909—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
38.—NORTH RIDING —continued.										
533.—Whitby.		80319	21743	528	491	37	322	144	178	152
No. 1	Egton	38517	3840	82	78	4	48	23	25	—
2	Whitby W,F,H	22263	14425	336	311	25	217	89	128	—
3	Lythe	19539	3478	110	102	8	57	32	25	—
534.—Guisborough.		89879	43420	1491	1420	71	675	339	336	388
1	Loftus F,2H	18277	11199	448	429	19	179	84	95	—
2	Skelton H	7445	9026	341	325	16	127	67	60	—
3	Marske 2F,3H	15380	15212	467	447	20	217	112	105	—
4	Guisborough W,F,H	12825	6286	209	195	14	132	65	67	—
5	Danby	35952	1697	26	24	2	20	11	9	—
535.—Middlesbrough.		22254	139773	5458	5284	174	3074	1620	1454	1151
1	Middlesbrough 3W,F,H,L..	7480	92668	3387	3265	122	2131	1156	975	—
2	Ormesby F,2H	6786	30326	1449	1420	29	685	336	349	—
3	Thornaby H	7988	16779	622	599	23	258	128	130	—
536.—Stokesley.		79695	11247	291	275	16	170	81	89	83
1	Stokesley W	60291	8972	250	235	15	147	68	79	—
2	Hutton	19404	2275	41	40	1	23	13	10	—
537.—Northallerton.		67153	11590	306	288	18	169	85	84	84
1	Appleton Wiske	21998	2192	42	40	2	31	15	16	—
2	Northallerton W,2F,H ..	45155	9398	264	248	16	138	70	68	—
538.—Bedale.		60783	8436	213	202	11	103	53	50	56
1	Bedale W	27324	5269	132	123	9	64	32	32	—
2	Masham	33459	3167	81	79	2	39	21	18	—
539.—Leyburn.		80299	6748	170	160	10	104	47	57	61
1	Middleham	41526	2730	81	77	4	52	20	32	—
2	Leyburn W	38773	4018	89	83	6	52	27	25	—
540.—Aysgarth.		81033	4506	77	69	8	64	30	34	27
1	Askrigg W,H	62977	2390	43	38	5	35	16	19	—
2	Hawes	18056	2116	34	31	3	29	14	15	—
541.—Reeth.		74538	2520	44	41	3	34	16	18	16
1	Muker	38191	1046	13	13	—	14	7	7	—
2	Reeth W	36347	1474	31	28	3	20	9	11	—
542.—Richmond.		81122	11726	267	255	12	168	88	80	68
1	Richmond W,F,H	32236	6213	137	131	6	91	47	44	—
2	Catterick H	20731	2711	54	53	1	34	22	12	—
3	Newsham	16164	990	32	31	1	20	6	14	—
4	Aldbrough	11991	1812	44	40	4	23	13	10	—

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909.

39.—DURHAM.										
No.	543.—Darlington.	65704	56209	1850	1764	86	883	466	417	534
1	Hurworth H	35367	6364	158	149	9	91	48	43	—
2	Darlington W,2F,H	7120	46145	1601	1528	73	750	392	358	—
3	Aycliffe	23217	3700	91	87	4	42	26	16	—
544.—Stockton.										
	544.—Stockton.	37474	66297	1896	1837	59	993	524	469	498
1	Stockton 2W,3F,H	37474	66297	1896	1837	59	993	524	469	—
545.—Hartlepool.										
	545.—Hartlepool.	22509	88234	2603	2507	96	1316	735	581	597
1	Hartlepool W,F,2H	22509	88234	2603	2507	96	1316	735	581	—

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—continued.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	39.—DURHAM—cont.									
	546.—Sedgefield.	45243	21530	1172	1138	34	573	325	248	193
1	Sedgefield <i>W,F,2L</i>	34147	9865	298	289	9	246	146	100	—
2	Cornforth	11096	11665	874	849	25	327	179	148	—
	547.—Auckland.	64445	94542	3673	3539	134	1559	842	717	830
1	Bishop Auckland <i>W,5F,H</i>	25637	65753	2650	2557	93	1150	618	532	—
2	Hamsterley	38808	28789	1023	982	41	409	224	185	—
	548.—Teesdale.	178139	20354	541	501	40	303	158	145	155
1	Staindrop	27225	6491	236	219	17	95	45	50	—
2	Barnard Castle <i>W,2F</i> ..	60839	7941	176	162	14	120	68	52	—
3	Middleton <i>F</i>	90075	5922	129	120	9	88	45	43	—
	549.—Weardale.	98357	15859	387	364	23	230	119	111	121
1	St. John	36094	3186	68	61	7	61	34	27	—
2	Stanhope <i>W,H</i>	37884	5008	127	119	8	76	43	33	—
3	Wolsingham	24379	7665	192	184	8	93	42	51	—
	550.—Lanchester.	67467	83386	3642	3499	143	1674	955	719	888
1	Tanfield <i>F</i>	10048	30175	1560	1498	62	741	442	299	—
2	Consett <i>F,H</i>	25568	29775	1042	1015	27	495	252	243	—
3	Lanchester <i>W,F,H</i>	31851	23436	1040	986	54	438	261	177	—
	551.—Durham.	44252	74252	2662	2554	108	1254	650	604	682
1	St. Oswald <i>W,2F,H</i>	28582	53114	1899	1816	83	908	460	448	—
2	St. Nicholas <i>F,H</i>	15670	21138	763	738	25	346	190	156	—
	552.—Easington.	38119	50725	2616	2531	85	1093	593	500	600
1	Wingate	19811	19315	1189	1154	35	515	262	253	—
2	Dawdon <i>W,2F,H</i>	18308	31410	1427	1377	50	578	331	247	—
	553.—Houghton le Spring.	16360	40847	1849	1790	59	644	331	313	448
1	Houghton le Spring <i>W,2F</i>	9949	22350	1112	1073	39	374	199	175	—
2	Hetton le Hole <i>F</i>	6411	18497	737	717	20	270	132	138	—
	554.—Chester le Street.	34620	60552	2876	2775	101	1130	602	528	613
1	Chester le Street <i>W,F</i> ..	17345	34745	1593	1537	56	659	367	292	—
2	Harraton <i>H</i>	17275	25807	1283	1238	45	471	235	236	—
	555.—Sunderland.	11193	181506	6169	5926	243	3356	1757	1599	1416
1	Sunderland West <i>W,2H</i> ..	1724	60202	1770	1681	89	1387	733	654	—
2	Sunderland East	897	54143	1784	1705	79	814	424	390	—
3	Sunderland North <i>H</i>	736	31732	1110	1083	27	540	278	262	—
4	Southwick	4098	17326	777	748	29	270	134	136	—
5	Ryhope <i>2F,L</i>	3738	18103	728	709	19	345	188	157	—
	556.—South Shields.	16496	166844	5631	5413	218	2885	1503	1382	1285
1	South Shields <i>W,3F,H</i> ..	10229	107821	3671	3522	149	1980	1048	932	—
2	Jarrow <i>3F,2H</i>	6267	59023	1960	1891	69	905	455	450	—
	557.—Gateshead.	26213	173453	6797	6532	265	2779	1513	1266	1455
1	Heworth <i>2F</i>	2811	24331	903	881	22	399	213	186	—
2	Gateshead <i>W,F,H</i>	3005	108024	3711	3559	152	1658	910	748	—
3	Whickham <i>F</i>	5914	12852	605	585	20	208	104	104	—
4	Winlaton <i>F</i>	14483	28246	1578	1507	71	514	286	228	—

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
40.—NORTHUMBER- LAND.										
558.—Newcastle upon Tyne.		7304	233689	7194	6883	311	4156	2184	1972	1969
No										
1	Benwell	1739	18316	907	885	22	322	159	163	—
2	St. Andrew F,5H	2350	32929	756	721	35	1051	569	482	—
3	Elswick W,H	784	59165	1548	1450	98	1114	578	536	—
4	St. Nicholas	359	35974	976	927	49	443	237	206	—
5	All Saints 2H	283	25838	947	902	45	388	192	196	—
6	Byker	1789	61467	2060	1998	62	838	449	389	—
559.—Tynemouth.		38834	163662	6476	6246	230	3098	1604	1494	1365
1	Wallsend 3F	2598	30858	1255	1224	31	500	267	233	—
2	Tynemouth W,2F,H ..	4372	51366	1875	1790	85	1017	532	485	—
3	Longbenton 2F,H	8969	26879	1124	1085	39	544	288	256	—
4	Whitley F,H	9898	21869	806	776	30	316	155	161	—
5	Blyth F,H	3552	23409	954	924	30	495	254	241	—
6	Cramlington F	9445	14281	462	447	15	226	108	118	—
560.—Castle Ward.		91100	32357	1206	1165	41	598	332	266	303
1	Ponteland W,2H	43528	4606	186	173	13	75	49	26	—
2	Gosforth F,L	6263	11875	391	386	5	257	135	122	—
3	Newburn 2F,H	7439	12834	556	535	21	233	128	105	—
4	Stamfordham	33870	3042	73	71	2	33	20	13	—
561.—Hexham.		205847	34711	948	888	60	495	253	242	258
1	Bywell F	50527	13160	445	418	27	208	105	103	—
2	Hexham W,F,H	52956	11386	285	264	21	153	78	75	—
3	Allendale	51833	4778	101	95	6	75	40	35	—
4	Chollerton H	50531	5387	117	111	6	59	30	29	—
562.—Haltwhistle.		96323	8502	206	193	13	103	45	58	45
1	Haltwhistle W	96323	8502	206	193	13	103	45	58	—
563.—Bellingham.		246580	6341	140	132	8	77	39	38	31
1	Bellingham W	182809	3907	86	80	6	44	25	19	—
2	Kirkwhelpington	63771	2434	54	52	2	33	14	19	—
564.—Morpeth.		97580	55744	2479	2378	101	1134	595	539	557
1	Morpeth W,F,H,L	46072	9866	269	242	27	290	143	147	—
2	Bedlington F	10138	19083	825	802	23	354	192	162	—
3	Ashington 3F	41370	26795	1385	1334	51	490	260	230	—
565.—Alnwick.		99044	23660	623	593	30	315	168	147	180
1	Warkworth	30503	11464	338	323	15	141	75	66	—
2	Alnwick W,F,H	16985	7385	197	186	11	133	70	63	—
3	Embleton	51556	4811	88	84	4	41	23	18	—
566.—Belford.		39619	5198	93	83	10	57	27	30	25
1	Belford W	39619	5198	93	83	10	57	27	30	—
567.—Berwick.		53468	19491	488	440	48	272	134	138	121
1	Berwick upon Tweed 2W,F,2H	10089	13938	349	314	35	205	102	103	—
2	Norhamshire and Islandshire	43379	5553	139	126	13	67	32	35	—
568.—Glendale.		147942	8770	201	186	15	114	57	57	58
1	Ford	60946	4200	106	98	8	46	21	25	—
2	Wooler W	86996	4570	95	88	7	68	36	32	—
569.—Rothbury.		167874	5994	123	119	4	77	43	34	31
1	Rothbury W,F,H	85627	4753	100	97	3	61	33	28	—
2	Elsdon	82247	1241	23	22	1	16	10	6	—

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
41.—CUMBERLAND.											
570.—Alston.			36971	3134	64	60	4	43	26	17	18
No. 1	Alston W,H		36971	3134	64	60	4	43	26	17	—
571.—Penrith.			188291	22205	514	478	36	329	174	155	155
1	Penrith W,F,H		51175	12395	306	282	24	196	107	89	—
2	Greystoke H		71613	4433	100	95	5	57	29	28	—
3	Kirkoswald		65503	5377	108	101	7	76	38	38	—
572.—Brampton.			97697	8785	172	153	19	118	53	65	50
1	Hayton		26180	2143	55	50	5	32	14	18	—
2	Brampton W		22941	4608	83	74	9	57	24	33	—
3	Walton		48576	2034	34	29	5	29	15	14	—
573.—Longtown.			88475	6676	128	112	16	90	44	46	31
1	Longtown W		88475	6676	128	112	16	90	44	46	—
574.—Carlisle.			69250	62861	1486	1376	110	1028	536	492	525
1	Wetheral.. ..		13346	3556	71	63	8	49	23	26	—
2	St. Cuthbert 2W,L		10229	23155	602	554	48	440	238	202	—
3	St. Mary F,2H		1426	25933	623	579	44	431	220	211	—
4	Stanwix		15319	5522	110	105	5	61	28	33	—
5	Burgh F		9504	1342	16	15	1	17	11	6	—
6	Dalston		19426	3353	64	60	4	30	16	14	—
575.—Wigton.			138620	22301	559	514	45	336	165	171	162
1	Wigton W		44313	8245	181	164	17	140	68	72	—
2	Abbey Holme F,H		43574	10316	289	266	23	143	69	74	—
3	Caldbeck		50733	3740	89	84	5	53	28	25	—
576.—Cockermouth.			170355	69536	1979	1882	97	1043	555	488	486
1	Keswick F,H		69408	7487	150	146	4	89	48	41	—
2	Cockermouth W,H		61209	10815	271	234	37	175	96	79	—
3	Workington 2F,H		20077	31161	930	901	29	485	253	232	—
4	Maryport W,F,H		19661	20073	626	601	27	294	158	136	—
577.—Whitehaven.			91083	55717	1711	1622	89	963	480	483	403
1	Harrington		43727	15154	487	464	23	221	115	106	—
2	Whitehaven W,2F,H		5324	21593	674	638	36	448	217	231	—
3	Egremont		42032	18970	550	520	30	294	148	146	—
578.—Bootle.			92344	15718	323	307	16	194	92	102	101
1	Muncaster		44763	2058	45	42	3	27	12	15	—
2	Bootle W,F,H		47581	13660	278	265	13	167	80	87	—
42.—WESTMORLAND.											
579.—East Ward.			185030	13218	276	255	21	185	92	93	83
1	Appleby W,F.. ..		80963	5821	116	106	10	87	42	45	—
2	Kirkby Stephen W		63153	4634	106	100	6	63	35	28	—
3	Orton		40914	2763	54	49	5	35	15	20	—

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
42.—WESTMORLAND—continued.									
580.—West Ward.	121951	7711	165	153	12	92	40	52	53
1 Morland W	63059	4004	82	75	7	48	22	26	—
2 Lowther	58892	3707	83	78	5	44	18	26	—
581.—Kendal.	198349	43480	822	779	43	533	263	270	293
1 Ambleside 2F	74262	13596	236	230	6	156	78	78	—
2 Kendal W,F,H	3887	14796	291	275	16	185	87	98	—
3 Kirkby Lonsdale W,F,H	67133	5467	101	95	6	58	31	27	—
4 Milnthorpe W,H	53067	9621	194	179	15	134	67	67	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909.

43.—MONMOUTH-SHIRE.									
582.—Chepstow.	68548	19246	468	446	22	216	110	106	119
1 Chepstow 2W,F	43914	10597	262	246	16	133	76	57	—
2 Lydney F,H	24634	8649	206	200	6	83	34	49	—
583.—Monmouth.	97016	28240	721	680	41	383	174	209	227
1 West Dean	8590	6052	189	182	7	72	29	43	—
2 Coleford	15827	9204	268	248	20	129	68	61	—
3 Monmouth W,F,H	25783	7495	158	147	11	118	54	64	—
4 Trelleck	46816	5489	106	103	3	64	23	41	—
584.—Abergavenny.	62179	26729	738	696	42	502	265	237	214
1 Llanarth	11115	1422	32	29	3	21	13	8	—
2 Llanvihangel	21215	1539	22	22	—	14	8	6	—
3 Abergavenny W,F,H,L	22936	12014	266	241	25	276	146	130	—
4 Blaenavon H	6913	11754	418	404	14	191	98	93	—
585.—Bedwellty.	27224	81820	4447	4343	104	1661	918	743	875
1 Aberystroth 2F	10980	36806	1899	1874	25	642	355	287	—
2 Tredegar 2W,2F,3H	12950	40831	2048	1978	70	806	444	362	—
3 Rock Bedwellty F	3294	4183	500	491	9	213	119	94	—
586.—Pontypool.	50856	45379	1933	1883	50	751	419	332	463
1 Llanhilleth	2009	5015	378	368	10	129	80	49	—
2 Pontypool F,H	14128	24783	1020	997	23	401	214	187	—
3 Llangibby W	16236	12015	447	434	13	189	106	83	—
4 Usk	18483	3566	88	84	4	32	19	13	—
587.—Newport.	90026	115450	4488	4383	105	1968	1073	895	1059
1 Caerleon L	30201	5796	145	142	3	101	55	46	—
2 Newport W,F,H	5521	67545	2497	2423	74	1203	661	542	—
3 Rogerstone 2F,H	26574	17905	660	650	10	248	135	113	—
4 Llantarnam	8877	6180	254	254	—	84	54	30	—
5 Mynyddislwyn F	18853	18024	932	914	18	332	168	164	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
44.—GLAMORGAN-SHIRE.											
588.—Cardiff.			77659	228638	7129	6876	253	3480	1925	1555	2135
No.											
1	Llandaff	W,F,L	29527	17333	662	650	12	329	182	147	—
2	East Cardiff	481	52585	1577	1540	37	614	305	309	—
3	Central Cardiff	F,2H	3832	54316	1516	1479	37	883	489	394	—
4	West Cardiff	2W,F	2060	57432	1946	1812	134	1132	645	487	—
5	Penarth	F	4568	14568	355	350	5	136	77	59	—
6	St. Nicholas	F,2H	37191	32404	1073	1045	28	386	227	159	—
589.—Pontypridd.			75387	204824	10258	9995	263	3962	2140	1822	2167
1	Eglwysilan	2F	18953	30191	1691	1645	46	587	315	272	—
2	Llanwonno	F,H	14531	51494	2468	2418	50	879	482	397	—
3	Llantrisant	2W,2F	22463	34171	1693	1624	69	821	445	376	—
4	Ystradyfodwg	W,2F,2H ..	19440	88968	4406	4308	98	1675	898	777	—
590.—Merthyr Tydfil.			75217	135540	5903	5752	151	2741	1428	1313	1188
1	Gelligaer	F	16772	17242	1242	1222	20	425	225	200	—
2	Lower Merthyr Tydfil	F	10181	31307	1267	1241	26	563	295	268	—
3	Upper Merthyr Tydfil	W,H	14130	41341	1656	1593	63	937	506	431	—
4	Aberdare	W,F,H	34134	45650	1738	1696	42	816	402	414	—
591.—Bridgend.			110571	67453	3087	3001	86	1421	754	667	685
1	Maesteg	2F	11463	16341	1033	1008	25	356	193	163	—
2	Ogmore	2F	20233	22250	1080	1056	24	446	228	218	—
3	Cowbridge	39871	8014	239	232	7	108	38	70	—
4	Bridgend	2W,F,2H,L ..	39004	20848	735	705	30	511	295	216	—
592.—Neath.			107166	71604	3248	3168	80	1315	695	620	726
1	Margam	F,H	24026	22421	1015	988	27	366	193	173	—
2	Neath	W,3F	43350	30417	1255	1220	35	580	297	283	—
3	Glynceorwg	13927	6452	353	346	7	123	69	54	—
4	Cadoxton	W	25863	12314	625	614	11	246	136	110	—
593.—Pontardawe.			57168	26718	1362	1322	40	520	272	248	296
1	Pontardawe	W,2F	34969	20933	1002	976	26	381	189	192	—
2	Ystradgynlais	22199	5785	360	346	14	139	83	56	—
594.—Swansea.			32260	119746	4323	4222	101	2385	1314	1071	1256
1	Llandilo Talybont	W	17657	15001	713	697	16	256	118	138	—
2	Llangafelach	5986	33351	1145	1119	26	557	290	267	—
3	Swansea	W,F,3H	3368	65252	2257	2199	58	1468	850	618	—
4	Llansamlet	5249	6142	208	207	1	104	56	48	—
595.—Gower.			41109	11727	364	358	6	149	86	63	82
1	Gower Eastern	16560	9174	316	313	3	115	67	48	—
2	Gower Western	W	24549	2553	48	45	3	34	19	15	—
45.—CARMARTHEN-SHIRE.											
596.—Llanelly.			59599	56897	2086	2041	45	924	485	439	490
1	Loughor	F	8378	10049	365	360	5	148	79	69	—
2	Llanelly	W,F,H	9587	30216	1038	1008	30	501	263	238	—
3	Pembrey	18661	9798	362	357	5	162	82	80	—
4	Llannon	22473	6834	321	316	5	113	61	52	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
45.—CARMARTHEN-SHIRE—continued.												
597.—Llandovery.				133430	9587	217	209	8	159	70	89	64
No.												
1	Llanddausant	15230	490	8	8	—	3	1	2	—
2	Llangadock	18633	1578	39	39	—	13	5	8	—
3	Llansadwrn	12009	1234	28	28	—	20	11	9	—
4	Llandingat W.	20189	2834	84	79	5	61	23	38	—
5	Llanfairarybryn	22991	997	16	16	—	15	11	4	—
6	Cilycwm	18191	860	14	13	1	16	8	8	—
7	Conwil Caio	26187	1594	28	26	2	31	11	20	—
598.—Llandilofawr.				106556	23693	942	904	38	470	224	246	274
1	Talley	17448	1324	22	21	1	16	5	11	—
2	Llanfynydd	11375	859	22	21	1	16	7	9	—
3	Llangathen	18597	2163	37	36	1	38	19	19	—
4	Llandilo W	23321	5074	84	77	7	77	32	45	—
5	Quarter Bach	12344	3515	152	147	5	67	27	40	—
6	Llandebie	23471	10758	625	602	23	256	134	122	—
599.—Carmarthen.				165002	33393	780	722	58	580	287	293	272
1	Llangendeirne	47042	9142	293	274	19	141	76	65	—
2	St. Clears.	35345	5568	115	104	11	81	36	45	—
3	Carmarthen W,H,L.	16250	11921	223	206	17	260	134	126	—
4	Conwil	66365	6762	149	138	11	98	41	57	—
46.—PEMBROKE-SHIRE.												
600.—Narberth.				124329	17362	354	330	24	274	132	142	117
1	Llanboidy	50803	5630	118	109	9	83	36	47	—
2	Narberth.	39625	6385	117	114	3	94	46	48	—
3	Begelly W	33901	5347	119	107	12	97	50	47	—
601.—Pembroke.				62979	31939	666	631	35	459	241	218	240
1	Tenby F,2H	28166	9560	224	212	12	142	68	74	—
2	Pembroke W,F,3H	26296	16988	333	317	16	224	119	105	—
3	Roose	8517	5391	109	102	7	93	54	39	—
602.—Haverfordwest.				169810	33123	1027	981	46	604	293	311	293
1	Milford F	32557	10922	396	384	12	217	99	118	—
2	Haverfordwest W,H	40346	9946	229	212	17	186	101	85	—
3	St. David's	45674	5405	124	113	11	81	33	48	—
4	Fishguard	51233	6850	278	272	6	120	60	60	—
47.—CARDIGAN-SHIRE.												
603.—Cardigan.				86852	15162	299	284	15	257	116	141	99
1	Newport	37853	4189	92	89	3	76	34	42	—
2	Cardigan W	48999	10973	207	195	12	181	82	99	—
604.—Newcastle in Emlyn.				114784	18135	362	345	17	333	139	194	113
1	Penbryn	25181	4071	75	71	4	94	35	59	—
2	Clydey	20704	2473	64	62	2	54	22	32	—
3	Cenarth W	27437	5445	113	108	5	96	44	52	—
4	Llandvssil	41462	6146	110	104	6	89	38	51	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
47.—CARDIGAN-SHIRE.—<i>cont.</i>											
No.	605.—Lampeter.		75044	9257	186	166	20	148	75	73	57
1	Llanbyther	H	25468	2358	44	38	6	35	20	15	—
2	Pencarreg	21430	2281	43	39	4	27	12	15	—
3	Lampeter	W	14828	3024	58	51	7	54	28	26	—
4	Llanwenog	13268	1594	41	38	3	32	15	17	—
606.—Aberayron.											
			65710	10735	187	178	9	215	91	124	51
1	Llandysilio	34115	5117	94	89	5	101	42	59	—
2	Llansantffraid	W	31595	5618	93	89	4	114	49	65	—
607.—Aberystwith.											
			131350	21471	409	390	19	364	162	202	139
1	Llanrhytyd	22375	2525	37	36	1	35	20	15	—
2	Aberystwith	W,H	15366	10899	230	217	13	183	69	114	—
3	Geneurglynn	29198	3387	75	73	2	62	29	33	—
4	Rheidol	64411	4660	67	64	3	84	44	40	—
608.—Tregaron.											
			121545	7947	155	140	15	131	59	72	39
1	Gwnnws	32175	2264	49	46	3	36	14	22	—
2	Llangeitho	22015	2603	46	41	5	41	20	21	—
3	Tregaron	W	67355	3080	60	53	7	54	25	29	—
48.—BRECKNOCK-SHIRE.											
609.—Builth.											
			138119	8976	201	189	12	101	56	45	51
1	Llanwrtyd	36473	1258	32	30	2	12	8	4	—
2	Trefis	41061	1814	48	43	5	21	14	7	—
3	Colwyn	28003	1765	41	38	3	23	12	11	—
4	Builth	W,H	32582	4139	80	78	2	45	22	23	—
610.—Brecknock.											
			192397	15633	323	312	11	225	112	113	87
1	Defynnock	81564	3876	81	77	4	61	28	33	—
2	Brecknock	W,F,H	55814	8113	155	151	4	126	62	64	—
3	Pencelly	27211	1356	25	24	1	13	7	6	—
4	Llangorse	27808	2288	62	60	2	25	15	10	—
611.—Crickhowell.											
			53646	19941	675	651	24	373	194	179	207
1	Cwmdû	9930	826	13	13	—	13	4	9	—
2	Beaufort	F	6025	5993	243	240	3	95	48	47	—
3	Llanelly	5978	9909	351	337	14	195	105	90	—
4	Crickhowell	W	31713	3213	68	61	7	70	37	33	—
612.—Hay.											
			88925	9401	211	200	11	201	121	80	68
1	Talgarth	L	38275	3769	92	88	4	107	69	38	—
2	Hay	W	50650	5632	119	112	7	94	52	42	—
49.—RADNORSHIRE.											
613.—Knighton.											
			126159	10395	218	203	15	143	75	68	45
1	Presteigne	14545	1950	33	32	1	17	8	9	—
2	Knighton	W	55223	5927	117	107	10	91	49	42	—
3	Llanbister	56391	3018	68	64	4	35	18	17	—
614.—Rhayader.											
			112501	9346	188	184	4	104	53	51	45
1	Rhayader	79262	5328	70	68	2	41	19	22	—
2	Nantmel	W,H	33239	4018	118	116	2	63	34	29	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
50.—MONTGOMERY-SHIRE.												
615.—Machynlleth.				130892	11041	193	169	24	171	84	87	58
No. 1	Machynlleth <i>W,H</i>			14973	2564	34	31	3	40	15	25	—
2	Towyn			42149	4646	84	70	14	77	44	33	—
3	Darowen			73770	3831	75	68	7	54	25	29	—
616.—Newtown.				176157	21118	489	457	32	317	169	148	140
1	Llanidloes			68221	6313	153	149	4	106	61	45	—
2	Llanwnnog <i>W</i>			46436	3864	110	96	14	60	34	26	—
3	Kerry			26761	2128	56	52	4	39	19	20	—
4	Newtown <i>F,H</i>			7303	6500	122	116	6	87	44	43	—
5	Tregynon			27436	2313	48	44	4	25	11	14	—
617.—Forden.				89738	14844	290	274	16	175	93	82	109
1	Montgomery			34044	4717	93	88	5	56	30	26	—
2	Chirbury <i>W,F</i>			32954	4188	82	77	5	58	30	28	—
3	Welshpool <i>H</i>			22740	5939	115	109	6	61	33	28	—
618.—Llanfyllin.				195186	16991	384	346	38	244	137	107	71
1	Llanfair			72812	4496	102	90	12	63	35	28	—
2	Llansantffraid <i>W</i>			55643	8616	176	159	17	115	66	49	—
3	Llanrhaiadr			66731	3879	106	97	9	66	36	30	—
51.—FLINTSHIRE.												
619.—Holywell.				73269	38935	1107	1055	52	655	333	322	257
1	Whitford			19314	7544	202	193	9	113	57	56	—
2	Holywell <i>W</i>			15267	9311	206	190	16	187	103	84	—
3	Flint			17715	12071	404	388	16	209	96	113	—
4	Mold <i>H</i>			20973	10009	295	284	11	146	77	69	—
620.—Hawarden.				33609	21601	718	689	29	324	170	154	128
1	Hawarden <i>W,F</i>			33609	21601	718	689	29	324	170	154	—
52.—DENBIGHSHIRE.												
621.—Wrexham.				60170	70154	2386	2287	99	1137	565	572	518
1	Holt			21243	5406	146	140	6	63	24	39	—
2	Ruabon <i>H</i>			15504	21721	785	759	26	321	146	175	—
3	Wrexham <i>W,F,H</i>			23423	43027	1455	1388	67	753	395	358	—
622.—Ruthin.				99083	12088	242	226	16	167	86	81	80
1	Llanarmon			19216	2010	37	34	3	28	14	14	—
2	Ruthin <i>W,H</i>			18775	3935	85	79	6	57	37	20	—
3	Llanelidan			23327	2415	51	48	3	34	15	19	—
4	Llanrhaiadr			27610	2307	46	44	2	30	11	19	—
5	Llandyrnog			10155	1421	23	21	2	18	9	9	—
623.—St. Asaph.				99243	31046	611	566	45	618	323	295	232
1	St. Asaph <i>W,H</i>			29665	16372	335	309	26	333	160	173	—
2	Abergele <i>F,H</i>			29994	5740	114	105	9	85	42	43	—
3	Denbigh <i>H,L</i>			39584	8934	162	152	10	200	121	79	—
624.—Llanrwst.				119813	13170	277	255	22	213	102	111	58
1	Llanrwst <i>W</i>			41687	6756	154	140	14	114	54	60	—
2	Bettws y Coed			36355	3624	59	59	—	49	23	26	—
3	Ysppyty			41771	2790	64	56	8	50	25	25	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1909—*continued*.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1901.	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	53.—MERIONETH-SHIRE.									
	625.—Corwen.	127140	16313	335	316	19	236	112	124	109
1	Corwen W	77664	7364	152	139	13	113	56	57	—
2	Llangollen H	49476	8949	183	177	6	123	56	67	—
	626.—Bala.	98722	5732	99	92	7	83	41	42	33
1	Bala W	98722	5732	99	92	7	83	41	42	—
	627.—Dolgelly.	152137	14248	233	210	23	184	85	99	57
1	Tallylyn	71309	5147	76	70	6	69	33	36	—
2	Barmouth W	80828	9101	157	140	17	115	52	63	—
	628.—Festiniog.	145709	27955	592	538	54	432	213	219	129
1	Deudraeth W	36329	5669	118	102	16	77	34	43	—
2	Festiniog H	55624	13805	286	260	26	215	112	103	—
3	Tremadoc	53756	8481	188	176	12	140	67	73	—
	54.—CARNARVON-SHIRE.									
	629.—Pwllheli.	93017	21897	453	410	43	332	151	181	121
1	Crccieth	30869	6769	147	136	11	99	48	51	—
2	Pwllheli W	21010	8980	145	129	16	128	63	65	—
3	Aberdaron	22053	3551	69	58	11	43	16	27	—
4	Nevin	19085	4597	92	87	5	62	24	38	—
	630.—Carnarvon.	88201	42653	883	823	60	703	342	361	233
1	Llandwrog	33462	13612	304	286	18	221	103	118	—
2	Llanrug H	26301	13844	276	256	20	235	113	122	—
3	Carnarvon W,2F,H ..	12894	12142	228	214	14	198	102	96	—
4	Llanidan	15544	3055	75	67	8	49	24	25	—
	631.—Bangor.	91276	38655	807	750	57	588	310	278	240
1	Beaumaris	40669	12743	295	270	25	189	88	101	—
2	Bangor W,2F,H	6528	13539	284	268	16	203	115	88	—
3	Llanfairfechan H	11762	3151	71	65	6	54	25	29	—
4	Llanllechid H	32317	9222	157	147	10	142	82	60	—
	632.—Conway.	50248	34031	783	726	57	509	253	256	257
1	Conway 2W,3H	29076	10182	226	203	23	143	73	70	—
2	Llandudno F,2H	5269	11477	248	228	20	152	79	73	—
3	Colwyn Bay 2F,H	15903	12372	309	295	14	214	101	113	—
	55.—ANGLESEY.									
	633.—Anglesey.	60873	14257	317	286	31	240	127	113	59
1	Llangefni	22125	5034	100	95	5	76	41	35	—
2	Amlwch	16970	5306	119	111	8	76	37	39	—
3	Llanfechell W	21778	3917	98	80	18	88	49	39	—
	634.—Holyhead.	59544	20551	509	464	45	320	151	169	128
1	Bryngwran	25352	4858	125	106	19	93	38	55	—
2	Llanddeusant W	25558	4272	86	74	12	71	34	37	—
3	Holyhead H	8634	11421	298	284	14	156	79	77	—

MARRIAGES ; MODE OF SOLEMNIZATION ; SEASON

REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.*	AREA in Statute Acres.†	Enumerated POPULATION, 1901.	TOTAL MARRIAGES.	MARRIAGES.													
				According to the Rites of the Established Church.							Not according to the Rites of the Established Church.						
				Special Licence.	Licence.	Banns.	Superintendent Re- gistrar's Certificate.	Not stated.	TOTAL.	TOTAL.	In Registered Buildings.			Register Office.	Quakers.	Jews.	
											Roman Catholics.	Before Registrar.	Other Christian Deno- minations. Before Authorized Person.				
ENGLAND AND WALES ...	37327479	32527843	260544	24	7378	150806	1553	230	159991	100553	10962	23845	10388	53505	93	176	
I.—LONDON	74,816	4,536,267	38166	19	1095	22692	13	2	23821	14345	1529	1369	452	9689	10	129	
1. LONDON	74,816	4,536,267	38166	19	1095	22692	13	2	23821	14345	1529	1369	452	9689	10	129	
II.—SOUTH EASTERN DIV.	3,994,396	3,311,729	24621	1	601	16157	41	42	16842	7779	487	1715	425	5132	7	13	
2. SURREY	463,555	718,661	5439	—	140	3559	2	2	3703	1736	106	343	68	1216	2	1	
3. KENT	969,890	935,144	6490	1	118	4365	11	12	4507	1983	114	391	180	1293	3	2	
4. SUSSEX	938,630	605,785	4256	—	138	2860	3	11	3012	1244	83	347	42	768	1	3	
5. HAMPSHIRE	1,048,632	768,608	6428	—	158	3981	24	10	4173	2255	152	532	91	1473	—	7	
6. BERKSHIRE	573,689	283,531	2008	—	47	1392	1	7	1447	561	32	102	44	382	1	—	
III.—SOUTH MIDLAND DIV.	3,246,999	2,181,336	17039	1	403	11370	12	32	11818	5221	219	1317	463	3186	3	8	
7. MIDDLESEX	178,607	810,468	6898	—	175	4364	4	1	4544	2354	147	376	111	1712	1	7	
8. HERTFORDSHIRE	446,425	239,760	1703	—	41	1214	—	5	1260	443	12	146	36	249	—	—	
9. BUCKINGHAMSHIRE	407,046	173,061	1252	—	32	922	—	8	962	290	7	113	34	136	—	—	
10. OXFORDSHIRE	491,421	186,698	1437	1	36	1022	1	6	1066	371	22	101	23	225	—	—	
11. NORTHAMPTONSHIRE	642,393	348,947	2548	—	50	1640	4	6	1700	848	21	221	165	439	1	1	
12. HUNTINGDONSHIRE	207,569	46,750	303	—	10	224	—	—	234	69	—	33	6	30	—	—	
13. BEDFORDSHIRE	307,338	174,972	1354	—	19	904	3	5	931	423	5	168	61	188	1	—	
14. CAMBRIDGESHIRE	566,200	200,680	1544	—	40	1080	—	1	1121	423	5	159	52	207	—	—	
IV.—EASTERN DIVISION ..	3,126,688	1,892,299	14503	—	273	9975	4	34	10286	4217	237	1031	389	2547	8	5	
15. ESSEX	904,386	1,062,645	8570	—	140	5774	2	9	5925	2645	188	611	230	1607	4	5	
16. SUFFOLK	931,132	361,900	2639	—	57	1873	—	14	1944	695	20	229	46	399	1	—	
17. NORFOLK	1,291,170	467,754	3294	—	76	2328	2	11	2417	877	29	191	113	541	3	—	
V.—SOUTH WESTERN DIV.	5,023,292	1,913,393	14092	1	580	8021	22	35	8659	5433	186	2108	528	2604	5	2	
18. WILTSHIRE	809,220	263,944	1830	—	42	1209	2	7	1260	620	25	255	57	283	—	—	
19. DORSETSHIRE	624,341	199,968	1414	1	44	954	2	2	1003	411	20	152	34	204	1	—	
20. DEVONSHIRE	1,633,269	664,697	5198	—	234	2759	6	7	3006	2192	103	600	189	1297	1	2	
21. CORNWALL	886,384	318,591	2304	—	133	992	4	8	1137	1167	10	618	143	395	1	—	
22. SOMERSETSHIRE	1,070,078	466,193	3296	—	127	2107	8	11	2253	1043	23	483	105	425	2	—	
VI.—WEST MIDLAND DIV.	4,051,707	3,679,594	28162	1	555	18946	36	23	19561	8601	726	1863	805	5157	19	26	
23. GLOUCESTERSHIRE	712,757	648,627	4788	—	137	2823	1	4	2965	1823	63	458	154	1139	5	4	
24. HEREFORDSHIRE	539,226	112,549	732	1	45	499	—	4	549	183	7	63	6	106	1	—	
25. SHROPSHIRE	958,667	259,088	1625	—	64	1061	2	4	1131	494	26	177	30	261	—	—	
26. STAFFORDSHIRE	771,431	1,251,910	9699	—	131	6720	24	4	6879	2820	332	601	338	1547	1	1	
27. WORCESTERSHIRE	443,262	500,819	3730	—	82	2583	3	1	2669	1061	89	168	136	666	2	—	
28. WARWICKSHIRE	626,364	906,601	7588	—	96	5260	6	6	5368	2220	209	401	141	1438	10	21	

* See note * on page 150.
† These areas are derived from those published in the Census Reports for 1901. They do not include space occupied by foreshore or tidal water of rivers and creeks

CIVIL CONDITION; AGE; SIGNATURE BY MARK IN REGISTER.

MARRIAGES.												Signed the Marriage Register with Marks.				REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.	
Registered in the Quarter ended the last day of				Contracted between†				Of		Of Persons not of Full Age.		Men.	Women.	Cases in which			
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.			Both signed.	One signed.		
45094	71829	73843	69778	230211	8133	14327	7873	22200	16006	10377	35620	2990	3388	765	4848	ENGLAND AND WALES.	
6287	10042	11629	10208	33535	1392	2147	1092	3239	2484	1175	4226	390	540	155	620	I.—LONDON.	
6287	10042	11629	10208	33535	1392	2147	1092	3239	2484	1175	4226	390	540	155	620	1. LONDON	
4209	6497	6957	6958	21951	761	1292	617	1979	1378	600	2683	194	139	31	271	II.—SOUTH EASTERN.	
831	1414	1738	1406	4873	127	295	144	439	271	123	499	36	25	5	51	2. SURREY.	
1132	1687	1736	1935	5816	220	235	159	454	379	156	761	50	53	9	85	3. KENT.	
715	1162	1217	1162	3771	117	269	99	368	216	112	418	35	18	4	45	4. SUSSEX.	
1161	1674	1706	1887	5719	225	325	159	484	384	163	821	52	32	10	64	5. HAMPSHIRE.	
320	560	560	568	1772	72	108	56	164	128	46	184	21	11	3	26	6. BERKSHIRE.	
2483	4618	5204	4734	15338	369	907	425	1332	794	588	1847	174	110	26	232	III.—SOUTH MIDLAND.	
1025	1850	2275	1748	6149	164	401	184	585	348	194	686	53	34	10	67	7. MIDDLESEX.	
282	456	521	444	1548	38	85	32	117	70	50	178	15	8	2	19	8. HERTFORDSHIRE.	
175	348	380	349	1117	26	82	27	109	53	48	142	14	6	2	16	9. BUCKINGHAMSH.	
194	400	438	405	1305	32	71	29	100	61	39	130	10	8	—	18	10. OXFORDSHIRE.	
336	752	731	729	2312	53	119	64	183	117	106	301	29	27	6	44	11. NORTHAMPTONSH.	
59	72	71	101	269	7	15	12	27	19	12	40	2	—	—	2	12. HUNTINGDONSH.	
186	378	400	390	1246	19	58	31	89	50	87	176	13	8	2	17	13. BEDFORDSHIRE.	
226	362	388	568	1392	30	76	46	122	76	52	191	38	19	4	49	14. CAMBRIDGESH.	
2207	3728	3997	4571	12878	439	751	435	1186	874	459	1818	189	122	29	253	IV.—EASTERN.	
1244	2237	2604	2485	7588	291	439	252	691	543	252	1046	71	72	13	117	15. ESSEX.	
425	658	627	929	2352	71	134	82	216	153	91	330	44	14	3	52	16. SUFFOLK.	
538	833	766	1157	2938	77	178	101	279	178	116	442	74	36	13	84	17. NORFOLK.	
2628	3964	3527	3973	12377	411	888	416	1304	827	434	1504	163	133	31	234	V.—SOUTH WESTERN.	
322	553	461	544	1667	48	100	65	165	113	48	217	17	10	1	25	18. WILTSHIRE.	
243	423	337	411	1243	33	102	36	138	69	40	145	21	8	3	23	19. DORSETSHIRE.	
1044	1428	1296	1430	4556	169	330	143	473	312	130	531	45	46	9	73	20. DEVONSHIRE.	
475	564	590	675	2016	76	140	72	212	148	98	287	44	42	13	60	21. CORNWALL.	
544	996	843	913	2895	85	216	100	316	185	118	324	36	27	5	53	22. SOMERSETSHIRE.	
4584	7942	7741	7895	24980	803	1485	894	2379	1697	1302	3906	416	423	116	607	VI.—WEST MIDLAND.	
800	1346	1323	1319	4207	122	299	160	459	282	150	453	48	39	6	75	23. GLOUCESTERSH.	
126	238	181	187	637	28	43	24	67	52	18	65	19	17	8	20	24. HEREFORDSHIRE.	
277	534	376	438	1471	40	75	39	114	79	36	152	29	10	2	35	25. SHROPSHIRE.	
1549	2723	2677	2750	8632	291	485	291	776	582	574	1649	168	157	42	241	26. STAFFORDSHIRE.	
577	1022	1076	1055	3332	105	186	107	293	212	132	433	42	47	8	73	27. WORCESTERSHIRE.	
1255	2079	2108	2146	6701	217	397	273	670	490	392	1154	110	153	50	163	28. WARWICKSHIRE.	

† Divorced men and women who marry are classified in the Marriage Tables as bachelors and spinsters.

MARRIAGES ; MODE OF SOLEMNIZATION ; SEASON

REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.	AREA in Statute Acres.	Enumerated POPULATION, 1901.	TOTAL MARRIAGES.	MARRIAGES.												
				According to the Rites of the Established Church.						Not according to the Rites of the Established Church.						
				Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	In Registered Buildings.			Register Office.	Quakers.	Jews.
											Roman Catholics.	Before Registrar.	Other Christian Denominations. Before Authorized Person.			
VII.—NORTH MIDLAND DIV.	3,495,711	2,042,406	17214	—	404	10866	22	27	11319	5895	282	1492	899	3213	—	90
29. LEICESTERSHIRE ..	550,170	440,932	3496	—	52	2156	3	9	2220	1276	70	327	168	710	—	11
30. RUTLANDSHIRE ..	108,700	20,743	138	—	2	110	—	—	112	26	—	12	—	14	—	—
31. LINCOLNSHIRE ..	1,659,647	492,994	4179	—	117	2779	3	8	2907	1272	35	354	287	591	—	55
32. NOTTINGHAMSHIRE ..	616,287	596,705	5444	—	128	3425	1	4	3558	1886	69	336	224	1254	—	38
33. DERBYSHIRE ..	560,907	491,032	3957	—	105	2396	15	6	2522	1435	108	463	220	644	—	—
VIII.—NORTH WEST'RN DIV.	1,911,104	5,212,156	42576	—	1508	22268	795	3	24574	18002	4239	4636	2923	5992	8	204
34. CHESHIRE ..	611,288	774,638	5950	—	251	3424	16	1	3692	2258	370	609	434	845	—	—
35. LANCASHIRE ..	1,299,816	4,437,518	36626	—	1257	18844	779	2	20882	15744	3869	4027	2489	5147	8	204
IX.—YORKSHIRE DIVISION	3,721,094	3,596,325	29293	1	654	17803	191	15	18664	10629	1235	2515	2096	4643	10	130
36. WEST RIDING ..	1,750,995	2,766,471	22663	1	387	13839	185	13	14425	8238	874	2018	1741	3491	8	106
37. EAST RIDING (with YORK)	692,995	453,936	3745	—	121	2332	3	2	2458	1287	135	217	226	687	1	21
38. NORTH RIDING ..	1,277,104	375,918	2885	—	146	1632	3	—	1781	1104	226	280	129	465	1	38
X.—NORTHERN DIVISION	3,536,522	2,129,051	17618	—	696	8066	322	9	9093	8525	1325	1543	855	4749	22	31
39. DURHAM ..	766,591	1,194,590	10315	—	311	4656	239	1	5207	5108	829	777	569	2912	12	90
40. NORTHUMBERLAND ..	1,291,515	603,119	4943	—	186	2155	35	3	2379	2564	368	540	158	1470	6	22
41. CUMBERLAND ..	973,086	266,933	1931	—	165	969	47	2	1183	748	126	182	116	322	2	—
42. WESTMORLAND ..	505,330	64,409	429	—	34	286	1	3	324	105	2	44	12	45	2	—
XI.—WELSH DIVISION	5,145,150	2,033,287	17260	—	609	4642	95	8	5354	11906	497	4251	528	6593	1	36
43. MONMOUTHSHIRE ..	395,849	316,864	2957	—	84	1133	10	5	1232	1725	77	672	68	906	—	2
44. GLAMORGANSHIRE ..	576,537	866,250	8535	—	224	2110	24	1	2359	6176	344	1557	299	3943	1	32
45. CARMARTHENSHIRE ..	464,587	123,570	1100	—	54	193	18	—	265	835	5	308	48	474	—	—
46. PEMBROKESHIRE ..	357,118	82,424	650	—	48	211	5	1	265	385	9	152	35	189	—	—
47. CARDIGANSHIRE ..	595,285	82,707	498	—	51	59	9	—	119	379	1	163	13	202	—	—
48. BRECKNOCKSHIRE ..	473,087	53,951	413	—	22	110	2	—	134	279	6	214	2	56	—	11
49. RADNORSHIRE ..	238,660	20,241	90	—	10	39	—	—	49	41	—	34	—	7	—	—
50. MONTGOMERYSHIRE ..	591,973	63,994	378	—	17	112	4	—	133	245	2	132	10	101	—	—
51. FLINTSHIRE ..	106,878	60,536	385	—	5	163	4	—	172	213	12	146	3	52	—	—
52. DENBIGHSHIRE ..	378,309	126,458	888	—	25	269	4	—	298	590	13	315	18	244	—	—
53. MERIONETHSHIRE ..	523,708	64,248	328	—	13	42	1	—	56	272	—	179	12	81	—	—
54. CARNARVONSHIRE ..	322,742	137,236	851	—	49	176	12	1	238	613	11	297	15	289	—	11
55. ANGLESEY ..	120,417	34,808	187	—	7	25	2	—	34	153	17	82	5	49	—	—

CIVIL CONDITION ; AGE ; SIGNATURE BY MARK IN REGISTER—continued.

MARRIAGES.												Signed the Marriage Register with Marks				REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.	
Registered in the Quarter ended the last day of				Contracted between*				Of		Of Persons not of Full Age.							
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which			
														Both signed.	One signed.		
2872	5163	4582	4597	15356	488	841	529	1370	1017	941	3063	182	186	41	286	VII—NORTH MIDLAND.	
565	1057	960	914	3118	85	178	115	293	200	204	526	40	32	11	50	29. LEICESTERSHIRE.	
29	29	44	36	126	3	7	2	9	5	4	13	1	—	—	1	30. RUTLANDSHIRE.	
735	1328	1037	1079	3727	133	201	118	319	251	154	668	40	37	9	59	31. LINCOLNSHIRE.	
866	1585	1458	1535	4845	147	270	182	452	329	383	1119	64	68	16	100	32. NOTTINGHAMSH.	
677	1164	1083	1033	3540	120	185	112	297	232	196	737	37	49	5	76	33. DERBYSHIRE.	
7845	12063	12885	9783	37360	1317	2479	1420	3899	2737	1871	5327	438	633	125	821	VIII.—N. WESTERN.	
1034	1718	1799	1399	5307	155	348	140	488	295	178	622	62	54	14	88	34. CHESHIRE.	
6811	10345	11086	8384	32053	1162	2131	1280	3411	2442	1693	4705	376	579	111	733	35. LANCASHIRE.	
5154	8231	8104	7804	25727	944	1627	995	2622	1939	1480	4971	349	444	83	627	IX.—YORKSHIRE.	
3921	6396	6355	5991	19894	728	1258	783	2041	1511	1188	3825	277	365	74	494	36. WEST RIDING.	
637	980	1011	1067	3291	129	195	130	325	259	154	650	44	43	8	71	37. EAST RIDING (with YORK).	
546	855	738	746	2542	87	174	82	256	169	138	496	28	36	1	62	38. NORTH RIDING.	
3579	4951	4703	4385	15609	586	896	527	1423	1113	849	3517	200	277	49	379	X.—NORTHERN.	
2037	2865	2842	2571	9124	353	502	336	838	689	586	2357	134	176	39	232	39. DURHAM.	
1042	1419	1267	1215	4373	177	256	137	393	314	171	852	50	83	6	121	40. NORTHUMBERLD.	
422	531	500	478	1729	50	103	49	152	99	82	268	15	15	4	22	41. CUMBERLAND.	
78	136	94	121	383	6	35	5	40	11	10	40	1	3	—	4	42. WESTMORLAND.	
3246	4630	4514	4870	15100	623	1014	523	1537	1146	678	2758	295	381	79	518	XI.—WELSH.	
573	802	804	778	2586	122	160	89	249	211	158	613	48	52	8	84	43. MONMOUTHSHIRE.	
1622	2303	2246	2364	7491	327	419	298	717	625	370	1615	133	176	37	235	44. GLAMORGANSH.	
198	260	284	358	968	32	79	21	109	53	45	146	13	24	6	25	45. CARMARTHENSH.	
107	155	168	220	577	18	45	10	55	28	30	74	15	34	7	35	46. PEMBROKESHIRE.	
90	106	124	178	421	15	50	12	62	27	6	19	5	15	1	18	47. CARDIGANSHIRE.	
75	136	95	107	356	14	32	11	43	25	14	61	6	9	1	13	48. BRECKNOCKSHIRE.	
11	31	22	26	75	—	12	3	15	3	2	7	3	1	—	4	49. RADNORSHIRE.	
67	136	81	94	331	15	24	8	32	23	4	30	15	8	1	21	50. MONTGOMERYSH.	
67	97	109	112	343	15	19	8	27	23	11	32	11	14	4	17	51. FLINTSHIRE.	
170	251	220	247	779	23	58	28	86	51	17	80	17	21	8	22	52. DENBIGHSHIRE.	
64	94	83	87	283	10	30	5	35	15	2	18	3	3	—	6	53. MERIONETHSHIRE.	
170	211	223	247	724	27	74	26	100	53	15	44	19	17	4	28	54. CARNARVONSH.	
32	48	55	52	166	5	12	4	16	9	4	19	7	7	2	10	55. ANGLESEY.	

* See note ‡ on page 213.

ENGLAND AND WALES.—AGES and CONDITIONS of

—	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Men	—	—	5	62	639	2764	6907	—	86481	90388	35082	14823	7542
Bachelors	—	—	5	62	639	2764	6904	—	86292	89075	32440	11401	4235
Widowers	—	—	—	—	—	—	3	—	189	1313	2642	3422	3307
Bachelors who married :—													
Spinsters	—	—	5	62	637	2755	6836	—	85639	87166	30493	9862	3357
Widows	—	—	—	—	2	9	18	—	653	1909	1947	1539	878
Widowers who married :—													
Spinsters	—	—	—	—	—	—	3	—	178	1200	2273	2620	2217
Widows	—	—	—	—	—	—	—	—	11	113	369	802	1090

ENGLAND AND WALES.—AGES and CONDITIONS of

—	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Women	1	15	140	1080	5221	11499	17659	5	101392	72246	24835	10808	5764
Spinsters	1	15	140	1079	5221	11496	17645	5	101044	70631	22035	7681	3169
Widows	—	—	—	1	—	3	14	—	348	1615	2300	3127	2595
Spinsters who married :—													
Bachelors	1	15	136	1070	5158	11368	17424	5	98919	67583	19220	5496	1624
Widowers	—	—	4	9	63	128	221	—	2125	3048	2815	2185	1545
Widows who married :—													
Bachelors	—	—	—	1	—	1	12	—	306	1333	2054	1904	1193
Widowers	—	—	—	—	—	2	2	—	42	282	746	1223	1402

the 260,544 MEN who MARRIED in the Year 1909.

AGE.										TOTALS.			
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
5053	3379	2371	1535	892	474	142	20	9	1976	10377	250167	260544	Men.
1881	741	353	121	61	29	6	1	1	1333	10374	227970	238344	Bachelors.
3172	2638	2018	1414	831	445	136	19	8	643	3	22197	22200	Widowers.
1322	499	216	76	32	15	5	1	1	1182	10345	219866	230211	Bachelors who married :— Spinsters.
559	242	137	45	29	14	1	—	—	151	29	8104	8133	Widows.
1832	1401	939	648	378	172	63	7	5	391	3	14324	14327	Widowers who married :— Spinsters.
1340	1237	1079	766	453	273	73	12	3	252	—	7873	7873	Widows.

the 260,544 WOMEN who MARRIED in the Year 1909.

AGE.										TOTALS.			
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
3607	1995	1134	566	279	106	22	—	1	2169	35620	224924	260544	Women.
1533	655	251	100	44	15	—	—	—	1728	35602	208936	244538	Spinsters.
2024	1340	883	466	235	91	22	—	1	441	18	15988	16006	Widows.
597	174	49	22	15	7	—	—	—	1328	35177	195034	230211	Spinsters who married :— Bachelors.
986	481	202	78	29	8	—	—	—	400	425	13902	14327	Widowers.
612	309	126	61	28	11	—	—	—	182	14	8119	8133	Widows who married :— Bachelors.
1412	1031	757	405	207	80	22	—	1	259	4	7869	7873	Widowers.

ENGLAND AND WALES.—AGES OF 230,211 OF THE BACHELORS AND OF 230,211 OF THE SPINSTERS WHO INTERMARRIED IN 1909.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Bachelors.	BACHELORS OF FULL AGE.										Total Bachelors.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up-wds.	Not stated.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

For the method of reading this table, see explanatory note on page 218.
* Includes one wife stated to be 14 years of age.

ENGLAND AND WALES.—AGES of 8,133 of the BACHELORS and of 8,133 of the WIDOWS who intermarried in 1909.

WIDOWS UNDER AGE.		WIDOWS OF FULL AGE.											Total Bachelors.			
19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwds.	Not stated.		
BACHELORS UNDER AGE.	18—	—	1	1	—	—	—	—	—	—	—	—	—	—	2	
	19—	1*	3	2	—	2	—	—	—	—	—	—	—	1	9	
	20—	—	7	6	3	1	—	—	—	—	—	—	—	—	18	
	Not stated														Not stated	
	21—	1	131	252	157	66	23	8	2	—	—	—	—	5	653	
BACHELORS OF FULL AGE.	25—	—	105	624	697	358	91	17	4	—	1	—	—	10	1909	
	30—	—	39	294	703	580	245	52	21	6	1	—	—	5	1947	
	35—	—	16	112	316	591	334	131	28	7	—	2	—	2	1539	
	40—	—	3	25	120	197	304	162	52	9	1	—	—	5	878	
	45—	—	1	14	41	77	147	159	74	36	7	2	—	1	559	
	50—	—	—	2	11	25	38	52	70	26	12	4	1	1	242	
	55—	—	—	1	5	4	9	24	38	29	20	4	1	2	137	
	60—	—	—	—	—	—	1	4	16	9	8	1	3	—	45	
	65—	—	—	—	—	—	1	2	4	3	4	14	1	—	29	
	70—	—	—	—	—	—	—	1	—	1	6	1	5	—	14	
	75—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	
	80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	85 and upwds.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Not stated														151	
	Total Widows														8133	Bachelors.
														11	152	Widows.

For the method of reading this table, see explanatory note on page 218.
* Stated to be 17 years of age.

SPINSTERS UNDER AGE.													SPINSTERS OF FULL AGE													Total Widowers.	WIDOWERS OF FULL AGE.		
SPINSTERS UNDER AGE.													SPINSTERS OF FULL AGE.														Total Widowers.	WIDOWERS OF FULL AGE.	
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up- wds.	Not stated.	75—	80—	85 and upwards. Not stated.	Widowers.	Spinsters.						
18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
20—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—						
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
21—	—	1	1	9	11	18	91	36	8	1	—	—	—	—	—	—	—	2	178	21—	—	—	—						
25—	—	1	—	16	48	57	517	392	142	22	3	—	—	—	—	—	—	2	1,200	25—	—	—	—						
30—	—	2	3	13	29	64	656	805	516	131	35	11	—	—	—	—	—	6	2,273	30—	—	—	—						
35—	—	—	2	11	17	46	426	782	678	459	162	28	5	1	—	—	—	3	2,620	35—	—	—	—						
40—	—	—	1	4	10	21	218	492	569	489	302	91	17	—	—	—	—	3	2,217	40—	—	—	—						
45—	—	—	1	5	7	6	119	273	412	452	287	219	36	4	—	—	—	11	1,832	45—	—	—	—						
50—	—	—	1	2	3	5	49	137	239	284	336	209	114	16	4	—	—	2	1,401	50—	—	—	—						
55—	—	—	—	1	—	1	23	64	125	173	204	181	103	51	2	2	1	8	939	55—	—	—	—						
60—	—	—	—	1	1	—	10	36	76	98	114	133	92	57	23	7	—	—	648	60—	—	—	—						
65—	—	—	—	1	1	—	7	16	29	42	64	66	63	41	29	14	3	2	378	65—	—	—	—						
70—	—	—	—	—	—	1	2	7	11	17	20	35	38	23	11	5	2	—	172	70—	—	—	—						
75—	—	—	—	—	—	—	—	2	2	7	17	9	9	9	6	—	2	—	63	75—	—	—	—						
80—	—	—	—	—	—	—	1	—	—	—	—	2	2	—	1	1	—	—	7	80—	—	—	—						
85 and upwards. Not stated	—	—	—	—	—	—	—	—	—	1	—	—	2	—	2	—	—	—	5	85 and upwards. Not stated	—	—	—						
																							391	361	14,327	400	14,327		

For the method of reading this table, see explanatory note on page 218.

ENGLAND AND WALES.—AGES of 7,873 of the WIDOWERS and of 7,873 of the WIDOWS who intermarried in 1909.

WIDOWS UNDER AGE.				WIDOWS OF FULL AGE.											Total Widows.		
19—	20—	Not stated.		21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Not stated.	Total Widows.
18—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—
19—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—
21—	1	—		5	1	3	—	1	—	—	—	—	—	—	—	11	11
25—	1	—		9	43	38	16	5	—	—	—	—	—	—	—	113	113
30—	—	—		11	75	139	98	36	8	—	—	—	—	—	2	369	369
35—	—	—		10	77	179	298	170	55	8	2	—	—	—	3	802	802
40—	—	—		5	51	180	295	340	165	42	9	2	—	1	—	1,090	1,090
45—	—	—		1	17	113	260	371	385	139	42	5	5	—	2	1,340	1,340
50—	—	—		—	12	48	129	265	335	303	109	28	6	—	2	1,237	1,237
55—	—	—		—	5	27	74	127	263	237	243	85	13	5	—	1,079	1,079
60—	—	—		—	—	14	33	51	130	175	184	120	46	7	5	766	766
65—	—	—		—	1	4	11	24	39	84	105	104	57	19	3	453	453
70—	—	—		—	—	1	2	11	23	34	49	50	59	31	12	273	273
75—	—	—		—	—	—	2	1	6	7	8	11	20	14	4	73	73
80—	—	—		—	—	—	2	—	—	1	2	—	1	3	3	12	12
85 and upwards.	—	—		—	—	—	—	—	—	—	3	—	—	—	—	3	3
Not stated	—	—		1	—	—	3	—	3	1	1	—	—	—	243	252	252
Total Widows	2	2	—	42	282	746	1,223	1,402	1,412	1,031	757	405	207	80	23	259	7,873

For the method of reading this table, see explanatory note on page 218.

MARRIAGES IN LONDON.
1909.

LONDON.—AGES and CONDITIONS of the 38,166

—	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Men	—	—	—	11	72	324	768	—	11440	13352	5525	2542	1378
Bachelors	—	—	—	11	72	324	767	—	11420	13199	5170	2078	875
Widowers	—	—	—	—	—	—	1	—	20	153	355	464	503
Bachelors who married:—													
Spinsters	—	—	—	11	72	323	767	—	11338	12894	4846	1814	699
Widows	—	—	—	—	—	1	—	—	82	305	324	264	176
Widowers who married:—													
Spinsters	—	—	—	—	—	—	1	—	20	142	308	364	345
Widows	—	—	—	—	—	—	—	—	—	11	47	100	158

LONDON.—AGES and CONDITIONS of the 38,166

—	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Women	1	1	15	118	573	1231	2284	3	14895	10853	3866	1803	960
Spinsters	1	1	15	118	573	1231	2283	3	14841	10610	3441	1263	517
Widows	—	—	—	—	—	—	1	—	54	243	425	540	443
Spinsters who married:—													
Bachelors	1	1	14	118	562	1217	2256	3	14504	10135	3016	947	285
Widowers	—	—	1	—	11	14	27	—	337	475	425	316	232
Widows who married:—													
Bachelors	—	—	—	—	—	—	1	—	45	207	337	335	228
Widowers	—	—	—	—	—	—	—	—	9	36	88	205	215

MEN who MARRIED in the Year 1909.

AGE										TOTALS.			
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
904	577	375	239	154	82	16	4	2	401	1175	36991	38166	Men.
428	169	62	29	12	7	2	1	—	301	1174	33753	34927	Bachelors.
476	408	313	210	142	75	14	3	2	100	1	3238	3239	Widowers.
313	120	43	13	6	2	2	1	—	271	1173	32362	33535	Bachelors who married :— Spinsters.
115	49	19	16	6	5	—	—	—	30	1	1391	1392	Widows.
288	233	151	109	72	36	10	1	2	65	1	2146	2147	Widowers who married :— Spinsters.
188	175	162	101	70	39	4	2	—	35	—	1092	1092	Widows.

WOMEN who MARRIED in the Year 1909.

AGE.										TOTALS.			
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
534	302	151	76	31	12	2	—	—	455	4226	33940	38166	Women.
235	101	38	21	7	1	—	—	—	382	4225	31457	35682	Spinsters.
299	201	113	55	24	11	2	—	—	73	1	2483	2484	Widows.
106	35	11	6	3	1	—	—	—	314	4172	29363	33535	Spinsters who married :— Bachelors.
129	66	27	15	4	—	—	—	—	68	53	2094	2147	Widowers.
105	54	24	11	4	2	—	—	—	39	1	1391	1392	Widows who married :— Bachelors.
194	147	89	44	20	9	2	—	—	34	—	1092	1092	Widowers.

LONDON.—AGES of 33,535 of the BACHELORS and of 33,535 of the SPINSTERS who intermarried in 1909.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Bachelors.												
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up-wds.	Not stated.														
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
16—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—													
17—	—	—	4	2	1	2	1	1	—	—	—	—	—	—	—	—	—	—	11													
18—	—	3	14	30	15	4	5	—	1	—	—	—	—	—	—	—	—	—	72													
19—	—	2	14	74	119	61	50	3	—	—	—	—	—	—	—	—	—	—	323													
20—	—	1	8	74	176	254	228	25	1	—	—	—	—	—	—	—	—	—	767													
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Not stated.													
21—	—	6	54	246	602	1318	7307	1620	146	22	4	2	1	—	—	—	—	10	11338													
25—	—	1	19	100	232	460	5369	5623	923	131	14	3	1	—	1	—	—	17	12894													
30—	1	—	3	25	50	113	1146	2043	1157	239	40	12	—	—	—	—	—	16	4846													
35—	1*	—	—	9	12	27	274	581	514	303	71	11	2	1	—	—	—	8	1814													
40—	—	—	—	—	4	10	83	163	171	152	78	25	6	—	—	—	—	7	699													
45—	—	—	2	2	2	—	28	54	71	58	58	26	7	1	—	1	—	3	313													
50—	—	—	—	—	2	—	7	15	25	29	12	14	12	3	—	—	—	1	120													
55—	—	—	—	—	—	—	3	2	6	10	2	11	3	5	1	—	—	—	43													
60—	—	—	—	—	—	—	1	1	1	3	2	2	2	1	—	—	—	—	13													
65—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	3	1	—	—	6													
70—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	2													
75 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	3													
Not stated	—	1	—	—	2	7	2	4	—	—	1	—	—	—	—	—	—	252	271													
Total Spinsters										2	14	118	562	1217	2256	3	14504	10135	3016	947	285	106	35	11	6	3	1	314	33535	Bachelors.		
																																Spinsters.

For the method of reading this table, see explanatory note on page 218.

* Stated to be 14 years of age.

LONDON.—AGES of 1,392 of the BACHELORS and of 1,392 of the WIDOWS who intermarried in 1909.

WIDOWS UNDER AGE.		WIDOWS OF FULL AGE.										Total Bachelors.		
19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwds.	Not stated.
18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21—	1	—	15	32	19	8	4	2	—	—	—	—	1	82
25—	—	—	18	96	111	56	20	2	—	—	—	—	2	305
30—	—	—	7	51	123	98	31	5	7	—	—	—	2	324
35—	—	—	4	20	49	103	60	21	5	1	—	—	1	264
40—	—	—	—	6	20	42	68	26	12	—	—	—	2	176
45—	—	—	—	2	10	22	28	30	13	7	1	1	1	115
50—	—	—	—	—	4	5	15	12	8	3	—	1	1	49
55—	—	—	—	—	—	—	2	5	3	6	3	—	—	19
60—	—	—	—	—	—	1	—	1	6	5	3	—	—	16
65—	—	—	—	—	—	—	—	1	—	2	1	2	—	6
70—	—	—	—	—	—	—	—	—	—	—	3	—	2	5
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and upwards, Not stated	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	29	30
Total Widows		—	45	207	337	335	228	105	54	24	11	4	2	39
Total Widows		1	—	—	—	—	—	—	—	—	—	—	—	1392
Total Widows		1	—	—	—	—	—	—	—	—	—	—	—	1392

For the method of reading this table, see explanatory note on page 218.

LONDON.—AGES of 2,147 of the WIDOWERS and of 2,147 of the SPINSTERS who intermarried in 1909.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Widowers.	WIDOWERS OF FULL AGE. UNDER AGE.		
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up-wds.	Not stated.					
WIDOWERS UNDER AGE.	18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18—	
	19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19—	
	20—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	20—		
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Not stated		
WIDOWERS OF FULL AGE.	21—	—	—	2	1	3	11	3	—	—	—	—	—	—	—	—	—	—	—	20	21—		
	25—	—	—	3	3	6	59	52	13	5	—	—	—	—	—	—	—	1	142	25—			
	30—	—	1	—	3	7	104	106	68	8	6	2	—	—	—	—	—	1	308	30—			
	35—	—	—	—	1	3	69	118	99	51	17	—	1	1	—	—	—	1	364	35—			
	40—	—	—	—	—	6	48	76	86	74	38	9	4	—	—	—	—	1	345	40—			
	45—	—	—	2	1	1	24	60	73	65	35	19	5	1	—	—	—	2	288	45—			
	50—	—	—	—	1	1	12	30	42	50	53	30	13	1	—	—	—	—	233	50—			
	55—	—	—	—	—	—	5	17	15	31	35	25	13	7	1	—	—	2	151	55—			
	60—	—	—	—	—	—	2	10	17	18	20	19	12	7	4	—	—	—	109	60—			
	65—	—	—	—	—	—	2	3	6	8	20	12	10	6	2	3	—	—	72	65—			
	70—	—	—	—	—	—	—	—	1	4	5	10	8	4	3	1	—	—	36	70—			
	75—	—	—	—	—	—	—	—	2	1	3	1	—	—	3	—	—	—	10	75—			
	80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	80—			
	85 and upwards, Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	85 and upwards, Not stated		
Total Spinsters		—	1	—	11	14	27	—	337	475	425	316	232	129	66	27	15	4	—	68	2147	2147	Widowers.
																						Spinsters.	

For the method of reading this table, see explanatory note on page 218.

LONDON.—AGES of 1,092 of the WIDOWERS and of 1,092 of the WIDOWS who intermarried in 1909.

WIDOWS UNDER AGE.		WIDOWS OF FULL AGE.												Total Widows.	
19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Not stated.
18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	1	3	4	3	—	—	—	—	—	—	—	—	—
30—	—	—	2	11	12	17	4	1	—	—	—	—	—	—	—
35—	—	—	2	9	15	43	22	9	—	—	—	—	—	—	—
40—	—	—	3	3	25	49	46	24	4	3	1	—	—	—	—
45—	—	—	—	4	15	41	63	39	18	7	—	1	—	—	—
50—	—	—	—	4	8	25	33	53	40	8	3	1	—	—	—
55—	—	—	—	2	7	13	31	41	38	22	7	1	—	—	—
60—	—	—	—	—	—	8	8	19	28	19	15	2	—	—	—
65—	—	—	—	—	1	4	5	3	13	21	12	5	4	1	—
70—	—	—	—	—	1	—	3	4	4	7	6	9	4	1	—
75—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—
80—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
85 and upwards, Not stated	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Total Widows	—	—	9	36	88	205	215	194	147	89	44	20	9	2	34
															1,092
															1,092

For the method of reading this table, see explanatory note on page 218.

DEATHS IN WORKHOUSES, HOSPITALS, LUNATIC ASYLUMS, AND IDIOT ASYLUMS

1909.

The following table shows the numbers of deaths (persons, males, and females) registered during 1909 in Workhouses, Hospitals, Lunatic Asylums and Idiot Asylums in England and Wales. These figures afford the means of correcting, in some measure, the mortality of the districts and sub-districts in which the institutions are situated. The table includes 2,972 institutions; of these 853 are Workhouses, Workhouse Infirmaries, or Workhouse Schools; 1,982 are Hospitals or Infirmaries; and 137 are Lunatic Asylums. The Lunatic Asylums comprise County and Borough Asylums, Lunatic Hospitals, and Idiot Asylums. In these 2,972 institutions 103,701 deaths were registered during the year, or 20·02 per cent. of the total deaths in England and Wales, against 18·75 and 19·27 per cent. in the two preceding years; 56,026 deaths occurred in Workhouses, 36,927 in Hospitals, and 10,748 in Lunatic Asylums. The proportion to total deaths was 10·82 per cent. in Workhouses, 7·13 in Hospitals, and 2·07 in Lunatic Asylums. The proportion of deaths recorded in Workhouses, which had been 10·05 and 10·38 per cent. in 1907 and 1908 respectively, was 10·82 per cent. in 1909.

Information relating to the deaths recorded in many Private Lunatic Asylums, and in a few other institutions, will be found in the notes to the table.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909.

REGISTRATION DIVISIONS AND COUNTIES.		TOTAL NUMBER OF INSTITUTIONS.	TOTAL DEATHS IN ALL INSTITUTIONS.	WORKHOUSES.				HOSPITALS.				LUNATIC ASYLUMS.			
				Number of In- stitutions.	DEATHS.			Number of In- stitutions.	DEATHS.			Number of In- stitutions.	DEATHS.		
					Persons.	Males.	Females.		Persons.	Males.	Females.		Persons.	Males.	Females.
	ENGLAND AND WALES	2972	103701	853	56026	32815	23211	1982	36927	21157	15770	137	10748	5576	5172
No.	I.—LONDON.	236	27432	90	15339	8525	6814	139	11564	6567	4997	7	529	288	241
1	LONDON	236	27432	90	15339	8525	6814	139	11564	6567	4997	7	529	288	241
	II.—SOUTH EASTERN.	548	11173	121	5215	3121	2094	396	3479	2036	1443	31	2479	1256	1223
2	SURREY	106	3221	21	1274	754	520	72	749	411	338	13	1198	614	584
3	KENT	175	2936	34	1338	807	531	134	921	560	361	7	677	326	351
4	SUSSEX	107	1716	24	903	532	371	80	574	305	269	3	239	114	125
5	HAMPSHIRE	118	2534	29	1333	798	535	84	949	574	375	5	252	129	123
6	BERKSHIRE	42	766	13	367	230	137	26	286	186	100	3	113	73	40
	III.—SOUTH MIDLAND.	269	5730	84	2889	1702	1187	173	1584	864	720	12	1257	630	627
7	MIDDLESEX	80	2454	19	1279	703	576	59	707	365	342	2	468	238	230
8	HERTFORDSHIRE	45	853	14	331	207	124	28	153	86	67	3	369	176	193
9	BUCKINGHAMSH.	24	317	8	178	116	62	15	62	39	23	1	77	40	37
10	OXFORDSHIRE ..	35	475	10	219	138	81	23	170	98	72	2	86	48	38
11	NORTHAMPTONS.	34	690	15	349	219	130	17	229	133	96	2	112	51	61
12	HUNTINGDONSH.	7	93	3	63	37	26	4	30	19	11	—	—	—	—
13	BEDFORDSHIRE ..	24	327	6	165	100	65	17	92	45	47	1	70	38	32
14	CAMBRIDGESH. ..	20	521	9	305	182	123	10	141	79	62	1	75	39	36
	IV.—EASTERN.	188	5089	65	3119	1804	1315	109	1085	646	439	14	885	428	457
15	ESSEX	94	3258	29	2101	1219	882	57	589	348	241	8	568	268	300
16	SUFFOLK	41	821	15	473	271	202	24	192	118	74	2	156	79	77
17	NORFOLK	53	1010	21	545	314	231	28	304	180	124	4	161	81	80
	V.—SOUTH WESTERN.	288	3681	86	1796	967	829	191	1250	732	518	11	635	308	327
18	WILTSHIRE	46	543	17	286	162	124	27	152	92	60	2	105	53	52
19	DORSETSHIRE ..	37	396	12	189	98	91	24	134	72	62	1	73	41	32
20	DEVONSHIRE ..	101	1410	23	629	337	292	73	576	355	221	5	205	97	108
21	CORNWALL	40	380	15	228	115	113	24	77	42	35	1	75	40	35
22	SOMERSETSHIRE	64	952	19	464	255	209	43	311	171	140	2	177	77	100
	VI.—WEST MIDLAND.	323	10463	95	5238	3181	2057	210	3956	2229	1727	18	1269	659	610
23	GLOUCESTERSH. ...	75	2137	20	901	509	392	52	976	559	417	3	260	131	129
24	HEREFORDSHIRE	18	236	8	133	92	41	9	63	41	22	1	40	20	20
25	SHROPSHIRE ..	39	576	15	299	194	105	23	189	101	88	1	88	37	51
26	STAFFORDSHIRE	82	2939	20	1531	962	569	56	962	556	406	6	446	229	217
27	WORCESTERSH. ..	45	1118	15	619	366	253	27	292	163	129	3	207	109	98
28	WARWICKSHIRE	64	3457	17	1755	1058	697	43	1474	809	665	4	228	133	95

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

REGISTRATION DIVISIONS AND COUNTIES		TOTAL NUMBER OF INSTITUTIONS.	TOTAL DEATHS IN ALL INSTITUTIONS.	WORKHOUSES.				HOSPITALS.				LUNATIC ASYLUMS.			
				Number of In- stitutions.	DEATHS.			Number of In- stitutions.	DEATHS.			Number of In- stitutions.	DEATHS.		
					Persons.	Males.	Females.		Persons.	Males.	Females.		Persons.	Males.	Females.
No.	VII.—NORTH MIDLAND.	166	4148	50	2269	1346	923	107	1453	813	640	9	426	227	199
29	LEICESTERSHIRE	35	992	13	519	312	207	20	329	184	145	2	144	70	74
30	RUTLANDSHIRE ..	3	27	2	17	8	9	1	10	8	2	—	—	—	—
31	LINCOLNSHIRE ..	49	784	15	440	274	166	31	240	142	98	3	104	68	36
32	NOTTINGHAMSH.	38	1452	10	881	502	379	25	438	242	196	3	133	73	60
33	DERBYSHIRE ..	41	893	10	412	250	162	30	436	237	199	1	45	16	29
	VIII.—NORTH WESTERN.	296	18884	74	11335	6550	4785	212	6251	3521	2730	10	1298	676	622
34	CHESHIRE	75	2062	15	1119	650	469	57	708	409	299	3	235	127	108
35	LANCASHIRE ..	221	16822	59	10216	5900	4316	155	5543	3112	2431	7	1063	549	514
	IX.—YORKSHIRE.	274	9385	78	4713	2935	1808	184	3663	2109	1554	12	979	530	449
36	WEST RIDING ..	186	7270	48	3727	2279	1448	133	2865	1624	1241	5	678	363	315
37	EAST RIDING (with York).	35	1373	11	600	382	218	18	525	322	203	6	248	141	107
38	NORTH RIDING ..	53	742	19	416	274	142	33	273	163	110	1	53	26	27
	X.—NORTHERN.	188	4477	46	2263	1441	822	136	1771	1067	704	6	443	252	191
39	DURHAM	79	2307	16	1408	910	498	60	741	460	281	3	158	95	63
40	NORTHUMBERLD.	60	1656	13	624	374	250	45	820	472	348	2	212	109	103
41	CUMBERLAND ..	35	458	11	195	130	65	23	190	122	68	1	73	48	25
42	WESTMORLAND ..	14	56	6	36	27	9	8	20	13	7	—	—	—	—
	XI.—WELSH.	196	3239	64	1820	1243	577	125	871	573	298	7	548	322	226
43	MONMOUTHSH. ..	34	597	8	323	230	93	24	163	100	63	2	111	63	48
44	GLAMORGANSH. ...	60	1773	16	989	688	301	42	523	352	171	2	261	155	106
45	CARMARTHENSH.	9	121	4	44	26	18	4	30	20	10	1	47	19	28
46	PEMBROKESHIRE	12	52	3	41	26	15	9	11	7	4	—	—	—	—
47	CARDIGANSHIRE	8	31	6	23	16	7	2	8	4	4	—	—	—	—
48	BRECKNOCKSH. ..	9	112	4	38	29	9	4	13	7	6	1	61	44	17
49	RADNORSHIRE ..	3	19	2	16	13	3	1	3	3	—	—	—	—	—
50	MONTGOMERYSH.	9	52	4	47	33	14	5	5	3	2	—	—	—	—
51	FLINTSHIRE ..	4	58	2	53	32	21	2	5	4	1	—	—	—	—
52	DENBIGHSHIRE ..	16	266	4	136	86	50	11	62	39	23	1	68	41	27
53	MERIONETHSH. ..	6	44	4	40	26	14	2	4	4	—	—	—	—	—
54	CARNARVONSH. ...	23	102	5	58	34	24	18	44	30	14	—	—	—	—
55	ANGLESEY	3	12	2	12	4	8	1	—	—	—	—	—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
I.—LONDON.						
1.—London.						
1.—PADDINGTON..	1. Paddington North ..	Home of Compassion of Jesus (Home for Dying), Warrington Crescent	9	5	4	
	2. Paddington Central ..	{ WORKHOUSE	97	43	54	
		{ Infirmary	252	135	117	
		{ Children's Hospital	89	47	42	
		{ Lock Hospital.. .. .	5	1	4	
		{ St. Mary's Hospital	362	230	132	
2.—KENSINGTON..	1. Kensington Town* ..	{ WORKHOUSE	4	2	2	
		{ Infirmary	575	292	283	
		WORKHOUSE (Mary Place)	—	—	—	
		WORKHOUSE Infirmary, Marylebone (Rackham St.)	523	279	244	
		Kensington Dispensary and Children's Hospital..	10	3	7	
		St. Luke's House (Home for Dying)	112	44	68	
	2. Brompton	Kensington General Hospital (late Queen's Jubilee Hospital)	1	—	1	
		Consumption Hospital (part of)	30	20	10	
3.—FULHAM ..	1. North Hammersmith	WORKHOUSE (Hammersmith)	3	1	2	
		WORKHOUSE Infirmary (Hammersmith)	297	153	144	
		WORKHOUSE, Children's Receiving Home (Hammersmith)	—	—	—	
		WORKHOUSE, Children's Receiving Home (Paddington)	—	—	—	
		St. John's Hospital for Skin Diseases	1	1	—	
	2. South Hammersmith†	WORKHOUSE, Kensington and Chelsea Dist. Sch.	—	—	—	
		West London Hospital	253	148	105	
	3. North West Fulham..	St. Cyprian's Home for Incurables	—	—	—	
		{ WORKHOUSE (Fulham)	29	20	9	
		{ Infirmary (do.)	435	219	216	
4. North East Fulham‡	Western Fever Hospital (Met. Asy. Bd.)	180	113	67		
	5. South Fulham ..	WORKHOUSE School (Elm House)	—	—	—	
4.—CHELSEA ..	1. Chelsea North ..	{ WORKHOUSE (Chelsea)	12	5	7	
		{ Infirmary (do.)	241	135	106	
		{ WORKHOUSE (St. George, Hanover Square)	6	5	1	
		{ Infirmary (do.)	406	235	171	
		Cancer Hospital	139	50	89	
		Hospital for Women	12	—	12	
		Consumption Hospital (part of)	43	28	15	
		WORKHOUSE, Casual Ward	—	—	—	
	2. Chelsea South ..	Victoria Hospital (Children)	165	97	68	
		Cheyne Hospital (Children)	6	4	2	
5.—ST. GEORGE, HANOVER SQUARE	2. Belgrave	WORKHOUSE, Wallis's Yard	3	1	2	
		St. George's Hospital	373	250	123	
	3. St. Margaret and St. John.	Hospital for Women and Children, Lupus Street	—	—	—	
		Station Hospital, Rochester Row	—	—	—	
		Queen Alexandra Military Hospital, Millbank ..	31	31	—	
		Grosvenor Hospital for Women and Children ..	8	—	8	
		Gordon Hospital for Fistula	3	2	1	
		Westminster Hospital	262	153	109	
6.—WESTMINSTER	1. St. James and St. Anne	Infants' Hospital, Vincent Square	82	40	42	
		WORKHOUSE	31	13	18	
		Hospital for Diseases of the Throat	14	12	2	
		Home Hospital	—	—	—	
		Hospital for Women	4	—	4	
		Lock Hospital (Male Branch)	3	3	—	
		Hospital for Diseases of the Heart	22	12	10	
		Royal Ear Hospital	—	—	—	
7.—ST. MARYLEBONE	1. All Souls.. ..	Middlesex Hospital	447	216	231	
		All Saints' Home for Incurables	1	—	1	
		St. Elizabeth's Home	5	—	5	
		London Throat Hospital	1	—	1	
		Royal National Orthopædic Hospital.. .. .	1	1	—	
		Ladies' Hospital, Harley Street§	—	—	—	
		West End Hospital for Paralysis	10	6	4	
		St. Marylebone Home for Incurables.. .. .	2	—	2	
		2. St. Mary	{ WORKHOUSE	47	33	14
			{ WORKHOUSE, Casual Wards (Houseless Poor Wards)	—	—	—

NOTE.—Whenever two institutions are situated in the same enclosure they are bracketed together in this Table, and are indicated in the Table on pp. 152-211 by a single letter.
* 2: 1.—In St. Joseph's House, 25 deaths occurred during the year.
† 3: 2.—In Nazareth House, 36 deaths occurred during the year.
‡ 3: 4.—In Otto House, a private Lunatic Asylum, 1 death occurred during the year.
§ Closed during 1909. Re-opened during 1910 in Christchurch sub-district (7: 3).

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
1.—London—continued.							
7.—ST. MARYLEBONE—cont.	2. St. Mary—cont.	Queen Charlotte's Lying-in Hospital.. ..	48	24	24		
		Home for Consumptive Females	—	—	—		
		Western Ophthalmic Hospital	—	—	—		
		Samaritan Free Hospital	22	—	22		
		Hospital for Epilepsy and Paralysis	8	4	4		
8.—HAMPSTEAD ..	1. Hampstead	Hospital of St. John and St. Elizabeth	38	13	25		
		WORKHOUSE	95	46	49		
		North Western Fever Hospital (Met. Asy. Bd.) ..	94	44	50		
		St. Peter's Home (Kilburn)	19	—	19		
		Hampstead General Hospital	96	53	43		
		Mount Vernon Consumption Hospital	34	24	10		
		Home of Peace for the Dying (Friedenheim) ..	92	44	48		
		Tudor House Convalescent Home	—	—	—		
		Hospital and Home for Incurable Children (Northcourt)	3	2	1		
		9.—ST. PANCRAS ..	1. West St. Pancras	London Temperance Hospital	118	63	55
St. Saviour's Hospital	2			—	2		
2. South St. Pancras	WORKHOUSE Infirmery (Central London Sick Asy.)		159	115	44		
	North London or University College Hospital ..		282	170	112		
	Home Hospital		13	4	9		
	Medical and Surgical Home (Fitzroy Square) ..		3	1	2		
	London Skin Hospital		—	—	—		
	Metropolitan Ear, Nose, and Throat Hospital ..		1	—	1		
	Medical and Surgical Home, Endsleigh Gardens ..		4	1	3		
	Royal Free Hospital		179	103	76		
	Central London Ophthalmic Hospital		—	—	—		
	Central London Throat and Ear Hospital		13	8	5		
3. East St. Pancras	St. Luke's Hostel, Fitzroy Square		5	4	1		
	WORKHOUSE		93	64	29		
	Infirmery, South		402	225	177		
	Hospital for Women		24	2	22		
	4. North St. Pancras		WORKHOUSE Infirmery (Highgate)	375	182	193	
WORKHOUSE, Casual Wards			—	—	—		
10.—ISLINGTON ..			1. Tufnell	WORKHOUSE Infirmery (Highgate Hill)	774	418	356
				WORKHOUSE, Cornwallis Road	14	11	3
			2. Upper Holloway	WORKHOUSE, St. John's Road.. ..	142	83	59
	WORKHOUSE Infirmery (Holborn Union)			425	248	177	
	3. Tollington		Great Northern Central Hospital	223	134	89	
			WORKHOUSE Schools	—	—	—	
			WORKHOUSE Receiving Homes	—	—	—	
		WORKHOUSE (Shoreditch)	2	2	—		
		Winifred House Convalescent Home	—	—	—		
	6. Islington South East	London Fever Hospital	14	5	9		
7. Highbury		Mildmay Memorial Cottage Hospital	20	11	9		
		Home for Confirmed Invalids, Aubert Park and Highbury Terrace	2	—	2		
11.—HACKNEY ..	1. Stoke Newington*	Invalid Asylum	1	—	1		
		2. North Hackney.†	WORKHOUSE and Infirmery (City of London) ..	22	11	11	
			WORKH. SCHOOL (Shoreditch), Lower Clapton Rd.	—	—	—	
	3. Central Hackney‡	Eastern Fever Hospital (Met. Asy. Bd.)	114	67	47		
		Metropolitan Free Hospital	139	76	63		
		German Hospital	125	88	37		
	4. South West Hackney	Salvation Army Maternity Hospital	28	17	11		
		5. South East Hackney§	WORKHOUSE	8	2	6	
			Infirmery	755	412	343	
			WORKHOUSE, Cottage Homes (Branch School) ..	—	—	—	
		WORKHOUSE (West Ham)	1	1	—		
		St. Joseph's Hospice for the Dying (including 3, Cambridge Lodge Villas)	34	10	24		
		12.—ST. GILES ..	1. St. Giles and Bloomsbury.	WORKHOUSE	51	29	22
WORKHOUSE, Casual Ward	—			—	—		
British Lying-in Hospital.. ..	12			10	2		
French Hospital	29			17	12		
13.—STRAND ..	1. Strand	WORKHOUSE and Casual Wards	22	18	4		
		Charing Cross Hospital	183	113	70		
		Royal Westminster Ophthalmic Hospital	1	—	1		
		St. Peter's Hospital for Stone, &c.	21	20	1		
		King's College Hospital	172	102	70		

* 11 : 1.—In Northumberland House, a private Lunatic Asylum, 6 deaths, and in St. Ann's House, 17 deaths occurred during the year.

† 11 : 2.—In Brooke House, a private Lunatic Asylum, 5 deaths occurred during the year.

‡ 11 : 3.—In the Salvation Army Rescue Home, Lanark House, no death occurred during the year.

§ 11 : 5.—In the Salvation Army Rescue Home, 27-29, Devonshire Road, 22 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
1.—London—continued.					
14.—HOLBORN ..	1. Holborn	WORKHOUSE, Casual Wards	—	—	—
		London Homœopathic Hospital	59	35	24
		Hospital for Sick Children	448	245	203
		National Hospital for Paralysis	58	35	23
		Alexandra Hospital for Hip Disease (Children)	3	2	1
		Italian Hospital	34	18	16
		St. Barnabas' Home for Incurables	5	1	4
		St. Mark's Hospital (Fistula)	6	4	2
		City of London Lying-in Hospital	24	8	16
		Royal London Ophthalmic Hospital	4	2	2
St. Luke's Lunatic Hospital.. ..	12	9	3		
15.—LONDON CITY	1. St. Botolph	City Police Hospital	1	1	—
	2. St. Sepulchre and All-hallows.	WORKHOUSE	12	10	2
		St. Bartholomew's Hospital	678	431	247
		Billingsgate Mission Hospital	—	—	—
16.—SHOREDITCH	1. Shoreditch South ..	Convent Hospital (Children)	2	1	1
		Home of the Good Shepherd, Harman Street, (Medical Home for Wasting Babies)	16	11	5
	2. Shoreditch North West.	Babies' Home, Brunswick Place (Wasting Babies)	5	3	2
		WORKHOUSE	—	—	—
		Infirmary	562	302	260
		WORKHOUSE (Holborn)	270	141	129
17.—BETHNAL GREEN	1. Bethnal Green North East.	Royal Hospital for Diseases of the Chest	43	34	9
		WORKHOUSE	48	32	16
		WORKHOUSE Infirmary	586	337	249
		City of London Hospital (Diseases of the Chest)	61	47	14
	2. Bethnal Green South West.	Queen's Hospital for Children	413	224	189
Bethnal House Lunatic Asylum		31	18	13	
Mildmay Mission Hospital		47	19	28	
—		—	—	—	
18.—WHITECHAPEL	2. Mile End New Town	WORKHOUSE Infirmary	359	245	114
		London Hospital	1436	823	613
19.—ST. GEORGE IN THE EAST	1. St. George and St. John	WORKHOUSE	5	2	3
		Infirmary	289	158	131
		WORKHOUSE, Casual Ward	—	—	—
20.—STEPNEY ..	1. Shadwell and Ratcliff	WORKHOUSE (Receiving Home for Children; Stepney, Shoreditch, and Paddington)	—	—	—
		East London Children's Hospital	391	197	194
	2. Limehouse	WORKHOUSE, Casual Wards	1	1	—
21.—MILE END OLD TOWN	1. Mile End Old Town South Western.	—	—	—	
		—	—	—	
	2. Mile End Old Town North Eastern.	East End Mothers' Home.. ..	14	8	6
		WORKHOUSE	1	—	1
22.—POPLAR ..	2. Bromley	Infirmary (Bancroft Road)	389	226	163
		WORKHOUSE (Whitechapel), South Grove	61	27	34
		WORKHOUSE Infirmary (City of London)*	92	44	48
		WORKHOUSE (Stepney)	65	47	18
	3. Poplar	WORKHOUSE Infirm. (Poplar & Stepney Sick Asy.)	757	438	319
Poplar Hospital		116	77	39	
WORKHOUSE		89	53	36	
WORKHOUSE Infirmary (Branch of Poplar and Stepney Sick Asylum)		11	3	8	
23.—SOUTHWARK	1. Christchurch and St. Saviour Southwark.	—	—	—	
		—	—	—	
		—	—	—	
	3. St. George the Martyr West.	Guy's Hospital	711	415	296
		WORKHOUSE	21	20	1
		Evelina Hospital (Children)	190	104	86
	5. Newington South ..	Royal South London Ophthalmic Hospital	1	—	1
		Bethlem Royal Lunatic Hospital	16	7	9
24.—ST. OLAVE (BERMONDSEY).	1. St. Olave	WORKHOUSE	97	25	72
		—	—	—	
		—	—	—	
		—	—	—	
		—	—	—	
	3. Rotherhithe	WORKHOUSE	38	24	14
WORKHOUSE Sch.(St. Olave Union Children's Home)		—	—	—	
WORKHOUSE		2	2	—	
WORKHOUSE Infirmary		546	317	229	
WORKHOUSE, Casual Wards		—	—	—	
South Wharf Shelters (Met. Asy. Bd.)	—	—	—		

* Closed during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
1.—London—continued.					
25.—LAMBETH ..	1. Waterloo	Royal Waterloo Hospital (Women and Children)	112	55	57
		General Lying-in Hospital	24	14	10
	2. Lambeth Church	St. Thomas's Hospital and Home	750	437	313
	3. Kennington*	{ WORKHOUSE, Renfrew Road	147	74	73
		{ Infirmary, Brook Street	722	404	318
		WORKHOUSE, Princes Road	2	2	—
	4. Stockwell	Clapham Maternity Hospital	11	3	8
		South Western Fever Hospital (Met. Asy. Bd.)	111	51	60
	5. Brixton	Hospital for Children (Belgrave Hospital)	66	33	33
	6. Norwood†	WORKHOUSE, Home for Aged Poor	—	—	—
	WORKHOUSE, Children's Infirmary	7	1	6	
	WORKHOUSE Schools	—	—	—	
	British Home for Incurables	7	1	6	
26.—WANDSWORTH	1. East Battersea.. ..	Battersea General Hospital†	11	7	4
	3. South West Battersea	WORKHOUSE (Branch: Wandsworth), St. James' Rd.	—	—	—
		WORKHOUSE Infirmary (Wandsworth)	797	455	342
		Bolingbroke Hospital	79	43	36
	4. Clapham§	The Hostel of God	36	14	22
		Nightingale Nursing Home	—	—	—
	5. Streatham 	WORKHOUSE (St. Pancras), St. Anne's Home	21	21	—
		WORKHOUSE (Chelsea), Fairfield House	—	—	—
		WORKHOUSE (Wandsworth and Clapham), Tooting Home	116	59	57
		Fountain Fever Hospital (Met. Asy. Bd.)	4	4	—
		Grove Fever Hospital (Met. Asy. Bd.)	81	41	40
		Tooting Bec Imbecile Asylum (Met. Asy. Bd.)	302	161	141
		Middlesex County Lunatic Asylum (part of)	15	7	8
	6. Springfield	WORKHOUSE (Intermediate School: Wandsworth and Clapham)	—	—	—
		WORKHOUSE (Wandsworth and Clapham)	68	16	52
		Middlesex County Lunatic Asylum (part of)	75	42	33
	7. Southfields	Royal Hospital for Incurables	14	3	11
	8. Putney.¶	—	—	—	
27.—CAMBERWELL	2. Camberwell South	WORKHOUSE	214	100	114
		WORKHOUSE (Southwark Infirmary)	727	452	275
	3. Camberwell North	WORKHOUSE Infirmary	656	370	286
		Camberwell House Lunatic Asylum	50	29	21
		Peckham House Lunatic Asylum	28	15	13
	6. Peckham South	WORKHOUSE, Gordon Road	2	—	2
		WORKHOUSE (St. Olave Union Children's Homes)	—	—	—
		WORKHOUSE (Camberwell Union Children's Homes)	—	—	—
28.—GREENWICH..	2. Deptford Central	South Eastern Fever Hospital (Met. Asy. Bd.)	126	62	64
	4. Greenwich West	Miller Memorial Hospital	32	18	14
	5. Greenwich East	{ WORKHOUSE	141	71	70
		{ Infirmary	391	223	165
		WORKHOUSE School	—	—	—
	"Dreadnought" Seamen's Hospital	103	94	9	
29.—LEWISHAM ..	1. Eltham	WORKHOUSE (St. Mary's R.C. School for Boys)	—	—	—
		Cottage Hospital	14	8	6
	2. Lee	WORKHOUSE, Grove Park (Greenwich)	6	5	1
		St. John's Hospital	29	8	21
	3. Lewisham**	{ WORKHOUSE	51	21	30
		{ Infirmary	325	177	148
		WORKHOUSE (Receiving Home for Children)	—	—	—
		WORKHOUSE (St. Olave)	58	21	37
		Park Fever Hospital (Met. Asy. Bd.)	93	50	43
	4. Sydenham	Home for Sick Children	9	3	6
30.—WOOLWICH ..	1. Charlton.. ..	Brook Fever Hospital (Met. Asy. Bd.)	113	66	47
		Herbert Hospital (Military)	26	26	—
		Cottage Hospital (Kidbrooke)	10	6	4
		Garrison Female Hospital	8	5	3
	2. Woolwich	Royal Arsenal Infirmary	11	10	1
		Cottage Hospital	12	7	5
		Auxiliary Hospital	2	1	1
		Home for Mothers and Babies	2	1	1
	3. Plumstead West	WORKHOUSE (Furze Lodge)	—	—	—
		Crole-Wyndham Convalescent Home	—	—	—
	4. Plumstead East	{ WORKHOUSE	2	2	—
		{ Infirmary	276	148	128
		WORKHOUSE Schools	—	—	—

* 25 : 3.—In St. Peter's House (Home for Aged Poor), 44 deaths occurred during the year.

† 25 : 6.—In Fenstanton, a private Lunatic Asylum, 2 deaths occurred during the year.

‡ Formerly called National Anti-Vivisection Hospital.

§ 26 : 4.—In Clarence Lodge, a private Lunatic Asylum, no death occurred during the year.

|| 26 : 5.—In Newlands House, a private Lunatic Asylum, 3 deaths occurred during the year.

¶ 26 : 8.—In the Priory, a private Lunatic Asylum, 10 deaths occurred during the year.

** 29 : 3.—In Flower House, a private Lunatic Asylum, no death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
II.—SOUTH-EASTERN DIVISION.						
2.—Surrey.						
31.—EPSOM	1. Carshalton	WORKHOUSE, Belmont (Fulham)	36	36	—	
		Croydon R.D., Isolation Hospital	31	17	14	
	2. Epsom	Small-pox Hosp. (Croydon C.B., Wimbledon M.B., Merton U.D., and Penge U.D.)	—	—	—	
		Carshalton Cottage Hospital	7	3	4	
		Sutton Cottage Hospital	6	4	2	
		St. Anthony's Hospital	4	2	2	
		Children's Infirmary (M.A.B.)	89	46	43	
		London County Lunatic Asylum, Banstead	271	116	155	
		WORKHOUSE	98	55	43	
		WORKHOUSE (Kensington and Chelsea Dist. Schs.)	3	2	1	
		Epsom and Ewell Cottage Hospital	7	3	4	
		Isolation Hospital (Epsom U.D.)	3	2	1	
		Isolation Hospital, Cuddington (Epsom R.D.; Sutton, Carshalton, and Leatherhead U. Dists.)	8	6	2	
		London County Lunatic Asylum, Manor	59	1	58	
		London County Lunatic Asylum, Horton	146	92	54	
		London County Lunatic Asylum, Long Grove	250	168	82	
		London County Lunatic Asylum, Epileptic Colony	11	9	2	
		3. Leatherhead	Cottage Hospital, Leatherhead	5	3	2
			Cottage Hospital, Cobham	9	8	1
		32.—CHERTSEY	1. Walton	Metropolitan Convalescent Asylum	6	4
Cottage Hospital, Weybridge	4			2	2	
2. Chertsey	Cottage Hospital, Walton		3	1	2	
	WORKHOUSE and Infirmary		51	25	26	
33.—GUILDFORD	1. Woking	Isolation Hospital (Chertsey R.D.)	5	2	3	
		Victoria Cottage Hospital, Woking	12	7	5	
		St. Peter's Home	7	—	7	
		Small-pox Hospital (Guildford, Godalming, and Woking Joint Hospital Dist.)	—	—	—	
		County Lunatic Asylum, Brookwood	122	61	61	
	3. Albury	Alexandra Hosp. for Hip Disease (Branch)	—	—	—	
		4. Guildford	WORKHOUSE	104	62	42
	Royal Surrey County Hospital		65	37	28	
	34.—FARNHAM	1. Frimley	Isolation Hospital (Guildford M.B. and R.D., Godalming M.B., and Woking U.D.)	2	2	—
			Meath Home for Epileptic Women and Children	—	—	—
			Isolation Hospital (Frimley U.D.)	—	—	—
			Convalescent Home and Sanatorium (Branch of Brompton Consumption Hospital)	3	2	1
Frimley District Cottage Hospital			4	3	1	
2. Aldershot		Military Hospital for Infectious Diseases	8	6	2	
		Aldershot Cottage Hospital	11	4	7	
		Isolation Hospital (Aldershot U.D.)	4	1	3	
		Louise Margaret Hospital (Military)	37	16	21	
		Cambridge Hospital (Military)	39	39	—	
3. Farnham		WORKHOUSE	101	69	32	
		Cottage Hospital	6	6	—	
	Convalescent Home, Hale	1	—	1		
	Crooksbury Sanatorium for Consumption	3	2	1		
	Isolation Hospital (Farnham U.D. & R.D.)	1	—	1		
35.—HAMBLEDON	1. Witley	Whitmead Sanatorium (Tuberculosis)	2	1	1	
		WORKHOUSE	30	15	15	
		Cottage Hospital, Haslemere	7	3	4	
		Bethlem Convalescent Hospital for the Insane (Branch of Bethlem Royal Hospital)	—	—	—	
		36.—DORKING	2. Cranley	Cranley Village Hospital	3	2
Capel Village Hospital	1			—	1	
1. Capel	Ockley Sanatorium (Phthisis)		2	1	1	
	2. Dorking		WORKHOUSE	21	18	3
			Cottage Hospital	8	4	4
37.—REIGATE	1. Betchworth	Isolation Hospital (Dorking U.D. and R.D.)	—	—	—	
		Surrey County Lunatic Asylum	25	13	12	
		WORKHOUSE	52	30	22	
		Reigate and Redhill Hospital	25	10	15	
		Mrs. Kitto's Convalescent Home	—	—	—	
	2. Reigate	Brabazon Home	—	—	—	
		Earlswood Idiot Asylum	16	10	6	
		Horley Cottage Hospital	2	—	2	
		Infectious Diseases Hospital (Reigate R.D.)	—	—	—	
		Isolation Hospital (Reigate M.B.)	1	—	1	
38.—GODSTONE	1. Godstone	WORKHOUSE	53	40	13	
		Isolation Hospital (Godstone R.D.)	—	—	—	
		Caterham Cottage Hospital	8	2	6	
		Charing Cross Hospital Convalescent Home	3	2	1	
		Caxton Convalescent Home, Limpsfield	1	1	—	
		Conval. Home for Women & Children, Limpsfield	—	—	—	
		Homes for Epileptic Children, Lingfield	—	—	—	

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
2.—Surrey—continued.					
38.—GODSTONE— cont.	1. Godstone—cont.	Convalescent Home, Oxted	—	—	—
		Caterham Imbecile Asylum (Met. Asy. Bd.)	124	60	64
		Borough of Croydon Mental Hospital	30	8	22
39.—CROYDON ..	1. Coulsdon	London County Lunatic Asylum, Cane Hill	141	73	68
	2. South Croydon	WORKHOUSE Schools (Bermondsey)	—	—	—
		Purley Cottage Hospital	3	3	—
	3. West Croydon	WORKHOUSE	2	1	1
		WORKHOUSE Infirmary	343	180	163
		WORKHOUSE, Cottage Homes	—	—	—
		Borough Hospital (Infectious Diseases)	39	17	22
		General Hospital	89	49	40
		Eye, Ear and Throat Hospital	2	1	1
	4. North Croydon	Cottage Hospital, Upper Norwood	30	13	17
	5. Penge	WORKHOUSE (North Surrey District Schools)	1	—	1
	6. Mitcham	WORKHOUSE (Holborn Union)	61	38	23
		WORKHOUSE Industrial Schools (Holborn Union)	2	—	2
40.—KINGSTON ..	1. Wimbledon	Atkinson Morley Convalescent Hospital	2	1	1
		Wimbledon Cottage Hospital	14	6	8
		Wimbledon Isolation Hospital	5	1	4
		South Wimbledon and District Cottage Hospital	9	6	3
	2. Kingston	WORKHOUSE	4	2	2
		WORKHOUSE Infirmary, Kingston Hill	247	143	104
		WORKHOUSE (New Malden)	1	1	—
		Kingston Victoria Hospital	12	8	4
	3. Surbiton	Surbiton Cottage Hospital	7	2	5
		Isolation Hospital (Five Urb. Dists. & R.D.)	7	4	3
	4. Esher	Thames Ditton Cottage Hospital	1	1	—
		East and West Molesey Cottage Hospital	3	2	1
	5. Hampton	Teddington and Hampton Wick Cottage Hospital	18	10	8
		Isolation Hospital (Hampton U.D.)	1	—	1
41.—RICHMOND ..	1. Richmond	Normansfield Idiot Asylum	3	3	—
		WORKHOUSE	64	37	27
		Royal Hospital	48	30	18
	2. Mortlake	Isolation Hospital (Barnes U.D.)	6	3	3
3.—Kent.					
42.—BROMLEY ..	1. Bromley	Bromley and Beckenham Joint Hospital (Inf. Dis.)	11	8	3
		Bromley Cottage Hospital	25	13	12
		Phillips' Memorial Hospital	4	—	4
		Lady Margaret Hospital	3	2	1
	2. Beckenham	Cottage Hospital	18	7	11
	3. Orpington	WORKHOUSE	117	63	54
		Small-pox Hospital (Bromley and Beckenham Joint Hospital Board)	—	—	—
	4. Chislehurst	Sidcup Cottage Hospital	7	2	5
43.—DARTFORD ..	1. Bexley	Cray Valley Cottage Hospital	10	6	4
		WORKHOUSE (Greenwich Union Children's Homes)	1	1	—
		Cottage Hospital, Bexley	5	1	4
		Isolation Hospital (Bexley U.D.)	1	—	1
	2. Erith*	Sanatorium, Belvedere (Erith U.D.)	4	3	1
		Cottage Hospital, Erith	9	6	3
	3. Dartford	WORKHOUSE	117	72	45
		Joyce Green Hospital (Met. Asy. Bd.)	2	2	—
		Long Reach Hospital (Met. Asy. Bd.)	—	—	—
		Gore Farm Hospital (Met. Asy. Bd.)	8	4	4
		Bow Arrow Hosp. (Infect. Dis., Dartford U.D. & R.D.)	12	5	7
		Livingstone Cottage Hospital, Dartford	22	17	5
		City of London Lunatic Asylum, Stone	29	16	13
		London County Lunatic Asylum, Dartford Heath	174	88	86
		Darenth Imbecile Asylum (Met. Asy. Bd.)	73	33	40
	4. Farningham	Hospital Convalescent Home, Parkwood	3	1	2
		Kettlewell Conval. Home (St. Bartholomew's Hosp.)	1	—	1
		White Oak Ophthalmia School (Met. Asy. Bd.)†	2	2	—
44.—GRAVESEND ..	1. Gravesend	WORKHOUSE	77	39	38
		WORKHOUSE, Children's Home	—	—	—
		Gravesend Hospital (Bath Street)	65	44	21
		Military Hospital	1	1	—
45.—STROOD ..	1. Northfleet	Sanatorium for Small-pox, (Gravesend M.B.)	—	—	—
		Sanatorium (Infectious diseases other than Small-pox, Gravesend M.B.)	2	2	—
		Isolation Hospital (Strood R.D.)	—	—	—
		Small-pox Hospital (Northfleet U.D.)	—	—	—
		Port of London Hospital	6	6	—
	2. Strood	WORKHOUSE	53	26	27
46.—HOO ..	1. Hoo	WORKHOUSE	3	2	1
		Isolation Hospital (Hoo R.D.)	—	—	—

* 43: 2.—In the Royal Alfred Institution for Aged Seamen, 5 deaths occurred during the year.

† Classed as a hospital in the Summary on p. 232.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
3.—Kent—continued.					
47.—MEDWAY ..	1. Rochester and Chatham.	WORKHOUSE	137	77	60
		St. Bartholomew's Hospital	102	57	45
		Fort Pitt Hospital (including Auxiliary Hospital)	4	4	—
		St. William's Hosp. (Rochester and Chatham M.B.'s)	30	14	16
		Small Pox Hosp. (Rochester and Chatham M.B.'s)	—	—	—
	2. Gillingham	Port Sanitary Hospital Ship "Elk"	—	—	—
		Infectious Diseases Hospital (Gillingham M.B.) ..	8	3	5
		Military Families Hospital (Lying-in)	3	—	3
		Alexandra Hosp. for Small Pox (Gillingham M.B.)	—	—	—
		Royal Naval Hospital (General and Infectious) ..	48	48	—
48.—MALLING ..	1. Aylesford*	WORKHOUSE	43	29	14
		Isolation Hospital (Malling R.D.)	3	2	1
		Zymotic Military Hospital	—	—	—
49.—SEVENOAKS ..	1. Shoreham	Isolation Hospital (Sevenoaks R.D.)	—	—	—
		WORKHOUSE	42	31	11
	2. Sevenoaks	Holmesdale Cottage Hospital	3	1	2
		Hospital for Hip Diseases	1	1	—
	3. Penshurst	Sevenoaks Urban District Fever Hospital	—	—	—
		Isolation Hospital (Joint Parish Councils)	—	—	—
50.—TONBRIDGE ..	1. Tunbridge Wells ..	General Hospital	68	47	21
		Homœopathic Hospital	2	—	2
		Eye and Ear Hospital	1	—	1
		Isolation Hospital (Southborough U.D.)	—	—	—
	2. Tonbridge†	WORKHOUSE	103	63	40
		Infectious Diseases Hospital (Tonbridge U.D.) ..	1	—	1
		Cottage Hospital	3	3	—
	3. Brenchley	Infectious Diseases Hospital (Tonbridge R.D.) ..	3	—	3
		Small Pox Hospital (Joint Board)	—	—	—
		—	—	—
51.—MAIDSTONE ..	2. Loose	WORKHOUSE	79	51	28
		WORKHOUSE Schools	—	—	—
	3. Maidstone	Infectious Diseases Hospital (Maidstone R.D.) ..	—	—	—
		Sanatorium (Public Fever Hosp.; Maidstone M.B.)	16	7	9
		West Kent General Hospital	42	34	8
		Kent Ophthalmic Hospital	2	1	1
		County Lunatic Asylum, Barming Heath	231	110	121
52.—HOLLINGBOURN	1. Hollingbourn	WORKHOUSE	26	18	8
		Hospital for Infectious Dis. (Hollingbourn Union)	—	—	—
53.—CRANBROOK	1. Cranbrook	WORKHOUSE	25	16	9
		Passmore Edwards Conval. Home (Met. Free Hosp.)	2	1	1
		Isolation Hospital (Cranbrook R.D.)	—	—	—
	2. Hawkhurst‡	Sanatorium, Benenden (Consumption)	1	1	—
		Village Hospital	1	1	—
54.—TENTERDEN ..	1. Tenterden	WORKHOUSE	14	9	5
55.—WEST ASHFORD	1. Calehill	WORKHOUSE	19	10	9
		Sanatorium (West Ashford R.D.)	—	—	—
	2. Ashford	Small Pox Hospital (West Ashford R.D.)	—	—	—
		Cottage Hospital	16	9	7
56.—EAST ASHFORD	1. Brabourne	Isolation Hospital (Ashford U.D.)	2	—	2
		WORKHOUSE	20	12	8
		Infectious Diseases Hospital (East Ashford R.D.)	2	1	1
57.—BRIDGE ..	1. Chartham	County Lunatic Asylum	155	69	86
		WORKHOUSE	17	10	7
		Sanatorium (Bridge R.D.)	1	—	1
58.—CANTERBURY	1. Canterbury	WORKHOUSE	37	19	18
		Kent and Canterbury Hospital	44	26	18
		Military Hospital	2	1	1
		City of Canterbury Sanatorium	2	1	1
		Decker Hut Small-pox Hosp. (City of Canterbury)	—	—	—
		Borough Lunatic Asylum	15	10	5
		—	—	—
59.—BLEAN ..	2. Herne	WORKHOUSE	29	22	7
		St. Anne's Convalescent Home (Met. Asy. Bd.) ..	2	2	—
		Cottage Hospital	1	—	1
		West End Isolation Hospital (Blean R.D.)	1	1	—
		Isolation Hospital (Herne Bay U.D.)	2	1	1
		Railway Servants' Convalescent Home	2	2	—
		Passmore Edwards Convalescent Home	—	—	—
		—	—	—

* 48 : 1.—In West Malling Place, a private Lunatic Asylum, 4 deaths occurred during the year.
50 : 2.—In Redlands, a private Lunatic Asylum, 2 deaths occurred during the year.
53 : 2.—In Dr. Barnardo's Home, Babies' Castle, 4 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
3.—Kent—continued.						
60.—FAVERSHAM..	2. Faversham	WORKHOUSE	49	34	15	
		Faversham Cottage Hosp. & Provident Dispensary	5	3	2	
	3. Teynham	Kennaway's Hospital (Faversham M.B.)	—	—	—	
		(Small-pox Hospital (Faversham R.D.)	—	—	—	
		(Infectious Diseases Hospital (Faversham R.D.) ..	4	1	3	
		Isolation Hospital (Faversham M.B.)	—	—	—	
61.—MILTON ..	1. Milton	WORKHOUSE	39	26	13	
		Sittingbourne and Milton Joint Hosp.(Keycol Hosp.) ..	5	2	3	
		Sittingbourne and Milton Small-pox Hospital ..	—	—	—	
62.—SHEPPEY ..	1. Minster	WORKHOUSE	12	10	2	
		Military and Garrison Hospital	1	1	—	
		Naval Hospital	—	—	—	
		Small Pox Hospital (Sheppey R.D.)	—	—	—	
		Small Pox Hospital (Queenborough M.B.)	—	—	—	
63.—THANET ..	1. Minster	WORKHOUSE	92	44	48	
		WORKHOUSE (West Ham Conval.Home), Dane Hill ..	6	3	3	
	2. Margate	WORKHOUSE (Château Belle Vue Infirmary)* ..	3	2	1	
		Royal Sea Bathing Hospital	9	4	5	
		Cottage Hospital	15	10	5	
		Apsley House Convalescent Home	2	1	1	
		Convalescent Home, Harold Road	—	—	—	
		Victoria Convalescent Home	3	1	2	
		Conval. Home for R.C. Childn., Grosvenor Place ..	13	—	13	
		St. Michael's Conval. Home, Westgate-on-Sea ..	—	—	—	
		East Cliff Convalescent Home (Met. Asy. Bd.) ..	7	1	6	
		3. Broadstairs	WORKHOUSE (N.Surrey Dis.) Wainwright Con.Ho.	—	—	—
	Thanet Isolation Hospital (Joint Hospital Board)		7	6	1	
	Victoria Convalescent Home		—	—	—	
	Metropolitan Convalescent Institution, St. Peter's		2	1	1	
	Whittuck Convalescent Home		—	—	—	
	4. Ramsgate	Yarrow Convalescent Home	1	—	1	
		WORKHOUSE, Cottage Homes	—	—	—	
		General Hospital and Seamen's Infirmary	18	12	6	
		Club Union Convalescent Home, St. Lawrence ..	1	1	—	
		St. Catherine's Hospital	44	27	17	
		St. Martin's Hospital (Incurables)	—	—	—	
		St. Luke's Lunatic Hospital, Nether Court (Con- valescent Branch)	—	—	—	
				—	—	—
64.—EASTRY ..	1. Sandwich	WORKHOUSE	45	33	12	
		Cottage Hospital	—	—	—	
	4. Deal	Sanatorium (Eastry R.D.)	3	1	2	
		Victoria Cottage Hospital	10	6	4	
		Isolation Hospital (Deal M.B. & Walmer U.D.) ..	1	—	1	
65.—DOVER ..	2. Dover	WORKHOUSE	89	55	34	
		Royal Victoria Hospital	35	17	18	
		Cottage Hospital (Infect. Dis.; Dover M.B.) ..	13	7	6	
		Western Heights Hospital (Military)	11	11	—	
		Convalescent Home (Morley House)	—	—	—	
		Friendly Societies Convalescent Home	—	—	—	
66.—ELHAM ..	1. Folkestone	WORKHOUSE (Elham Union Cottage Homes) ..	—	—	—	
		St. Andrew's Convalescent Home	3	3	—	
		Hosp. Shorncliffe Camp (inc.Female Military Hosp.)	3	3	—	
		Borough of Folkestone Sanatorium	—	—	—	
		Small-pox Hospital (Folkestone M.B.)	—	—	—	
		Victoria Hospital	40	23	17	
		Farleigh House Home (Consumption)	2	2	—	
		Ontario House Convalescent Home	—	—	—	
		Grosvenor House Home (Consumption)	14	14	—	
		Cheriton Cliff Convalescent Home	1	1	—	
		Lymington House Convalescent Home	—	—	—	
		Sandgate House Convalescent Home	—	—	—	
		Cambridge House Sanatorium (Consumption) ..	4	—	4	
		Durnford House Sanatorium (Consumption) ..	1	—	1	
		Alfred Bevan Memorial Convalescent Home ..	—	—	—	
		Weare Bay House Convalescent Home	—	—	—	
	2. Elham	WORKHOUSE	37	23	14	
		Sanatorium (Elham R.D.)	1	—	1	
	3. Hythe	Isolation Hospital, Newington (Cheriton U.D.) ..	—	—	—	
		Isolation Hospital, West Hythe (Sandgate U.D.)..	—	—	—	
			Eversley Convalescent Home	—	—	—
	67.—ROMNEY MARSH	1. New Romney	WORKHOUSE	7	7	—
			Isolation Hospital (Romney Marsh R.D.)	—	—	—
Convalescent Home, Littlestone			—	—	—	

* Closed during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
4.—Sussex.							
68.—RYE	1. Rye	WORKHOUSE	17	13	4		
	2. Beckley	Isolation Hospital (Rye M.B. & R.D.)	1	1	—		
69.—HASTINGS ..	1. Ore	WORKHOUSE	95	47	48		
		Hastings Borough Sanatorium	6	2	4		
		Fairlight Sanatorium (Consumption)	4	4	—		
		Hastings, St. Leonards, and East Sussex Hospital ..	44	25	19		
		Children's Convalescent Home	1	1	—		
		Buchanan Hospital	3	—	3		
		Eversfield Hospital for Consumption	5	3	2		
		Convalescent Home (Chelsea Hospital for Women)	—	—	—		
		Herts Convalescent Home	—	—	—		
		Railway Convalescent Home	1	1	—		
		Alexandra Home for Chronic Invalids	3	—	3		
		Beau Site Convalescent Home	—	—	—		
		Tilbury House Convalescent Home	2	—	2		
		Metropolitan Convalescent Institution	2	—	2		
70.—BATTLE ..	1. Bexhill*	WORKHOUSE	13	5	8		
	2. Battle	WORKHOUSE	13	5	8		
71.—EASTBOURNE	1. Westham	Infect. Dis. Hospital (Small-pox; Eastbourne M.B.)	—	—	—		
		Infectious Diseases Hospital (Eastbourne R.D.) ..	2	1	1		
		WORKHOUSE	61	28	33		
		Homœopathic Convalescent Home	—	—	—		
		All Saints Convalescent Hospital, Eastbourne ..	3	1	2		
		Borough Sanatorium	14	7	7		
		Military Station Hospital	—	—	—		
		Princess Alice Hospital	45	24	21		
		Leaf Homœopathic Cottage Hospital	1	—	1		
		Medical and Surgical Home	1	—	1		
		Seaside Convalescent Hospital	1	—	1		
		Isolation Hospital (Seaford U.D.)	—	—	—		
		72.—HAILSHAM ..	2. Hellingly	WORKHOUSE	9	6	3
				Victoria Isolation Hospital (Hailsham R.D.) ..	—	—	—
East Sussex County Lunatic Asylum	98			50	48		
73.—TICEHURST ..	1. Ticehurst†	WORKHOUSE	23	14	9		
		Isolation Hospital (Ticehurst R.D.)	—	—	—		
74.—UCKFIELD ..	2. Wadhurst	Tunbridge Wells Borough Sanatorium	2	1	1		
		WORKHOUSE	17	11	6		
75.—EAST GRINSTEAD	3. Isfield	Cottage Hospital	1	1	—		
		WORKHOUSE	32	22	10		
76.—CUCKFIELD ..	2. East Grinstead	Queen Victoria Cottage Hospital	5	5	—		
		Sanatorium (East Grinstead U.D. & R.D.)	6	3	3		
77.—LEWES ..	1. Cuckfield	WORKHOUSE	40	28	12		
		Eliot Cottage Hospital (Hayward's Heath)	3	1	2		
		Infectious Diseases Hosp. (Cuckfield R.D.)	3	1	2		
		Nayworth Cottage Convalescent Home	—	—	—		
78.—NEWHAVEN..	1. Chailey‡	WORKHOUSE (Lewes)	28	16	12		
		Convalescent Home	—	—	—		
		Newick Cottage Hospital	—	—	—		
		Isolation Hospital (Chailey R.D.)	1	1	—		
		Sedgebrook Small-pox Hospital (E. Sussex Ad. Co.)	—	—	—		
		Brighton Borough Lunatic Asylum	64	30	34		
		WORKHOUSE School (Lewes)	—	—	—		
		Victoria Hospital (Lewes Infirmary)	7	3	4		
		Hospital for Infectious Diseases (Lewes M.B.) ..	—	—	—		
		WORKHOUSE (Newhaven)	15	9	6		
79.—BRIGHTON ..	1. Newhaven	WORKHOUSE (Downlands Convalescent Home) ..	—	—	—		
		WORKHOUSE (Brighton Industrial School)	—	—	—		
		Surrey Convalescent Home, Seaford	—	—	—		
		Isolation Hospital (Newhaven U.D.)	1	—	1		
		WORKHOUSE	272	161	111		
		French Convalescent Home	3	3	—		
		Female Convalescent Home	—	—	—		
		Sussex County Hospital	173	94	79		
		Royal Alexandra Hospital for Children	55	37	18		
		Throat and Ear Hospital	5	4	1		
80.—STEYNING ..	2. Hove§	Brighton and Hove Hospital for Women (Lying-in)	6	1	5		
		Sussex Eye Hospital	—	—	—		
		Home for Incurable Children	5	3	2		
		Sanatorium (Brighton C.B.)	35	16	19		
		Brighton, Hove, and Preston Dispensary	9	5	4		
		St. Bernard's Invalid Home	—	—	—		
		Charlotte Convalescent Home, Aldrington	—	—	—		
		Jewish Convalescent Home, Hove	—	—	—		
		Convalescent Police Seaside Home	—	—	—		
		WORKHOUSE	110	60	50		
80.—STEYNING ..	3. Shoreham	Hangleton Hosp. for Infec. Diseases (Hove M.B.) ..	12	7	5		
		WORKHOUSE	110	60	50		

* 70 : 1.—In Nazareth House, 9 deaths occurred during the year.
† 73 : 1.—In Ticehurst House, a private Lunatic Asylum, 6 deaths occurred during the year.
‡ 77 : 1.—In St. George's Retreat, a private Lunatic Asylum, 3 deaths occurred during the year.
§ 80 : 2.—In St. Joseph's Home (Home for Aged Poor) 10 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
4.—Sussex—continued.					
81.—HORSHAM ..	2. North Horsham ..	WORKHOUSE	34	22	12
		Horsham Cottage Hospital	12	7	5
	3. West Horsham ..	Crawley and Horsham Cottage Hospital	—	—	—
		Rudgwick Sanatorium for Consumption	—	—	—
82.—PETWORTH ..	1. Petworth Northern ..	WORKHOUSE	6	4	2
	2. Petworth Southern ..	WORKHOUSE	8	3	5
		Cottage Hospital	1	—	—
		Flathurst Cottages : Isol. Hosp. (Petworth R.D.)..	—	—	—
83.—THAKEHAM ..	2. Washington ..	WORKHOUSE	19	12	7
84.—EAST PRESTON	1. Worthing ..	Worthing Hospital	18	8	10
		Swandean Hospital (Inf. Dis.; Worthing M.B.) ..	3	—	3
		St. Mary's Convalescent Home	—	—	—
		Banting Memorial Convalescent Home	—	—	—
		Home of the Holy Rood (Incurables).. .. .	6	—	6
		Friends' Convalescent Home, Worthing	—	—	—
	2. Littlehampton ..	WORKHOUSE	43	33	10
		Rustington Convalescent Home	3	3	—
		Millfield Convalescent Home (M.A.B.)	1	1	—
		Littlehampton and District Cottage Hospital ..	3	—	3
	3. Arundel ..	Emergency Hospital (Accidents, &c.).. .. .	4	1	3
85.—WESTHAMP- NETT	2. Bognor ..	Merchant Taylors' Convalescent Home	1	1	—
		Princess Mary Convalescent Home	2	1	1
		Victoria Convalescent Home for Surrey Women..	—	—	—
		Scott Memorial Convalescent Home	2	2	—
86.—CHICHESTER..	1. Chichester ..	WORKHOUSE	37	22	15
		General Infirmary and Dispensary	39	20	19
		City of Chichester Isolation Hospital.. .. .	1	—	1
		West Sussex County Lunatic Asylum (Graylingwell Mental Hospital)	77	34	43
87.—MIDHURST ..	1. Midhurst ..	WORKHOUSE	14	9	5
		Edward VII. Sanatorium for Consumption ..	6	5	1
88.—WESTBOURNE	1. Westbourne ..	WORKHOUSE	10	7	3
		Isolation Hospital (Westbourne R.D.)	1	—	1
5.—Hampshire.					
89.—HAVANT ..	1. Havant* ..	WORKHOUSE	15	13	2
		Cottage Hospital, Emsworth	6	1	5
90.—PORTSMOUTH	2. Kingston and East Southsea.	Havant District Hospital (Infectious Diseases; Havant U.D. and R.D., and Warblington U.D.) ..	2	2	—
		WORKHOUSE	—	—	—
		WORKHOUSE Infirmary	440	241	199
		WORKHOUSE, Children's Homes	—	—	—
		Milton Hospital (Infec. Dis.; Portsmouth C.B.) ..	74	42	32
		R. M. A. Infirmary	1	1	—
		Women and Children's Hospital (R. M. A.) ..	—	—	—
		Home for Convalescent Children	—	—	—
		Rothbury Nursing Home	2	1	1
		Medical and Surgical Home†	2	—	2
	3. Portsea and Landport	Alexandra Nursing Home	1	1	—
		Portsmouth Borough Lunatic Asylum	126	68	58
		Royal Portsmouth, Portsea, and Gosport Hospital	150	82	68
		Military Families Hospital, Mill Dam	6	2	4
		Eye and Ear Infirmary	6	3	3
		Home of Comfort for Sick and Dying	10	1	9
		Princess Christian's Soldiers' and Sailors' Nursing Home	—	—	—
		St. Hellier's Nursing Home	13	5	8
		Home Hospital	5	1	4
		Nursing Home, Cottage Grove (Portsmouth Maternity Committee)	2	1	1
91.—ALVERSTOKE	1. Alverstoke ..	WORKHOUSE, (House of Industry)	43	26	17
		Naval Hospital, Haslar	69	69	—
		Isolation Hosp., Elson (Gosport & Alverstoke U.D.)	7	3	4
92.—FAREHAM ..	1. Fareham ..	WORKHOUSE	22	13	9
		Military Hospital, Hilsea	—	—	—
		Alexandra Hospital (Military), Portsdown Hill ..	14	14	—
		Isolation Hospital (Fareham R.D.)	3	—	3
		County Lunatic Asylum	101	47	54

* 89: 1.—In St. Andrews Home (Home for Deserted Mothers and Children) 1 death occurred during the year.

† 90: 2.—The Medical and Surgical Home was formerly situated in Portsmouth and Mid-Southsea sub-district (90: 4).

‡ 90: 4.—In Nazareth House, 9 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
5.—Hampshire—continued.					
93.—ISLE OF WIGHT	1. Cowes	Osborne House (Convalescent Home: Officers of Army and Navy)	—	—	—
		Port Sanitary Hospital Ship	—	—	—
		East Cowes Hospital (Frank James Memorial Hospital)	9	5	4
	2. Newport	<i>Criminal Lunatic Asylum, Parkhurst</i>	—	—	—
		WORKHOUSE	81	41	40
		Military Hospital, Parkhurst	1	1	—
	3. Ryde	<i>Isle of Wight Lunatic Asylum</i>	25	14	11
		Royal Isle of Wight County Hospital	39	21	18
	4. Brading	Borough Hospital (Infectious Diseases)	2	1	1
		Isolation Hospital, Scotchells (Sandown U.D. and Shanklin U.D.)	1	1	—
		Scio House Children's Surgical Hospital	1	1	—
	5. Godshill	Arthur Webster Memorial Hospital, Shanklin	4	2	2
		Royal National Consumption Hospital (Ventnor)	12	6	6
		St. Catherine's Home (Consumption)	2	2	—
		Convalescent Home (Royal Hants County Hospital)	—	—	—
94.—LYMINGTON ..	1. Lymington	Undercliffe Isolation Hospital (Joint Committee)	1	1	—
		WORKHOUSE	16	10	6
95.—CHRISTCHURCH	2. Milford	Temporary Isolation Hospital (Lymington M.B.)	—	—	—
		Milford Cottage Hospital	1	—	1
	1. Christchurch	WORKHOUSE	86	54	32
		WORKHOUSE, Cottage Homes	—	—	—
		Home Sanatorium (Consumption)	8	5	3
	2. Bournemouth	Isolation Hospital (Christchurch R.D.)	—	—	—
		Royal National Sanatorium for Consumption	6	6	—
		Herbert Convalescent Home	1	1	—
		Firs Home (Consumption)	16	8	8
		Royal Victoria Hospital	40	19	21
		St. Joseph's Convalescent Home	2	1	1
		Royal Boscombe and West Hants Hospital	44	19	25
		Invalids' Cottage Home	1	1	—
		Hahnemann Home	1	1	—
		Sanitary Hospital (Bournemouth C.B.)	10	5	5
96.—RINGWOOD ..	1. Ringwood	Glenbank Conval. Home (Sunday School Union)	—	—	—
		Home of Good Hope (Nursing Home)	4	1	3
97.—FORDING-BRIDGE	1. Fordingbridge	Victoria Nursing Home	3	2	1
		WORKHOUSE	1	1	—
98.—NEW FOREST	1. Lyndhurst	Linford Sanatorium (Consumption)	2	2	—
		WORKHOUSE	8	5	3
99.—SOUTHAMPTON	1. Fordingbridge	Cottage Hospital (Nursing Home)	1	1	—
		—	—	—
	1. Southamptn Eastern	Fenwick Cottage Hospital	2	1	1
		WORKHOUSE	11	5	6
		WORKHOUSE	53	27	26
		Royal South Hants and Southampton Hospital	149	91	58
		WORKHOUSE Infirmary*	133	91	42
		Shirley Children's Hospital*	2	—	2
		Isolation Hospital (Southampton C.B.)*	10	3	7
		Eye and Ear Hospital	—	—	—
	2. Southamptn Western	Grosvenor House Nursing Home	13	6	7
100.—SOUTH STONEHAM		Hospital Ship, "City of Adelaide"*	—	—	—
1. St. Mary Extra	Royal Victoria Hospital, Netley (including Female Hospital)	27	26	1	
	<i>Military Lunatic Hospital, Netley</i>	—	—	—	
2. South Stoneham	WORKHOUSE	38	22	16	
	Hospital for Infectious Dis. (South Stoneham R.D.)	—	—	—	
3. Millbrook	WORKHOUSE Infirmary (Southampton)*	125	79	46	
	Shirley Children's Hospital*	—	—	—	
	Isolation Hospital (Southampton C.B.)*	17	13	4	
	Hospital Ship, "City of Adelaide" (Sthmptn. C.B.)*	—	—	—	
101.—ROMSEY ..	1. Romsey	WORKHOUSE	29	17	12
		Romsey Nursing Home and Cottage Hospital	3	2	1
102.—STOCKBRIDGE	2. Stockbridge	WORKHOUSE	5	2	3
103.—WINCHESTER	1. Micheldever	Diamond Jubilee Hospital (Infectious Diseases: New Winchester R.D.)	2	—	2
		WORKHOUSE (Winchester)	47	27	20
	2. Winchester	Royal Hants County Hospital	67	41	26
		Victoria Hospital (Inf. Dis.: City of Winchester)	2	—	2
	4. Hursley	WORKHOUSE (Hursley)	6	5	1
104.—DROXFORD ..	3. Hambledon	WORKHOUSE	12	10	2
105.—CATHERINGTON.	1. Horndean	Shedfield Cottage Hospital	—	—	—
		WORKHOUSE	5	3	2
		Infectious Diseases Hospital (Catherington R.D.)	—	—	—

* Transferred by a change in boundary on 1st July, 1909 from Millbrook sub-district (100: 3) to Southampton Western sub-district (99: 2).

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
5.—Hampshire—continued.					
106.—PETERSFIELD	1. Petersfield	WORKHOUSE	14	11	3
		Cottage Hospital	4	3	1
		Isolation Hospital (Petersfield U.D. and R.D.)	1	—	1
107.—ALRESFORD .	2. Alresford	WORKHOUSE	11	7	4
108.—ALTON ..	1. Alton*	WORKHOUSE	30	20	10
		Cottage Hospital	2	2	—
		Isolation Hospital (Alton U.D.)	1	1	—
		Isolation Hospital, Faringdon (Alton R.D.)	—	—	—
109.—HARTLEY WINTNEY	1. Odiham	WORKHOUSE (District Schools)	—	—	—
		Fleet Cottage Hospital	5	3	2
	2. Farnborough	Connaught Hospital	26	26	—
		Cottage Hospital, Yateley	—	—	—
	3. Hartley Wintney	WORKHOUSE	30	18	12
		Moorcote Sanatorium, Eversley (Consumption)	—	—	—
110.—BASINGSTOKE	1. Basingstoke	WORKHOUSE	32	24	8
		Cottage Hospital	15	4	11
		Basingstoke Borough Infectious Diseases Hospital	2	1	1
111.—WHITCHURCH	1. Whitechurch	WORKHOUSE	8	5	3
		Isolation Hospital (Whitchurch R.D.)	3	2	1
112.—ANDOVER ..	2. Amport	Military Hospital (South Tedworth)	5	5	—
		WORKHOUSE	19	15	4
	3. Andover	Cottage Hospital	6	2	4
		Isolation Hospital (Pest House ; Andover M.B.)	—	—	—
113.—KINGSCLERE	2. Kingsclere	WORKHOUSE	13	6	7
		Isolation Hospital (Kingsclere Union)	—	—	—
6.—Berkshire.					
114.—NEWBURY ..	1. Newbury	WORKHOUSE	41	22	19
		Newbury District Hospital (General Diseases)	20	16	4
	3. Thatcham	Isolation Hospital (Newbury M.B.)	1	1	—
		St. Andrew's Home	—	—	—
		Children's Cottage Hospital	—	—	—
115.—HUNGERFORD	2. Hungerford	WORKHOUSE	21	13	8
116.—FARINGDON	2. Faringdon	WORKHOUSE	14	11	3
		Cottage Hospital	3	2	1
117.—ABINGDON ..	2. Abingdon	WORKHOUSE	35	20	15
		Cottage Hospital	4	3	1
		Isolation Hospital (Abingdon M.B. and R.D.)	1	—	1
118.—WANTAGE ..	1. Wantage	WORKHOUSE	12	8	4
		Cottage Hospital	9	5	4
119.—WALLING- FORD	1. Cholsey	WORKHOUSE, Cottage Homes	—	—	—
		County Lunatic Asylum	66	39	27
	2. Wallingford	WORKHOUSE	17	12	5
		Cottage Hospital	3	1	2
120.—BRADFIELD..	1. Bucklebury	Isolation Hospital (Wallingford M.B. and R.D., and Crowmarsh R.D.)	6	4	2
		WORKHOUSE	22	13	9
	2. Tilehurst	Park Hospital (Inf. Dis. ; Reading C.B.)	6	4	2
		Box Grove Cottage Sanatorium (Phthisis)	1	—	1
121.—READING ..	1. St. Mary	WORKHOUSE	77	47	30
		St. Helena Nursing Home	1	—	1
	2. St. Giles	Royal Berkshire Hospital	156	101	55
		Borough of Reading Sanatorium (Small-pox)	—	—	—
122.—WOKINGHAM	1. Wokingham	WORKHOUSE	22	13	9
		London Open-Air Sanatorium, Pinewood (Phthisis)	5	4	1
123.—MAIDEN- HEAD	1. Maidenhead	WORKHOUSE	33	23	10
		Cottage Hospital	9	7	2
		Infectious Diseases Hospital (Maidenhead M.B.)	2	1	1
124.—EASTHAMP- STEAD	1. Bracknell	WORKHOUSE	15	10	5
		Ascot Priory Convalescent Home	4	1	3
	2. Sandhurst	Criminal Lunatic Asylum, Broadmoor	24	22	2

* 108 : 1.—In Westbrooke House, a private Lunatic Asylum, 4 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
6.—Berkshire—continued.					
125.—WINDSOR ..	1. Egham	Egham Cottage Hospital, Englefield Green ..	3	1	2
		Royal Victoria Cottage Nursing Home ..	6	4	2
		Holloway Sanatorium	23	12	11
	2. Windsor	WORKHOUSE	58	38	20
		St. Andrew's Convalescent Hospital ..	9	4	5
		Windsor and Eton Royal Infirmary and Dispens.*	4	4	—
		Station Hospital	—	—	—
		Borough of New Windsor Sanatorium ..	—	—	—
		Prince Christian Victor Nursing Home ..	2	1	1
		King Edward VII. Hospital*	31	22	9
III.—SOUTH MIDLAND DIVISION.					
7.—Middlesex.					
126.—STAINES ..	1. Sunbury†	WORKHOUSE (West London District School) ..	2	1	1
	2. Staines	WORKHOUSE	57	34	23
127.—UXBRIDGE ..	1. Hillingdon‡ ..	Cottage Hospital	4	2	2
		WORKHOUSE	63	38	25
		Cottage Hospital	4	4	—
	2. Uxbridge	Hospital for Inf. Diseases (Uxbridge U.D. & R.D.)	1	1	—
		Consumption Hospital (Branch of Mount Vernon Hospital, Hampstead)	7	2	5
		WORKHOUSE (Marylebone School)	—	—	—
	3. Hayes§	Cottage Hospital	2	1	1
		Small-pox Hospital (Uxbridge U.D. & R.D.)	—	—	—
		Sanatorium (Southall Norwood U.D.) ..	1	1	—
		London County Lunatic Asylum, Hanwell ..	209	114	95
128.—BRENTFORD	1. Isleworth ..	WORKHOUSE	12	4	8
		WORKHOUSE Infirmary	346	194	152
		WORKHOUSE School	—	—	—
		Hounslow Hospital	8	4	4
		Mogden Isolation Hospital (Richmond M.B. and Heston & Isleworth U.D.)	6	2	4
		Military Isolation Hospital, Hounslow Heath ..	—	—	—
		Small-pox Hospital (Richmond M.B. and Heston & Isleworth U.D.), Dockwell	—	—	—
		St. John's Hospital	25	20	5
		Isolation Hospital (Twickenham U.D.)¶ ..	3	2	1
		Nightingale Nursing Home	1	—	1
	3. Brentford	Cottage Hospital, Brentford	4	2	2
		Cottage Hospital, Ealing	17	9	8
		Brentford Isolation Hospital	2	—	2
		Ealing Isolation Hospital	3	3	—
	4. Chiswick** ..	Isolation Hospital (Chiswick U.D.)	6	3	3
		St. Joseph's Hos. for Incurable Women and Childn.	11	—	11
	5. Acton	WORKHOUSE (Central London District School) ..	2	—	2
		St. Joseph's Convalescent Home	—	—	—
		Acton Cottage Hospital	24	13	11
		Hanwell Cottage Hospital	2	2	—
		Acton Isolation Hospital	22	10	12
129.—WILLESDEN	1. Willesden	WORKHOUSE and Infirmary (Willesden) ..	177	97	80
		Willesden Cottage Hospital	23	11	12
		St. Monica's Home	8	3	5
		Isolation Hospital (Willesden U.D.)	33	19	14
		Cottage Hospital	12	7	5
130.—HENDON ..	1. Harrow	Isolation Hospital (Harrow on the Hill U.D.)	1	1	—
		St. Mary of Nazareth Home for Incurables (The Priory)	2	—	2
		Cottage Hospital	1	—	1
	2. Edgware	Small-pox Hospital (Willesden U.D.) ..	—	—	—
		Infectious Diseases Hospital (Hendon R.D.) ..	3	3	—
		WORKHOUSE (Hendon)	51	35	16
		WORKHOUSE Schools	—	—	—
		WORKH. Infirmary (Central London Sick Asylum)	70	32	38
		Infectious Diseases Hospital (Hendon U.D.) ..	1	—	1
		Cottage Hospital	4	2	2
	3. Hendon	Small-pox and Vaccination Hospital ..	—	—	—
		Isolation Hospital (Barnet U.D.)	—	—	—
		Convalescent Home (British Lying-in Hospital)..	—	—	—
		WORKHOUSE	63	38	25
		Isolation Hospital (Barnet U.D. & R.D., and East Barnet Valley U.D.)	2	—	2
		Victoria Cottage Hospital	8	3	5
		Children's Home Hospital	—	—	—
131.—BARNET ..	1. South Mimms ..	Woodside Home for Incurable and Infirm Women	9	—	9
		Conv. Home of National Hosp. for Pars. and Epily.	4	2	2
		Isolation Fever Hospital (Finchley U.D.) ..	—	—	—
	2. Barnet	Finchley Cottage Hospital	11	6	5
		London County Lunatic Asylum, Colney Hatch ..	259	124	135
		—	—	—
	3. Finchley	—	—	—
		—	—	—
		—	—	—
		—	—	—

* 125: 2.—The King Edward VII. Hospital was opened during the year in place of the Windsor and Eton Royal Infirmary and Dispensary.

† 126: 1.—In Halliford House, a private Lunatic Asylum, 1 death occurred during the year.

‡ 127: 1.—In Moorcroft House (and Laurel Lodge), a private Lunatic Asylum, 4 deaths occurred during the year.

§ 127: 3.—In Hayes Park private Lunatic Asylum, 1 death occurred during the year.

|| 128: 1.—In Wyke House, a private Lunatic Asylum, 2 deaths occurred during the year.

¶ 128: 2.—Including deaths in the temporary Fever Hospital (Cross Deep) and the Cottage Fever Hospital, both these hospitals being closed during the year.

** 128: 4.—In Chiswick House, a private Lunatic Asylum, 2 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909--continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
7.—Middlesex—continued.					
132.—EDMONTON..	1. Hornsey	Conval. Hospital for Children (Cromwell House)	1	1	—
		Isolation Hos. (Hornsey M.B., Finchley U.D., and Wood Green U.D.)	25	10	15
	2. Wood Green	WORKHOUSE (Shoreditch)	16	11	5
		Passmore Edwards Hospital	112	52	60
	3. West Tottenham ..	North Eastern Fever Hospital (Met. Asy. Bd.) ..	188	110	78
	4. East Tottenham ..	Prince of Wales General Hosp. (Tottenham Hosp.)	20	11	9
		Home and Hospital for Jewish Incurables ..	342	188	154
	5. Edmonton	WORKHOUSE	52	29	23
		WORKHOUSE (Strand)	1	—	1
		WORKHOUSE (Strand Union Industrial Sch.) ..	2	—	2
		Northern Fever Hospital (Met. Asy. Bd.) ..	—	—	—
		Temp. Isolation Hos. (Small-pox ; Edmonton U.D.)	1	—	1
	6. Enfield	Isolation Hospital (Southgate U.D.)	39	13	26
		WORKHOUSE	2	—	2
		WORKHOUSE (Chase Farm Schools)	20	10	10
		Enfield and Edmonton Joint Isolation Hospital ..	36	16	20
	7. Waltham Abbey ..	Isolation Hospital (Waltham Holy Cross, Chingford, and Buckhurst Hill U.D's.)	3	2	1
		Cottage Hospital	3	2	1
	8. Cheshunt	Isolation Hospital (Cheshunt U.D.)	5	2	3
		8.—Hertfordshire.			
133.—WARE ..	3. Ware	WORKHOUSE	38	24	14
134.—BISHOP STORTFORD	1. Stortford	WORKHOUSE	46	27	19
		Isolation Hosp., Gt. Hallingbury (Bishop Stort. U.D.)	3	3	—
		Isolation Hospital (Sawbridgeworth U.D. Hadham R.D. & Stansted R.D.)	—	—	—
		Bishop Stortford Hospital	10	7	3
135.—ROYSTON ..	3. Braughing	Children's Home, Much Hadham (Convalescent) ..	1	—	1
		WORKHOUSE (Buntingford)	10	6	4
	1. Buntingford	Isolation Hospital (Buntingford R.D.)	—	—	—
		Cottage Hospital	5	3	2
136.—HITCHIN ..	2. Hitchin	WORKHOUSE (Royston)	14	9	5
		Isolation Hospital (Royston U.D. and Ashwell and Melbourn R.D's.)	1	1	—
		WORKHOUSE	39	25	14
		North Herts and South Beds Hospital	17	12	5
137.—HERTFORD ..	1. Watton	St. Luke's Home of Rest	2	—	2
		German Hospital Convalescent Home	1	1	—
		Small-pox Hospital (Hertford and Ware Jt. Bd.) ..	—	—	—
		WORKHOUSE	22	14	8
138.—HATFIELD ..	2. Hertford	Hertford County Hospital	28	14	14
		Hertford and Ware Joint Fever Hospital	7	5	2
		WORKHOUSE (Hatfield)	4	2	2
		Chantry House Sanatorium (Consumption) ..	—	—	—
139.—ST. ALBANS ..	2. Welwyn	WORKHOUSE (Welwyn)	2	2	—
		Isolation Hospital (Welwyn R.D.)	—	—	—
		Memorial Cottage Hospital	—	—	—
		WORKHOUSE	43	22	21
140.—WATFORD ..	2. St. Albans	Hospital and Dispensary	18	8	10
		Sisters' Hospital (Infectious Diseases)	—	—	—
		Herts County Lunatic Asylum, Hill End	47	25	22
		Middlesex County Lunatic Asylum, Napsbury ..	113	62	51
141.—HEMEL HEMPSTEAD	2. St. Albans	WORKHOUSE	9	5	4
		Convalescent Home, "Myholme," Bushey ..	—	—	—
		WORKHOUSE	70	43	27
		WORKHOUSE, Children's Homes	—	—	—
142.—BERKHAMPSTEAD	1. Bushey	Watford District Hospital	13	7	6
		Isolation Hospital (Watford U.D. & R.D.) ..	4	2	2
		Holywell Hosp. (Small-pox ; Watford U.D. and R.D. and Rickmansworth U.D.)	—	—	—
		WORKHOUSE (St. Pancras Schools)	1	—	1
143.—WATFORD ..	2. Watford	Leavesden Imbecile Asylum (Met. Asy. Bd.) ..	209	89	120
		WORKHOUSE	29	23	6
		West Herts Hospital	28	16	12
		King's College Hospital Convalescent Home ..	1	—	1
144.—WATFORD ..	1. Hemel Hempstead ..	Isolation Hospital (Hemel Hempstead R.D.) ..	1	—	1
		WORKHOUSE	13	10	3
145.—WATFORD ..	2. Tring	Infect. Diseases Hospital (Berkhampstead R.D.) ..	—	—	—
		Infectious Diseases Hospital (Tring U.D.)	4	2	2

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continue .

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
9.—Buckinghamshire.					
143.—AMERSHAM..	2. Chesham	Cottage Hospital	5	4	1
		Fever Hospital (Chesham U.D.)	—	—	—
	3. Amersham	WORKHOUSE	30	19	11
	4. Chalfont	Cottage Hospital	—	—	—
144.—ETON	1. Eton	WORKHOUSE	36	22	14
		Bell Farm Hospital (Infectious Dis.; Eton U.D.) ..	—	—	—
		Cottage Hospital	3	2	1
145.—WYCOMBE ..		Convalescent Home for Children (Fairview) ..	—	—	—
	2. Burnham	Burnham Isolation Hospital (Eton R.D.) ..	2	2	—
	1. Wycombe	Cottage Hospital	12	8	4
	2. Marlow	Cottage Hospital	3	1	2
		Isolation Hospital, Clay Lane (Wycombe R.D.) ..	2	2	—
		Isolation Hosp., Booker (Chepping Wycombe M.B.)	1	—	1
	4. Stokenchurch ..	WORKHOUSE	41	27	14
146.—AYLESBURY		WORKHOUSE School	—	—	—
	1. Haddenham	County Lunatic Asylum	77	40	37
	2. Aylesbury	WORKHOUSE	26	17	9
		Royal Buckinghamshire Hospital	26	17	9
147.—WINSLOW ..	1. Winslow	Isolation Hospital (Aylesbury U.D.)	—	—	—
		WORKHOUSE	11	6	5
148.—NEWPORT PAGNELL	2. Newport Pagnell ..	WORKHOUSE	18	14	4
149.—BUCKINGHAM	1. Buckingham	WORKHOUSE	16	11	5
		Nursing Home	7	2	5
		Isolation Hospital (Buckingham M.B.)	1	1	—
10.—Oxfordshire.					
150.—HENLEY ..	1. Henley	WORKHOUSE	26	17	9
		Smith Isolation Hospital (Henley R.D. and Hambleton R.D.) ..	2	1	1
		Consumption Sanatorium (Kingswood and Maitland Cottage)	3	2	1
	3. Watlington	Watlington Cottage Hospital	3	2	1
151.—THAME ..	2. Thame	Henley and Wallingford Joint Small-pox Hospital	—	—	—
		WORKHOUSE	15	8	7
		Small-pox Hospital (Thame U.D.)	—	—	—
		Small-pox Hospital (Thame and Long Crendon Rural Districts)	—	—	—
		White House Infectious Dis. Hosp. (Thame U.D.)	—	—	—
152.—HEADINGTON	1. Wheatley	Victoria Nursing Home (S. Oxon Benefit Nursing Association)	4	—	4
		Small-pox Hospital (City of Oxford)	—	—	—
	2. St. Clement	Small-pox Hospital (Headington R.D.)	—	—	—
		WORKHOUSE (Headington)	21	14	7
		WORKHOUSE (Oxford)	42	24	18
		WORKHOUSE (Cowley Poor Law School: Oxford and several Unions)	1	—	1
		Infectious Diseases Hospital (Headington R.D.) ..	—	—	—
		Radcliffe Infirmary	123	71	52
		National Hospital for Incurables (St. John's) ..	2	—	2
		Oxford Eye Hospital	2	2	—
		Acland Nursing Home	5	2	3
		Wingfield Convalescent Home	—	—	—
		Oxford County and City Lunatic Asylum, Littlemore..	80	45	35
		Warneford Asylum (Lunatic Hospital)	6	3	3
153.—OXFORD ..	1. Oxford	Corporation Hospital (Infectious Diseases) ..	—	—	—
154.—BICESTER ..	1. Bletchington	Isolation Hospital (Bicester R.D.)	—	—	—
	2. Bicester	WORKHOUSE	16	14	2
		Sanatorium (Bicester U.D. and R.D.)	2	1	1
155.—WOODSTOCK	2. Woodstock	WORKHOUSE	14	10	4
156.—WITNEY ..	3. Witney	WORKHOUSE	27	16	11
	4. Burford	Cottage Hospital	2	1	1
157.—CHIPPING NORTON	2. Chipping Norton ..	WORKHOUSE	18	8	10
158.—BANBURY ..	4. Banbury	WORKHOUSE	39	27	12
		Horton Infirmary	22	16	6
		Isolation Hospital, Grimsbury (Banbury M.B.) ..	—	—	—
		Isolation Hospital, Neithrop (Banbury M.B.) ..	—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
11.—Northamptonshire.					
159.—BRACKLEY ..	1. Brackley	WORKHOUSE Cottage Hospital	7 2	3 2	4 —
160.—TOWCESTER	1. Towcester	WORKHOUSE	9	3	6
161.—POTTERSPURY	1. Potterspury	WORKHOUSE	6	4	2
162.—HARDING- STONE	2. Hardingstone	WORKHOUSE Infectious Diseases Hospital (Hardingstone R.D.) Small-pox Hospital (Hardingstone R.D.)	8 — —	6 — —	2 — —
163.—NORTHAMP- TON	1. St. Giles	WORKHOUSE WORKHOUSE, Scattered Homes General Hospital St. John's Hospital (Convalescent Home) St. Andrew's Lunatic Hospital County Lunatic Asylum	127 — 123 — 25 87	76 — 67 — 10 41	51 — 56 — 15 46
164.—DAVENTRY ..	2. Daventry	WORKHOUSE WORKHOUSE, Cottage Home for Children Borough of Daventry Sanatorium	24 — —	13 — —	11 — —
165.—BRIXWORTH	2. East Brixworth	WORKHOUSE Northampton Borough Hospital (Infect. Dis.) .. Northampton Borough Consumption Hospital .. WORKHOUSE Epidemic Hospital (Wellingborough U.D.) .. Wellingborough Cottage Hospital	9 10 8 42 — 6	6 8 4 32 — 3	3 2 4 10 — 3
167.—KETTERING..	1. Burton Latimer .. 2. Kettering	WORKHOUSE, Cottage Homes WORKHOUSE Kettering Urban District Hospital (Infect. Dis.) .. Kettering and District General Hospital Small-pox Hospital (Kettering U.D.)	— 52 5 27 —	— 34 3 19 —	— 18 2 8 —
168.—THRAPSTON..	1. Thrapston	WORKHOUSE	9	8	1
169.—Oundle ..	1. Oundle	WORKHOUSE Isolation Hospital (Oundle R.D.)	12 1	10 —	2 1
170.—PETER- BOROUGH	2. Peterborough	WORKHOUSE Peterborough Infirmary Fever Sanatorium (City of Peterborough) .. Small-pox Hospital (City of Peterborough)	44 42 5 —	24 25 2 —	20 17 3 —
12.—Huntingdonshire.					
171.—HUNTINGDON	1. Ramsey 4. Huntingdon	Isolation Hospital (Ramsey U.D.) WORKHOUSE County Hospital Spring House (Small-pox; Huntingdon M.B.) .. Fever Hospital (Huntingdon M.B.)	1 29 28 — 1	— 16 19 — —	1 13 9 — 1
172.—ST. IVES ..	4. St. Ives	WORKHOUSE	18	12	6
173.—ST. NEOTS ..	2. Kimbolton	WORKHOUSE	16	9	7
13.—Bedfordshire.					
174.—BEDFORD ..	4. Bedford and Kempston* 5. Bedford and Car- dington	WORKHOUSE Isolation Hospital (Bedford R.D.) County Hospital Isolation Hospital (Bedford M.B.)	45 2 58 1	30 1 28 —	15 1 30 1
175.—BIGGLESWADE	1. Biggleswade 2. Stotfold	WORKHOUSE Small-pox Hospital (Joint Hospital Board) .. Isolation Hospital (Biggleswade R.D.) Beds, Herts, and Hunts Counties Lunatic Asylum ..	17 — — 70	9 — — 38	8 — — 32
176.—AMPTHILL ..	2. Ampthill 4. Woburn	WORKHOUSE Infectious Diseases Hosp. (Ampthill U.D. & R.D.) Small-pox Hospital (Ampthill U.D. & R.D.) .. Woburn Cottage Hospital Daneswood Sanatorium for Consumption	14 — — 6 —	7 — — 2 —	7 — — 4 —
177.—LEIGHTON BUZZARD	1. Leighton Buzzard ..	WORKHOUSE Infectious Diseases Hosp. (Leighton Buzzard U.D.) Small-pox Hospital, Billington (Leighton Buzzard and Linslade U.D.'s) Grove Infect. Dis. Hosp. (Linslade U.D. & Wing R.D.) Infectious Diseases Hospital, Kensworth Lane (Eaton Bray R.D.)	19 — — — — —	9 — — — — —	10 — — — — —

* 174: 4.—In Springfield House, a private Lunatic Asylum, 6 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
13.—Bedfordshire—continued.					
178.—LUTON ..	1. Dunstable	Isolation Hospital (Dunstable M.B., Luton R.D., and Eaton Bray R.D.)	2	2	—
		WORKHOUSE	70	45	25
	2. Luton	WORKHOUSE, Children's Homes, Dunstable Road	—	—	—
		Bute Hospital.. .. .	16	6	10
		Children's Convalescent Home, London Road ..	6	5	1
		Spittlesea Cottage Hosp. (Inf. Dis.; Luton M.B.) ..	1	1	—
14.—Cambridgeshire.					
179.—CAXTON ..	1. Caxton	WORKHOUSE	15	12	3
180.—CHESTERTON	1. Chesterton	WORKHOUSE	35	20	15
		Isolation Hospital, Histon (Chesterton R.D.) ..	—	—	—
	2. Cherry Hinton ..	Small-pox Hospital (Cambridge M.B.)	—	—	—
		County Lunatic Asylum	75	39	36
181.—CAMBRIDGE	1. St. Andrew the Less..	WORKHOUSE	72	44	28
		Borough Sanatorium	9	3	6
	2. St. Andrew the Great	Addenbrooke's Hospital	111	62	49
		Nursing Hostel	3	2	1
182.—LINTON ..	2. Linton	WORKHOUSE	13	11	2
183.—NEWMARKET	2. Newmarket	WORKHOUSE	51	26	25
		Infectious Diseases Hospital (Newmarket R.D.) ..	3	1	2
		Rous Memorial Hospital	1	1	—
184.—ELY	3. Ely	WORKHOUSE	37	22	15
185.—NORTH WITCHFORD	1. Chatteris	WORKHOUSE	28	15	13
	2. March	Infectious Diseases Hospital (March U.D.)	—	—	—
186.—WHITTLESEY	1. Whittlesey	WORKHOUSE	16	10	6
187.—WISBECH ..	2. Wisbech	WORKHOUSE	38	22	16
		North Cambridge Cottage Hospital	10	7	3
		Hospital for Infect. Dis. (Wisbech M.B. & R.D.) ..	4	3	1
IV.—EASTERN DIVISION.					
15.—Essex.					
188.—WEST HAM..	1. Stratford	West Ham Hospital.. .. .	55	35	20
		WORKHOUSE (Parish of Poplar Borough)	24	24	—
		Plaistow Fever Hospital (West Ham C.B.)	74	44	30
	3. Plaistow	St. Mary's Children's Hospital	56	27	29
		Medical Mission Hospital.. .. .	19	4	15
		Seamen's Hospital (Branch)	36	35	1
	5. South East Ham*	East Ham Isolation Hospital	29	14	15
		Convalescent Fever Hospital	—	—	—
		WORKHOUSE (St. George-in-East Industrial Sch.)	1	—	1
	6. North East Ham	Passmore Edwards East Ham Accident Hospital	10	5	5
		Wanstead†	—	—	—
		Wanstead Urban District Infectious Dis. Hospital	—	—	—
	8. South Leyton ..	WORKHOUSE	353	173	180
		WORKHOUSE Infirmary	1002	587	415
		WORKHO. (Forest Ho., and Guardians' Cottages)..	1	1	—
	9. North Leyton ..	WORKHOUSE (Bethnal Green School)	—	—	—
		Leyton Isolation Hospital	23	9	14
10. Walthamstow ..		Children's and General Hospital	31	13	18
	Woodford Jubilee Hospital	12	4	8	
	County Lunatic Asylum (Chestnuts Branch)	4	—	4	
189.—EPPING ..	1. Chigwell.. ..	Infectious Diseases Hospital (Walthamstow U.D.)	16	8	8
		Buckhurst Hill Village Hospital	7	5	2
		Medical Provident Home	6	3	3
		Mansfield Convalescent Home	—	—	—
		WORKHOUSE	43	29	14
		Infectious Diseases Hospital (Epping R.D.) ..	4	2	2
190.—ONGAR ..	2. Chipping Ongar ..	WORKHOUSE	17	12	5
		WORKHOUSE (Hackney Union School)	—	—	—

* 188: 5.—In St. Elizabeth's Home, a Maternity Home, 25 deaths occurred during the year.
† 188: 7.—In the Infant Orphan Asylum, Wanstead, no death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
15.—Essex—continued.						
191.—ROMFORD ..	1. Romford.. ..	WORKHOUSE	145	82	63	
		Victoria Cottage Hospital	8	7	1	
		Dagenham Isolation Hosp. (Romford U.D. & R.D.)	11	8	3	
		Small-pox Hospital (West Ham C.B.)	—	—	—	
	2. Ilford*	Isolation Hospital (Ilford U.D.)	7	6	1	
		London County Lunatic Asylum, Claybury	233	105	128	
		West Ham Borough Lunatic Asylum	79	42	37	
		Upney Infectious Dis. Hosp. (Barking Town U.D.)	10	6	4	
	3. Barking Town.. ..	WORKHOUSE (Shoreditch Cottage Homes)	2	2	—	
		County Lunatic Asylum (Harold Court Branch)	3	3	—	
192.—ORSETT ..	1. Grays	WORKHOUSE School, Stifford (Stepney Union)	—	—	—	
		WORKHOUSE Cottage Home, Grays (Whitechapel)	—	—	—	
		Isolation Hospital (Orsett R.D.)	3	2	1	
		Cottage Hospital	17	14	3	
	2. Orsett	WORKHOUSE	41	25	16	
	193.—BILLERICAY	1. Brentwood	WORKHOUSE (Branch Hackney Union), Brentwood	12	7	5
			WORKHOUSE (Separate Infant School, Hackney Union), Brentwood	—	—	—
			WORKHOUSE (Parish of Poplar Borough), Laindon	—	—	—
			WORKHOUSE (Training School: Parish of Poplar Borough), Hutton.. .. .	2	—	2
2. Wickford		Cottage Hospital	3	2	1	
		Military Hospital	—	—	—	
		County Lunatic Asylum	237	114	123	
		WORKHOUSE	26	15	11	
194.—CHELMSFORD		1. Ingatestone	Infectious Diseases Hospital (Billericay R.D.)	2	2	—
			WORKHOUSE	51	32	19
	2. Chelmsford	Chelmsford and Essex Hospital	17	10	7	
		Isolation Hospital (Joint Hospital Board), Galleywood Road	—	—	—	
195.—ROCHFORD ..	1. Rochford	Isolation Hospital (Joint Hospital Board)	1	1	—	
		WORKHOUSE	67	46	21	
		Hospital for Infectious Diseases, Eastwood (Shoeburyness U.D. and Rochford R.D.)	5	1	4	
		Small-pox Hospital, Eastwood (Shoeburyness U.D. and Rochford R.D.)	—	—	—	
	2. Prittlewell†	Southend Victoria Hospital	25	14	11	
		Sanatorium (Southend on Sea M.B.)	5	2	3	
	196.—MALDON ..	2. Maldon	Small-pox Hospital (Southend on Sea M.B.)	—	—	—
			WORKHOUSE	44	26	18
		3. Tollesbury	Sanatorium (Tuberculosis)	—	—	—
			Heybridge Isolation Hospital (Maldon Joint Hospital Board)	2	2	—
197.—TENDRING ..	1. Clacton	Isolation Hospital (Clacton U.D.)	1	—	1	
		Cottage Hospital (Clacton-on-Sea)	3	2	1	
		Essex Convalescent Home	—	—	—	
		Middlesex Hospital Convalescent Home	—	—	—	
	2. Thorpe.. ..	Crossley House (Branch of Eastern Counties Asylum for Idiots)	3	1	2	
		WORKHOUSE	52	33	19	
		3. Harwich.. ..	Hospital for Infectious Diseases (Harwich M.B.)	3	—	3
			Port Sanitary Hospital Ship	—	—	—
	4. Manningtree	County Lunatic Asylum (Brunswick House Branch)	4	—	4	
198.—COLCHESTER	1. Colchester South East	Station Hospital (Military Hospital)	5	5	—	
		Military Families' Hospital†	2	1	1	
	2. Colchester North West	WORKHOUSE	55	30	25	
		Infectious Diseases Hospital (Colchester M.B.)	1	1	—	
		Essex County Hospital	52	36	16	
		Eastern Counties Asylum for Idiots	5	3	2	
199.—LEXDEN ..	2. Stanway.. ..	WORKHOUSE	28	20	8	
200.—HALSTEAD ..	1. Halstead.. ..	WORKHOUSE	28	11	17	
		Fever Hospital (Halstead U.D.)	—	—	—	
	2. Hedingham	Cottage Hospital	1	1	—	
		Isolation Hosp., Castle Hedingham (Halstead R.D.)	—	—	—	
201.—BRAINTREE	2. Bocking	WORKHOUSE	55	30	25	
		Cottage Hospital	—	—	—	
	5. Braintree	Joint Hosp. for Inf. Dis. (Braintree U.D. and R.D.)	1	—	1	
202.—DUNMOW ..	1. Dunmow	WORKHOUSE	27	21	6	
		Cottage Hospital	5	4	1	
	2. Thaxted	Isolation Hospital (Dunmow R.D.)	—	—	—	
		Maternity Home, Great Easton	2	1	1	
203.—SAFFRON WALDEN	2. Saffron Walden	WORKHOUSE	25	13	2	
		Saffron Walden Hospital	18	12	6	
		Isolation Hospital (Saffron Walden M.B. & R.D.)	1	—	1	

* 191 : 2.—In Dr. Barnardo's Girls' Village Home (including Infirmary) 17 deaths occurred during the year.

† 195 : 2.—In Nazareth House 10 deaths occurred during the year.

‡ Closed during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
16.—Suffolk.					
204.—RISBRIDGE ..	1. Haverhill	WORKHOUSE Hospital for Infectious Diseases (Haverhill U.D.) ..	32 —	20 —	12 —
205.—SUDBURY ..	2. Bures	East Anglian Sanatorium (Consumption)	6	5	1
	3. Sudbury	WORKHOUSE	45	23	22
		St. Leonard's Hospital Infectious Diseases Hospital (Sudbury M.B.) ..	14 —	8 —	6 —
206.—COSFORD ..	2. Hadleigh	WORKHOUSE	14	10	4
207.—BURY ST. EDMUNDS	2. Bury St. Edmunds ..	WORKHOUSE	26	13	13
		Suffolk General Hospital	41	26	15
		Sanitary Hospital (Bury St. Edmunds M.B.) ..	1	1	—
208.—MILDENHALL	1. Mildenhall	WORKHOUSE	16	9	7
		Cottage Hospital	2	2	—
209.—STOW	2. Rattlesden	WORKHOUSE	20	13	7
	3. Stowmarket	Infectious Diseases Hospital (Stowmarket U.D.) ..	—	—	—
210.—HARTISMERE	1. Mendlesham	WORKHOUSE	37	22	15
211.—BOSMERE ..	1. Coddensham	WORKHOUSE	45	27	18
		Infectious Dis. Hosp. (Bosmere and Claydon R.D.) ..	1	1	—
212.—SAMFORD ..	1. Capel St. Mary ..	Cottage Hospital, East Bergholt*	1	1	—
	2. Holbrook	WORKHOUSE	23	16	7
		Royal Naval Sick Quarters	8	8	—
213.—IPSWICH ..	2. Ipswich Eastern ..	WORKHOUSE (Ipswich and Woodbridge)	95	60	35
		WORKH. School (St. John's Home : Several Unions)	1	—	1
		East Suffolk and Ipswich Hospital	71	42	29
		Ipswich Borough Fever Hospital	10	3	7
		Ipswich Borough Lunatic Asylum	38	19	19
214.—WOODBRIDGE	2. Colneis	Suffolk Convalescent Home, Walton	—	—	—
	3. Woodbridge & Wilford	Infectious Diseases Hospital (Woodbridge U.D.) ..	—	—	—
		County Lunatic Asylum	118	60	58
215.—PLOMESGATE	2. Orford	WORKHOUSE	22	9	13
		The Hospital, Sudbourne	—	—	—
216.—BLYTHING ..	2. Southwold	WORKHOUSE	28	15	13
		Patrick Stead Hospital	3	1	2
		Cottage Hospital	3	2	1
217.—WANGFORD	2. Beccles	WORKHOUSE	17	10	7
		Beccles Hospital	5	4	1
		Isolation Hospital (Beccles M.B.)	—	—	—
218.—MUTFORD ..	1. Oulton Broad	WORKHOUSE	52	24	28
		Isolation Hospital (Mutford and Lothingland R.D.) ..	1	—	1
		Sanatorium (Lowestoft M.B.)	4	—	4
		Lowestoft Hospital	21	14	7
		Convalescent Home	—	—	—
17.—Norfolk.					
219.—YARMOUTH..	1. Yarmouth Southern	Great Yarmouth Hospital	45	31	14
		Military Hospital	1	1	—
		Royal Naval Lunatic Hospital	23	23	—
	2. Yarmouth Northern	WORKHOUSE	105	61	44
		Isolation Hospital (Great Yarmouth C.B.) ..	3	1	2
		Convalescent Home for Children	—	—	—
	3. Gorleston	Cottage Hospital	9	5	4
		Isolation Hospital for Small-pox and Cholera (Great Yarmouth C.B.) ..	—	—	—
220.—FLEGG ..	2. West Flegg	WORKHOUSE	15	8	7
221.—SMALLBURGH	2. Smallburgh	WORKHOUSE	9	8	1
222.—ERPINGHAM	1. Cromer	Mundesley Sanatorium for Tuberculosis	1	1	—
		Cottage Hospital	7	3	4
		Fletcher Convalescent Home	—	—	—
		Isolation Hospital (Cromer U.D.)	1	—	1
		WORKHOUSE	13	9	4
	2. Sheringham	Kelling Sanatorium for Consumption	1	1	—

* Closed during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
17.—Norfolk—continued.						
223.—AYLSHAM ..	2. Buxton	WORKHOUSE	18	6	12	
224.—ST. FAITH'S ..	1. St. Faith's	WORKHOUSE	17	10	7	
		Small-pox Hospital (City of Norwich)	—	—	—	
		Norwich City Lunatic Asylum	44	15	29	
225.—NORWICH ..	1. East Wymer*	—	—	—	—	
	2. West Wymer†	WORKHOUSE	146	88	58	
		Norwich Iron Hospital (Small-pox)	—	—	—	
		Norfolk and Norwich Eye Infirmary	—	—	—	
		Norwich Isolation Hospital	26	13	13	
		Norfolk and Norwich Hospital	136	82	54	
		Jenny Lind Infirmary	34	21	13	
		Bethel Lunatic Hospital	5	4	1	
226.—FOREHOE ..	2. Wymondham	WORKHOUSE	13	9	4	
		Isolation Hospital (Forehoe R.D.)	1	—	1	
227.—HENSTEAD ..	1. Humbleyard	WORKHOUSE	10	6	4	
228.—BLOFIELD ..	1. Blofield	WORKHOUSE	8	4	4	
		County Lunatic Asylum	89	39	50	
229.—LODDON ..	1. Aldeby	All Hallows Hospital	4	1	3	
	2. Loddon	WORKHOUSE	10	6	4	
230.—DEPWADE ..	1. Harleston	WORKHOUSE	34	16	18	
	2. Diss	The Hospital, Diss	1	1	—	
231.—WAYLAND ..	1. Attleborough	WORKHOUSE	11	5	6	
	2. Watton	Victoria Cottage Hospital	2	1	1	
232.—MITFORD ..	4. East Dereham	WORKHOUSE	24	11	13	
233.—WALSINGHAM	2. Walsingham	WORKHOUSE	22	13	9	
234.—DOCKING ..	2. Snettisham	WORKHOUSE	16	9	7	
		Convalescent Home	—	—	—	
		Isolation Hospital (New Hunstanton U.D.) ..	—	—	—	
235.—FREEBRIDGE LYNN	2. Gayton	WORKHOUSE	9	5	4	
236.—KING'S LYNN	2. South King's Lynn ..	WORKHOUSE	29	18	11	
		West Norfolk and Lynn Hospital	30	16	14	
		Fever Hospital (King's Lynn M.B.)	—	—	—	
237.—DOWNHAM ..	2. Downham	WORKHOUSE (Howdale Home)	14	6	8	
238.—SWAFFHAM	1. Swaffham	WORKHOUSE	6	2	4	
		Cottage Hospital	—	—	—	
		Isolation Hospital (Swaffham U.D. and R.D.) ..	—	—	—	
239.—THETFORD ..	2. Thetford	WORKHOUSE	16	14	2	
		Cottage Hospital	2	2	—	
V.—SOUTH WESTERN DIVISION.						
18.—Wiltshire.						
240.—SWINDON ..	1. Highworth	WORKHOUSE	61	31	30	
		Overflow Isolation Hospital (Swindon M.B.) ..	—	—	—	
			7	7	—	
		2. Swindon	G.W.R. Medical Fund Hospital	12	8	4
			Victoria Hospital	6	3	3
		Isolation Hospital (Swindon M.B.)	—	—	—	
241.—CRICKLADE ..	1. Wootton Bassett	Isolation Hospital (Cricklade & Wootton Bassett R.D.)	1	—	1	
	2. Cricklade	WORKHOUSE	10	6	4	
242.—MALMESBURY	1. Malmesbury Eastern	Convalescent Home for Children	—	—	—	
		2. Malmesbury Western	WORKHOUSE	14	9	5
			Cottage Hospital	7	3	4

* 225 : 1.—In the Great Hospital (an Almshouse) 19 deaths occurred during the year.
† 225 : 2.—In Heigham Hall, a private Lunatic Asylum, 6 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
18.—Wiltshire—continued.					
243.—CHIPPENHAM	2. Corsham*	WORKHOUSE	24	8	16
	3. Chippenham	Cottage Hospital	3	3	—
		Isolation Hospital (Chippenham M.B. and R.D.) ..	3	1	2
244.—CALNE ..	1. Calne	WORKHOUSE	9	5	4
		Infectious Diseases Hospital (Calne M.B. & R.D.) ..	—	—	—
245.—MARLBOROUGH	1. Marlborough	WORKHOUSE	16	9	7
		Savernake Cottage Hospital	5	2	3
		Isolation Hospital (Marlborough M.B. & R.D.) ..	—	—	—
		Small-pox Hospital (Marlborough M.B. and R.D.) ..	—	—	—
246.—DEVIZES ..	1. Devizes	WORKHOUSE	24	16	8
		Cottage Hospital	12	6	6
		Urban District Hospital for Infectious Diseases ..	1	—	1
	2. Lavington†.	County Lunatic Asylum	101	49	52
247.—MELKSHAM..	1. Melksham	WORKHOUSE	22	12	10
	2. Trowbridge	Cottage Hospital	4	1	3
		Cottage Hospital	1	1	—
		Fever Hospital (Trowbridge U.D.)	7	3	4
248.—BRADFORD ON AVON	1. Bradford on Avon ..	WORKHOUSE	7	4	3
		Winsley Sanatorium for Consumption	6	3	3
249.—WESTBURY ..	2. Westbury	WORKHOUSE	13	8	5
		Westbury Cottage Hospital	2	2	—
250.—WARMINSTER	1. Warminster	WORKHOUSE	12	9	3
		Cottage Hospital	9	4	5
		Infectious Diseases Hospital (Warminster U.D.) ..	—	—	—
251.—PEWSEY ..	1. Netheravon	WORKHOUSE	8	6	2
	2. Collingbourne.. ..	Military Families' Hospital (Women and Children)	3	2	1
		Isolation Hospital (War Department)	1	1	—
252.—AMESBURY ..	2. Amesbury	WORKHOUSE	10	6	4
		Station Hospital, Bulford Camp (including Military Families' Hospital and Female Lying-in Hosp.)	7	7	—
	3. Winterbourne	Isolation Hospital (City of Salisbury)	1	—	1
253.—SALISBURY ..	1. Alderbury†.				
	3. Salisbury	WORKHOUSE	22	9	13
		General Infirmary	51	35	19
		Fisherton House Lunatic Asylum.. .. .	4	4	—
254.—WILTON ..	1. Wilton	WORKHOUSE	14	9	5
255.—TISBURY ..	2. Tisbury	WORKHOUSE	14	9	5
256.—MERE ..	1. Mere	WORKHOUSE	6	6	—
19.—Dorsetshire.					
257.—SHAFTESBURY	1. Shaftesbury	WORKHOUSE	12	7	6
		Westminster Cottage Hospital	4	1	3
258.—STURMINSTER	1. Sturminster	WORKHOUSE	10	4	6
259.—BLANDFORD	1. Milton Abbas	Milton Abbas Cottage Hospital.. .. .	—	—	—
	2. Blandford	WORKHOUSE	10	6	4
		Blandford Cottage Hospital	5	4	1
		Isolation Hospital (Blandford Forum M.B. and Blandford R.D.)	2	2	—
260.—WIMBORNE..	2. Wimborne	WORKHOUSE	19	7	12
		Victoria Cottage Hospital.. .. .	6	4	2
261.—POOLE ..	1. Canford	Infectious Diseases Hospital (Poole M.B. and R.D.)	6	3	3
		Outdoor Sanatorium "Alderney Manor" (Lung Diseases)	2	1	1
	2. Poole	WORKHOUSE	28	14	14
		Cornelia Hospital	13	6	7
		Borough of Poole Infectious Diseases Hospital ..	—	—	—
262.—WAREHAM ..	1. Swanage	Cottage Hospital	1	1	—
	3. Wareham	WORKHOUSE	12	8	4
		Isolation Hospital (Wareham and Purbeck R.D.) ..	1	—	1

* 243 : 2.—In Kingsdown House, a private Lunatic Asylum, 2 deaths occurred during the year.
† 246 : 2.—In Fiddington House, a private Lunatic Asylum, 2 deaths occurred during the year.
‡ 253 : 1.—In Laverstock House, a private Lunatic Asylum, 3 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
19.—Dorsetshire—continued.						
263.—WEYMOUTH	1. Upway	Borough Isolation Hospital (Weymouth and Melcombe Regis M.B.)	23	10	13	
		Isolation Hospital (Weymouth R.D.)	1	—	—	
	2. Weymouth	WORKHOUSE	45	16	29	
		Royal Hospital	7	5	2	
		County Eye Infirmary	—	—	—	
		Port Sanitary Hospital (Weymouth and Melcombe Regis, M.B., &c.)	1	1	—	
		Princess Christian Hospital (formerly Sanatorium for Women and Children)	12	1	11	
	3. Portland.. ..	Royal Naval Hospital	12	12	—	
	264.—DORCHESTER	1. Dorchester	WORKHOUSE (Dorchester)	14	12	2
County Hospital			22	14	8	
3. Maiden Newton		Isolation Hospital (Dorchester M.B.)	—	—	—	
4. Cerne		County Lunatic Asylum	73	41	32	
265.—SHERBORNE	2. Sherborne	WORKHOUSE (Cerne)	2	1	1	
266.—BEAMINSTER	2. Netherbury	WORKHOUSE	15	7	8	
		Yeatman Hospital	10	6	4	
267.—BRIDPORT ..	2. Netherbury	WORKHOUSE	12	9	3	
	1. Burton Bradstock	Isolation Hospital, Bradpole (Bridport R.D.)	—	—	—	
		2. Bridport	WORKHOUSE	9	7	2
	3. Whitchurch Canon- corum.	Thomas Cottage Hospital	4	1	3	
		Isolation Hospital (Bridport M.B.)	2	—	2	
20.—Devonshire.						
268.—AXMINSTER	1. Lyme	Cottage Hospital	6	4	2	
		2. Axminster	WORKHOUSE	13	5	8
	3. Chardstock	Cottage Hospital	—	—	—	
		Temporary Isolation Hospital (Axminster R.D.)	—	—	—	
269.—HONITON ..	1. Honiton	WORKHOUSE	12	8	4	
		Honiton Nursing Home	1	—	1	
	2. Ottery St. Mary	Ottery St. Mary Cottage Hosp. (Paxford House)	5	4	1	
		Victoria Cottage Hospital, Sidmouth	1	—	1	
270.—ST. THOMAS..	1. Exmouth	Budleigh Salterton Cottage Hospital	1	1	—	
		Exmouth Cottage Hospital (Maud Hospital)	15	9	6	
	4. Heavitree	St. Luke's Convalescent Home	—	—	—	
		Exeter Sanatorium	14	5	9	
		Isolation Hospital (Heavitree U.D.)	—	—	—	
	5. St. Thomas	Exeter Lunatic Asylum	29	15	14	
		Wonford House Lunatic Hospital	11	8	3	
		WORKHOUSE	29	14	15	
6. Kenton	County Lunatic Asylum	144	66	78		
	Western Counties Idiot Asylum	2	—	2		
271.—EXETER ..	1. Exeter	WORKHOUSE	46	22	24	
		Royal Devon and Exeter Hospital	78	45	33	
		West of England Eye Infirmary	2	1	1	
		Home Hospital	3	2	1	
272.—NEWTON ABBOT	1. Teignmouth	Teignmouth Hospital	7	2	5	
		Dawlish Cottage Hospital	6	2	4	
	3. Moreton Hampstead	Isolation Hosp. (Teignmouth Port Sanitary Dist.)	—	—	—	
		Cottage Hospital	3	2	1	
	4. Ashburton	Ashburton and Buckfastleigh Cottage Hospital	9	6	3	
		5. Newton Abbot.. ..	WORKHOUSE	72	39	33
		WORKHOUSE, Scattered Homes	—	—	—	
		Newton Abbot Hospital & Dispensary	20	14	6	
		Hospital for Infectious Diseases (Newton Abbot U.D. and R.D.)	6	3	3	
		6. Torquay	Torbay Hospital	35	16	19
			Erith House (Institution for Invalid Ladies)	—	—	—
			Western Hospital (Incipient Consumption)	—	—	—
			Mildmay Home for Consumption ("Smyrna")	5	—	5
			Sanatorium (Infectious Dis.; Torquay M.B.)	5	—	5
			Hospital for Children (Rosehill)	1	—	1
			St. Luke's Convalescent Home	2	2	—
			St. Raphael's Convalescent Home	—	—	—
			St. Barnabas Home (Incurables)	9	6	3
Isolation Hospital (Torquay M.B.)			—	—	—	
Ockenden Convalescent Home (Branch of Devon and Exeter Hospital)			—	—	—	

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
20.—Devonshire—continued.					
273.—TOTNES ..	1. Paignton.. ..	Cottage Hospital	5	1	4
		Isolation Hospital (Paignton U.D.)	—	—	—
	2. Brixham.. ..	Cottage Hospital	3	2	1
		Isolation Hospital (Brixham U.D.)	—	—	—
	3. Dartmouth	S.S. "Mayfly" Infectious Diseases Hospital (Totnes & Dartmouth Port Sanitary Authority)	—	—	—
		Cottage Hospital	1	1	—
274.—KINGSBRIDGE	4. Totnes	WORKHOUSE	23	14	9
		Cottage Hospital	1	1	—
	6. Ugborough	Devon and Cornwall Sanatorium (Consumption) Plymouth Borough Lunatic Asylum	19	8	11
	3. West Alvington	WORKHOUSE	16	8	8
	4. Kingsbridge	Kingsbridge Cottage Hospital	3	2	1
	275.—PLYMPTON ST. MARY	2. Plympton*	WORKHOUSE	19	12
		House of Rest for Convalescents	—	—	—
		Convalescent Home, Tamerton Folliott	—	—	—
276.—PLYMOUTH ..	1. Plymouth North†	WORKHOUSE	188	100	88
		WORKHOUSE, Scattered Homes	—	—	—
		South Devon and East Cornwall Hospital	108	63	45
		Royal Eye Infirmary	—	—	—
		Devon and Cornwall Ear and Throat Hospital	—	—	—
		Pearns Convalescent Home	—	—	—
	2. Plymouth South East	WORKHOUSE, Scattered Homes	—	—	—
		Borough Hospital (Infectious Diseases)	17	10	7
	3. Plymouth South West	Homœopathic Hospital	2	—	2
		Hospital Ship "Pique" (Port Sanitary Authority)	—	—	—
		Hospital Ship "Maude" (Plymouth C.B.)	1	1	—
	277.—EAST STONEHOUSE	1. East Stonehouse	WORKHOUSE	23	11
		Royal Naval Hospital	64	64	—
278.—DEVONPORT	1. St. Aubyn	Hospital for Soldiers' Wives and Children	1	1	—
		Royal Albert Hospital and Eye Infirmary	45	27	18
	2. Stoke	WORKHOUSE	70	33	37
		Devonport Borough Hospital (Infectious Diseases)	13	10	3
		Small-pox Hospital (Devonport C.B.)	—	—	—
279.—TAVISTOCK ..	3. Tamar	Military Hospital (Station Hospital)	10	10	—
	2. Tavistock	WORKHOUSE	11	9	2
		Cottage Hospital	7	2	5
280.—OKEHAMPTON	1. Bratton Clovelly	Winsford Cottage Hospital	1	1	—
	3. Okehampton	WORKHOUSE	12	7	5
	4. Chagford	Dartmoor Sanatorium for Consumption	2	2	—
281.—CREDITON ..	3. Crediton	WORKHOUSE	16	14	2
282.—TIVERTON ..	3. Tiverton	WORKHOUSE	18	9	9
		Infirmary and Dispensary	11	8	3
		Isolation Hospital (Tiverton M.B. and R.D.)	4	3	1
283.—SOUTH MOLTON	2. South Molton	WORKHOUSE	15	10	5
		Cottage Hospital, South Molton	1	—	1
		Cottage Hospital, Chumleigh	—	—	—
284.—BARNSTAPLE	1. Barnstaple	WORKHOUSE	34	16	18
		North Devon Infirmary	25	14	11
		Infectious Diseases Hospital (Barnstaple M.B.)	—	—	—
	2. Lynton	Lynton Cottage Hospital	1	1	—
	4. Ilfracombe	Tyrrell Cottage Hospital	7	3	4
		Bickleighscombe Isolation Hos. (Ilfracombe U.D.)	1	—	1
285.—TORRINGTON		Hospital Ship "Nymphen" (Port Sanitary Authority)	—	—	—
	4. Great Torrington	WORKHOUSE	3	—	3
		Cottage Hospital	—	—	—
286.—BIDEFORD ..	1. Bideford	WORKHOUSE	7	5	2
		The Hospital, Bideford†	7	4	3
		Infectious Diseases Hospital (Bideford M.B.)	—	—	—
287.—HOLSWORTHY	2. Holsworthy	WORKHOUSE	2	1	1

* 275 : 2.—In Plympton House, a private Lunatic Asylum, 4 deaths occurred during the year.
† 276 : 1.—In St. Joseph's House 12 deaths occurred during the year.
‡ Formerly called Bideford and District Dispensary and Infirmary.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
21.—Cornwall.					
288.—STRATTON ..	2. Stratton	WORKHOUSE Cottage Hospital	3 3	— 1	3 2
289.—CAMELFORD	2. Camelford	WORKHOUSE	5	2	3
290.—LAUNCESTON	3. Launceston	WORKHOUSE Launceston Infirmary and Rowe Dispensary ..	7 —	5 —	2 —
291.—ST. GERMANS	1. Antony 3. Saltash	WORKHOUSE St. Barnabas Cottage Hospital	8 1	4 —	4 1
292.—LISKEARD ..	2. Liskeard 3. Looe	WORKHOUSE Cottage Hospital Cottage Hospital (Fowey Port Sanitary Authority)	16 8 —	7 4 —	9 4 —
293.—BODMIN ..	3. Bodmin	WORKHOUSE East Cornwall Hospital County Lunatic Asylum	22 — 75	17 — 40	5 — 35
294.—ST. COLUMB..	2. St. Columb	WORKHOUSE Infectious Diseases Hospital (Newquay U.D.) ..	15 —	9 —	6 —
295.—ST. AUSTELL	1. Fowey 2. St. Austell	Cottage Hospital WORKHOUSE WORKHOUSE, Scattered Homes	1 19 —	1 10 —	— 9 —
296.—TRURO ..	3. St. Agnes 4. St. Clement 5. Kenwyn	Temporary Infect. Diseases Hospital (Truro R.D.) Epiphany Convalescent Home for Men Cornwall Conv. Home for Men, Perranzabuloe .. House of Rest for Women WORKHOUSE Infectious Diseases Hospital (City of Truro) .. Royal Cornwall Infirmary	— — — — 29 4 18	— — — — 16 2 9	— — — — 13 2 9
297.—FALMOUTH ..	2. Falmouth	WORKHOUSE Sailors' Home and Infirmary Isolation Hospital (Port Sanitary Authority) .. Convalescent Home, Penjerrick Cottage Hospital	20 1 — — 6	8 1 — — 5	12 — — — 1
298.—HELSTON ..	2. Helston	WORKHOUSE	17	5	12
299.—REDRUTH ..	2. Redruth 3. Illogan 4. Camborne	West Cornwall Miners' Hospital West Cornwall Women's Hospital WORKHOUSE Isolation Hospital (Redruth R.D.) Infectious Diseases Hospital (Camborne U.D.) ..	13 10 45 — —	13 1 20 — —	— 9 25 — —
300.—PENZANCE ..	4. Penzance	WORKHOUSE West Cornwall Infirmary and Dispensary Isolation Hospital, Alverton (Penzance M.B.) ..	22 12 —	12 5 —	10 7 —
301.—ISLES OF SCILLY	1. Isles of Scilly	WORKHOUSE (St. Mary's Parish Poor House) ..	—	—	—
22.—Somersetshire.					
302.—WILLITON ..	1. Minehead 2. Dunster 3. Williton	Isolation Hospital (Minehead and Williton (West) District Hospital Committee) Village Hospital WORKHOUSE	— 3 10	— 1 9	— 2 1
303.—DULVERTON	1. Dulverton	WORKHOUSE	3	1	2
304.—WELLINGTON	2. Milverton 3. Wellington	Cottage Hospital WORKHOUSE Cottage Hospital	— 16 2	— 11 1	— 5 1
305.—TAUNTON ..	3. Taunton Sanitary Hospital (Taunton M.B. & R.D.) .. 4. Bishop's Lydeard ..	WORKHOUSE Taunton and Somerset Hospital County Lunatic Asylum, Colford	34 51 3 84	17 28 3 32	17 23 — 52
306.—BRIDGWATER	2. Bridgwater	WORKHOUSE Bridgwater Hospital Infectious Diseases Hospital (Bridgwater M.B.) ..	46 24 2	24 8 —	22 16 2

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
22.—Somersetshire—continued.						
307.—LANGPORT ..	1. Somerton	WORKHOUSE	6	5	1	
308.—CHARD ..	3. Chard	WORKHOUSE	14	4	10	
	4. Crewkerne	Crewkerne Hospital.. ..	8	5	3	
309.—YEOVIL ..	1. Coker	Isolation Hospital (Small-pox ; Yeovil M.B.) ..	1	1	—	
	4. Yeovil	WORKHOUSE	20	12	8	
		District Hospital	6	5	1	
		Isolation Hospital (Yeovil M.B.)	—	—	—	
310.—WINCANTON	2. Milborne Port	Merthyr Guest Hospital	1	1	—	
	3. Wincanton	WORKHOUSE	16	9	7	
		Wincanton Hospital	3	1	2	
311.—FROME ..	2. Frome	WORKHOUSE	34	19	15	
		Frome Victoria Hospital	12	4	8	
		Infectious Diseases Hospital (Frome U.D.)	—	—	—	
312.—SHEPTON MALLET	1. Shepton Mallet	WORKHOUSE	14	3	11	
313.—WELLS ..	1. Wells	Shepton Mallet District Hosp. (General Diseases) ..	3	3	—	
		WORKHOUSE	23	16	7	
		Sanitary Hospital (City of Wells M.B.)	—	—	—	
		Cottage Hospital	2	2	—	
		Mendip Hills Sanatorium (Tuberculosis), Hillgrove	2	1	1	
		County Lunatic Asylum	93	45	48	
	2. Glastonbury	Sir George Bowles Hospital, Butleigh	2	1	1	
		St. Saviour's Isolation Hospital (Glastonbury M.B. and Street U.D.)	—	—	—	
		WORKHOUSE	35	22	13	
	314.—AXBRIDGE ..	1. Axbridge	St. Michael's Home (Consumption)	14	8	6
			Engel Home (Consumption Branch of St. Michael's Home)	—	—	—
			Royal West of England Sanatorium	3	3	—
		3. Weston super Mare ..	Weston super Mare Hospital	16	8	8
			Infectious Diseases Hospital (Statutory Hospital &c. : Weston super Mare U.D.)	7	5	2
			Women's Conv. Home (Bristol Medical Mission) Children's Convalescent Home	—	—	—
315.—CLUTTON ..	1. Harptree	WORKHOUSE	24	13	11	
		Nordrach upon Mendip Sanatorium for Phthisis, &c. ..	—	—	—	
	3. High Littleton.. ..	Paulton Memorial Cottage Hospital	7	4	3	
	4. Midsomer Norton ..	Isolation Hospital (Midsomer Norton U.D.)	2	1	1	
316.—BATH ..	2. Bathwick	Statutory Hospital (Infect. Dis. ; City of Bath) ..	4	1	3	
		WORKHOUSE	128	66	62	
		WORKHOUSE, Scattered Homes	—	—	—	
	3. Lyncombe	Royal United Hospital	120	71	49	
		Royal Mineral Water Hospital	1	—	1	
		Homeopathic Hospital	—	—	—	
	4. Walcot	Eye Infirmary	—	—	—	
		Lansdown Grove Hospital	—	—	—	
		Medical and Surgical Home	6	3	3	
		5. Batheaston.*	—	—	—	
317.—KEYNSHAM..	3. Keynsham†	WORKHOUSE	22	13	9	
		WORKHOUSE, Cottage Homes (Bristol)	—	—	—	
		Isolation Hospital (Keynsham R.D.)	—	—	—	
318.—LONG ASHTON	1. Long Ashton	WORKHOUSE	19	11	8	
		Clevedon Cottage Hospital	6	2	4	
		Christ Church Convalescent Homes	—	—	—	
		Isolation Hospital (Clevedon U.D.)	—	—	—	
VI.—WEST MIDLAND DIVISION.						
23.—Gloucestershire.						
319.—BRISTOL† ..	1. Clifton	Royal Hospital for Sick Children and Women ..	92	35	57	
		Bristol Temporary Home (Maternity Cases) ..	11	6	5	
	2. Bristol Central ..	Bristol General Hospital	225	144	81	
		Bristol Royal Infirmary	302	169	133	
		Eye Hospital	—	—	—	
		Hahnemann Hospital	2	1	1	
		3. Bedminster	City Hospital, The Nover's (Infectious Diseases) ..	6	4	2
	Isolation Hospital (Ham Green)		28	11	17	
	Hospital Ship "Margarida" (Port Sanitary Auth.) ..		—	—	—	
	Isolation Hospital (Clevedon U.D.)		—	—	—	

* 316: 5.—In Bailbrook House, a private Lunatic Asylum, no death occurred during the year.

† 317: 3.—In Brislington House, a private Lunatic Asylum, 4 deaths occurred during the year.

‡ The sub-districts of Bristol were re-arranged on 1st April, 1909. The institution deaths are shown as if the change had taken place at the beginning of the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
23.—Gloucestershire—continued.					
319.—BRISTOL—cont.	7. Stapleton	WORKHOUSE, Stapleton	192	114	78
		WORKHOUSE, Eastville	309	164	145
		Castle Hill Nursing Home	2	—	2
		Cossham Memorial Hospital	10	3	7
		Bristol City Lunatic Asylum	104	49	55
	8. Ashley	Lock Hospital	—	—	—
		Military Hospital	1	1	—
		Orthopædic Hosp. and Home for Crippled Childn. ..	1	—	1
		Queen Victoria Jubilee Convalescent Home	1	1	—
		WORKHOUSE	20	7	13
320.—CHIPPING SODEBURY	9. Westbury on Trym ..	Avonmouth Cottage Hospital	—	—	—
		Hambrook Village Hospital	1	1	—
		Infectious Dis. Hospital (Chipping Sodbury R.D.) ..	—	—	—
321.—THORNBURY	5. Iron Acton*	WORKHOUSE	6	4	2
		Memorial Institute Hospital	5	3	2
		WORKHOUSE	21	17	4
		Cottage Hospital	3	1	2
322.—DURSLEY ..	1. Almondsbury	Port Sanitary Hospital	—	—	—
		WORKHOUSE	8	5	3
		Hospital for Infectious Diseases (Dursley Union) ..	—	—	—
323.—WESTBURY ON SEVERN	2. Dursley	WORKHOUSE	23	13	10
		Inf. Dis. Hosp. (East Dean & United Parishes R.D.) ..	—	—	—
324.—NEWENT ..	1. Newent	WORKHOUSE	7	4	3
325.—GLOUCESTER	1. Barnwood	St. Lucy's Hospital for Children	9	6	3
		City of Gloucester Isolation Hospital, Over	12	5	7
		City of Gloucester Small-pox Hospital	—	—	—
		County Lunatic Asylum { Wotton	127	67	60
		{ Barnwood	24	11	13
		Barnwood House Lunatic Hospital	5	4	1
		WORKHOUSE	70	41	29
		WORKHOUSE (Ladybellegate Lodge)	—	—	—
		WORKHOUSE (Somerset Lawn)	2	2	—
		St. Lucy's Home	1	—	1
	2. Gloucester Northern	Royal Infirmary	127	89	38
		Port Sanitary Hospital	—	—	—
		WORKHOUSE	6	4	2
		Isolation Hospital (Stroud Joint Hosp. Bd.) ..	3	2	1
		Cotswold Sanatorium for Consumption	2	2	—
326.—WHEATEN-HURST	2. Painswick	Alexandra Hospital (Convalescent Home of Alexandra Hospital for Hip Diseases)	—	—	—
		Small-pox Hospital (Stroud Joint Hospital Board) ..	—	—	—
		WORKHOUSE	59	32	27
		General Hospital	28	15	13
327.—STROUD ..	2. Tetbury	WORKHOUSE	11	4	7
		Cottage Hospital	8	5	3
328.—TETBURY ..	2. Cirencester	WORKHOUSE	24	15	9
		Cottage Hospital	9	7	2
		Hosp. for Contagious Dis. (Cirencester U.D. & R.D.) ..	3	1	2
		Small-pox Hospital (Cirencester U.D. & R.D.) ..	—	—	—
329.—CIRENCESTER	3. Fairford†	Cottage Hospital	4	3	1
		Children's Hospital, Quenington (Convalescent Home of Hospital for Sick Children, London) ..	—	—	—
		WORKHOUSE	14	12	2
330.—NORTHLEACH	1. Bibury	Isolation Hospital (Northleach R.D.)	—	—	—
		Small-pox Hospital (Northleach R.D.)	—	—	—
		Cottage Hospital	2	—	2
331.—STOW ON THE WOLD	2. Stow on the Wold ..	WORKHOUSE	10	4	6
		WORKHOUSE	12	8	4
332.—WINCHCOMB	1. Guiting	Cottage Hospital	4	2	2
		Isolation Hospital (Winchcomb R.D.)	—	—	—
		WORKHOUSE	92	50	42
333.—CHELTENHAM	2. Cheltenham	General Hospital and Dispensary	62	34	28
		Home for Sick Children (Belmont House)	6	4	2
		Delancey Hosp. for Infect. Dis. (Cheltenham M.B.) ..	1	1	—
		Eye, Ear, and Throat Free Hospital	—	—	—
		WORKHOUSE	15	9	6
334.—TEWKESBURY	1. Tewkesbury	Rural Hospital (Tewkesbury General Hospital) ..	4	3	1
		Isolation Hospital (Tewkesbury M.B.)	—	—	—
		Isolation Hosp., Tredington (Tewkesbury R.D.) ..	1	—	1
		WORKHOUSE	—	—	—

* 320 : 5.—In Northwoods, a private Lunatic Asylum, 3 deaths occurred during the year.

† 329 : 3.—In The Retreat, Fairford, a private Lunatic Asylum, 3 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION	DEATHS.		
			Persons.	Males.	Females.
24.—Herefordshire.					
335.—LEDBURY ..	1. Ledbury.. ..	WORKHOUSE Cottage Hospital	18 3	10 2	8 1
336.—ROSS	2. Ross	WORKHOUSE Cottage Hospital	29 7	16 6	13 1
337.—HEREFORD..	3. Burghill.. ..	County and City Lunatic Asylum	40	20	20
	4. Hereford City ..	WORKHOUSE (Hereford)	29	18	11
		Herefordshire General Hospital	49	32	17
		Infectious Diseases Hospital (Hereford City)	1	1	—
		Victoria Eye and Ear Infirmary	—	—	—
	6. Kentchurch ..	WORKHOUSE (Dore)	6	5	1
338.—WEOBLEY ..	1. Weobley.. ..	WORKHOUSE	16	6	4
339.—BROMYARD..	1. Bromyard ..	Cottage Hospital	1	—	1
	3. Brockhampton ..	WORKHOUSE	14	13	1
		Isolation Hospital (Bromyard U.D. & R.D.)	—	—	—
340.—LEOMINSTER	1. Leominster ..	WORKHOUSE	16	14	2
		Cottage Hospital	—	—	—
341.—KINGTON ..	3. Kington ..	WORKHOUSE Victoria Cottage Hospital	11 2	10 —	1 2
25.—Shropshire.					
342.—LUDLOW ..	2. Ludlow	WORKHOUSE	20	12	8
		Cottage Hospital	3	1	2
		Infectious Diseases Hospital (Small-pox : Ludlow M.B. & R.D.).. ..	—	—	—
343.—CLUN.. ..	1. Clun	St. Katharine's Cottage Hospital	—	—	—
	2. Bishops Castle ..	WORKHOUSE	6	6	—
344.—CHURCH STRETTON	1. Church Stretton*	WORKHOUSE	3	2	1
345.—CLEOBURY MORTIMER	1. Cleobury Mortimer ..	WORKHOUSE	8	6	2
346.—BRIDGNORTH	2. Bridgnorth ..	WORKHOUSE	20	16	4
		South Salop and Bridgnorth Infirm. and Dispensy.	8	3	5
		Borough Hospital (Infectious Diseases)	—	—	—
347.—SHIFNAL ..	2. Shifnal	WORKHOUSE	12	8	4
		Cottage Hospital	4	3	1
348.—MADELEY ..	2. Madeley 3. Broseley	WORKHOUSE	24	13	11
		Lady Forester Hospital, Much Wenlock	2	—	2
		Lady Forester Hospital, Broseley	6	3	3
		Small-pox Hospital (Wenlock M.B.)	—	—	—
349.—ATCHAM ..	1. Conover	WORKHOUSE	76	42	34
	2. St. Mary	Salop Infirmary	137	78	59
		Isolation Hospital (Shrewsbury M.B.)	6	1	5
	3. St. Chad	Salop Eye, Ear, and Throat Hospital.. ..	5	4	1
		Salop and Montgomery Counties Lunatic Asylum ..	88	37	51
350.—OSWESTRY ..	3. Oswestry	WORKHOUSE (House of Industry)	50	34	16
		Cottage Hospital	6	1	5
	4. St. Martin's ..	Cottage Hospital, Chirk	2	1	1
351.—ELLESMERE	1. Overton	Edmund Peel Memorial Nursing Home	2	—	2
	3. Ellesmere	WORKHOUSE	8	5	3
		Ellesmere Cottage Hospital	1	1	—
	4. Baschurch†	Salop Convalescent Home	1	—	1
352.—WEM	1. Wem	WORKHOUSE	11	10	1
353.—WHITCHURCH	1. Whitchurch ..	WORKHOUSE	8	6	2
		Cottage Hospital	3	2	1
354.—MARKET DRAYTON	2. Market Drayton ..	WORKHOUSE	10	7	3
		Cottage Hospital	—	—	—
		Isolation Hosp. (Drayton and Blore Heath R.D's.)	1	1	—
355.—WELLINGTON	1. Ercall Magna ..	Convalescent Home (Co-operative Wholesale Soc.)	2	2	—
	2. Wellington ..	WORKHOUSE	26	18	8

* 344 : 1. — In Grove House and Stretton House, two private Lunatic Asylums, no death occurred during the year.

† 351 : 4. — In Boreatton Park, a private Lunatic Asylum, 1 death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
25.—Shropshire—continued.					
356.—NEWPORT ..	1. Newport	WORKHOUSE	17	9	8
		Small-pox Hospital (Wellington Union)	—	—	—
		Infectious Diseases Hospital (Newport U.D. & R.D.) ..	—	—	—
26.—Staffordshire.					
357.—STAFFORD ..	1. Stafford	WORKHOUSE	30	15	15
		Staffordshire General Infirmary	55	27	28
		Isolation Hospital (Stafford M.B.). Tithe Barn Rd.	1	—	1
		Infectious Diseases Hospital (Stafford R.D.), King- ston Hill	—	—	—
		Sister Dora Convalescent Hospital	1	1	—
		County Lunatic Asylum	124	70	54
		Lunatic Hospital, Coton Hill	4	3	1
358.—STONE ..	1. Stone	WORKHOUSE	22	16	6
		St. Mary's Hospital (Convent Hospital)	6	—	6
	2. Eccleshall	Infectious Diseases Hospital (Stone U.D. & R.D.) ..	1	1	—
359.—NEWCASTLE UNDER LYME	2. Newcastle under Lyme.	WORKHOUSE	36	23	13
		Infect. Diseases Hosp.(Newcastle under Lyme M.B.)	3	2	1
360.—WOLSTANTON	1. Wolstanton	Bradwell Sanatorium (Wolstanton United U.D., Kidsgrove U.D., and Smallthorne U.D.)	5	3	2
	2. Tunstall	WORKHOUSE	109	69	40
	3. Burslem	Haywood Hospital	25	18	17
		Isolation Hospital (Burslem M.B.)	32	15	17
361.—STOKE UPON TRENT	1. Hanley.*	WORKHOUSE	272	182	90
	2. Stoke upon Trent ..	WORKHOUSE, Cottage Homes	—	—	—
		North Staffordshire Infirmary	156	101	55
	4. Longton	Longton Cottage Hospital	1	—	1
	5. Stoke Rural	Joint Hospital, Bucknall (Infect. Dis.; Hanley C.B., Fenton U.D., Stoke upon Trent M.B. and R.D.) ..	69	40	29
362.—LEEK	1. Norton	Infectious Diseases Hospital (Leek R.D.)	1	—	1
		Joint Hosp., Bagnall (Small-pox; N. Staffs. J.H.B.)	—	—	—
	2. Biddulph	Fever Hospital (Biddulph U.D.)	1	—	1
	3. Leek	WORKHOUSE	30	16	14
		Cottage Hospital	10	6	4
		Fever Hospital (Leek U.D.)	3	1	2
363.—CHEADLE ..	2. Ipstones	County Lunatic Asylum, Cheddleton	110	62	48
	4. Cheadle	WORKHOUSE	15	11	4
		Hospital for Infectious Diseases (Cheadle R.D.) ..	8	6	2
364.—UTTOXETER..	1. Uttoxeter	WORKHOUSE	15	11	4
365.—BURTON UPON TRENT	2. Repton	Isolation Hospital (Repton R.D.)	1	—	1
		Derby County Lunatic Asylum	80	37	43
	4. Burton upon Trent ..	WORKHOUSE	90	60	30
		Burton upon Trent Infirmary	54	38	16
		Barton under Needwood Cottage Hospital	2	1	1
		Borough Hospital (Infectious Diseases)	4	3	1
366.—TAMWORTH..	1. Tamworth	WORKHOUSE	13	11	2
		Cottage Hospital	19	10	9
		Isolation Hospital (Tamworth M.B. and R.D.) ..	3	2	1
367.—LICHFIELD ..	1. Lichfield	WORKHOUSE	44	28	16
		Hammerwich and District Cottage Hospital	4	2	2
		Lichfield Victoria Nursing Home	1	1	—
		County Lunatic Asylum, Burntwood	128	57	71
	2. Rugeley	Cottage Hospital, Yoxall	1	1	—
		District Hospital	3	3	—
		Cottage Hospital (Levett Convalescent Home) ..	—	—	—
		Isolation Hospital (City of Lichfield and R.D.) ..	3	2	1
368.—CANNOCK ..	2. Cannock	WORKHOUSE	56	33	23
		Littleworth Accident Home	4	4	—
		Isolation Hospital (Cannock R.D.)	2	2	—
		Small-pox Hospital (Cannock U.D.)	—	—	—
369.—WOLVER- HAMPTON	3. Wombourn	WORKHOUSE (Seisdon)	6	5	1
		Infectious Diseases Hospital (Seisdon R.D.) ..	—	—	—
	4. Wolverhampton Western.	Hospital for Women	10	—	10
		Wolverhampton Eye Infirmary	—	—	—
		Victoria Nursing Institution	4	4	—
	5. Wolverhampton Eastern.	Wolverhampton and Staffordshire General Hosp. Borough Hospital (Infectious Diseases)	251	155	96
			7	3	4

* 361: 1.—In St. Augustine's Home, 11 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
26.—Staffordshire—continued.					
369.—WOLVERHAMPTON—cont.	6. Willenhall	WORKHOUSE, Cottage Home	—	—	—
		WORKHOUSE (Homes for the Poor)	260	173	87
	7. Bilston	Isolation Hospital (Willenhall U.D.)	—	—	—
		Fever Hospital (Bilston U.D.)	3	1	2
Small-pox Hosp. (S. Staffs. Jt. Small-pox Hosp. Bd.)			—	—	—
370.—WALSALL ..	1. Darlaston	Infectious Diseases Hospital (Darlaston U.D.) ..	—	—	—
	2. Bloxwich	Small-pox Hospital (Walsall C.B.)	—	—	—
	3. Walsall	WORKHOUSE	180	107	73
		Walsall and District Cottage Hospital	42	21	21
		Epidemic Hospital (Walsall C.B.)	—	—	—
371.—WEST BROMWICH	1. Handsworth	Fever Hospital (Aston Union)	9	4	5
		Small-pox Hospital (Aston Manor M.B.)	—	—	—
		Birmingham City Lunatic Asylum (Branch) ..	—	—	—
	3. West Bromwich S.W.	West Bromwich District Hosp. (General Diseases)	69	36	33
	4. West Bromwich N.E.	WORKHOUSE	208	118	90
		WORKHOUSE (W. Bromwich & Walsall Ind. Sch.)	2	1	1
	5. Wednesbury	Infect. Diseases Hospital (West Bromwich Union)	14	10	4
		Isolation Hospital (Small-pox ; Wednesbury M.B.)	—	—	—
372.—DUDLEY ..	1. Rowley Regis	Tividale Infectious Diseases Hospital (Rowley Regis U.D.)	3	2	1
		Infectious Diseases Hospital (Tipton U.D.)	3	1	2
	2. Tipton	WORKHOUSE	143	83	60
	3. Sedgley	Guest Hospital	57	29	28
	4. Dudley	Infectious Diseases Hospital (Dudley C.B.) ..	1	—	1
27.—Worcestershire.					
373.—STOURBRIDGE	1. Halesowen	Isol. Hosp. (Stourbridge & Halesowen Hosp. Com.)	15	5	10
	2. Stourbridge	Corbett Hospital	27	17	10
	3. Kingswinford*	WORKHOUSE	95	61	34
		Infectious Diseases Hospital (Brierley Hill U.D. and Quarry Bank U.D.)	—	—	—
374.—KIDDERMINSTER	3. Kidderminster	WORKHOUSE	63	32	31
		Infirmary	50	31	19
		Infect. Diseases Hospital (Kidderminster M.B.) ..	5	3	2
375.—TENBURY ..	1. Tenbury	WORKHOUSE	11	5	6
		St. Mary's Cottage Hospital, Burfont	2	2	—
376.—MARTLEY ..	1. Martley	WORKHOUSE	29	18	11
	2. Leigh	Isolation Hospital (Malvern U.D.)	3	3	—
		Knightwick Sanatorium for Consumption	—	—	—
377.—WORCESTER	1. Worcester	WORKHOUSE	67	43	24
		WORKHOUSE, Cottage Homes	1	—	1
		Worcester General Infirmary	92	48	44
		Ophthalmic Hospital	—	—	—
		City Hospital (Infectious Diseases)	4	2	2
		City and County Nursing Institution	4	2	2
378.—UPTON ON SEVERN	1. Malvern	Rural or Malvern Hospital	8	5	3
	2. Upton on Severn	County Lunatic Asylum	75	36	39
		WORKHOUSE	29	17	12
Isolation Hospital (Upton on Severn R.D.)			—	—	—
379.—EVESHAM ..	1. Evesham	WORKHOUSE	31	20	11
		Cottage Hospital	5	3	2
		Sanatorium (Evesham M.B. and R.D.)	3	2	1
380.—PERSHORE ..	2. Pershore	WORKHOUSE	24	11	13
		Cottage Hospital	2	—	2
		Scarlet Fever Hospital (Pershore R.D.)	—	—	—
381.—DROITWICH	1. Ombersley	City of Worcester Small-pox Hospital	—	—	—
	2. Droitwich	WORKHOUSE	16	8	8
		St. John's Hospital	—	—	—
382.—BROMSGROVE	1. Bromsgrove	WORKHOUSE	31	17	14
		Blackwell Sanatorium (Convalescent Home) ..	3	3	—
		Cottage Hospital	11	8	3
		Isolation Hosp. (Bromsgrove and Redditch U.D.'s.)	7	4	3
		County Lunatic Asylum (Barnsley Hall)	71	41	30
	3. Tardebigg	Smallwood Hospital, Redditch	12	7	5

* 373 : 3—In Ashwood House, a private Lunatic Asylum, 1 death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT	SUB-DISTRICT	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
27.—Worcestershire—continued.						
383.—KINGS NORTON	1. Kings Norton	WORKHOUSE Infirmery (Monyhull Colony : Birmingham, Aston, and Kings Norton Unions)	3	2	1	
		WORKHOUSE	2	1	1	
		WORKHOUSE Infirmery	217	131	86	
		WORKHOUSE, Cottage Homes	—	—	—	
		Fever Hospital (Kings Norton & Northfield U.D.)	25	11	14	
		Convalescent Hosp. for Children (Moseley Hall).. <i>Birm'ham City Lun. Asy., Rubery Hill and Hollymoor</i>	7	5	2	
	3. Edgbaston.*		61	32	29	
	4. Smethwick	Smethwick and Oldbury Joint Isolation Hospital	7	2	5	
28.—Warwickshire.						
384.—BIRMINGHAM	1. Lady Wood	Children's Hospital	144	68	76	
		WORKHOUSE	57	24	33	
	2. All Saints	WORKHOUSE Infirmery	795	499	296	
		City Hospital (Infectious Diseases)	75	32	43	
		<i>City Lunatic Asylum, Winson Green</i>	94	58	36	
	3. St. George	General Hospital	501	291	210	
		Hospital, 70, Newhall Street	15	9	6	
		Maternity Hosp. (Birmingham Lying-in Charity)	25	11	14	
	4. St. Martin	Queen's Hospital	248	145	103	
		Skin and Urinary Hospital	3	2	1	
		Homœopathic Hospital	15	8	7	
		Eye Hospital	2	1	1	
		Royal Orthopædic and Spinal Hospital	1	1	—	
		Ear and Throat Hospital	11	5	6	
			—	—	—	
	385.—ASTON	2. Bordesley	Emergency Small-pox Hospital (City of Birm'ham)	—	—	—
			WORKHOUSE	506	295	211
		5. Erdington	WORKHOUSE, Cottage Homes	—	—	—
			Jaffray Hospital	10	6	4
			Infectious Diseases Hospital (Aston Manor M.B. and Sutton Coldfield M.B.)	—	—	—
		City Hospital (Infectious Diseases)	98	53	45	
		<i>Birm'ham City Lun. Asy. (Branch) "Glenthorne"</i> ..	—	—	—	
		6. Sutton Coldfield ..	Sutton Coldfield Cottage Hospital	4	3	1
386.—MERIDEN ..	1. Coleshill	WORKHOUSE (Marston Green Homes)	2	—	2	
	2. Meriden	WORKHOUSE	10	6	4	
387.—ATHERSTONE	1. Atherstone	WORKHOUSE	12	7	5	
		Isolation Hospital (Atherstone R.D.)	—	—	—	
388.—NUNEATON..	1. Nuneaton	WORKHOUSE	26	17	9	
		Nuneaton General Hospital	23	16	7	
		Isolation Hospital (Nuneaton M.B.)	—	—	—	
389.—FOLESHILL ..	1. Foleshill	WORKHOUSE	8	3	5	
		Infectious Diseases Hospital (Foleshill R.D.) ..	10	8	2	
390.—COVENTRY ..	1. St. John	WORKHOUSE	131	73	58	
		Pinley Isolation Hospital (City of Coventry) ..	—	—	—	
	2. Holy Trinity	Coventry and Warwick Hospital	99	57	42	
		City Hospital (Infectious Diseases)	13	7	6	
391.—RUGBY	1. Rugby	WORKHOUSE	36	22	14	
		Hospital of St. Cross	34	19	15	
	3. Dunchurch	Rugby Urban District Hospital (Infect. Diseases) ..	—	—	—	
392.—SOLIHULL ..	1. Solihull	WORKHOUSE	41	24	17	
		Birmingham and Midland Hospital for Women ..	20	—	20	
		Convalescent Home (Branch of Hosp. for Women)	—	—	—	
		Infectious Dis. Hosp. (Solihull and Yardley R.D.'s)	3	1	2	
	2. Knowle	Children's Convalescent Home	—	—	—	
		<i>Midland Counties Idiot Asylum</i>	3	1	2	
			—	—	—	
393.—WARWICK ..	1. Warwick	WORKHOUSE	61	33	28	
		Cottage Hospital	—	—	—	
		Heathcote Hosp. for Infect. Dis. (Warwick Union)	5	2	3	
		<i>County Lunatic Asylum</i>	131	74	57	
	2. Leamington	Warneford Hospital	68	44	24	
		Midland Counties Home for Incurables	22	7	15	
		Kenilworth Convalescent Home	1	1	—	
	3. Kenilworth	WORKHOUSE	27	20	7	
		2. Stratford on Avon ..	Joint Infect. Dis. Hosp. (Stratford on Avon M.B. & R.D.)	—	—	—
			Belle Vue Small-pox H. (Stratford on Avon M.B. & R.D.)	—	—	—
	Stratford on Avon Hospital	16	5	11		
	Nursing Home and Children's Hospital	—	—	—		
394.—STRATFORD ON AVON	3. Wootton Wawen.†		15	14	1	
	2. Alcester	WORKHOUSE	—	—	—	
		Sanatorium (Alcester Union)	—	—	—	
395.—ALCESTER ..						

* 383 : 3.—In St. Joseph's Home (Home for Aged Poor), 34 deaths occurred during the year
+ 394 : 3.—In Glendossill and Ilurst House, a private Lunatic Asylum, 1 death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
23.—Warwickshire—continued.					
396.—SHIPSTON ON STOUR	2. Shipston on Stour ..	WORKHOUSE Ellen Badger Cottage Hospital, Shipston on Stour Moreton in the Marsh Cottage Hospital .. Isolation Hos.(Brailes R.D. & Shipston on Stour R.D.) Todenham Isolation Hosp.(Campden R.D.) ..	19 2 6 — —	14 2 5 — —	5 — 1 — —
397.—SOUTHAM ..	1. Southam.. ..	WORKHOUSE	9	7	2
VII.—NORTH MIDLAND DIVISION.					
29.—Leicestershire.					
398.—LUTTERWORTH	1. Lutterworth	WORKHOUSE Cottage Hospital	11 3	7 3	4 —
399.—MARKETHARBOROUGH	1. Market Harborough..	WORKHOUSE	24	17	7
400.—BILLESDON..	1. Billesdon	Small-pox Hospital (Leicestershire C.C.) .. WORKHOUSE	— 4	— 2	— 2
401.—BLABY ..	1. Wigston	WORKHOUSE Infirmary (Leicester) .. WORKHOUSE (Leicester Cottage Homes) .. Isolation Hosp.(Wigston Magna U.D. & Blaby R.D.) WORKHOUSE	316 1 5 17	173 — 3 14	143 1 2 3
402.—HINCKLEY ..	2. Enderby.. ..	Leicester and Rutland Counties Lunatic Asylum .. WORKHOUSE	59 25	29 18	30 7
	2. Hinckley	Cottage Hospital Isolation Hospital (Hinckley U.D. and R.D.) ..	3 —	1 —	2 —
403.—MARKET BOSWORTH	1. Market Bosworth ..	WORKHOUSE	13	7	6
	2. Ibstock	Isolation Hospital (Market Bosworth R.D.) ..	—	—	—
404.—ASHBY DE LA ZOUCH	1. Measham	Small-pox Hospital (Leicestershire C.C.) ..	—	—	—
	2. Hartshorn	Moirs Infect. Diseases Hosp.(Ashby Woulds U.D.)	—	—	—
	3. Ashby de la Zouch ..	WORKHOUSE Cottage Hospital	31 3	20 1	11 2
	4. Whitwick	Infect. Diseases Hospital (Ashby de la Zouch R.D.)	—	—	—
405.—LOUGHBOROUGH	1. Loughborough.. ..	WORKHOUSE General Hospital Isolation Hospital (Loughborough M.B.) ..	35 9 1	24 6 1	11 3 —
406.—BARROW UPON SOAR	2. Quorndon	Cottage Hospital	—	—	—
		Charnwood Forest Adult Convalescent Home ..	—	—	—
	3. Rothley	WORKHOUSE	14	12	2
		Hospital for Infect. Diseases (Leicester C.B.) ..	31	12	19
	4. Syston	Small-pox Hospital (Leicestershire C.C.) ..	—	—	—
407.—LEICESTER ..	1. North West Leicester	Cottage Hospital Leicester and Leicestershire Dispensary Maternity Hospital	1 12	— 8	1 4
	2. North East Leicester	WORKHOUSE Leicester Borough Lunatic Asylum	7 85	3 41	4 44
	3. South Leicester ..	General Infirmary	253	146	107
408.—MELTON MOWBRAY	1. Melton Mowbray ..	WORKHOUSE Hospital for Infect. Dis. (Melton Mowbray U.D. & R.D. & Belvoir R.D.)	21 8	15 3	6 5
30.—Rutlandshire.					
409.—OAKHAM ..	1. Oakham.. ..	WORKHOUSE Oakham and District Cottage Hospital	8 10	4 8	4 2
410.—UPPINGHAM	1. Uppingham	WORKHOUSE	9	4	5
31.—Lincolnshire.					
411.—STAMFORD ..	1. Stamford	WORKHOUSE Stamford and Rutland General Infirmary	18 18	12 11	6 7
412.—BOURNE ..	3. Bourne	WORKHOUSE	15	9	6
413.—SPALDING ..	4. Spalding	WORKHOUSE Johnson Hospital Isolation Hospital (Spalding U.D.)	26 8 —	16 5 —	10 3 —
414.—HOLBEACH ..	3. Holbeach	WORKHOUSE	31	18	13

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
31.—Lincolnshire—continued.					
415.—BOSTON ..	3. Boston	WORKHOUSE	46	29	17
		Boston Hospital	21	9	12
		Fever Hospital, Skirbeck (Boston M.B. and R.D.) ..	—	—	—
416.—SLEAFORD ..	2. Sleaford	WORKHOUSE	26	14	12
		Small-pox Hospital (Sleaford U.D.)	—	—	—
		County Lunatic Asylum (Kesteven)	25	13	12
417.—GRANTHAM ..	2. Grantham North ..	WORKHOUSE	26	16	10
		Grantham Hospital	11	9	2
		Infectious Diseases Hospital (Grantham M.B.) ..	—	—	—
418.—LINCOLN ..	2. Lincoln Home	WORKHOUSE	57	33	24
		County Hospital	67	41	26
		Sanatorium for Small-pox (City of Lincoln) ..	—	—	—
		City Hospital (Infectious Dis., City of Lincoln)	27	14	13
		County Lunatic Asylum (Lindsey and Holland)	78	55	23
		Lincoln Lunatic Hospital (The Lawn)	1	—	1
419.—HORNCASTLE	2. Horncastle	WORKHOUSE	17	12	5
		Infectious Diseases Hospital (Horncastle U.D.) ..	—	—	—
	3. Tattershall	Alexandra Bromo-Iodine Hospital	—	—	—
420.—SPILSBY ..	3. Spilsby	WORKHOUSE	8	6	2
		Grace Swan Cottage Hospital, Handleby	1	1	—
	4. Burgh	Isolation Hospital (Skegness U.D.)	—	—	—
		Nottingham and Notts Convalescent Home	—	—	—
		Derbyshire Miners Convalescent Home	—	—	—
	Countess of Scarborough Convalescent Home ..	—	—	—	
421.—LOUTH ..	1. Withern	Mablethorpe Convalescent Home	1	1	—
	2. Louth	WORKHOUSE	24	14	10
		Hospital and Dispensary	6	5	1
		Cottage Hospital (Infectious Dis., Louth M.B.) ..	—	—	—
422.—GRIMSBY ..	1. Great Grimsby ..	WORKHOUSE (Grimsby)	78	55	23
		Grimsby and District Hospital	57	33	24
		Small-pox Hospital (Grimsby C.B.)	—	—	—
		Corporation Fever Hospital (Grimsby C.B.) ..	15	8	7
423.—CAISTOR ..	1. Caistor	WORKHOUSE	23	14	9
		Cottage Hospital	3	2	1
	2. Market Rasen ..	Isolation Hospital (Market Rasen U.D. and Caistor R.D.)	—	—	—
424.—GLANFORD BRIGG	1. Brigg	WORKHOUSE	19	11	8
	2. Winterton	Frodingham Cottage Hospital	1	1	—
425.—GAINS-BOROUGH	2. Misterton	Infectious Diseases Hospital (Misterton R.D.) ..	—	—	—
		WORKHOUSE	26	15	11
	3. Gainsborough ..	Infectious Diseases Hospital (Gainsborough U.D.)	2	1	1
		Infectious Diseases Hospital (Gainsborough R.D.)	—	—	—
	4. Marton	Reynard Cottage Hospital	2	1	1
32.—Nottinghamshire.					
426.—EAST RET-FORD	2. Clarborough	WORKHOUSE	20	15	5
	3. East Retford	Cottage Hospital	12	7	5
		Fever Hospital (East Retford M.B.)	—	—	—
427.—WORKSOP ..	1. Worksop	WORKHOUSE	1	1	—
		WORKHOUSE Infirmary	57	38	19
		Victoria Hospital	4	—	4
		Small-pox Hospital (Worksop U.D., Blyth and Cuckney R.D.) ..	—	—	—
	2. Carlton	Isolation Hospital (Worksop U.D., Blyth and Cuckney R.D.)	2	—	2
428.—MANSFIELD	1. Warsop	Mansfield Woodhouse District Hospital	3	2	1
	2. Pleasley	Isolation (District) Hospital (N. Derbysnre Hosp. Committee) ..	5	2	3
		Small-pox Hosp. (Skegby and Blackwell R.D's.) ..	—	—	—
	3. Blackwell	WORKHOUSE	91	62	29
		5. Mansfield	Infectious Diseases Hosp. (Mansfield M.B.) ..	1	—
		Accident Hospital	10	4	6
429.—BASFORD ..	2. Ilkeston	Cottage Hospital	5	5	—
		Infectious Diseases Hospital (Ilkeston M.B.) ..	—	—	—
	4. Hucknall Torkard ..	Temporary Small-pox Hospital (Joint Hospital Board)	—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.						
			Persons.	Males.	Females.				
32.—Nottinghamshire—continued.									
430.—NOTTINGHAM	1. Nottingham West.	South	General Hospital	275	160	115			
		West.	Hospital for Women	10	—	10			
	3. Nottingham East.	North	Notts and Midland Eye Infirmary	—	—	—			
			Children's Hospital	41	22	19			
	4. Nottingham West.	North	Nottingham City Lunatic Asylum	77	44	33			
			Nottingham Lunatic Hospital (The Coppice)	3	2	1			
	5. Bulwell	WORKHOUSE School (Training Institution)	3	—	3			
			Samaritan Hospital for Women	3	—	3			
	431.—SOUTHWELL	1. Southwell	WORKHOUSE (Basford)	106	64	42		
				WORKHOUSE and Infirmary	561	298	263		
		City of Nottingham Isolation Hospital	43	22	21		
				Basford Rural District Sanatorium	2	1	1		
..	Convalescent Home (Nottingham General Hosp.)	—	—	—			
			Small-pox Hospital (City of Nottingham)	—	—	—			
..	WORKHOUSE	7	4	3			
			Isolation Hospital (Newark M.B.)	1	1	—			
432.—NEWARK ..		3. Newark	WORKHOUSE Infirmary	25	15	10		
				Hospital and Dispensary	21	16	5		
				Isolation Hospital (Newark M.B.)	—	—	—		
433.—BINGHAM ..		1. Bingham..	WORKHOUSE	10	5	5		
	County Lunatic Asylum			53	27	26			
33.—Derbyshire.									
434.—SHARDLOW..	3. Shardlow	WORKHOUSE	26	14	12			
			Draycott Isolation Hospital (Shardlow R.D.)	3	1	2			
435.—DERBY ..	2. Derby	WORKHOUSE	118	65	53			
			Derbyshire Royal Infirmary	194	119	75			
			Hospital for Sick Children	39	13	26			
			Borough Isolation Hospital	17	7	10			
			Derbyshire Women's Hospital	2	—	2			
			Nightingale Home (Royal Derby Nursing Asso.)	11	4	7			
			Queen Victoria Memorial Home of Rest	20	6	14			
			Derby Borough Lunatic Asylum	45	16	29			
			Convalescent Home, Holbrook	—	—	—			
			WORKHOUSE	44	32	12			
436.—BELPER ..	2. Belper	Isolation Hospital (Belper Joint Hospital District)	6	2	4			
			Cottage Hospital	4	2	2			
			3. Belper	WORKHOUSE	20	11	9	
					Ashbourne Cottage Hospital	7	6	1	
437.—ASHBOURNE	1. Ashbourne	Temporary Small-pox Hospital (Ashbourne U.D. and R.D., and Mayfield R.D.)	—	—	—			
			Isolation Hosp. (South District, Chesterfield Union)	3	3	—			
438.—CHESTER-FIELD	1. Ashover	WORKHOUSE	116	80	36			
			WORKHOUSE (Chesterfield Union Schools)	—	—	—			
			Chesterfield and N. Derbyshire Hosp. and Disp.	73	43	30			
			Newbold Small-pox Hospital (Chesterfield Joint Hospital Committee)	—	—	—			
			Penmore Isolation Hospital (Chesterfield Joint Hospital Committee)	5	2	3			
			Spital Lane Small-pox Hospital (North Derbyshire Hospital Committee)	—	—	—			
			Isolation Hosp. (N. Derbyshire Hosp. Committee)	7	4	3			
			Isolation Hosp. (N. Derbyshire Hosp. Committee)	—	—	—			
			439.—BAKEWELL..	1. Bakewell	WORKHOUSE	27	15	12
						Temporary Isolation Hospital (Bakewell U.D.)	—	—	—
Smedley's Memorial Hospital	1	1				—			
Whitworth Hospital	9	5				4			
440.—CHAPEL EN LE FRITH	2. Matlock	Derby and Derbyshire Convalescent Home	1	1	—			
			Devonshire Hospital	9	3	6			
			Sanatorium (Buxton U.D.)	1	—	1			
			Free Convalescent Home, Buxton	—	—	—			
			WORKHOUSE	25	15	10			
441.—GLOSSOP ..	1. Glossop	High Peak Isol.Hos.(New Mills U.D.&Fairfield U.D.)	7	4	3			
			General Hospital, Birchinlee	2	2	—			
			WORKHOUSE	26	11	15			
442.—HAYFIELD ..	1. Hayfield..	Wood's Hospital	12	6	6			
			Gamesley Infectious Diseases Hospital (Glossop M.B. and Glossop Dale R.D.)	3	3	—			
			WORKHOUSE	10	7	3			

* 440 : 1.— In Wyc House a private Lunatic Asylum, 3 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
VIII.—NORTH-WESTERN DIVISION.					
34.—Cheshire.					
443.—STOCKPORT..	2. Hyde	Infectious Diseases Hospital (Hyde M.B.)	24	15	9
	4. Stockport First	WORKHOUSE	25	13	12
		WORKHO. Infirm. (Stepping Hill Poor Law Hosp.)	296	155	141
		Corporation Hospital (Fever)	13	6	7
	5. Stockport Second	Stockport Infirmary	50	31	19
	6. Stockport Third	Whitehill Hosp. for Infect. Dis. (Stockport C.B.) ..	—	—	—
	7. Heaton Norris	Northern Counties Hospital for Incurables	13	9	4
	8. Cheadle	Barnes Convalescent Hospital	4	2	2
444.—MACCLESFIELD.		Manchester Royal Lunatic Hospital (including St. Anne's Hospital)	32	22	10
	4. Macclesfield	WORKHOUSE	85	54	31
		General Infirmary	54	33	21
		Macclesfield Borough Isolation Hospital	7	2	5
		County Lunatic Asylum, Parkside	89	45	44
	5. Sutton	Small-pox Hospital (Macclesfield R.D.)	—	—	—
	7. Alderley.. ..	Convalescent Homes, Great Warford (Branch of Ancoats Hospital).. ..	1	1	—
445.—BUCKLOW ..	1. Wilmslow	WORKHOUSE, Styal Cottage Homes (Choriton) ..	—	—	—
	2. Altrincham	Lloyd's Fever Hospital (Altrincham U.D.) ..	1	1	—
		Altrincham Hospital	27	16	11
		Consump. Hosp. (Beh. of Manch. Consump. Hosp.)	2	2	—
	3. Sale	Small-pox Hospital (Bucklow Joint Hosp. Board)	—	—	—
		Sanatorium (City of Manchester)	15	5	10
	4. Lymm	Ashton upon Mersey Nursing Institution	3	1	2
	5. Knutsford	Infectious Diseases Hospital (Lymm U.D.).. ..	—	—	—
446.—RUNCORN ..		WORKHOUSE	84	45	39
		David Lewis Manchester Epileptic Colony ..	12	7	5
	1. Budworth	WORKHOUSE	27	21	6
		Small-pox Hospital (Runcorn R.D.)	—	—	—
		Isolation Hospital (Runcorn R.D.)	4	2	2
	2. Runcorn	Infectious Diseases Hospital (Runcorn U.D.) ..	4	2	2
		Victoria Cottage Hospital	7	5	2
	3. Frodsham	San. for Consum. (Beh. of Livpl. Hosp. for Consum.)	1	1	—
447.—NORTHWICH		Crossley San. (Beh. of Manch. Consump. Hosp.) ..	6	4	2
	2. Northwich	WORKHOUSE	31	20	11
		Winnington Hospital (Victoria Infirmary)	16	10	6
		Small-pox Hospital (Northwich U.D.)	—	—	—
		Small-pox Hospital, Marbury (Northwich R.D.)..	—	—	—
		Infect. Dis. Hosp., Leftwich (Northwich U.D. and R.D., Middlewich U.D., and Winsford U.D.) ..	14	5	9
	3. Over	Albert Infirmary	11	6	5
		Infectious Dis. Hosp. (Small-pox : Winsford U.D.)	—	—	—
448.—CONGLETON	2. Congleton	WORKHOUSE, Casual Ward	1	1	—
		Cottage Hospital	2	1	1
		West Heath Sanatorium (Infectious Diseases : Congleton and District Joint Hospital Board) ..	1	—	1
	3. Sandbach	WORKHOUSE	33	25	8
		Small-pox Hospital (Sanitary Areas in Congleton Union)	—	—	—
			—	—	—
449.—NANTWICH ..	1. Crewe	The Hospice (Accident Hospital, L. & N. W. Ry.)..	4	4	—
		Memorial Cottage Hospital	19	9	10
		Isolation Hospital (Crewe M.B.)	7	3	4
	2. Nantwich	WORKHOUSE	63	40	23
		Isolation Hospital (Nantwich U.D. and R.D.) ..	4	2	2
			—	—	—
450.—CHESTER ..	2. Chester Castle.. ..	WORKHOUSE (Tarvin Union)	7	5	2
	3. Chester Cathedral	WORKHOUSE (Chester Union)	112	65	47
		Isolation Hospital (City of Chester)	16	12	4
		Chester General Infirmary	115	63	52
		Small-pox Hospital (City of Chester)	—	—	—
		County Lunatic Asylum	114	60	54
451.—WIRRAL ..	1. Neston	WORKHOUSE Infirmary, Consumption Sanatorium (Liverpool, W. Derby, and Toxteth Park Unions)	1	1	—
		Liverpool Country Hospital for Children	1	—	1
	3. Belington	WORKHOUSE	53	30	23
		Liverpool Port Sanitary Hospital	1	1	—
		Wirral Joint Hospital (Infectious Diseases : Urban and Rural Dists. in Wirral Registration Dist.) ..	6	3	3
		Cottage Hospital, Port Sunlight	8	4	4
	4. Woodchurch	Children's Convalescent Home	11	6	5
		Greasby Hospital (Small-pox ; Urban and Rural Districts in Wirral Registration District) ..	—	—	—
		Queen Victoria Memorial Cottage Hospital ..	7	4	3
			—	—	—
			—	—	—
			—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
34.—Cheshire—continued.						
452.—BIRKENHEAD	1. Birkenhead	Borough Hospital (General Hospital)	73	52	21	
		Maternity Hospital	11	4	7	
		Wirral Children's Hospital	33	20	13	
		Infect. Diseases Hosp. (Birkenhead C.B.)	16	9	7	
	2. Tranmere	WORKHOUSE	301	175	126	
		Victoria Central Hospital	53	32	21	
	3. Wallasey	Cottage Hospital, Wallasey	10	6	4	
		Convalescent Home	—	—	—	
		Mill Lane Fever Hospital (Wallasey U.D.)	21	8	13	
		North Meade Ho. (Overflow F. Hos., Wallasey U.D.)	—	—	—	
		Small-pox Hospital (Wallasey U.D.)	—	—	—	
35.—Lancashire.						
453.—LIVERPOOL..	2. Exchange	St. Paul's Eye and Ear Hospital	—	—	—	
		Northern Hospital	206	137	69	
		Skin Hospital	—	—	—	
	3. Abercromby	WORKHOUSE	1053	637	416	
		Royal Infirmary	304	197	107	
		Children's Infirmary	222	125	97	
		Hospital for Consumption and Chest Diseases	7	5	2	
		Maternity Hospital	29	7	22	
		Eye and Ear Infirmary	4	4	—	
		Hahnemann Hospital	12	8	4	
		Cancer Hospital	—	—	—	
454.—TOXTETH PARK.	1. Toxteth Park North West.	City Hospital, Grafton Street (Infectious Diseases)	43	23	20	
		Royal Southern Hospital	195	124	71	
	2. Toxteth Park South West.	Samaritan Hospital for Women	5	—	5	
		WORKH. (Hosp. for Epilep. &c., Livpl. Wk.), Dingle Mt.	2	—	2	
	3. Toxteth Park Central	City Hospital, Park Hill (Infectious Diseases)	70	32	38	
	4. Toxteth Park East* ..	Home for Female Incurables	5	—	5	
		WORKHOUSE	415	233	182	
455.—WEST DERBY		Turner Memorial Home of Rest for Males	10	10	—	
	1. Crosby	Park House Convalescent Institution	2	—	2	
		3. Fazakerley	WORKHOUSE, Cottage Homes	4	3	1
	WORKHOUSE Infirmary (Deysbrook Hospital)		5	2	3	
	4. Walton†	Liverpool City Infectious Diseases Hospital	173	93	80	
		WORKHOUSE	909	436	473	
		WORKHOUSE, Belmont Road	181	118	63	
	5. Bootle	WORKHOUSE (Elm House Home for Epileptics)	—	—	—	
		Bootle Borough Hospital (Accident and General)	69	46	23	
	6. Kirkdale.. ..	Bootle Corporation Hospital (Infectious Diseases)	23	10	13	
		WORKHOUSE (Liverpool Branch, Aged Men)	—	—	—	
	7. North Everton	WORKHOUSE (Kirkdale Home, Liverpool Branch)	57	21	36	
		Stanley Hospital	138	83	55	
	8. South Everton‡	WORKH. (Lvpl. Beh., Mitford Ho.; Infirm Women)	—	—	—	
		City Hospital North (Netherfield Hosp.; Inf. Dis.)	73	42	31	
	10. West Derby Eastern§ ..	WORKHOUSE Infirmary (Mill Road Hospital)	782	486	296	
		Hospital for Women	33	—	33	
	11. Wavertree	WORKHOUSE Infirmary (Liverpool)	205	113	92	
		City Hospital East (Infectious Diseases)	95	52	43	
		WORKHOUSE (Lvpl. Cottage Homes for Children), Olive Mount	10	2	8	
		WORKHOUSE (Casual Wards)	—	—	—	
WORKHOUSE Schools (Toxteth Park)		—	—	—		
Accident Hospital		5	5	—		
Children's Rest (Home for Incurable Children)		2	1	1		
456.—PRESCOT ..	2. Much Woolton	Liverpool Convalescent Institution	1	1	—	
		Accident Hospital	8	5	3	
	3. Widnes	Widnes Infectious Diseases Hospital	8	4	4	
		WORKHOUSE	245	150	95	
	4. Prescott	Sanatorium (Whiston R.D.)	5	2	3	
		County Lunatic Asylum (part of), Rainhill	100	66	34	
		St. Helens Hospital	83	56	27	
		Providence Hospital	54	25	29	
		Fever Hospital (St. Helens C.B.)	54	33	21	
	5. St. Helens	County Lunatic Asylum (part of), Rainhill	83	43	40	
		Infectious Diseases Hospital (Rainford U.D.)	—	—	—	
	457.—ORMSKIRK ..	2. Ormskirk	WORKHOUSE	82	52	30
WORKHOUSE Schools			—	—	—	
Infectious Diseases Hospital (Ormskirk U.D.)			—	—	—	
Cottage Hospital			2	2	—	

* 454: 4.—In St. Augustine's Home, 16 deaths, and in the House of Providence (Rescue Home) 8 deaths occurred during the year.
† 455: 4.—In St. Joseph's House, 37 deaths occurred during the year.
‡ 455: 8.—In Our Lady's House for Homeless Babies, 5 deaths occurred during the year.
§ 455: 10.—In Tue Brook Villa, a private Lunatic Asylum, 9 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
35.—Lancashire—continued.					
457.—ORMSKIRK —cont.	3. Aughton	WORKHOUSE (Convalescent Branch, Livpl. Wkho.)	—	—	—
		Isolation Hospital (West Lancashire R.D.)..	1	—	1
	5. Formby*	Hospital for Infectious Dis. (Birkdale U.D.) ..	1	—	1
	6. North Meols	Convalescent Hospital	1	1	—
		Southport Infirmary and Local Dispensary ..	44	23	21
		Small-pox Hospital (Southport C.B.)	—	—	—
		Southport Brough Cottage Hospital (Infect. Dis.)	4	2	2
		Children's Sanatorium	3	1	2
		Convalescent Home (Provident Society)	—	—	—
		Bradstock Locket Home for Cripples.. ..	1	1	—
458.—WIGAN		Hydropathic Hospital	1	1	—
	8. Lathom	Infectious Diseases Hospital (Skelmersdale U.D.)	1	—	1
	2. Aspull	Small-pox Hospital (Horwich U.D.)	1†	—	1†
	3. Wigan	WORKHOUSE	174	113	61
		Royal Albert Edward Infirmary	136	84	52
		Wigan Borough Sanatorium	20	14	6
	4. Hindley	Isolation Hospital (Ince in Makerfield U.D.) ..	2	—	2
		Fever Hospital (Hindley U.D.)	3	1	2
		Sanatorium (Abram U.D.)	2	1	1
	5. Pemberton	Cottage Hospital for Infect. Dis. (Wigan C.B.) ..	—	—	—
459.—WARRINGTON	7. Ashton in Makerfield	Hospital for Infect. Dis. (Ashton in Makerfield U.D.)	12	8	4
		Small-pox Hospital (Ashton in Makerfield U.D.)..	—	—	—
	1. Newton in Makerfield	Cottage Hospital	7	6	1
		Old Wint Hospital (Small-pox; St. Helens C.B.) ..	—	—	—
		Haydock Lodge Lunatic Asylum	15	8	7
	2. Winwick	County Lunatic Asylum, Winwick Hall	233	83	150
	3. Sankey	Sanatorium (Small-pox; Warrington C.B.)	—	—	—
	4. Warrington	WORKHOUSE	163	108	55
		Warrington Infirmary and Dispensary	72	41	31
		Infectious Diseases Hospital (Warrington C.B.)	40	17	23
460.—LEIGH	5. Rixton	WORKHOUSE (Padgate Industrial School)	—	—	—
	2. Culcheth	Small-pox Hospital (Leigh Joint Hospital Board)	—	—	—
	3. Leigh	Leigh Infirmary	36	26	10
	4. Atherton	WORKHOUSE	121	70	51
		Sanatorium (Leigh M.B.)	22	14	8
461.—BOLTON	1. Farnworth	WORKHOUSE	333	209	124
		Fever Hospital (Farnworth, Little Hulton, and Little Lever Urban Districts).. ..	4	1	3
	2. South West Bolton ..	Western Fever Hospital (Bolton C.B.)	15	10	5
		Eastern Fever Hospital (Bolton C.B.)	12	5	7
		Infirmary and Dispensary	125	71	54
	4. Horwich.. ..	Fall Birch Infectious Diseases Hospital (Horwich, Westhoughton, and Blackrod Urban Districts)..	11	6	5
	6. Turton	Blair Convalescent Hospital	1	1	—
462.—BURY.. ..	1. Ramsbottom	Memorial Cottage Hospital	10	1	9
	3. Elton	Florence Nightingale Hosp.(Infect. Dis.; Bury C.B. and Radcliffe U.D.)	16	11	5
		Small-pox Hosp. (Joint Hosp. Com., incl. Bury C.B.)	—	—	—
	4. North Bury	WORKHOUSE	201	103	98
		Bury Dispensary and Hospital	31	14	17
		Robinson Kay Home and Hospital for Incurables	1	—	1
	5. Heywood	Infectious Diseases Hospital (Heywood M.B.) ..	—	—	—
	7. Radcliffe.. ..	Bealey Memorial Convalescent Hospital	—	—	—
463.—BARTON UPON IRWELL	8. Whitefield.‡				
	1. Worsley	WORKHOUSE (Industrial Schools; Manchester) ..	1	—	1
		Small-pox Hospital (Worsley U.D. and Swinton & Pendlebury U.D.)	—	—	—
	2. Barton§	WORKHOUSE	120	79	41
464.—CHORLTON ..		Eccles and Patricroft Hospital	5	2	3
	3. Stretford	Cottage Hospital, Urmston	3	2	1
	1. Didsbury	WORKHOUSE	1128	635	493
	3. Chorlton upon Med- lock.	Royal Eye Hospital.. ..	2	2	—
	Christie Hospital (Cancer)	35	17	18	
	Royal Infirmary	550	342	208	

* 457: 5.—In Shaftesbury House, a private Lunatic Asylum, 3 deaths occurred during the year.

† Cause of death.—Diphtheria.

‡ 462: 8.—In Overdale, a private Lunatic Asylum, no death occurred during the year.

§ 463: 2.—In St. Joseph's Home for Destitute and Abandoned Children, 4 deaths occurred during the year.

|| 464: 3.—In the Home of the Little Sisters of the Poor, 34 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
35.—Lancashire—continued.					
465.—SALFORD ..	1. Pendleton	WORKHOUSE Infirmary (Hope Hospital)	609	315	294
		Children's Hospital	152	77	75
	2. Broughton	Bethesda Home for Incurable Children	3	1	2
	3. Greengate	Salford Royal Hospital	219	138	81
	4. Regent Road	WORKHOUSE	42	18	24
		Ladywell Sanatorium (Salford C.B.)	231	129	102
466.—MANCHESTER	1. Ancoats	WORKHOUSE (Chorlton and Manchester Casual Ward and Test House)	—	—	—
		Ardwick and Ancoats Hospital.. ..	229	128	101
	2. Central	WORKHOUSE	—	—	—
		St. Mary's Hospital (Women and Children).. ..	112	30	82
		Lock Hospital.. ..	—	—	—
		Ear Hospital	5	2	3
		Eye and Ear Hospital (St. John's Street)	4	2	2
		Hospital for Skin Diseases	4	—	4
467.—PRESTWICH..	1. Cheetham	WORKHOUSE (Manchester)	952	603	349
		WORKHOUSE (Prestwich)	53	22	31
		Northern Hospital	79	31	48
		Jewish Hospital	19	9	10
	2. Prestwich	Drinkwater Park Hosp. (Sm.-pox; Salford C.B., &c.)	—	—	—
		County Lunatic Asylum	248	130	118
	3. Blackley	WORKHOUSE Infirmary (Booth Hall)	228	107	121
	5. Newton Heath*	Monsall Fever Hospital (City of Manchester)	252	125	127
	6. Bradford	Clayton Vale Hosp. (Phthisis; City of Manchester)	15	5	10
468.—ASHTON UNDER LYNE	3. Ashton Town	WORKHOUSE	242	140	102
		District Infirmary	71	44	27
		Borough Hospital (Infectious Diseases)	4	—	4
469.—OLDHAM ..	1. Oldham East	Strinesdale Sanatorium (Consump. ; Oldham C.B.)	—	—	—
	2. Oldham Central	WORKHOUSE	451	255	196
		Westhulme Hospital (Infect. Dis. ; Oldham C.B.)	20	10	10
	3. Oldham South	Infirmary	123	77	46
	4. Chadderton	Cinder Hill Small-pox Hospital (Chadderton U.D.)	—	—	—
	6. Royton	WORKHOUSE (Branch : Fir Bank Children's Hosp.)	—	—	—
470.—ROCHDALE..	3. Castleton No. 2	Marland Hospital (Infectious Diseases ; Rochdale C.B. and Middleton M.B.)	18	12	6
	5. Wardleworth	Infirmary and Dispensary	65	35	30
	6. Whitworth and Wardle	WORKHOUSE	228	126	102
		WORKHOUSE, Cottage Homes	—	—	—
	7. Littleborough	Isolation Hospital (Littleborough, Milnrow, and Wardle U.D's.)	4	3	1
471.—HASLINGDEN	1. Rawtenstall	WORKHOUSE	125	76	49
		Small-pox Hospital (Rawtenstall M.B.)	—	—	—
	3. Haslingden	Clod Small-pox Hospital (Haslingden M.B.)	—	—	—
	4. Accrington	Inf. Dis. Hosp. (Small-pox, Accrington M.B.)	—	—	—
		Victoria Cottage Hospital	22	12	10
472.—BURNLEY ..	1. East Ward	WORKHOUSE	313	193	120
		Sanatorium (Burnley C.B. and R.D., Brierfield U.D., and Padiham U.D.)	27	14	13
		Isolation Hospital, Briercliffe Road, (Small-pox Observation Cases, Burnley C.B.)	—	—	—
		Victoria Hospital	110	58	52
	2. West Ward	Small-pox Hospital (Burnley C.B. & R.D., Brierfield U.D., and Padiham U.D.)	—	—	—
	4. Nelson†	Small-pox Hospital (Nelson M.B.)	—	—	—
	5. Colne	Cottage Hospital	23	7	16
		Small-pox Hospital (Colne M.B.)	—	—	—
473.—CLITHEROE	4. Clitheroe	WORKHOUSE	19	15	4
474.—BLACKBURN	1. Billington	WORKHOUSE, Epileptic Colony (Chorlton and Manchester)	7	2	5
	4. Blackburn Northern	WORKHOUSE, Cottage Homes	—	—	—
	6. Blackburn Eastern. South	WORKHOUSE	326	185	141
		WORKHOUSE, Cottage Homes	—	—	—
		Blackburn and East Lancashire Infirmary.. ..	123	69	54
		Fever Hospital (Blackburn C.B.)	55	32	23
	8. Darwen	Bull Hill Hospital for Infect. Dis. (Darwen M.B.)	1	1	—

* 467: 5.—In the Home for Aged Poor, Culcheth Hall, 33 deaths occurred during the year.

† 472: 4.—In Marsden Hall, a private Lunatic Asylum, 1 death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
35.—Lancashire—continued.						
475.—CHORLEY ..	1. Brindle	Small-pox Hosp., Hoghton (Blackburn C.B.) ..	—	—	—	
		Isolation Hospital (Withnell U.D.)	—	—	—	
		3. Rivington	Infectious Diseases Hospital (Chorley M.B., Chorley R.D., Adlington U.D., and Leyland U.D.)	9	4	5
		4. Chorley	WORKHOUSE	49	29	20
476.—PRESTON ..	3. North Preston ..	Rawcliffe Hospital	16	7	9	
		Royal Infirmary (including Harris Infect. Wards)	94	52	42	
	Holme Slack Small-pox Hospital (Preston C.B.) ..	—	—	—		
	Nurses' Home and Preston Private Hospital ..	4	4	—		
	Isolation Hospital (Preston C.B.)	11	9	2		
	4. West Preston ..	St. Joseph's Hospital	6	—	6	
	5. Walton le Dale ..	Bradkirk Small-pox Hosp. (Walton le Dale U.D.) ..	—	—	—	
	Infectious Diseases Hosp. (Walton le Dale U.D.) ..	3	2	1		
	6. Alston	WORKHOUSE	6	6	—	
	7. Broughton	WORKHOUSE	179	114	65	
477.—FYLDE ..	1. Kirkham	Joint Isolation Hospital (Fulwood U.D., Longridge U.D., and Preston R.D.)	2	2	—	
		Military Hospital (Garrison Hospital)	2	2	—	
		County Lunatic Asylum, Whittingham	167	86	81	
		WORKHOUSE	49	29	20	
		WORKHOUSE, Children's Home	—	—	—	
	2. Lytham	Moss Side Fever Hospital (Joint Hospital Board)	25	14	11	
		Cottage Hospital	5	3	2	
		Abraham Ormerod Convalescent Home	—	—	—	
		Convalescent Home, St. Anne's on the Sea (Branch of Manchester Children's Hospital)	1	1	—	
	3. Blackpool	Sanatorium (Blackpool C.B.)	29	11	18	
		Victoria Hospital	49	26	23	
		Co-operative Convalescent Home	—	—	—	
	4. Fleetwood	Fleetwood Cottage Hospital	10	5	5	
		Small-pox Hospital (Joint Hospital Board) ..	—	—	—	
	478.—GARSTANG ..	3. Garstang	WORKHOUSE	7	6	1
479.—LANCASTER	2. Heaton	Sanatorium (Morecambe M.B.)	—	—	—	
		Sanatorium for Infectious Dis. (Heysham U.D.) ..	1	1	—	
	Queen Victoria Cottage Hospital	5	1	4		
	3. Lancaster	WORKHOUSE	49	36	13	
		Royal Lancaster Infirmary	45	23	22	
		Luneside Hospital (Inf. Dis.; Lancaster M.B.) ..	19	9	10	
	County Lunatic Asylum, Lancaster Moor	202	128	74		
	Royal Albert Institution*	15	5	10		
	480.—LUNESDALE	2. Wray	WORKHOUSE	5	3	2
			Infectious Dis. Hosp., Hornby (Lunesdale R.D.) ..	1	—	1
WORKHOUSE			34	18	16	
481.—ULVERSTON	3. Ulverston	Cottage Hospital	6	3	3	
		High Carley Sanatorium (Ulverston Jt. Hosp. Bd.)	1	1	—	
482.—BARROW IN FURNESS	1. Barrow in Furness ..	WORKHOUSE	51	32	19	
		WORKHOUSE, Grouped Cottage Homes	1	—	1	
		North Lonsdale Hospital	35	22	13	
		Small-pox Hospital (Barrow in Furness C.B.) ..	—	—	—	
		Cholera Hospital (Barrow in Furness C.B.) ..	—	—	—	
		Infectious Dis. Hosp. (Barrow in Furness C.B.) ..	3	1	2	
		WORKHOUSE	—	—	—	
IX.—YORKSHIRE.						
36.—West Riding.						
483.—SEDBERGH ..	1. Sedbergh	WORKHOUSE	2	1	1	
484.—SETTLE ..	1. Benthall	Isolation Hospital (Settle R.D.)	2	2	—	
	2. Settle	WORKHOUSE	23	20	3	
485.—SKIPTON ..	3. Barnoldswick ..	Isolation Hospital (Barnoldswick U.D.)	—	—	—	
		WORKHOUSE	45	30	15	
	5. Skipton	WORKHOUSE Infirmary (Bradford Union) Consumption Sanatorium	—	—	—	
		Joint Fever Hospital (Skipton U.D., Silsden U.D., and Skipton R.D.)	3	2	1	
		Skipton and District Cottage Hospital	7	5	2	
486.—PATELEY BRIDGE	1. Ramsgill	Small-pox Hospital (Skipton U.D.)	—	—	—	
	Angram Accident Hospital (Bradford C.B. Water Works)	2	2	—		
487.—RIPON ..	2. Pateley Bridge ..	WORKHOUSE	11	10	1	
		Isolation Hospital (Pateley Bridge R.D.)	1	1	—	
	2. Ripon	WORKHOUSE	13	7	6	
488.—GREAT OUSEBURN	2. Whixley	Dispensary and Cottage Hospital	7	3	4	
		Infectious Diseases Hosp. (Ripon and Wath R.D's.)	2	1	1	
		Small-pox Hospital (Ripon and Wath R.D's.) ..	—	—	—	
		WORKHOUSE	14	7	7	
		Fever Hospital (Great Ouseburn R.D.)	—	—	—	
3. Poppleton	Small-pox Isolation Hospital (Great Ouseburn R.D.)	—	—	—		

* Formerly called Royal Albert Asylum for Idiots.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
36.—West Riding—continued.					
489.—KNARES-BOROUGH	1. Knaresborough ..	WORKHOUSE ..	33	17	16
		Isolation Hosp. (Harrogate M.B. & Knaresborough U.D. & R.D.) ..	1	—	1
	2. Harrogate ..	Royal Bath Hospital and Rawson Conv. Home ..	2	—	2
		The Harrogate Infirmary ..	36	16	20
		Home for Incurables ..	7	1	6
		Heatherdene Convalescent Home ..	—	—	—
490.—WETHERBY	1. Wetherby ..	Durham County Hospital Convalescent Home ..	1	1	—
		WORKHOUSE ..	12	7	5
491.—WHARFE-DALE	1. Horsforth ..	Isolation Hospital (Wetherby R.D.) ..	—	—	—
		Cookridge Convalescent Hospital ..	1	—	1
		Ida Hospital (connected with Leeds Gen. Infirmary)	1	—	1
		Woodlands Convalescent Home (Branch of Bradford Royal Infirmary) ..	1	1	—
		Springfield Convalescent Home (Leeds Work-people Hospital Fund) ..	—	—	—
	2. Fewston ..	WORKHOUSE ..	34	20	14
		3. Otley ..	Fever Hospital (Otley U.D.) ..	7	3
	4. Ilkley ..		West Riding Lunatic Asylum, Menston ..	160	65
		West Riding Lunatic Asylum, Scalebor Park ..	23	14	9
		Semon Convalescent Home (Brad. Corp.) ..	—	—	—
		Cottage Hospital (Infect. Diseases; Ilkley U.D.)	—	—	—
	5. Yeadon ..	Ilkley Hospital and Convalescent Home ..	—	—	—
		Ilkley Coronation Hospital ..	6	3	3
		Small-pox Hosp. (Wharfedale Jnt. Hosp. Comm.)	—	—	—
	492.—KEIGHLEY ..	1. Bingley ..	Cottage Hospital ..	7	5
Joint Inf. Dis. Hosp. (Keighley M.B. & Bingley U.D.)			18	10	8
2. Keighley ..		Eldwick Sanatorium (Consumption) ..	1	—	1
		WORKHOUSE ..	83	52	31
		Victoria Hospital ..	32	22	10
493.—TODMORDEN	2. Todmorden ..	WORKHOUSE ..	42	23	19
		Small-pox Hospital (Urban & Rural Districts in Todmorden Reg. Dist., and Bacup M.B.) ..	—	—	—
		Fielden Hospital (Infectious Diseases; Urban & Rural Dists. in Todmorden Reg. Dist.) ..	1	1	—
494.—SADDLE-WORTH	2. Saddleworth ..	WORKHOUSE ..	9	6	3
		Small-pox Hosp., Runninghill (Saddleworth U.D.)	—	—	—
495.—HUDDERS-FIELD	2. Honley ..	WORKHOUSE ..	49	25	24
		Convalescent Home ..	1	1	—
		Moor Top Small-pox Hosp. (Colne & Holme Jt. Bd.)	—	—	—
	5. Kirkburton ..	Isolation Hosp. (Colne & Holme Jt. Bd.), Meltham	6	4	2
		Small-pox Hospital (Joint Committee) ..	—	—	—
	6. Almondbury ..	Isolation Hospital (Joint Committee) ..	4	1	3
		West Riding Lunatic Asylum (Storthes Hall) ..	107	60	47
	8. Huddersfield ..	Huddersfield Sanatorium, Dalton ..	33	22	11
		Huddersfield Infirmary ..	139	73	66
	9. Lockwood ..	Nursing Home, Trinity Street ..	8	2	6
		WORKHOUSE, Crosland Moor ..	114	80	34
496.—HALIFAX ..	1. Brighouse ..	Brighouse Joint Hospital (Infectious Diseases; Halifax R.D. and three Urban Districts) ..	8	2	6
		Hollin Hey Hosp. (Inf. Dis.; five Urban Districts)	—	—	—
	4. Sowerby ..	Cottage Hospital (Inf. Dis.; Sowerby Bridge U.D.)	—	—	—
		Small-pox Hospital (Sowerby U.D.) ..	—	—	—
	5. Halifax, South ..	WORKHOUSE ..	8	6	2
		WORKHOUSE Infirmary (Poor Law Hospital) ..	238	130	108
		Royal Halifax Infirmary ..	170	105	65
		Borough Fever Hospital ..	24	14	10
	6. Halifax, North ..	Small-pox Hospital (Halifax C.B.) ..	—	—	—
		Infectious Diseases Hospital (Halifax C.B., Lud-denden Foot and Midgley U.D.'s.) ..	—	—	—
Infectious Diseases Hospital (Queensbury U.D.) ..		—	—	—	
497.—NORTH BIERLEY	1. Cleckheaton ..	North Bierley Joint Inf. Dis. Hosp. (City of Bradford, Hunsworth U.D., and Cleckheaton U.D.) ..	9	5	4
		Small-pox Hospital (Cleckheaton U.D.) ..	—	—	—
	4. Thornton ..	Small-pox Hospital (City of Bradford) ..	—	—	—
		WORKHOUSE ..	113	70	43
	6. Shipley ..	WORKHOUSE, Cottage Homes for Children ..	—	—	—
		Inf. Dis. Hosp. (City of Bradford & Clayton U.D.)	—	—	—
	8. Calverley ..	Salt's Hospital, Saltaire ..	1	1	—
		Stoney Ridge Hospital (Infect. Dis.; Shipley U.D.)	2	1	1
		Calverley Joint Inf. Dis. Hosp. (City of Bradford, Pudsey M.B., Calverley U.D. and Farsley U.D.)	5	—	5

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
36.—West Riding—continued.					
498.—BRADFORD..	2. Bradford Central ..	Fever Hospital (City of Bradford)	45	23	22
		Bradford Royal Infirmary	229	129	100
	3. Manningham ..	Royal Eye and Ear Hospital	10	8	2
		Hospital for Sick Children of the Poor	63	34	29
	4. Horton	St. Catherine's Home for Incurables	21	1	20
WORKHOUSE		494	262	232	
WORKHOUSE, Children's Homes			—	—	—
499.—BRAMLEY ..	3. Wortley	WORKHOUSE	65	35	30
		Hospital for Consumption	37	30	7
500.—LEEDS ..	2. North Leeds ..	{ WORKHOUSE }	522	333	189
		{ Infirmary }	—	—	—
	3. West Leeds* ..	General Infirmary	520	316	204
		Hospital for Women and Children	54	15	39
	5. Chapeltown ..	Leeds Maternity Hospital	10	6	4
		WORKHOUSE, Temporary Branch (Aged Poor)	2	2	—
		WORKHOUSE, Children's Central Home	—	—	—
		City Small-pox Hospital (Killingbeck)	—	—	—
		City of Leeds Fever Hospital (Seacroft)	111	62	49
501.—HUNSLET ..	3. Rothwell	WORKHOUSE	93	57	36
		WORKHOUSE, Children's Homes	—	—	—
		Small-pox Hospital (Rothwell U.D.)	—	—	—
		Small-pox Hospital (Hunslet R.D.)	—	—	—
		Isolation Hospital (Rothwell U.D., Methley U.D. and Hunslet R.D.)	6	3	3
502.—HOLBECK ..	1. Holbeck	WORKHOUSE	33	17	16
503.—DEWSBURY..	1. Morley	Infectious Diseases Hospital (Morley M.B.)	3	1	2
		District Hospital	23	13	10
		Oakwell Isolation Hospital (Joint Board)	9	5	4
		Memorial Cottage Hospital	12	6	6
	6. Dewsbury	Crossley Infectious Diseases Hosp. (Liversedge and Mirfield U.D's.)	6	2	4
		WORKHOUSE	128	85	43
		Dewsbury and District General Infirmary	33	25	13
		Infect. Dis. Hosp. (Dewsbury Joint Hosp. Board)	15	10	5
		Small-pox Hospital (Ossett M.B.)	—	—	—
		Small-pox Isolation Hospital (Thornhill U.D.)	—	—	—
504.—WAKEFIELD	2. Sandal	Isolation Hospital (City of Wakefield)	—	—	—
		Isolation Hospital, Addingford (Horbury U.D.)†	1	—	1
		WORKHOUSE	122	85	37
	3. Horbury.. ..	Clayton Hospital & Wakefield General Dispensary	78	45	33
		Fever Hospital (City of Wakefield)	5	3	2
		West Riding Lunatic Asylum (part of)	194	118	76
	6. Stanley	Isolation Hospital (Ardsley U.D.)	1	1	—
		Field Head Home, West Riding Lun. Asy. (part of)	1	1	—
Stanley Hall Home		1	1	—	
7. Normanton ..	Ivy House, Stanley	—	—	—	
	Small-pox Hospital (Normanton U.D.)	—	—	—	
505.—PONTEFRACT	3. Pontefract	WORKHOUSE	72	51	21
		Joint Isolation Hospital (Pontefract M.B. and R.D. and Knottingley U.D.)	2	1	1
		Small-pox Hospital (Featherstone U.D.)	—	—	—
		Infectious Diseases Hospital, Ackton (Normanton & District Hospital Committee)	22	10	12
		General Dispensary and Infirmary	8	5	3
	4. Castleford ..	Small-pox Hospital (Whitwood U.D.)	—	—	—
		Red Hill Small-pox Hospital (Castleford U.D.)	—	—	—
506.—HEMSWORTH	2. Hemsworth Western	WORKHOUSE	21	17	4
Infectious Diseases Hospital (Hemsworth R.D.)			9	7	2
507.—BARNSELY ..	2. Barnsley.. ..	WORKHOUSE	71	50	21
		Beckett's Hospital and Dispensary	69	44	25
		Kendray Hospital (Barnsley M.B.)	35	17	18
		Small-pox Hospital (Barnsley M.B.)	—	—	—
508.—WORTLEY ..	3. Penistone	WORKHOUSE (Penistone)	8	3	5
		Stanhope Isol. Hosp. (Penistone Hospital District)	2	—	2
	5. Ecclesfield	WORKHOUSE (Wortley)	15	13	2
		Infectious Diseases Hospital (Wortley R.D.)	3	1	2
	6. Bradfield	West Riding Lunatic Asylum, Wadsley	192	104	88
		Isolation Hospital (Stocksbridge U.D.)	—	—	—

* 500 : 3.—In the Little Sisters' Home (Consort Terrace Hospital), 29 deaths occurred during the year.

† Formerly Small-pox Hospital.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
36.—West Riding—continued.						
509.—ECCLESALL BIERLOW.	2. Ecclesall West Central.	WORKHOUSE, Cottage Homes (Sheffield)	—	—	—	
		Lodge Moor Hosp. (Infec. Dis.; City of Sheffield)	66	32	34	
		Crimicar Lane Hosp. (City of Sheffield)*	1	—	1	
		Children's Hospital	52	30	22	
		Hospital for Consumption (City of Sheffield)	3	3	—	
510.—SHEFFIELD..	5. Ecclesall South	Royal Hospital Annexe (Convalescent Home)	1	—	1	
		George Woodfin Convalescent Home	1	—	1	
	1. South Sheffield	WORKHOUSE	324	189	135	
		Royal Hospital	218	130	88	
	2. North Sheffield	Jessop Hospital for Women	45	9	36	
		Royal Infirmary	260	154	106	
	3. Sheffield Park ..	Fever Hospital (City of Sheffield)	—	—	—	
		WORKHOUSE, Children's Homes	—	—	—	
	5. West Brightside	WORKHOUSE	69	40	29	
		WORKHOUSE Infirmary (Union Hospital)	572	337	235	
511.—ROTHERHAM	6. East Brightside	WORKHOUSE, Children's Homes	—	—	—	
		Children's Hospital (Wicker)	1	1	—	
	1. Aston	Isolation Hospital (Rotherham R.D., Handsworth U.D. and Kiveton Park R.D.)	9	6	3	
		WORKHOUSE	120	84	36	
	2. South East Rotherham	Hospital and Dispensary	74	51	23	
		Small-pox Hospital (Rotherham C.B.)	—	—	—	
	3. North West Rotherham†	Isolation Hospital (Rotherham C.B.)	15	3	12	
		WORKHOUSE	—	—	—	
	4. Rawmarsh	Fever Hospital (Rawmarsh U.D.)	—	—	—	
		Infec. Dis. Hospital (Wath, Swinton and District Joint Board)	16	12	4	
512.—DONCASTER	1. Tickhill	WORKHOUSE	69	49	20	
		Small-pox Hospital (Doncaster M.B.)	—	—	—	
	2. Barmbrough	Montague Cottage Hospital	17	11	6	
		Infectious Diseases Hospital (Mexborough U.D. and Doncaster R.D.)	14	8	6	
	3. Doncaster	Fullerton Hospital (Accidents)	6	4	2	
513.—THORNE ..	2. Thorne	Royal Infirmary and Dispensary	29	19	10	
		Carr House Hosp. for Infect. Dis. (Doncaster M.B.)	11	7	4	
		WORKHOUSE	27	17	10	
514.—GOOLE ..	2. Goole	WORKHOUSE	31	25	6	
		Fever Hospital (Goole U.D.)	8	4	4	
		Small-pox Hospital (Goole U.D.)	—	—	—	
515.—SELBY ..	3. Snaith	Cottage Hospital	5	2	3	
		WORKHOUSE, Children's Home	—	—	—	
	2. Selby	WORKHOUSE	12	16	2	
		Gateforth Hall Sanatorium (Tuberculosis) ..	1	1	—	
516.—TADCASTER..	1. Aberford	Brooke Cottage Hospital	3	1	2	
		Isolation Hospital (Selby U.D. and R.D.)	5	3	2	
	2. Tadcaster	Cliffe Isolation Hospital (Tadcaster R.D.)	1	—	1	
		3. Sherburn	WORKHOUSE	14	7	7
		Small-pox Hospital (Joint Hospital Board)	—	—	—	
37.—East Riding (with York).						
517.—YORK..	1. Skelton	York City Fever Hospital	3	1	2	
		York City Small-pox Hospital †	1	1	—	
	2. York East §	North Riding Lunatic Asylum	78	47	31	
		WORKHOUSE	103	59	44	
		Military Hospital	12	12	—	
		County Hospital	66	42	24	
		Maternity Home (Branch of York Dispensary) ..	2	—	2	
		York Lunatic Hospital (Bootham Park Asylum)	9	4	5	
		The Retreat (Lunatic Hospital)	10	5	5	
		York City Lunatic Asylum	24	10	14	
	5. Eserick	6. Dunnington	Muncaster House (Convalescent Branch of York City Fever Hospital)	—	—	—
			WORKHOUSE	17	13	4
518.—POCKLINGTON	2. Pocklington	WORKHOUSE	—	—	—	
519.—HOWDEN ..	3. Howden	WORKHOUSE	9	4	5	
520.—BEVERLEY ..	2. Beverley.. ..	Isolation Hospital (Howden R.D.)	1	—	1	
		WORKHOUSE	23	17	6	
521.—SCULCOATES	1. Southcoates	Cottage Hospital	4	4	—	
		East Riding Lunatic Asylum	52	28	24	
	2. Cottingham	Evan Fraser Hospital (Small-pox,&c., City of Hull)	5	5	—	
		Hull City Lunatic Asylum	75	47	28	
	4. Hessle	WORKHOUSE, Cottage Homes	—	—	—	
		Sanatorium (City of Hull)	45	20	25	
	7. East Sculcoates ..	8. West Sculcoates ..	WORKHOUSE	199	117	82
			Hospital for Women and Orthopædics	8	—	8

* This hospital was used for convalescent scarlet fever patients during the early part of the year, and for consumptive patients subsequently. The death in 1909 was ascribed to Valvular Disease.

† 511: 3.—In The Grange, a private Lunatic Asylum, 2 deaths occurred during the year.

‡ In the absence of small-pox cases this hospital is occasionally used for convalescent cases of scarlet fever and diphtheria. The death in 1909 was ascribed to Diphtheria.

§ 517: 2.—In the Pleasaunce, a private Lunatic Asylum, 3 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
37.—East Riding—continued.						
522.—HULL..	1. Humber ..	Royal Infirmary ..	296	190	106	
	2. Myton ..	WORKHOUSE ..	212	146	66	
		Victoria Hospital for Sick Children ..	76	43	33	
523.—PATRINGTON	1. Patrington ..	WORKHOUSE ..	7	4	3	
		(Hull and East Riding Convalescent Home (Sanatorium (Consumption) ..	—	—	—	
524.—SKIRLAUGH	2. Skirlaugh ..	WORKHOUSE ..	1	1	—	
525.—DRIFFIELD ..	2. Driffield ..	WORKHOUSE ..	15	11	4	
		Cottage Hospital ..	2	2	—	
526.—BRIDLINGTON	2. Bridlington ..	WORKHOUSE ..	14	10	4	
		Lloyd Hospital ..	4	2	2	
		St. Anne's Convalescent Home ..	—	—	—	
		Sanatorium (Bridlington M.B.) ..	—	—	—	
38.—North Riding.						
527.—SCAR- BOROUGH	2. Scarborough ..	WORKHOUSE ..	64	37	27	
		Scarborough Hospital and Dispensary ..	37	18	19	
		Royal Northern Sea Bathing Infirmary ..	—	—	—	
		Cottage Hospital ..	—	—	—	
		Sanatorium (Scarborough M.B.) ..	4	1	3	
528.—MALTON ..	3. Malton ..	WORKHOUSE ..	17	12	5	
529.—EASINGWOLD	2. Easingwold ..	Malton, Norton and District Cottage Hospital ..	6	3	3	
		WORKHOUSE ..	5	5	—	
		St. Monica's Cottage Hospital ..	3	2	1	
530.—THIRSK ..	2. Thirsk ..	WORKHOUSE ..	5	4	1	
		Lambert Memorial Hospital ..	4	2	2	
531.—HELMSLEY ..	1. Helmsley ..	WORKHOUSE (Helmsley) ..	2	2	—	
	2. Kirkby Moorside ..	WORKHOUSE (Kirkby Moorside) ..	3	1	2	
532.—PICKERING ..	2. Pickering ..	WORKHOUSE ..	9	6	3	
533.—WHITBY ..	2. Whitby ..	WORKHOUSE ..	18	10	8	
		Infectious Diseases Hospital (Whitby U.D.) ..	3	1	2	
		Cottage Hospital, Whitby ..	11	6	5	
534.—GUIS- BOROUGH	1. Loftus ..	Cleveland Cottage Hospital, Brotton ..	4	4	—	
		Miners' Hospital, Skinningrove ..	1	1	—	
		Isolation Hospital (Loftus U.D.) ..	—	—	—	
	2. Skelton ..	Miners' Hospital, Skelton ..	—	—	—	
	3. Marske ..	Convalescent Home, Saltburn ..	—	—	—	
		Convalescent Home, Coatham ..	1	1	—	
		Miners' Hospital, Marske ..	1	1	—	
		Fever Hospital (Redcar U.D.) ..	—	—	—	
		Sanatorium for Small-pox (Redcar U.D., Saltburn by the Sea U.D. and Guisborough R.D.) ..	—	—	—	
	4. Guisborough ..	WORKHOUSE ..	21	13	8	
		Sanatorium (Guisborough U.D.) ..	—	—	—	
		Chaloner Cottage Hospital (Miners) ..	3	3	—	
	535.—MIDDLES- BROUGH	1. Middlesbrough*	WORKHOUSE ..	229	162	67
			WORKHOUSE, Cottage Homes ..	—	—	—
WORKHOUSE (Children's Hospital) "Broomlands" ..			5	1	4	
North Riding Infirmary ..			84	52	32	
Middlesbrough Borough Sanatorium ..			28	16	12	
Middlesbrough Borough Lunatic Asylum ..			53	26	27	
North Ormesby Cottage Hospital ..			48	25	23	
2. Ormesby..		Eston Hospital ..	16	12	4	
		Eston Urban District Sanatorium ..	—	—	—	
3. Thornaby ..		Hemlington Hosp. (Phthisis: Middlesbro' C.B.)†..	1	1	—	
536.—STOKESLEY..	1. Stokesley ..	WORKHOUSE ..	6	3	3	
537.—NORTHAL- LERTON	2. Northallerton ..	WORKHOUSE ..	13	8	5	
		Rutson Hospital ..	4	1	3	
		Fever Hospital, Northallerton (Northallerton U.D.) ..	—	—	—	
		Fever Hospital, Northallerton (Northallerton R.D.) ..	—	—	—	

* 535: 1.—In Nazareth House, 8 deaths occurred during the year.

† Formerly Small-pox Hospital.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION	DEATHS.		
			Persons.	Males.	Females.
38.—North Riding—continued.					
538.—BEDALE ..	1. Bedale	WORKHOUSE	5	3	2
539.—LEYBURN ..	2. Leyburn	WORKHOUSE	4	2	2
540.—AYSGARTH ..	1. Askrigg	WORKHOUSE Wensleydale Sanatorium (Phthisis)	2 —	— —	2 —
541.—REETH ..	2. Reeth	WORKHOUSE	—	—	—
542.—RICHMOND ..	1. Richmond	WORKHOUSE Cottage Hospital (Infect. Dis.; Richmond M.B.) ..	8 —	5 —	3 —
		Victoria Cottage Hospital	4	3	1
	2. Catterick	St. John of God's Hospital	10	10	—
X.—NORTHERN DIVISION.					
39.—Durham.					
543.—DARLINGTON	1. Hurworth*	Ropner Convalescent Home	—	—	—
	2. Darlington	WORKHOUSE	42	29	13
		Darlington Hospital	49	29	20
		Borough Hospital (Darlington Fever Hospital) ..	13	8	5
		Small-pox Hospital (Darlington M.B.)	—	—	—
544.—STOCKTON ..	1. Stockton.. ..	WORKHOUSE	68	47	21
		WORKHOUSE, Cottage Homes	—	—	—
		Stockton and Thornaby Hospital	43	26	17
		Floating Hospital (Port Sanitary Authority) ..	1	1	—
		Infectious Dis. Hospital (Stockton on Tees M.B.) ..	9	5	4
		Small-pox Hospital (Stockton on Tees M.B.) ..	—	—	—
545.—HARTLEPOOL	1. Hartlepool	WORKHOUSE	152	103	49
		Hartlepoons Hospital	34	25	9
		Port Sanitary Hospital	4	3	1
		Cameron Hospital	25	22	3
546.—SEDFIELD	1. Sedgfield	WORKHOUSE	6	6	—
		Union Isolation Hospital (Sedgfield R.D.)	2	—	2
		County Lunatic Asylum	122	75	47
		County Lunatic Asylum (Trimdon House Branch) ..	1	1	—
547.—AUCKLAND ..	1. Bishop Auckland ..	WORKHOUSE	69	53	16
		Inf. Dis. Hosp., Helmington Row (Joint Board) ..	9	4	5
		Inf. Dis. Hosp., Tindale Crescent (Joint Board) ..	9	8	1
		Small-pox Hospital (Joint Board)	—	—	—
		Inf. Dis. Hosp. (Bishop Auckland U.D.)	2	1	1
		Inf. Dis. Hos., Merrington Lane (Spennymoor U.D.)	2	2	—
		Lady Eden Cottage Hospital, Bishop Auckland ..	11	9	2
548.—TEESDALE ..	2. Barnard Castle ..	WORKHOUSE	29	18	11
		Infectious Diseases Hospital (Barnard Castle U.D.)	—	—	—
		Infectious Diseases Hospital (Barnard Castle R.D.)	—	—	—
	3. Middleton	Infectious Diseases Hospital (Startforth R.D.) ..	—	—	—
549.—WEARDALE..	2. Stanhope	WORKHOUSE	5	4	1
		Horn Hall Sanatorium for Phthisis	4	2	2
550.—LANCHESTER	1. Tanfield	Tanfield Infec. Dis. Hos. (Lanchester Jnt. Hos. Brd.)	20	11	9
	2. Consett	Fever Hosp, Leadgate (Lanchester Jnt. Hosp. Brd.)	2	—	2
		Infirmiry (Consett Iron Co.)	2	2	—
	3. Lanchester	WORKHOUSE	57	45	12
		Langley Park Isol. Hos. (Lanchester Jnt. Hos. Brd.)	8	5	3
		Maiden Law Sanatorium for Phthisis (Lanchester Joint Hospital Board)	4	4	—
551.—DURHAM ..	1. St. Oswald	WORKHOUSE	46	29	17
		Durham County Hospital	59	36	23
		Houghall Infectious Dis. Hospital (Durham R.D.)	4	3	1
		Brandon Fever Hosp. (Brandon & Byshottles U.D.)	1	—	1
	2. St. Nicholas	Sherburn Hospital	16	11	5
		Fever Hospital (City of Durham)	—	—	—
552.—EASINGTON..	2. Dawdon	WORKHOUSE	20	14	6
		Fever Hospital, Thorpe (Easington R.D.)	8	4	4
		Seaham Harbour Infirmiry	7	6	1
		Fever Hospital (Seaham Harbour U.D.)	2	1	1

* 543 : 1.—In Dinsdale Park and Middleton Hall, two private Lunatic Asylums, 10 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
39.—Durham—continued.					
553.—HOUGHTON LE SPRING	1. Houghton le Spring ..	WORKHOUSE	15	6	9
		Northern Infectious Diseases Hospital (Hetton U.D. and Houghton le Spring R.D.)	—	—	—
		Infectious Diseases Hosp.(Houghton le Spring U.D.)	1	—	1
554.—CHESTER LE STREET	2. Hetton le Hole.. ..	Southern Infectious Diseases Hospital (Hetton U.D. and Houghton le Spring R.D.).. ..	—	—	—
	1. Chester le Street ..	WORKHOUSE	25	16	9
	2. Harraton	Infectious Diseases Hospital (Rural District)	6	4	2
555.—SUNDERLAND		Consumption Sanatorium (Chester le Street R.D.)	—	—	—
	1. Sunderland West ..	WORKHOUSE	396	236	160
		General Infirmary and Dispensary	181	105	76
		Sunderland and Durham Eye Infirmary	—	—	—
	3. Sunderland North ..	Monkwearmouth and Southwick Hospital ..	34	19	15
	5. Ryhope*.. ..	Sanatorium (Sunderland C.B.)	26	15	11
		Isolation Hospital (Sunderland R.D.).. ..	4	4	—
		Sunderland Borough Lunatic Asylum	35	19	16
	1. South Shields	WORKHOUSE	275	176	99
556.—SOUTH SHIELDS		Ingham Infirmary	79	49	30
		Denes Hospital (Infect. Dis. ; South Shields C.B.)..	11	7	4
		Whiteleas Small-pox Hosp. (South Shields C.B.) ..	—	—	—
		Boldon Fever Hospital (South Shields R.D. and Southwick on Wear U.D.)	4	2	2
	2. Jarrow	Memorial Hospital	3	3	—
		Tyne Floating Hospital (Port Sanitary Authority)	4	4	—
		Jarrow Borough Hospital, Primrose Hill (Inf. Dis.)	—	—	—
		Hebburn U.D. Infectious Diseases Hospital.. ..	5	2	3
		Hebburn Accident Infirmary	4	4	—
557.—GATESHEAD	1. Heworth	Small-pox Hospital (Felling U.D.)	—	—	—
		Fever Hospital (Felling U.D.)	—	—	—
	2. Gateshead	WORKHOUSE	203	128	75
		Hospital for Sick Children	13	5	8
		Sheriff Hill Fever and Small-pox Hospital (Gateshead C.B.)	8	4	4
	3. Whickham	Small-pox Hospital (Whickham U.D.)	—	—	—
	4. Winlaton	Isolation Hospital (Blaydon U.D.)	8	5	3
40.—Northumberland.					
558.—NEWCASTLE UPON TYNE	2. St. Andrew	Eye Infirmary	—	—	—
		Royal Victoria Infirmary	544	334	210
		Northern Counties Hospital for Diseases of Chest	—	—	—
		Moor Small-pox and Fever Hospital (City of Newcastle on Tyne)	—	—	—
		Home for Incurables	10	4	6
		Fleming Memorial Hospital for Children	79	31	48
	3. Elswick†	WORKHOUSE	353	204	149
		Nose, Throat, and Ear Hospital	1	1	—
	5. All Saints	Lying-in Hospital	11	3	8
559.—TYNEMOUTH		St. Catherine's Hospital	3	—	3
	1. Wallsend	Infectious Diseases Hospital (Wallsend M.B. and Willington Quay U.D.)	7	2	5
		Small-pox Hospital (Wallsend M.B.).. ..	—	—	—
		Small-pox Hospital (Willington Quay U.D.) ..	—	—	—
	2. Tynemouth	WORKHOUSE	157	88	69
		Cottage Hospital (Fever ; Tynemouth C.B.) ..	—	—	—
		Victoria Jubilee Infirmary	34	20	14
		Moor Park Fever Hospital (Tynemouth C.B.) ..	6	4	2
	3. Longbenton	Walker Hospital and Infirmary	1	1	—
		Newcastle City Hospital for Infectious Diseases ..	82	43	39
		Scaffold Hill Isolation Hosp. (Joint Hosp. Board)..	3	1	2
	4. Whitley	Earsdon Grange Infectious Diseases Hospital (Earsdon U.D.)	2	1	1
		Prudhoe Memorial Convalescent Home	—	—	—
		Port Sanitary Hospital	—	—	—
	5. Blyth	Thomas Knight Memorial Hospital	5	5	—
		Infectious Diseases Hospital (Cramlington U.D.)..	1	1	—
	6. Cramlington				
	560.—CASTLE WARD	1. Ponteland	WORKHOUSE	10	8
		Philipson Boys' Farm Colony:—			
		Children's Sanatorium (Tuberculosis)	1	—	1
		Boys' Convalescent Home	—	—	—
	2. Gosforth	Small-pox Hospital (Gosforth U.D.)	—	—	—
		Newcastle City Lunatic Asylum	96	53	43
		Infectious Diseases Hospital (Gosforth U.D., Newburn U.D., and Castle Ward R.D.) ..	5	4	1
		Small-pox Hospital (Newburn U.D.).. ..	—	—	—
	3. Newburn	Newburn and District Cottage Hospital	2	2	—

* 555: 5.—In "High Barnes" (Home of the Little Sisters of the Poor) 18 deaths occurred during the year.

† 558: 3.—In St. Joseph's House, 25 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
40.—Northumberland—continued.					
561.—HEXHAM ..	1. Bywell	Isolation Hospital (Hexham R.D.)	—	—	—
		WORKHOUSE	18	13	5
	2. Hexham	Isolation Hospital (Hexham U.D.)	—	—	—
		Corbridge Cottage Hospital	—	—	—
	4. Chollerton	Barrasford Sanatorium (Consumption)	3	3	—
562.—HALTWHISTLE	1. Haltwhistle	WORKHOUSE	2	2	—
563.—BELLINGHAM	1. Bellingham	WORKHOUSE	3	2	1
564.—MORPETH ..	1. Morpeth	WORKHOUSE	27	22	5
		Victoria Cottage Hospital	2	2	—
		Infectious Diseases Hospital (Morpeth M.B.)	116	56	60
	2. Bedlington	County Lunatic Asylum	1	—	1
		Infectious Diseases Hospital (Bedlingtonshire U.D.)	3	3	—
		Isolation Hospital (Ashington U.D.)	—	—	—
565.—ALNWICK ..	2. Alnwick	Isolation Hospital (Newbiggin by the Sea U.D.)	—	—	—
		Isolation Hospital (Morpeth R.D.)	19	13	6
		WORKHOUSE	5	3	2
		Alnwick Infirmary	—	—	—
		Infectious Diseases Hosp. (Alnwick U.D.)	—	—	—
566.—BELFORD ..	1. Belford	WORKHOUSE	1	1	—
567.—BERWICK ..	1. Berwick upon Tweed	WORKHOUSE	27	18	9
		WORKHOUSE, Cottage Home	8	3	5
		Berwick Dispensary and Infirmary	1	1	—
		Military Hospital	—	—	—
		Port Hosp. (Infect. Dis.: Berwick upon Tweed M.B.)	6	3	3
568.—GLENDALE ..	2. Wooler	WORKHOUSE	1	—	1
569.—ROTHBURY ..	1. Rothbury	WORKHOUSE	—	—	—
		Isolation Hospital (Rothbury U.D. and R.D.)	—	—	—
		Coquetdale Cottage Hospital	—	—	—
41.—Cumberland.					
570.—ALSTON ..	1. Alston	WORKHOUSE	2	2	—
571.—PENRITH ..	1. Penrith	Ruth Lancaster Cottage Hospital, Alston	11	9	2
		WORKHOUSE	2	2	—
		Fever Hospital (Penrith Union)	9	6	3
		Penrith Cottage Hospital	4	3	1
	2. Greystoke	Blencathea Sanatorium (Consumption)	6	6	—
572.—BRAMPTON ..	2. Brampton	WORKHOUSE	4	3	1
573.—LONGTOWN ..	1. Longtown	WORKHOUSE	60	37	23
574.—CARLISLE ..	2. St. Cuthbert	WORKHOUSE, Fuse Hill	73	48	25
		WORKHOUSE (School), Harraby Hill	86	53	33
	3. St. Mary	Cumberland and Westmorland Lunatic Asylum	7	6	1
		Cumberland Infirmary	10	6	4
		Border Counties Home for Incur. (Strathelyde Ho.)	—	—	—
	5. Burgh	Fever Hosp. or House of Recovery (Private Com.)	—	—	—
		Small-pox Hospital (City of Carlisle M.B.)	24	19	5
575.—WIGTON ..	1. Wigton	WORKHOUSE	—	—	—
	2. Abbey Holme	Silloth Convalescent Institution	—	—	—
		Infectious Diseases Hosp. (Holme Cultrum U.D.)	—	—	—
576.—COCKERMOUTH	1. Keswick	Mary Hewetson Hospital	2	1	1
		Whinlatter Infectious Dis. Hosp. (Keswick U.D.)	39	26	13
	2. Cockermouth	WORKHOUSE	3	1	2
		Nursing Home	33	19	14
	3. Workington	Workington Infirmary	3	2	1
		Ellerbeck Hosp. for Infect. Dis. (Workington M.B.)	—	—	—
		Merchants' Quay Hospital (Port San. Author.)	—	—	—
	4. Maryport	WORKHOUSE (School and Casual Ward)	—	—	—
		Fever Hospital (Maryport U.D.)	8	6	2
		Victoria Cottage Hospital	44	23	21
577.—WHITEHAVEN	2. Whitehaven	WORKHOUSE	22	16	6
		Whitehaven and West Cumberland Infirmary	—	—	—
		Bransty Fever Hospital (Whitehaven Port & M.B.)	—	—	—
		Galemiere Hospital (four Urban Dists. and R.D.)	—	—	—
578.—BOOTLE ..	2. Bootle	WORKHOUSE	5	5	—
		Hodbarrow Hospital, Steel Green	—	—	—
		Infectious Diseases Hospital (Millom U.D.)	1	1	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
42.—Westmorland.					
579.—EAST WARD	1. Appleby	WORKHOUSE (Vagrant Ward)	—	—	—
		Infectious Diseases Hospital (Appleby M.B., East Westmorland R.D. & West Ward R.D.)	—	—	—
	2. Kirkby Stephen ..	WORKHOUSE	7	5	2
580.—WEST WARD	1. Morland	WORKHOUSE	4	3	1
581.—KENDAL ..	1. Ambleside	Infectious Diseases Hospital (Windermere U.D.) ..	—	—	—
		Infectious Diseases Hospital (Grasmere U.D.) ..	—	—	—
	2. Kendal	WORKHOUSE	6	6	—
		Westmorland County Hospital	11	5	6
		Sanatorium (Kendal M.B.)	1	1	—
	3. Kirkby Lonsdale ..	WORKHOUSE (Vagrant Ward)	—	—	—
		Small-pox Hospital (Kendal M.B. and South Westmorland R.D.)	—	—	—
	4. Milnthorpe	Keastwich Memorial Hospital	3	3	—
	WORKHOUSE	19	13	6	
	Westmorland Consumption Sanatorium	5	4	1	
XI.—WELSH DIVISION.					
43.—Monmouthshire.					
582.—CHEPSTOW ..	1. Chepstow	WORKHOUSE	22	17	5
		WORKHOUSE, Cottage Homes	—	—	—
		Infectious Diseases Hospital (Joint Hospital Board)	—	—	—
	2. Lydney	Cottage Hospital	2	2	—
		Isolation Hospital (Lydney R.D.)	—	—	—
583.—MONMOUTH	3. Monmouth	WORKHOUSE	21	13	8
		General Hospital and Dispensary	5	—	5
		Fever Hospital (Monmouth M.B.)	—	—	—
584.—ABER- GAVENNY	3. Abergavenny	WORKHOUSE	27	19	8
		Victoria Cottage Hospital	11	5	6
		Sanatorium (Abergavenny M.B. & R.D.)	—	—	—
		Monmouth County Lunatic Asylum	86	45	41
	4. Blaenavon	The Hospital	1	1	—
585.—BEDWELLY	1. Aberystruth	Isolation Hospital (Nantyglo and Blaina U.D.) ..	—	—	—
		Isolation Hospital (Abertillery U.D.)	—	—	—
	2. Tredegar	WORKHOUSE	68	51	17
		WORKHOUSE, Children's Homes	—	—	—
		Fever Hospital (Tredegar U.D.)	1	1	—
		Cottage Hospital, Tredegar	6	6	—
		Cottage Hospital (Works Hospital), Ebbw Vale ..	16	10	6
		Isolation Hospital (Rhymney U.D.)	—	—	—
		Rhymney Cottage Hospital	4	3	1
	3. Rock Bedwellty ..	Isolation Hospital (Bedwellty U.D.)	—	—	—
586.—PONTYFOOL..	2. Pontypool	Isolation Hospital (Abersychan U.D.)	3	3	—
		Pontypool and District Hospital	16	11	5
	3. Llangibby	WORKHOUSE	35	28	7
587.—NEWPORT ..	1. Caerleon	Borough Lunatic Asylum (Newport C.B.)	25	18	7
	2. Newport	WORKHOUSE	150	102	48
		Newport and Monmouthshire Hospital	82	51	31
		Ailt-yr-yn Infect. Dis. Hospital (Newport C.B.) ..	14	6	8
		Port Sanitary Hospital (Newport C.B. and Port) ..	1	1	—
		Small-pox Hospital, Cefn (St. Mellons R.D.) ..	—	—	—
		Convalescent Home, "Highfield," Bassaleg ..	1	—	1
	5. Mynyddislwyn ..	"Goverra" Infectious Dis. Hosp. (Abercarn U.D.)	—	—	—
44.—Glamorganshire.					
588.—CARDIFF ..	1. Llandaff	WORKHOUSE	4	4	—
		Ely Isol. Hosp. (Llandaff and Dinas Powis R.D.) ..	4	3	1
		Cardiff City Mental Hospital	83	47	36
	3. Central Cardiff*	Glamorganshire and Monmouthshire Infirmary ..	168	105	63
		Royal Hamadryad Seamen's Hospital	31	31	—
		Port Sanitary Hospital	—	—	—
	4. West Cardiff	WORKHOUSE	401	269	132
		WORKHOUSE, Cottage Homes	—	—	—
		Sanatorium (City of Cardiff)	13	8	5
	5. Penarth	Isolation Hospital (Penarth U.D.)	3	1	2
	6. St. Nicholas	Barry Cottage Hospital (Accidents)	10	8	2
		Voluntary Hospital (General Diseases)	11	9	2
		Sanatorium (Barry U.D.)	—	—	—

* 588: 3.—In Nazareth House, 8 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
44.—Glamorganshire—continued.						
589.—PONTYPRIDD	1. Eglwysilan	Small-pox Hospital (Caerphilly U.D.)	—	—	—	
		Infectious Diseases Hospital (Caerphilly U.D.) ..	—	—	—	
	2. Llanwonno	Infectious Diseases Hospital (Mountain Ash U.D.)	2	1	1	
		Cottage Hospital	10	7	3	
	3. Llantrisant	WORKHOUSE	136	99	37	
		WORKHOUSE (Cottage Homes for Children) ..	1	1	—	
	4. Ystradyfodwg.. ..	Infectious Diseases Hospital (Pontypridd U.D.) ..	7	4	3	
		Infectious Diseases Hospital (Pontypridd R.D.) ..	—	—	—	
		WORKHOUSE, Union Homes for Aged	12	12	—	
		Porth Cottage Hospital	16	8	8	
		Tyntila Isolation Hospital (Rhondda U.D.)* ..	5	2	3	
		Ferndale Workmen's General Hospital	—	—	—	
		Penrhys Isolation Hospital (Rhondda U.D.) ..	—	—	—	
590.—MERTHYR TYDFIL	1. Gelligaer	Penybank Fever Hosp. (Gelligaer and Rhigos R.D.)	1	1	—	
	2. Lower Merthyr Tydfil	Mardy Fever Hospital (Merthyr Tydfil C.B.) ..	16	9	7	
	3. Upper Merthyr Tydfil	WORKHOUSE	184	118	66	
	4. Aberdare	General Hospital	30	23	7	
		WORKHOUSE (Industrial School)	—	—	—	
		Aberdare Cottage Hospital	5	4	1	
591.—BRIDGEND ..	1. Maesteg	Infectious Diseases Hospital (Aberdare U.D.) ..	3	2	1	
		Small-pox Hospital (Maesteg U.D.)	—	—	—	
	2. Ogmore	Isolation Hospital (Joint Committee)	—	—	—	
		Small-pox Hospital (Ogmore and Garw U.D. and R.D.) ..	—	—	—	
	4. Bridgend	Isolation Hospital (Ogmore and Garw U.D.) ..	6	1	5	
		WORKHOUSE	51	44	7	
		WORKHOUSE, Cottage Homes (including Clifton House Branch)	—	—	—	
		Cottage Hospital	5	4	1	
		"The Rest," Convalescent Home (S. Wales Conv. Home) ..	1	1	—	
		Isolation Hospital (Joint Committee)	1	1	—	
		Glamorgan County Lunatic Asylum ("Parc Gwyllt and Angleton")	178	108	70	
	592.—NEATH ..	1. Margam	Sanatorium (Margam U.D.)	2	1	1
			Cottage Hospital	1	1	—
2. Neath		WORKHOUSE	30	19	11	
		Infectious Diseases Hospital (Briton Ferry U.D.)	—	—	—	
4. Cadoxton		Isolation Hospital, Cimla (Neath R.D.)	—	—	—	
		Infectious Diseases Hospital (Neath M.B.)	—	—	—	
593.—PONTARDAWE	1. Pontardawe	WORKHOUSE	—	—	—	
		Ystalyfera Small-pox Hosp. (Pontardawe R.D.)	10	7	3	
		Pontardawe Isolation Hospital (Jt. Hosp. Comm.)	—	—	—	
594.—SWANSEA ..	1. Llandilo Talybont ..	WORKHOUSE, Cottage Homes	1	—	1	
	3. Swansea	WORKHOUSE	152	110	42	
		Swansea Hospital	151	103	48	
		Borough Hospital (Infectious Diseases)	13	7	6	
		Swansea and S. Wales Nursing Institute	8	7	1	
		Swansea Hospital Convalescent Home	—	—	—	
595.—GOWER ..	2. Gower Western ..	WORKHOUSE	7	5	2	
45.—Carmarthenshire.						
596.—LLANELLY ..	1. Loughor	Garngoch Fever Hospital (Swansea R.D.)	2	1	1	
	2. Llanelly	WORKHOUSE	26	16	10	
		Llanelly Hospital	13	8	5	
		Isolation Hospital (Llanelly U.D.)	—	—	—	
597.—LLANDOVERY	4. Llandingat	WORKHOUSE	2	—	2	
598.—LLANDILO- FAWR	4. Llandilo	WORKHOUSE	6	4	2	
599.—CARMARTHEN	3. Carmarthen	WORKHOUSE	10	6	4	
		County and Borough General Infirmary	15	11	4	
		Carmarthen, Cardigan & Pembroke Jnt. Co.'s Lun. Asy.	47	19	28	

* Formerly called Rhondda Fever Hospital.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
46.—Pembrokeshire.					
600.—NARBERTH ..	3. Begelly	WORKHOUSE	7	3	4
601.—PEMBROKE ..	1. Tenby	Isolation Hospital (Tenby M.B.)	—	—	—
		Pembroke Infirmary and Dispensary	3	—	3
		Cottage Hospital	1	1	—
	2. Pembroke	WORKHOUSE	17	9	8
		Military Station Hospital	2	2	—
		Royal Naval Hospital	—	—	—
		Isolation Hospital (Pembroke M.B.)	—	—	—
		Victoria Nurses Home and Meyrick Wards	1	1	—
602.—HAVERFORD- WEST	1. Milford	Hospital (Infect. Dis.; Port Sanitary Authority) ..	—	—	—
	2. Haverfordwest ..	WORKHOUSE	17	14	3
		Pembrokeshire and Haverfordwest Infirmary ..	4	3	1
47.—Cardiganshire.					
603.—CARDIGAN ..	2. Cardigan	WORKHOUSE	6	4	2
604.—NEWCASTLE IN EMLYN	3. Cennarth	WORKHOUSE	4	2	2
605.—LAMPETER ..	1. Llanybyther	West Wales Sanatorium (Pulmonary Tuberculosis)	—	—	—
	3. Lampeter	WORKHOUSE	3	2	1
606.—ABERAYRON	2. Llansantffraid ..	WORKHOUSE	5	5	—
607.—ABERYST- WITH	2. Aberystwith	WORKHOUSE	2	1	1
		Aberystwith and Cardigan General Infirmary ..	8	4	4
608.—TREGARON ..	3. Tregaron	WORKHOUSE	3	2	1
48.—Brecknockshire.					
609.—BUILTTH ..	4. Builtth	WORKHOUSE	2	2	—
		Cottage Hospital	2	1	1
610.—BRECKNOCK	2. Brecknock	WORKHOUSE	12	10	2
		County and Borough Infirmary	10	5	5
		Infectious Diseases Hospital (Brecknock U.D.) ..	—	—	—
611.—CRICK- HOWELL	2. Beaufort	Fever Hospital (Ebbw Vale U.D.)	1	1	—
	4. Crickhowell	WORKHOUSE	13	8	5
612.—HAY	1. Talgarth	Brecon and Radnor Lunatic Asylum	61	44	17
	2. Hay	WORKHOUSE	11	9	2
49.—Radnorshire.					
613.—KNIGHTON ..	2. Knighton	WORKHOUSE	10	9	1
614.—RHAYADER ..	2. Nantmel	WORKHOUSE	6	4	2
		Llandrindod Wells Cottage Hospital	3	3	—
50.—Montgomeryshire.					
615.—MACHYNL- LETH	1. Machynlleth	WORKHOUSE	5	2	3
		Londonderry Cottage Hospital	—	—	—
616.—NEWTOWN ..	2. Llanwnnog	WORKHOUSE	15	11	4
	4. Newtown	Montgomery Infirmary	5	3	2
		Isolation Hospital (Phthisis. &c., Newtown and Llanllwchaiarn U.D.)	—	—	—
617.—FORDEN ..	2. Chirbury	WORKHOUSE	14	12	2
		Forden Isolation Hospital (Montgomery M.B., Forden R.D. and Chirbury R.D.)	—	—	—
	3. Welshpool	Victoria Nursing Institute	—	—	—
618.—LLANFYLLIN	2. Llansantffraid ..	WORKHOUSE	13	8	5
51.—Flintshire.					
619.—HOLYWELL	2. Holywell	WORKHOUSE	43	24	19
	4. Mold	Cottage Hospital	4	3	1
620.—HAWARDEN	1. Hawarden	WORKHOUSE	10	8	2
		Isolation Hospital (Hawarden R.D.)	1	1	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1909—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
52.—Denbighshire.					
621.—WREXHAM ..	2. Ruabon 3. Wrexham	Accident Hospital	1	1	—
		WORKHOUSE	83	58	25
		Infirmery and General Dispensary	28	16	12
		Sanitary Hospital (Wrexham M.B. & R.D.)	10	6	4
622.—RUTHIN ..	2. Ruthin	WORKHOUSE	4	4	—
		Vale of Clwyd Sanatorium (Tuberculosis)	3	2	1
623.—ST. ASAPH ..	1. St. Asaph 2. Abergele 3. Denbigh	WORKHOUSE	43	21	22
		Women's Convalescent Home	1	—	1
		Royal Alexandra Hospital (Rhyl)	4	2	2
		Hendre Hosp. (tem. Bch. of Royal Alexandra Hosp.)	—	—	—
		Men's Convalescent Institution	—	—	—
		Walsall Convalescent Hospital	—	—	—
		Isolation Hospital (Rhyl U.D.)	1	1	—
		Denbigh Infirmary	14	11	3
		North Wales Counties Lunatic Asylum	68	41	27
		624.—LLANRWST ..	1. Llanrwst	WORKHOUSE	6
53.—Merionethshire.					
625.—CORWEN ..	1. Corwen 2. Llangollen	WORKHOUSE	15	12	3
		Cottage Hospital	4	4	—
626.—BALA ..	1. Bala	WORKHOUSE	6	3	3
627.—DOLGELLY ..	2. Barmouth	WORKHOUSE	9	4	5
628.—FESTINIOG ..	1. Deudraeth 2. Festiniog	WORKHOUSE	10	7	3
		Oakley's Hospital	—	—	—
54.—Carnarvonshire.					
629.—PWLLEHeli ..	2. Pwllheli	WORKHOUSE	8	4	4
630.—CARNARVON ..	2. Llanrug 3. Carnarvon	Dinorwic Quarry Hospital	4	4	—
		WORKHOUSE	17	12	5
		Cottage Hospital	5	3	2
		Infectious Diseases Hospital (Carnarvon M.B.)	—	—	—
631.—BANGOR ..	2. Bangor 3. Llanfairfechan 4. Llanllechid	Small-pox Hospital (Gwyrfa R.D.)	—	—	—
		WORKHOUSE	19	9	10
		Carnarvon and Anglesey Infirmary	10	9	1
		Bangor Borough Hospital for Infectious Diseases	2	2	—
		Beaumaris Port Hospital Ship	—	—	—
		Heath Convalescent Home	—	—	—
		Penrhyn Hospital	—	—	—
632.—CONWAY ..	1. Conway 2. Llandudno 3. Colwyn Bay	WORKHOUSE	14	9	5
		WORKHOUSE, Cottage Homes	—	—	—
		Men's Convalescent Home, "Tyncoed" (Birmingham Hospital Saturday Fund)	1	1	—
		Women's Convalescent Home, "Marle Hall" (Birmingham Hospital Saturday Fund)	—	—	—
		Pendyffryn Hall Sanatorium (Tuberculosis)	—	—	—
		Cottage Hospital, Llandudno	11	8	3
		Llandudno Sanatorium and Convalescent Home for Women	—	—	—
		Infectious Diseases Hospital (Llandudno U.D.)	1	—	1
		Cottage Hospital	7	3	4
		Inf. Dis. Hosp. (Colwyn Bay and Colwyn U.D.)	3	—	3
		Small-pox Hospital, Llysfaen (Conway R.D.)	—	—	—
		55.—Anglesey.			
633.—ANGLESEY ..	3. Llanfechell	WORKHOUSE	2	1	1
634.—HOLYHEAD ..	2. Llanddeusant 3. Holyhead	WORKHOUSE	10	3	7
		Stanley Hospital	—	—	—

DEATHS
OF
PERSONS, MALES, AND FEMALES,
AT DIFFERENT AGES,
IN REGISTRATION DIVISIONS AND COUNTIES,
1909.

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1909—in REGISTRATION DIVISIONS and COUNTIES.

REGISTRATION DIVISIONS.		TOTAL DEATHS.	AGES AT DEATH.																			
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards.
No. I.	ENGLAND AND WALES.	P. 518003 M. 265203 F. 252800	54995	17553	26882	99430	27336	11313	6942	5243	150264	12555	7126	9654	11490	27944	36158	47020	62048	78990	58332	16422
			31474	9843	14709	56026	14146	5941	3426	2621	82160	6156	3443	4992	5913	5913	14385	19304	25540	32715	38535	25720
II.	LONDON	P. 68616 M. 35260 F. 33356	6702	2426	3866	12994	4166	1718	923	688	20489	1518	832	1067	1451	3788	5442	7147	8427	9488	6926	2041
			3796	1331	2087	7214	2137	870	482	337	11040	765	419	599	775	775	2045	3004	4025	4528	4623	2776
III.	SOUTH EASTERN	P. 47960 M. 24463 F. 23497	4054	1083	1562	6699	1403	639	452	365	9558	1063	675	830	1082	2679	3483	4369	6034	8265	7415	2507
			2336	625	846	3807	729	347	254	202	5339	539	330	435	583	583	1458	1955	2349	3108	4080	3256
IV.	SOUTH MIDLAND	P. 31735 M. 15907 F. 15828	3039	821	1201	5061	1184	534	327	273	7379	741	472	524	628	1591	2056	2551	3727	5512	4929	1625
			1751	463	658	2872	632	294	160	134	4092	347	220	263	330	330	813	1090	1384	1906	2646	2204
V.	EASTERN	P. 27583 M. 14013 F. 13570	2813	765	1210	4788	1251	484	335	237	7095	607	337	468	584	1383	1781	2270	3017	4432	4157	1452
			1607	431	671	2712	637	255	159	114	3877	305	155	245	305	305	721	946	1191	1599	2144	1925
VI.	SOUTH WESTERN	P. 27621 M. 13599 F. 14022	2378	588	808	3774	781	294	218	205	5272	508	338	525	670	1402	1648	2208	3287	5117	4880	1766
			1394	347	451	2195	404	151	105	102	2957	261	150	263	262	355	715	899	1129	1687	2397	2106
VII.	WEST MIDLAND	P. 59910 M. 30678 F. 29232	6568	2187	3275	12030	3630	1503	981	712	18856	1608	788	1097	1208	2961	3878	5032	6699	9209	6815	1849
			3765	1237	1760	6762	1837	786	473	344	10202	794	379	507	500	595	1513	2107	2657	3542	4509	3163
VIII.	NORTH MIDLAND	P. 32034 M. 16327 F. 15707	3883	1297	1867	7047	1535	645	377	319	9973	741	432	625	692	1551	1917	2488	3528	4917	4025	1145
			2198	719	1008	3925	799	332	183	157	5396	368	211	307	318	348	743	948	1308	1849	2480	1879
			1685	578	859	3122	786	313	194	162	4577	373	221	318	344	808	969	1180	1679	2437	2146	655

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1909—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION DIVISIONS.	TOTAL DEATHS.	AGES AT DEATH.												85 and up- wards.							
		0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—		20—	25—	35—	45—	55—	65—	75—
No. VIII.	P. NORTH WESTERN .. { M. F.	9788 5704 4084	3527 1959 1568	5599 3094 2505	18914 10757 8157	5938 3089 2849	2496 1306 1190	1457 713 744	1075 555 520	29880 16420 13460	2533 1255 1278	1380 643 737	1759 882 877	2047 1007 1040	5269 2667 2602	7028 3685 3343	9581 5230 4351	12068 6196 5872	13268 6261 7007	7119 2917 4202	1265 449 816
IX.	P. YORKSHIRE .. { M. F.	6312 3576 2736	1989 1120 869	3145 1754 1391	11446 6450 4996	3228 1672 1556	1309 666 643	776 348 428	598 299 299	17357 9435 7922	1387 634 753	776 399 377	1185 582 603	1308 669 639	3192 1618 1574	4025 2052 1973	5440 2997 2443	7509 4071 3438	8941 4392 4549	5758 2559 3199	1180 457 723
X.	P. NORTHERN .. { M. F.	5034 2651 2183	1430 793 637	2348 1284 1064	8812 4928 3884	2473 1290 1183	984 526 458	616 316 300	417 213 204	13302 7273 6029	1018 504 514	553 267 286	870 494 376	892 461 431	1954 971 983	2321 1235 1086	2851 1570 1281	3826 2074 1752	4795 2511 2284	3034 1431 1603	706 283 423
XI.	P. WELSH .. { M. F.	4424 2496 1928	1440 815 625	2001 1095 908	7865 4404 3461	1697 920 777	707 408 299	480 233 247	354 164 190	11103 6129 4974	831 384 447	543 270 273	794 415 379	928 485 443	2174 1121 1053	2579 1383 1196	3083 1697 1386	3926 2155 1771	5046 2492 2554	3274 1504 1770	886 370 516

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1909—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH.																			
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.
No. 1	I.—LONDON. LONDON .. { P. M. F. ..	68616 36260 33356	6702 3796 2906	2426 1331 1095	3866 2087 1779	12994 7214 5780	4166 2137 2029	1718 870 848	923 482 441	688 337 351	20489 11040 9449	1518 765 753	832 419 413	1067 599 468	1451 775 676	3788 2045 1743	5442 3004 2438	7147 4025 3122	8427 4528 3899	9488 4623 4865	6926 2776 4150	2041 661 1380
2	II.—SOUTH EASTERN. SURREY .. { P. M. F. ..	10866 5491 5375	898 506 392	253 153 100	436 235 201	1587 894 693	365 194 171	160 87 73	110 66 44	66 31 32	2288 1275 1013	221 112 109	145 75 70	187 93 94	238 133 105	634 343 291	847 468 379	1050 531 519	1439 746 693	1843 906 937	1517 645 872	457 164 293
3	KENT .. { P. M. F. ..	12660 6471 6189	1145 654 491	307 165 142	372 201 171	1824 1020 804	341 176 165	175 100 75	115 58 57	100 55 45	2555 1409 1146	333 156 177	211 97 114	255 139 116	298 167 131	710 383 327	878 504 374	1151 622 529	1553 791 762	2145 1053 1092	1908 862 1046	663 288 375
4	SUSSEX .. { P. M. F. ..	8884 4318 4566	630 385 245	146 81 65	239 126 113	1015 592 423	206 108 98	93 48 45	71 40 31	55 31 24	1440 819 621	160 86 74	118 56 62	128 57 71	194 98 96	431 234 197	638 335 303	807 419 388	1172 587 585	1626 749 877	1575 648 927	595 230 365
5	HAMP- SHIRE .. { P. M. F. ..	11571 6083 5488	1014 585 429	290 169 121	403 230 173	1707 984 723	375 189 186	166 85 81	114 68 46	124 70 54	2486 1396 1090	274 137 137	155 75 80	209 118 91	277 147 130	717 396 321	864 498 366	1033 595 438	1356 702 654	1935 1005 930	1725 778 947	540 236 304
6	BERK- SHIRE .. { P. M. F. ..	3979 2100 1879	367 206 161	87 57 30	112 54 58	566 317 249	116 62 54	45 27 18	42 22 20	20 12 8	789 440 349	75 48 27	46 27 19	51 28 23	75 38 37	187 102 85	256 150 106	328 182 146	514 282 232	716 367 349	690 323 367	252 113 139
7	III.—SOUTH MIDLAND. MIDDLE- SEX .. { P. M. F. ..	12045 5993 6052	1330 750 580	404 231 173	649 361 288	2383 1342 1041	630 338 292	296 160 136	163 80 83	128 61 67	3600 1981 1619	297 129 168	174 75 99	156 79 77	220 117 103	658 324 334	879 478 401	1052 571 481	1404 690 714	1778 836 942	1383 561 822	444 152 292
8	HERTFORD- SHIRE .. { P. M. F. ..	3651 1832 1819	284 163 121	61 38 26	95 59 36	443 260 183	95 45 50	47 26 21	34 16 18	21 9 12	640 356 284	90 46 44	60 32 28	72 34 38	68 42 26	184 96 88	240 135 105	265 141 124	455 232 223	721 341 380	676 314 362	180 63 117

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1909—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTRIES.	TOTAL DEATHS.	AGES AT DEATH.																			85 and up-wards.	
		0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--		
No. 9	III.—SOUTH MIDLAND— <i>continued.</i> BUCKING- HAMSHIRE {P. M. F.	2348 1192 1156	215 126 89	44 28 16	52 24 28	311 178 133	61 29 32	22 10 12	21 13 8	19 11 8	434 241 193	43 18 25	29 13 16	24 15 9	40 19 21	108 64 44	137 63 74	183 94 89	265 146 119	463 232 231	470 227 243	152 60 92
10	OXFORD- SHIRE {P. M. F.	2756 1441 1315	219 128 91	60 35 25	93 57 36	372 220 152	88 53 35	24 12 12	22 13 9	24 8 16	530 306 224	53 23 30	33 16 17	54 26 28	57 29 28	130 64 66	170 94 76	208 121 87	313 153 160	496 265 231	542 263 279	170 81 89
11	NORTH- AMPTON- SHIRE {P. M. F.	4811 2419 2392	447 262 185	114 67 47	143 71 72	704 400 304	137 78 59	62 33 29	42 15 27	35 18 17	980 544 436	128 70 58	92 47 45	101 45 56	115 54 61	251 129 122	293 157 141	394 214 180	580 317 263	889 425 464	750 330 420	233 87 146
12	HUNTING- DONSHIRE {P. M. F.	629 326 303	61 38 23	14 7 7	17 8 9	92 53 39	16 9 7	11 5 6	2 1 1	8 6 2	129 74 55	10 4 6	12 5 7	6 3 3	8 6 2	31 14 17	29 13 16	36 22 14	67 36 31	110 53 57	136 67 69	55 29 26
13	BEDFORD- SHIRE {P. M. F.	2572 1259 1313	224 130 94	55 25 30	74 37 37	353 192 161	90 47 43	43 32 11	21 11 10	20 10 10	527 292 235	69 33 36	29 13 16	54 28 26	56 25 31	109 61 48	144 73 71	199 98 101	296 141 155	479 233 246	452 201 251	158 61 97
14	CAM- BRIDGE- SHIRE {P. M. F.	2923 1445 1478	259 154 105	66 32 34	78 41 37	493 227 176	67 33 34	29 16 13	22 11 11	18 11 7	539 298 241	51 24 27	43 19 24	57 33 24	64 38 26	120 61 59	159 77 82	214 123 91	347 191 156	576 261 315	520 241 279	233 79 154
15	IV.—EASTERN. ESSEX {P. M. F.	15724 7990 7734	1713 982 731	458 256 202	793 436 357	2964 1674 1290	892 444 448	347 182 165	239 112 127	162 83 79	4604 2495 2109	377 187 190	201 98 103	275 143 132	339 179 160	831 449 382	1121 582 539	1370 714 656	1754 928 826	2362 1155 1207	1908 844 1064	582 216 366
16	SUFFOLK {P. M. F.	5059 2612 2447	458 253 205	123 76 47	154 86 68	735 415 320	146 77 69	49 30 19	42 17 25	25 9 16	997 548 449	104 47 57	58 21 37	86 49 37	113 63 50	227 108 119	296 168 128	429 240 189	560 303 257	896 445 451	944 462 482	349 158 191

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1909—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH.																	85 and upwards.		
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—		65—	75—
25	VI.—WEST MIDLAND— <i>continued.</i> SHROPSHIRE .. { P. M. F.	3918	334	91	133	553	127	46	32	35	798	92	47	71	74	185	239	277	450	827	663	195
		1824	165	64	282	64	24	15	14	38	90	46	25	38	38	98	119	136	225	396	321	91
		1994	169	69	276	63	22	17	21	33	95	46	22	33	36	120	141	225	431	342	104	
26	STAFFORDSHIRE .. { P. M. F.	21731	2705	977	1503	5185	1632	668	426	283	8244	654	321	333	433	1020	1345	1747	2313	3010	1897	414
		11394	1562	559	2642	863	343	197	134	4479	315	159	173	218	526	726	948	1269	1522	889	170	
		10337	1143	418	2243	819	325	229	149	3765	339	162	160	215	494	619	799	1044	1488	1008	244	
27	WORCESTERSHIRE { P. M. F.	7708	791	229	373	1393	462	154	120	92	2221	191	81	113	145	376	457	669	871	1263	1031	290
		3801	461	114	759	241	85	69	49	1203	99	37	50	74	178	281	334	460	619	473	113	
		3807	330	115	634	221	69	51	43	1018	92	44	63	71	198	196	335	411	644	558	177	
28	WARWICKSHIRE .. { P. M. F.	15457	1791	594	860	3245	1011	476	286	206	5224	454	210	254	319	845	1110	1372	1667	2105	1492	405
		7934	1038	458	1836	502	255	143	94	2830	216	97	117	161	443	610	724	885	1009	690	152	
		7523	753	402	1409	509	221	143	112	2394	238	113	137	158	402	500	648	782	1096	802	253	
29	VIL.—NORTH MIDLAND LEICESTERSHIRE { P. M. F.	6552	798	227	342	1277	286	153	94	82	1892	150	89	126	164	310	381	515	761	1062	868	234
		3267	408	116	701	138	79	47	39	1004	79	42	56	81	172	181	263	371	531	385	102	
		3285	300	111	576	148	74	47	43	888	71	47	70	83	138	200	252	390	531	483	132	
30	RUTLANDSHIRE .. { P. M. F.	309	20	7	12	39	3	—	1	—	43	3	6	3	9	15	19	18	37	71	60	25
		145	10	6	21	1	—	—	—	22	1	4	2	3	3	10	11	9	21	32	20	
		164	10	1	18	2	—	1	—	21	2	2	1	6	5	8	9	9	16	39	40	15
31	LINCOLNSHIRE .. { P. M. F.	7450	843	264	387	1494	261	84	63	45	1947	159	118	150	159	366	399	575	817	1214	1136	410
		3916	501	152	861	148	49	33	22	1113	78	61	66	84	84	162	206	318	436	654	554	184
		3534	342	112	635	113	35	30	23	834	81	57	84	75	204	193	257	381	560	582	226	
32	NOTTINGHAMSHIRE { P. M. F.	10353	1372	508	706	2586	640	247	116	103	3692	209	125	202	210	492	636	804	1060	1483	1143	297
		5197	749	283	387	316	121	50	50	1956	100	55	101	100	218	320	415	562	717	527	126	
		5156	623	225	319	324	126	66	53	1736	109	70	101	110	274	316	389	498	766	616	171	

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1909—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.	TOTAL DEATHS.	AGES AT DEATH.																	85 and up- wards.		
		0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—		65—	75—
No. 33 VIL.—NORTH MIDLAND— <i>continued.</i> DERBY- SHIRE .. { P. M. F.	7370 3802 3568	940 530 410	291 162 129	420 231 189	1651 923 728	395 186 199	161 83 78	193 53 50	89 46 43	2399 1301 1098	220 110 110	94 49 45	144 82 62	150 80 70	368 181 187	482 230 252	576 303 273	853 459 394	1087 546 541	818 393 425	179 68 111
No. 34 VIL.—NORTH WESTERN. CHESHIRE { P. M. F.	12370 6292 6078	1262 704 558	431 250 181	576 323 253	2269 1277 992	534 290 244	245 123 122	145 79 66	122 72 50	3315 1841 1474	311 157 154	181 95 86	257 129 128	254 124 130	692 352 340	895 483 412	1087 598 489	1599 833 766	2096 990 1106	1394 578 816	289 112 177
No. 35 LANCA- SHIRE .. { P. M. F.	80827 41320 39507	8526 5000 3526	3096 1709 1387	5023 2771 2252	16645 9480 7165	5404 2799 2605	2251 1183 1068	1312 634 678	953 483 470	26565 14579 11986	2222 1098 1124	1199 548 651	1502 753 749	1793 883 910	4577 2315 2262	6133 3202 2931	8494 4632 3862	10469 5363 5106	11172 5271 5901	5725 2339 3386	976 337 639
No. 36 IX.—YORKSHIRE. WEST RIDING .. { P. M. F.	44622 22861 21761	4765 2713 2052	1491 842 649	2426 1377 1049	8682 4932 3750	2456 1274 1182	992 506 486	579 254 325	466 236 230	13175 7202 5973	1078 489 589	593 301 292	916 437 479	1005 509 496	2415 1193 1222	3152 1595 1557	4316 2384 1932	5950 3223 2727	7012 3403 3609	4257 1845 2412	753 280 473
No. 37 EAST RIDING (WITH YORK) { P. M. F.	7075 3738 3337	801 453 343	261 141 120	332 186 146	1394 780 614	324 170 154	133 72 61	98 46 52	56 26 30	2005 1094 911	160 80 80	108 54 54	139 77 62	169 92 77	408 217 191	483 260 223	645 364 281	854 470 384	1054 552 502	812 382 430	238 96 142
No. 38 NORTH RIDING .. { P. M. F.	6361 3266 3095	746 410 336	237 137 100	387 191 196	1370 738 632	448 228 220	184 88 96	99 48 51	76 37 39	2177 1139 1038	149 65 84	75 44 31	130 68 62	134 68 66	369 208 161	390 197 193	479 249 230	705 378 327	875 437 438	689 332 357	189 81 108
No. 39 X.—NORTHERN. DURHAM .. { P. M. F.	20672 11073 9599	3172 1823 1349	883 481 402	1493 811 682	5548 3115 2433	1574 829 745	624 331 293	384 205 179	262 129 133	8392 4609 3783	604 301 303	309 153 156	501 296 205	512 271 241	1079 534 545	1235 661 574	1552 861 691	2059 1142 917	2606 1401 1205	1490 714 776	333 130 203

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1909—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH.																	85 and up-wards.		
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—		65—	75—
No.																						
40	X.—NORTHERN —continued. NORTHUMBERLAND	10196 5481 5015	1354 751 603	394 223 171	638 353 285	2386 1327 1059	672 335 337	276 149 127	178 85 93	119 59 60	3631 1955 1676	300 145 155	178 86 92	270 150 120	277 143 134	617 324 293	780 406 374	887 494 393	1110 603 507	1378 688 690	881 414 467	187 73 114
41	CUMBERLAND	4144 2125 2019	455 248 207	134 79 55	197 110 87	786 437 349	204 112 92	79 44 35	47 24 23	33 22 11	1149 639 510	102 54 48	55 21 34	88 43 45	92 41 51	219 97 122	242 138 104	331 174 157	555 278 277	676 355 321	495 225 270	140 60 80
42	WESTMORLAND	810 395 415	53 29 24	19 10 9	20 10 10	92 49 43	23 14 9	5 2 3	7 2 5	3 3 —	130 70 60	12 4 8	11 7 4	11 5 6	11 6 5	39 16 23	64 30 34	81 41 40	102 51 51	135 67 68	168 78 90	46 20 26
43	XI.—WELSH. MONMOUTHSHIRE	5481 2959 2522	715 431 284	226 131 95	373 201 172	1314 763 551	340 185 155	143 90 53	98 43 55	59 26 33	1954 1107 847	148 69 79	94 43 51	127 69 58	136 68 68	301 161 140	436 236 200	462 253 209	562 321 241	670 366 304	462 210 252	129 56 73
44	GLAMORGANSHIRE	15973 8614 7359	2313 1374 1039	826 448 378	1177 641 536	4316 2363 1953	932 512 420	380 226 154	262 126 136	170 74 96	6060 3301 2759	391 188 203	238 107 131	347 193 154	441 249 192	1049 560 489	1268 726 542	1477 846 631	1737 1004 733	1859 960 899	925 421 504	181 59 122
45	CARMARTHENSHIRE	2133 1066 1067	332 187 145	85 49 36	93 65 28	510 301 209	71 37 34	31 18 13	17 9 8	30 17 13	659 382 277	38 14 24	39 26 13	59 33 26	63 28 35	136 65 71	159 78 81	181 89 92	216 96 120	300 139 161	216 88 128	67 28 39
46	PEMBROKESHIRE	1337 666 671	123 72 51	42 29 13	40 24 16	205 125 80	48 26 22	24 9 15	15 7 8	15 9 6	307 176 131	43 21 22	27 16 11	35 16 19	40 21 19	69 33 36	74 37 37	111 59 52	157 82 75	220 89 131	200 95 105	54 21 33

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1909—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH.																				
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.	
No.	XI.—WELSH—cont.																						
47	CARDI- GANSHIRE { P. { M. { F. {	1448 642 806	120 72 48	34 20 14	22 11 11	176 103 73	20 7 13	8 5 3	6 3 3	218 124 94	20 10 10	16 7 9	45 19 26	47 26 21	100 47 53	82 34 48	119 49 70	146 59 87	303 113 190	267 110 157	85 44 41		
48	BRECK- NOCK- SHIRE .. { P. { M. { F. {	900 483 417	68 38 30	32 17 15	41 20 21	141 75 66	31 19 12	15 7 8	9 4 5	201 108 93	20 10 10	11 5 6	15 8 7	19 7 12	74 41 33	64 38 26	65 41 24	117 71 46	172 91 81	105 45 60	37 18 19		
49	RADNOR- SHIRE .. { P. { M. { F. {	247 128 119	23 10 13	5 5 —	4 2 2	32 17 15	6 4 2	2 — 2	4 2 2	45 24 21	10 6 4	2 2 —	7 2 5	8 1 7	16 8 8	10 8 2	17 12 5	23 10 13	53 25 28	44 24 20	12 6 6		
50	MONT- GOMERY- SHIRE .. { P. { M. { F. {	907 483 424	87 49 38	19 11 8	14 10 4	120 70 50	14 12 2	6 2 4	10 3 7	152 87 65	9 2 7	15 8 7	9 4 5	26 15 11	38 17 21	52 23 29	72 41 31	110 62 48	187 98 89	173 91 82	64 35 29		
51	FLINT- SHIRE .. { P. { M. { F. {	979 503 476	87 54 33	29 17 12	32 19 13	148 90 58	40 24 16	13 6 7	15 9 6	226 132 94	23 12 11	10 4 6	13 5 8	22 8 14	59 32 27	70 40 30	86 45 41	143 78 65	175 85 90	129 54 75	23 8 15		
52	DENBIGH- SHIRE .. { P. { M. { F. {	2135 1076 1059	218 118 100	68 37 31	102 50 52	388 205 183	93 48 45	32 18 14	23 15 8	558 299 259	49 23 26	27 13 14	42 27 15	39 19 20	113 54 59	132 66 66	199 104 95	262 134 128	419 205 214	235 114 121	60 18 42		
53	MERION- ETH- SHIRE .. { P. { M. { F. {	935 451 484	71 38 33	16 13 3	26 15 11	113 66 47	23 11 12	14 7 7	11 4 7	166 89 77	19 5 14	17 8 9	30 17 13	21 10 11	52 19 33	60 25 35	77 45 32	115 56 59	178 82 96	157 72 85	43 23 20		
54	CARNAR- VONSHIRE { P. { M. { F. {	2132 1056 1076	192 111 81	47 32 15	64 29 35	303 172 131	69 33 36	30 15 15	15 8 7	435 236 199	46 19 27	36 23 13	53 19 34	57 27 30	129 66 63	148 58 90	173 93 80	275 148 127	407 196 211	277 136 141	96 35 61		
55	ANGLESEY { P. { M. { F. {	560 278 282	75 42 33	11 6 5	13 6 7	99 54 45	10 2 8	9 5 4	2 2 —	122 64 58	15 5 10	11 8 3	12 3 9	9 6 3	38 18 20	24 14 10	44 20 24	63 34 29	103 43 60	84 44 40	35 19 16		

1909.

CAUSES OF DEATH AT DIFFERENT PERIODS
OF LIFE IN ENGLAND AND WALES
AND IN LONDON.

CAUSES OF DEATH IN REGISTRATION
COUNTIES.

DEATHS FROM SEVERAL CAUSES IN
REGISTRATION DIVISIONS, COUNTIES, AND
DISTRICTS.

VIOLENT DEATHS.

ENGLAND AND WALES.—SUMMARY OF CAUSES OF DEATH, 1909.—MALES.

MALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.															Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards						
		0—3 Months.			3—6 Months.			6—12 Months.																															
		0—3 Months.	3—6 Months.	6—12 Months.																																			
ALL CAUSES	265203	31474	9842	14709	56026	14146	5941	3426	2621	82160	6156	3443	4992	5913	14385	19304	25540	32715	38535	25720	6340																		
A.*—GENERAL DISEASES	120937	17699	4576	9363	31638	10439	4301	2471	1862	50711	3995	1770	2824	3765	9031	10448	11644	12105	10029	4018	597																		
B.*—DISEASES OF PARTICULAR ORGANS:—	17907	3700	1327	1339	6366	957	414	207	180	8124	435	300	318	312	776	1371	1644	1671	1874	928	154																		
I. DISEASES OF NERVOUS SYSTEM.. .. .	720	45	45	60	150	49	23	20	21	263	86	69	61	56	81	44	16	22	18	4	—																		
II. " " ORGANS OF SPECIAL SENSE	24089	1	4	7	12	21	11	19	26	89	196	277	436	408	979	1900	3472	5803	6989	3121	419																		
III. " " HEART.. .. .	15665	—	9	5	14	7	4	5	5	35	11	13	16	34	238	715	1750	3429	5250	3537	637																		
IV. " " BLOOD VESSELS	23817	1768	1156	1816	4740	1337	472	207	170	6926	244	58	75	100	335	776	1718	3569	5372	3776	868																		
V. " " RESPIRATORY SYSTEM	13942	1630	1241	1139	4010	607	224	146	126	5113	400	339	311	278	680	1048	1558	1824	1532	741	118																		
VI. " " DIGESTIVE SYSTEM	465	10	12	14	36	22	7	3	7	75	50	20	26	24	58	52	56	53	45	6	—																		
VII. " " LYMPH : & DUCTLESS GLANDS	10389	24	26	37	87	64	42	38	26	257	114	98	115	153	464	896	1611	2249	2717	1486	229																		
VIII. " " URINARY SYSTEM.. .. .	50	14	2	—	16	3	—	—	—	19	—	—	—	—	2	1	6	7	8	7	—																		
IX. " " GENERATIVE SYSTEM	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																		
X. " " PREGNANCY AND CHILD BIRTH	434	17	6	14	37	8	5	11	12	73	62	60	33	17	32	25	39	37	32	22	2																		
XI. " " LOCOMOTOR SYSTEM	517	194	33	32	259	15	6	5	—	285	1	—	1	3	7	15	21	42	80	53	9																		
XII. " " THE SKIN	3	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—																		
C.*—OTHER SPECIFIED DISEASES	23051	5734	1203	739	7676	299	59	23	9	8066	14	8	8	12	34	47	89	313	3657	7590	3213																		
D.*—CAUSES ILL - DEFINED OR NOT SPECIFIED.	13217	638	203	144	985	318	373	271	177	2124	548	431	767	751	1667	1966	1915	1591	932	431	94																		
E.*—VIOLENT DEATHS..																		

* The grouping in this Summary is for convenience of tabling merely : it must not be regarded as a classification.

ENGLAND AND WALES.—SUMMARY of CAUSES of DEATH, 1909—FEMALES.

FEMALES. CAUSES OF DEATH.		AGES AT DEATH.													85 and upwards							
		ALL AGES.																				
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—		25—	35—	45—	55—	65—	75—	
ALL CAUSES	252800	23521	7710	12173	43404	13190	5372	3516	2622	68104	6399	3683	4662	5577	13559	16854	21480	29333	40455	32612	10082
A.*—GENERAL DISEASES	112182	13636	3612	7859	25107	9753	4088	2607	1895	43450	4382	2261	3059	3616	8417	8771	9726	11016	19978	5511	995
B.*—DISEASES OF PARTICULAR ORGANS:—																						
I. DISEASES OF NERVOUS SYSTEM	14306	2536	998	1015	4549	879	360	241	164	6193	409	298	281	286	686	908	1164	1322	1526	1024	209
II. " " ORGANS OF SPECIAL SENSE	506	27	28	37	92	39	24	13	22	190	76	70	40	27	28	22	19	14	10	7	3
III. " " HEART	26829	1	1	4	6	28	17	19	34	104	229	440	460	433	1180	2131	3387	5792	7884	4030	559
IV. " " BLOOD VESSELS	16935	2	4	9	15	12	4	3	2	36	12	12	24	53	208	664	1799	3429	5531	4222	945
V. " " RESPIRATORY SYSTEM	24906	1295	876	1481	3652	1244	371	210	122	5599	242	67	62	87	262	640	1410	3281	6197	5501	1558
VI. " " DIGESTIVE SYSTEM	13095	983	905	873	2761	533	168	122	120	3704	458	249	291	328	713	1119	1534	1802	1726	960	211
VII. " " LYMPH: & DUCTLESS GLANDS	872	3	6	19	28	13	7	5	5	58	9	12	49	42	93	138	170	156	113	29	3
VIII. " " URINARY SYSTEM	7197	22	24	28	74	75	30	40	29	248	89	80	118	185	546	925	1164	1516	1554	665	107
IX. " " GENERATIVE SYSTEM	1015	7	4	—	11	11	3	1	1	27	2	1	19	38	148	261	228	120	109	51	11
X. " " PREGNANCY AND CHILD BIRTH	1950	—	—	—	—	—	—	—	—	—	—	1	63	286	843	732	25	—	—	—	—
XI. " " LOCOMOTOR SYSTEM	310	17	3	6	26	10	10	8	9	63	28	39	13	7	16	21	24	36	35	20	8
XII. " " THE SKIN	610	169	19	26	214	20	3	5	3	245	3	1	—	4	9	18	33	69	104	89	35
C.*—OTHER SPECIFIED DISEASES	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.		26159	4151	1047	679	5877	310	46	17	8	6258	20	6	8	12	28	37	69	336	4168	9987	5230
E.*—VIOLENT DEATHS	5926	672	183	137	992	263	241	225	208	1929	440	146	175	173	382	466	528	444	519	516	208

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1909.—MALES.

Note.—The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

MALES	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																			
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
{ Vaccinated ... Not vaccinated ... Doubtful ... Cow-pox and other effects of Vaccination.	Small-pox	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Chicken-pox	52	5	8	15	28	9	4	4	49	2	1	—	—	—	—	—	—	—	—	—	—
	Measles (Morbilli)	6466	32	79	1309	1420	2688	1071	523	325	6027	387	20	13	5	6	2	—	—	—	—	—
	German Measles*	21	—	—	3	3	7	2	2	2	16	5	—	—	—	—	—	—	—	—	—	
	Scarlet Fever	1662	8	7	54	69	191	258	244	234	996	458	94	53	19	26	11	3	1	—	1	
	Typhus	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Influenza	4300	60	38	67	165	60	42	19	15	301	63	36	107	129	302	419	563	749	914	595	122
	Whooping-cough	3137	333	365	846	1544	913	340	155	101	3053	81	—	—	—	—	—	2	—	1	—	—
{ Asiatic Cholera ... Diarrhoea due to Food† Infective Enteritis, Epidemic Diarrhoea. Diarrhoea (not otherwise defined) Dysentery ...	Mumps	45	1	—	1	2	3	4	4	16	4	3	—	—	1	7	2	4	5	3	—	—
	Diphtheria	2521	8	16	118	142	313	342	381	351	1529	798	124	26	6	17	10	5	3	3	—	—
	Cerebro-spinal Fever	63	—	8	10	18	6	2	3	3	32	14	4	6	3	3	—	—	1	—	—	—
	Pyrexia† (origin uncertain)	8	1	1	1	3	1	—	—	—	4	2	—	—	—	—	—	2	—	—	—	—
	Enteric Fever	1270	—	—	4	4	3	9	7	18	41	68	77	147	164	331	240	125	62	13	2	—
	Asiatic Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diarrhoea due to Food†	152	43	23	12	78	2	4	5	3	92	11	6	3	3	8	9	6	7	6	1	—
	Infective Enteritis, Epidemic	2618	511	691	857	2059	401	68	19	16	2563	8	1	—	2	7	2	6	15	7	5	1
	Diarrhoea.																					
	Diarrhoea (not otherwise defined)	2628	600	655	627	1882	324	37	24	7	2274	22	2	—	2	9	10	17	44	94	115	39
Dysentery	115	4	3	—	7	2	1	1	1	12	—	—	1	1	13	24	19	22	17	5	1	

Note.—For continuation of this Table, see page 298. * Of the 21 deaths from German Measles, 8 were certified by one medical practitioner in Wolverhampton Registration District. † Called Simple Continued Fever previous to 1901. ‡ *i.e.*, deaths stated to be so caused.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1909—MALES—continued from page 296.

MALES.	ALL AGES.	AGES AT DEATH.												Total under 5 Years.	Total under 1 Year.	0—3 Months.	3—6 Months.	6—12 Months.	Total under 5 Years.	1—	2—	3—	4—	5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.				
Tetanus	167	30	—	1	31	1	1	2	—	35	8	7	8	14	26	24	18	25	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malaria	69	—	—	—	—	1	1	—	—	1	—	—	—	4	18	25	6	8	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Glanders	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Anthrax (Splenic Fever)	15	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis	968	429	124	70	623	40	13	1	—	677	1	5	4	17	58	75	73	38	15	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gonorrhoea	18	1	—	—	1	—	—	—	—	1	—	—	—	5	3	1	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Puerperal Septicæmia, Puerperal Septic Intoxication.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Puerperal Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmasia Alba Dolens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Puerperal Fever (not otherwise defined).	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infective Endocarditis	253	—	—	—	—	1	—	1	—	2	11	17	21	32	51	47	46	16	8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
{ Lobar	3719	16	31	99	146	154	64	31	23	418	85	44	112	153	483	632	620	593	432	133	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
{ Broncho.	10349	805	991	2377	4173	2380	720	315	184	7772	244	48	42	42	119	220	345	515	616	344	42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
{ Epidemic	9	—	1	—	1	—	1	—	1	3	—	—	—	—	—	1	1	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
{ Not defined	11657	255	309	676	1240	808	314	189	126	2677	326	141	322	375	952	1353	1614	1664	1479	645	109	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	523	75	13	16	104	5	2	1	1	113	8	5	7	13	26	49	66	82	82	59	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Septicæmia, Septic Intoxication (not Puerperal).	210	27	5	6	38	6	2	4	2	52	15	7	9	14	16	26	21	21	14	13	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pyæmia (not Puerperal)	81	14	4	4	22	2	—	—	—	24	7	5	4	4	6	4	14	6	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon, Carbuncle (not Anthrax)	494	41	11	13	65	13	5	2	—	85	7	4	11	14	29	38	68	87	89	57	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phagedæna	14	3	—	1	4	—	—	—	—	4	—	—	—	—	1	—	2	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Infective Processes	151	6	2	1	9	5	3	—	—	17	3	5	9	15	17	22	23	27	11	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Note.—For continuation of this Table, see page 300.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													85 and upwards.					
		Total under 5 Years.																		
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	5—	10—	15—	20—	25—		35—	45—	55—	65—	75—
Tetanus Malaria Rabies, Hydrophobia Glanders Anthrax (Splenic Fever)	63 11 — — —	20 — — — —	— — — — —	— — — — —	20 — — — —	1 — — — —	— — — — —	— — — — —	1 — — — —	22 — — — —	2 — — — —	2 — — — —	3 — — — —	8 4 — — —	18 3 — — —	3 1 — — —	1 2 — — —	2 — — — —	— — — — —	— — — — —
Syphilis Gonorrhœa	717 21	331 2	112 1	54 —	497 3	32 —	8 —	2 —	1 —	540 3	4 —	2 —	5 1	8 4	28 8	57 2	32 3	30 —	10 —	1 —
Puerperal Septicæmia, Puerperal Septic Intoxication. Puerperal Pyæmia Phlegmasia Alba Dolens Puerperal Fever (not otherwise defined).	1063 104 72 190	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	31 1 — 2	199 19 10 37	545 55 28 100	280 28 34 47	8 1 — 4	— — — —	— — — —	— — — —
Infective Endocarditis { Lobar Broncho- Pneumonia Epidemic Not defined Erysipelas Septicæmia, Septic Intoxication (not Puerperal). Pyæmia (not Puerperal) Phlegmon, Carbuncle (not Anthrax) Phagedæna Other Infective Processes	273 2353 9446 2 8573 490 159 40 325 14 91	— 12 568 — 186 58 23	22 695 — 232 27 3	59 1914 — 506 25 6	93 3177 — 924 110 32	105 2136 — 723 8 7	47 701 — 288 6 —	31 330 — 151 3 1	31 171 — 107 1 3	307 6515 — 2193 128 43	13 82 259 269 4 7	14 43 56 128 2 8	38 67 35 176 8 1	46 88 57 — 236 5 10	66 284 115 1 631 749 46 13	43 306 204 1 830 78 25	22 339 520 — 1114 73 12	6 342 768 — 1280 78 19	3 140 504 — 783 64 8	— 18 116 — 184 12 2

Note.—For continuation of this Table, see page 301.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1909—MALES—continued from page 298.

MALES. CAUSES OF DEATH.	AGES AT DEATH.														ALL AGES.						
	0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—		35—	45—	55—	65—	75—	85 and upwards.
Pulmonary Tuberculosis (Tuber- culous Phthisis).	12111	9	30	77	116	115	88	53	33	405	156	173	592	1147	2789	2735	2299	1281	483	50	1
Phthisis (not otherwise defined) ...	9825	6	8	21	35	34	28	18	16	131	78	122	577	978	2283	2285	1795	1105	412	58	1
Tuberculous Meningitis ...	2955	53	181	466	700	553	356	202	169	1980	438	212	111	64	75	50	18	7	—	—	—
Tuberculous Peritonitis ...	1833	105	199	268	572	306	145	77	57	1157	155	112	89	64	89	64	46	41	13	3	—
Tabes Mesenterica ...	488	95	101	115	311	94	32	9	11	457	14	8	3	—	5	1	—	—	—	—	—
Lupus... ..	23	—	—	—	—	—	—	—	—	—	1	—	2	2	7	—	3	1	3	3	1
Tubercle of other Organs ...	1060	4	6	15	25	34	34	20	22	135	87	95	111	77	178	116	120	89	42	10	—
General Tuberculosis ...	1908	63	93	199	355	245	106	65	63	834	160	112	131	103	195	143	111	87	27	4	1
Scrophula ...	13	2	2	1	5	2	—	—	—	7	—	1	1	—	1	2	—	1	—	—	—
Parasitic Diseases ...	120	75	13	3	91	1	4	1	1	98	1	1	—	2	4	5	3	2	3	1	—
Starvation ...	11	1	1	1	3	1	—	—	—	4	—	1	—	—	—	1	3	—	1	1	—
Scurvy ...	26	2	2	5	9	8	1	1	—	19	—	—	1	1	2	1	—	—	1	1	—
Alcoholism, Delirium Tremens ...	998	—	—	—	—	—	—	—	—	—	—	—	—	15	133	318	271	177	71	12	1
Opium, Morphia-habit ...	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	4	2	—	—	—
Industrial Poisoning:—	88	—	—	—	—	—	—	—	—	—	—	—	—	1	11	22	26	22	6	—	—
By Lead ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phosphorus...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arsenic and other Poisons	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—

Note.—For continuation of this Table, see page 302.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													Total under 1 Year.	0—3 Months.	3—6 Months.	6—12 Months.	Total under 5 Years.	AGES AT DEATH.										Total under 5 Years.	4—	3—	2—	1—	0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
		5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.																																									
Pulmonary Tuberculosis (Tuberculous Phthisis).	8545	5	19	61	85	116	58	47	36	342	203	357	804	977	2208	1647	1058	607	281	54	7																																
Phthisis (not otherwise defined) ...	8158	4	7	18	29	40	17	28	20	134	133	328	864	1042	2129	1601	1050	561	262	52	2																																
Tuberculous Meningitis ...	2819	36	146	349	531	537	338	222	186	1814	469	222	115	70	75	28	18	7	1	—	—																																
Tuberculous Peritonitis ...	1689	62	130	178	370	257	101	64	57	849	165	122	107	63	146	110	70	38	15	4	—																																
Tubes Mesenterica ...	389	46	74	84	204	80	33	15	11	343	18	16	5	1	4	2	—	—	—	—	—																																
Lupus ...	56	—	—	—	—	—	—	—	—	—	1	5	—	1	8	3	11	10	10	5	2																																
Tubercle of other Organs ...	808	2	3	12	17	24	12	13	14	80	60	77	73	69	128	100	73	70	61	16	1																																
General Tuberculosis ...	1731	50	90	161	301	199	99	79	58	736	164	138	133	97	173	121	88	37	30	14	—																																
Scrofula ...	14	1	—	1	2	—	1	—	—	3	—	—	2	—	2	3	—	3	1	—	—																																
Parasitic Diseases ...	102	53	8	6	67	4	6	4	3	84	3	2	—	1	1	3	3	4	—	1	—																																
Starvation ...	11	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	2	2	2	2	—																																
Scurvy ...	21	2	3	2	7	7	—	1	—	15	—	1	—	—	2	—	2	—	1	—	—																																
Alcoholism, Delirium Tremens ...	673	—	—	—	—	—	—	—	—	—	—	—	—	5	49	216	213	124	59	7	—																																
Opium, Morphia-habit ...	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	4	4	2	—																																
Industrial Poisoning:—	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—																																
By Lead ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																																
” Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																																
” Arsenic and other Poisons...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																																

Note.—For continuation of this Table, see page 303.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1909—MALES—continued from page 300.

MALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.															85 and upwards				
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—		45—	55—	65—	75—
Rheumatic Fever, Acute Rheumatism.	961	—	1	1	2	1	6	4	16	29	123	153	126	69	145	112	91	66	39	7	1
<i>Rheumatism of Heart</i> ...	149	—	—	—	—	—	—	—	—	—	8	7	8	9	11	13	20	31	29	13	—
Chronic Rheumatism ...	167	—	—	—	—	—	—	—	—	—	—	—	1	—	4	6	14	32	68	39	3
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	295	—	—	—	1	—	—	—	—	1	—	1	1	1	6	13	36	64	109	54	9
Gout ...	320	—	—	—	—	—	—	—	—	—	—	—	—	—	2	15	37	88	106	64	8
Carcinoma ...	7794	—	—	—	—	—	1	—	—	1	2	—	1	11	98	502	1449	2424	2292	886	128
Sarcoma ...	1073	—	—	—	—	—	10	18	9	61	26	30	37	64	125	139	192	198	147	49	5
Cancer, Malignant Disease (not otherwise defined).	5396	—	—	—	—	2	—	—	1	3	7	1	7	11	73	280	940	1697	1735	574	68
Rickets ...	664	13	44	212	259	259	86	27	14	655	5	—	1	1	1	1	—	—	—	—	—
Purpura ...	159	23	6	13	42	4	8	8	2	64	16	8	7	8	11	5	16	10	12	2	—
Hæmophilia, Hæmorrhagic Diathesis	58	20	—	2	22	3	3	2	2	32	4	1	2	3	6	7	2	—	—	1	—
Anæmia, Leucocythæmia ...	997	5	11	9	25	19	17	5	7	73	22	20	29	26	59	139	199	239	158	29	4
Diabetes Mellitus ...	1898	—	—	—	—	3	3	1	3	10	17	38	67	65	174	193	264	449	444	160	17
Premature Birth ...	10207	10108	79	20	10207	—	—	—	—	10207	—	—	—	—	—	—	—	—	—	—	—
Congenital Hydrocephalus	203	41	32	50	123	42	7	7	7	186	4	2	4	3	2	1	1	—	—	—	—
Other Congenital Defects ...	2517	2072	167	129	2368	48	17	12	8	2453	31	16	8	4	1	3	1	—	—	—	—
Injury at Birth ...	566	564	—	1	565	—	—	1	—	566	—	—	—	—	—	—	—	—	—	—	—
Atelectasis ...	874	874	—	—	874	—	—	—	—	874	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	384	248	103	33	384	—	—	—	—	384	—	—	—	—	—	—	—	—	—	—	—
<i>Teething</i> ...	994	4	102	528	634	317	40	3	—	994	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 304.

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1909—MALES—continued from page 302.

MALES.	CAUSES OF DEATH.	All Ages.	AGES AT DEATH.															Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
			0—3 Months.					3—6 Months.					6—12 Months.																						Total under 1 Year.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
			0—3	3—6	6—12	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—																		45—	55—	65—	75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Meningitis, Inflammation of Brain	Softening of Brain ...	1105	151	272	477	900	482	246	118	116	1862	258	148	112	76	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106	99	66	40	14	1	120	106

Note.—For continuation of this Table, see page 306.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												85 and upwards.						
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—		20—	25—	35—	45—	55—	65—
Meningitis, Inflammation of Brain	2442	85	174	371	630	399	206	133	103	1471	250	155	90	73	111	85	91	63	32	19	2
Softening of Brain ...	1023	—	—	—	—	—	—	—	—	—	1	1	—	2	10	34	85	227	325	277	61
General Paralysis of Insane	546	—	—	—	—	—	—	—	—	—	14	5	13	11	75	127	136	85	74	25	4
Insanity (not Puerperal) ...	1176	—	1	3	4	5	6	5	3	23	28	40	27	21	59	103	140	190	301	244	63
Chorea ...	132	—	—	—	—	—	—	1	10	61	40	50	84	98	230	223	213	154	119	62	8
Epilepsy ...	1342	6	5	10	21	10	12	8	10	23	29	2	—	—	—	—	—	—	—	—	—
Convulsions ...	4425	2411	789	589	3789	398	112	70	25	4394	29	—	—	—	—	—	—	—	—	—	—
Laryngismus Stridulus ...	120	20	14	26	60	30	5	11	10	116	4	—	—	—	—	—	—	—	—	—	—
Locomotor Ataxy ...	123	—	—	—	—	—	—	—	—	—	—	—	—	—	7	20	32	37	24	3	—
Paraplegia, Diseases of Cord	948	4	4	5	13	11	11	5	8	48	14	17	21	23	59	97	155	209	211	84	10
Neuritis, Peripheral, Poly-Neuritis	281	—	—	—	—	—	—	—	—	—	2	—	—	4	17	73	82	55	29	16	3
Brain Tumour (not Specific)	377	1	—	1	2	4	1	2	3	12	22	19	18	24	60	69	75	58	18	2	—
Other Diseases of Nervous System	1371	9	11	10	30	22	7	6	2	67	4	7	22	19	48	74	151	240	390	291	58
Otitis, Mastoid Disease ...	444	10	26	35	71	35	24	13	22	165	70	68	40	25	24	20	15	9	6	2	—
Epistaxis, Diseases of Nose	41	9	2	2	13	3	—	—	—	16	5	2	—	2	3	1	3	4	1	3	1
Ophthalmia, Diseases of Eye	21	8	—	—	8	1	—	—	—	9	1	—	—	—	1	1	1	1	3	2	2
Valvular Disease, Endocarditis (not Infective).	9236	—	—	—	—	8	2	8	12	30	130	255	266	253	574	967	1342	1806	2306	1153	154
Pericarditis ...	186	—	1	3	4	5	2	1	2	14	18	20	21	8	19	22	15	25	18	6	—
Hypertrophy of Heart ...	85	—	—	—	—	—	—	—	—	—	—	3	1	—	2	4	10	23	27	14	1
Angina Pectoris ...	328	—	—	—	—	—	—	—	—	—	—	—	—	1	7	15	49	82	112	52	10
Dilatation of Heart ...	1778	—	—	—	—	—	—	—	1	1	6	2	7	9	37	78	203	414	635	340	46
Fatty Degeneration of Heart	1424	—	—	—	—	1	1	—	—	2	—	—	—	1	24	97	227	377	450	221	25
Syncope, Heart Disease (not specified).	13792	1	—	1	2	14	12	10	19	57	75	160	165	161	517	948	1741	3065	4336	2244	323

Note.—For continuation of this Table, see page 307.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1909—MALES—continued from page 304.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.															Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
			0—3 Months.	3—6 Months.	6—12 Months.	1 Year.	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—																		85 and upwards.
Cerebral Haemorrhage, Cerebral Embolism.	7999	—	7	2	9	2	2	3	1	17	7	5	10	19	99	293	897	1854	2786	1738	274														
Apoplexy, Hemiplegia	3609	—	1	2	3	3	1	1	1	9	1	4	2	7	35	114	391	809	1253	851	133														
Aneurysm	946	—	—	—	—	—	—	—	—	1	—	—	—	1	70	226	262	217	135	30	4														
Senile Gangrene	845	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84	316	344	101														
Embolism, Thrombosis (not Cerebral).	203	—	1	1	2	2	1	—	2	7	3	3	3	5	15	25	41	46	33	19	3														
Phlebitis	55	—	—	—	—	—	—	—	—	—	—	—	1	1	1	5	12	13	16	6	—														
Varicose Veins	33	—	—	—	—	—	—	—	—	—	—	—	—	1	2	4	5	9	9	2	1														
Other Diseases of Blood Vessels	1975	—	—	—	—	—	—	—	1	1	—	1	—	—	16	48	142	397	702	547	121														
Laryngitis	566	17	14	58	89	107	76	65	55	392	85	2	3	5	10	12	28	12	12	4	1														
Membranous Laryngitis (not Diphtheritic).	17	—	—	1	1	4	3	3	3	14	3	—	—	—	—	—	—	—	—	—	—														
Croup (not Spasmodic nor Membranous).	130	—	5	18	23	23	27	14	16	103	26	1	—	—	—	—	—	—	—	—	—														
Other Diseases of Larynx and Trachea.	15	—	—	—	—	—	—	2	—	2	—	—	1	1	1	2	4	1	2	1	—														
Bronchitis	19404	1631	1074	1649	4354	1102	319	100	67	5942	81	32	28	34	161	413	1165	2792	4606	3365	785														
Emphysema, Asthma	1089	—	—	4	4	2	2	—	—	8	3	2	2	13	30	100	160	308	332	123	8														
Pleurisy	815	4	5	11	20	41	19	14	14	108	33	12	24	30	68	104	138	135	113	47	3														
Fibroid Disease of Lung	420	—	—	1	1	—	1	1	1	4	—	—	2	4	27	52	105	150	64	11	1														
Other Diseases of Respiratory System.	1361	116	58	74	248	58	25	8	14	353	13	9	15	13	38	93	118	171	243	225	70														

Note.—For continuation of this Table, see page 308.

FEMALES.	ALL AGES.	AGES AT DEATH.														85 and upwards.						
		0—3 Months.		3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—		25—	35—	45—	55—	65—	75—
		Months.	Months.	Months.	1 Year.	1—	2—	3—	4—	5 Years.	5—	10—	15—	20—	25—		35—	45—	55—	65—	75—	
Cerebral Hæmorrhage, Cerebral Embolism.	9939	—	3	5	8	6	3	2	1	20	4	7	14	31	103	377	1138	2197	3233	2329	486	
<i>Apoplexy, Hemiplegia</i>	4485	—	—	2	2	2	1	1	1	7	3	1	4	6	37	154	497	883	1527	1139	227	
Aneurysm ...	221	1	—	—	1	—	—	—	—	1	—	—	—	3	9	24	49	49	60	21	5	
Senile Gangrene ...	706	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	58	224	299	125	
Embolism, Thrombosis (not Cerebral).	269	1	—	2	3	3	—	—	—	6	3	3	5	9	40	61	35	36	42	25	4	
Phlebitis ...	93	—	—	—	—	—	—	—	—	—	—	1	1	1	10	21	13	16	20	9	1	
Varicose Veins ...	79	—	—	—	—	—	—	—	—	—	—	—	—	1	4	12	13	22	20	7	—	
Other Diseases of Blood Vessels ...	1143	—	1	—	1	1	—	—	—	2	2	—	—	2	5	15	54	168	405	393	97	
Laryngitis ...	425	14	9	39	62	72	56	50	39	279	81	10	6	2	9	13	9	6	6	4	—	
<i>Membranous Laryngitis</i> (not Diphtheritic).	14	—	—	—	—	2	2	3	1	8	5	1	—	—	—	—	—	—	—	—	—	
<i>Croup</i> (not Spasmodic nor Membranous).	111	2	—	8	10	25	28	21	9	93	17	1	—	—	—	—	—	—	—	—	—	
Other Diseases of Larynx and Trachea.	13	—	1	2	3	—	—	1	1	5	—	—	—	—	3	2	1	—	1	1	—	
Bronchitis ...	21414	1165	800	1355	3320	1051	249	111	56	4787	98	28	33	44	126	419	1100	2801	5602	4977	1399	
Emphysema, Asthma ...	837	1	—	2	3	4	—	2	1	10	6	2	4	6	35	66	113	218	234	129	14	
Pleurisy ...	588	4	5	8	17	33	20	16	11	97	18	10	6	17	42	56	75	85	99	69	14	
Fibroid Disease of Lung ...	163	—	—	—	—	1	—	—	—	1	—	—	2	—	10	22	35	49	37	6	1	
Other Diseases of Respiratory System.	1341	109	61	67	237	56	16	6	4	319	17	15	11	18	37	62	77	122	218	315	130	

Note.—For continuation of this Table, see page 309.

ENGLAND AND WALES.—CAUSES of DEATH at different Periods of Life, 1909—MALES—continued from page 306.

MALES.	CAUSES OF DEATH.	AGES AT DEATH.											Total under 1 Year.	6-12 Months.	3-6 Months.	0-3 Months.	Total under 5 Years.	AGES AT DEATH.										75 and upwards.						
		AGES AT DEATH.																5-25 Years.																
		1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—						45—	55—	65—	75—	85 and upwards.												
Tonsillitis, Quinsy	221	16	22	18	15	92	46	23	6	7	12	14	9	4	2	—																		
Diseases of Mouth, Pharynx, Esophagus (not Specific).	295	19	20	6	10	166	18	4	3	6	15	20	17	20	11	—																		
Gastric Ulcer	688	1	1	—	—	5	2	3	15	28	94	165	137	88	24	4																		
Gastritis, Gastric Catarrh...	1592	79	38	19	13	1016	34	11	8	7	28	81	117	122	100	22																		
Other Diseases of Stomach (not Malignant).	252	9	1	1	2	89	—	1	5	2	11	29	38	33	21	6																		
Ulceration of Intestines ...	485	2	1	1	3	12	6	6	13	23	77	106	83	48	15	2																		
Enteritis (not Epidemic) ...	1994	211	52	19	11	1665	27	12	8	10	16	46	59	75	46	3																		
Gastro-enteritis	1567	181	28	24	11	1395	17	5	7	6	11	19	30	39	19	3																		
Appendicitis, Perityphlitis	1279	4	10	22	28	67	166	210	168	122	164	109	76	44	12	2																		
Hernia	695	16	5	1	1	78	3	2	5	3	24	83	135	181	116	19																		
Intestinal Obstruction ...	1355	42	21	20	14	344	44	33	33	37	69	120	198	214	163	23																		
Other Diseases of Intestines	147	1	2	1	1	33	1	2	3	1	4	15	33	22	16	5																		
Peritonitis (not Puerperal)	282	9	11	8	8	82	12	16	15	10	23	31	27	41	10	2																		
Cirrhosis of Liver	2048	2	1	1	1	5	4	6	6	4	72	571	623	375	76	1																		
Other Diseases of Liver and Gall Bladder.	825	5	8	5	7	34	16	3	13	9	52	120	192	183	98	21																		
Other Diseases of Digestive System	217	10	3	—	1	30	4	2	3	3	14	29	50	43	12	5																		
Diseases of Spleen	24	—	—	—	—	2	—	—	—	1	2	1	8	5	2	—																		
Other Diseases of Lymphatic System.	258	18	7	2	6	67	43	16	13	9	27	24	17	20	3	—																		
Diseases of Thyroid Body ...	74	3	—	1	1	5	5	2	6	5	9	14	12	7	—	—																		
Diseases of Supra Renal Capsules	109	1	—	—	—	1	2	2	7	9	20	17	16	13	1	—																		
Acute Nephritis, Uremia ...	1974	51	33	32	20	211	71	50	55	62	169	321	336	318	126	19																		
Chronic Bright's Disease, Albuminuria.	5627	8	8	5	5	35	36	45	55	78	259	1077	1441	1450	537	51																		
Calculus (not Biliary)	155	1	1	1	—	3	2	2	1	1	10	26	23	39	25	3																		
Diseases of Bladder and of Prostate	2203	2	—	—	1	4	2	1	4	7	9	88	329	821	752	150																		
Other Diseases of Urinary System	430	2	—	—	—	4	3	—	—	5	17	99	120	89	46	6																		

Note.—For continuation of this Table, see page 310.

AGES AT DEATH.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.											85 and upwards.								
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—		15—	20—	25—	35—	45—	55—	65—	75—
Tonsillitis, Quinsy ...	164	3	3	1	7	12	11	17	17	64	47	9	5	2	6	5	6	8	5	4	3
Diseases of Mouth, Pharynx, Esophagus (not Specific).	268	68	14	23	105	29	14	8	5	161	13	—	3	5	8	13	21	13	13	16	2
Gastric Ulcer	1040	—	—	—	—	1	1	—	1	3	6	14	37	121	207	195	167	122	78	35	5
Gastritis, Gastric Catarrh ...	1666	248	190	169	607	93	30	22	16	768	39	18	13	16	40	88	88	153	236	163	39
Other Diseases of Stomach (not Malignant).	206	29	13	8	50	2	1	—	1	54	3	—	4	4	6	25	16	27	36	25	6
Ulceration of Intestines ...	297	2	1	2	5	1	1	1	3	11	3	2	9	14	46	55	57	46	39	15	—
Enteritis (not Epidemic) ...	1714	320	322	309	951	185	39	20	17	1212	33	13	7	13	36	44	63	84	120	68	21
Gastro-enteritis ...	1333	262	300	291	853	148	42	10	15	1068	37	6	3	8	20	16	27	52	53	39	4
Appendicitis, Perityphlitis ...	997	1	1	—	2	2	4	14	15	37	169	135	122	75	136	101	82	81	42	16	1
Hernia ...	806	4	2	1	7	—	—	2	—	9	1	1	—	3	16	63	157	221	221	101	13
Intestinal Obstruction ...	1262	25	41	53	119	22	7	7	12	167	40	17	15	29	60	100	143	193	274	176	48
Other Diseases of Intestines	151	8	7	8	23	5	1	2	—	31	2	4	2	2	8	12	15	24	20	24	7
Peritonitis (not Puerperal) ...	333	10	6	4	20	7	5	11	9	52	47	19	6	17	31	35	33	17	59	15	2
Cirrhosis of Liver ...	1481	—	—	—	—	—	—	1	2	3	3	5	—	3	48	248	455	418	221	71	6
Other Diseases of Liver and Gall Bladder.	1137	—	2	1	3	7	10	4	4	28	12	6	11	12	35	98	186	291	256	158	44
Other Diseases of Digestive System	240	3	3	3	9	19	2	3	3	36	3	—	4	4	10	21	18	52	53	29	10
Diseases of Spleen ...	31	—	—	2	2	—	—	—	—	2	—	1	2	1	9	3	6	4	3	—	—
Other Diseases of Lymphatic System.	167	3	5	14	22	11	3	3	3	42	8	5	12	8	14	22	19	16	16	5	—
Diseases of Thyroid Body ...	535	—	1	2	3	2	4	2	2	13	1	4	25	27	58	84	115	107	76	22	3
Diseases of Supra Renal Capsules	139	—	—	1	1	—	—	—	—	1	—	2	10	6	12	29	30	29	18	2	—
Acute Nephritis, Uræmia ...	1862	22	21	24	67	62	25	29	22	205	60	41	67	91	230	271	282	272	230	97	16
Chronic Bright's Disease, Albuminuria.	4877	—	3	1	4	11	4	8	7	34	23	37	44	85	282	605	820	1169	1228	481	69
Calculus (not Biliary) ...	86	—	—	—	—	—	—	—	—	—	2	—	—	5	5	11	19	16	17	9	2
Diseases of Bladder and of Prostate	239	—	—	1	1	—	1	3	—	5	2	—	2	2	13	14	21	37	61	64	18
Other Diseases of Urinary System	133	—	—	2	2	2	—	—	—	4	2	2	5	2	16	24	22	22	18	14	2

Notc.—For continuation of this Table, see page 311.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1909—MALES—continued from page 308.

MALES.	CAUSES OF DEATH.	AGES AT DEATH.																Total under 5 Years.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
		0—3 Months.	3—6 Months.	6—12 Months.	1 Year.	1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—																		
	<i>Ovarian Tumour</i> (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Other Diseases of Ovary	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	<i>Uterine Tumour</i> (not Malignant)...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Other Diseases of Uterus and Vagina.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Disorders of Menstruation... ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Other Diseases of Generative and Mammary Organs.	50	14	2	16	3	—	—	—	19	—	—	—	—	2	1	6	7	8	7	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Puerperal Mania	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Puerperal Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Placenta Prævia, Flooding	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Other Accidents of Pregnancy and Childbirth.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Caries, Necrosis	106	2	2	7	5	—	1	1	14	8	5	9	7	9	7	16	12	9	10	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Arthritis, Peritostitis	154	13	4	21	2	—	6	3	32	19	25	6	4	12	8	10	16	15	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Diseases of Locomotor System	174	2	—	9	1	5	4	8	27	35	30	18	6	11	10	13	9	8	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Ulcer, Bed-sore	152	1	—	2	2	—	—	—	4	1	—	—	1	4	7	15	30	49	33	8	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Eczema	141	49	23	97	10	5	1	—	113	—	—	—	—	—	1	3	6	13	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Pemphigus	113	93	3	98	1	—	—	—	99	—	—	1	1	1	3	—	—	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Diseases of the Skin	111	51	7	62	2	1	4	—	69	—	—	—	1	2	4	3	6	12	13	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	OTHER SPECIFIED DISEASES	3	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

Note.—For continuation of this Table, see page 312.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																	
			0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-2	2-3	3-4	Total under 5 Years.	5-10	10-15	15-20	20-25	25-35	35-45	45-55	55-65	65-75	75-85 and upwards.
			Months.	Months.	Months.	1 Year.	1	2	3	4	5 Years.	5	10	15	20	25	35	45	55	65
Ovarian Tumour (not Malignant)	Other Diseases of Ovary ...	307	—	—	—	—	—	—	—	—	—	3	5	30	54	56	64	58	33	4
Uterine Tumour (not Malignant)...	Other Diseases of Uterus and Vagina.	33	—	—	—	—	—	—	—	—	—	—	2	10	9	3	3	5	1	—
Disorders of Menstruation...	Other Diseases of Generative and Mammary Organs.	293	—	—	—	—	—	—	—	—	—	—	6	24	76	109	40	26	7	5
		337	2	4	—	6	11	3	1	22	2	13	24	80	105	50	13	18	8	2
		33	—	—	—	—	—	—	—	—	—	3	—	4	15	10	—	—	—	—
		12	5	—	—	5	—	—	—	5	—	—	1	—	2	—	—	2	2	—
Abortion, Miscarriage	...	85	—	—	—	—	—	—	—	—	—	2	7	33	41	2	—	—	—	—
Puerperal Mania	42	—	—	—	—	—	—	—	—	—	1	4	29	8	—	—	—	—	—
Puerperal Convulsions	...	462	—	—	—	—	—	—	—	—	—	42	137	181	96	5	—	—	—	—
Placenta Prævia, Flooding	...	574	—	—	—	—	—	—	—	—	—	4	46	230	282	12	—	—	—	—
Other Accidents of Pregnancy and Childbirth.	...	787	—	—	—	—	—	—	—	—	—	14	92	370	305	6	—	—	—	—
Caries, Necrosis	...	81	—	1	2	3	3	2	2	11	5	3	3	5	6	9	11	11	7	2
Arthritis, Periostitis	...	102	12	1	3	16	4	6	5	33	7	8	—	1	6	4	11	13	11	4
Other Diseases of Locomotor System	...	127	5	1	1	7	3	2	1	19	16	23	4	10	9	11	14	11	2	2
Ulcer, Bed-sore	...	278	1	—	2	3	4	—	1	9	—	—	1	4	9	24	48	83	70	29
Eczema	...	107	46	15	13	74	7	1	2	84	2	—	1	—	2	2	7	3	5	1
Pemphigus	...	101	78	1	5	84	1	—	—	85	—	—	—	1	2	5	2	4	1	1
Other Diseases of the Skin	...	124	44	3	6	53	8	2	2	67	1	—	2	4	5	2	12	14	13	4
OTHER SPECIFIED DISEASES		2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—

Note.—For continuation of this Table, see page 313.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1909.—MALES—continued from page 310.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.											Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.			
			0—3 Months.	3—6 Months.	6—12 Months.	1 Year.																											
CAUSES ILL-DEFINED OR NOT SPECIFIED.																																	
Atrophy, Debility	...	7872	5625	1162	711	7498	284	52	17	2	7853	8	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Old Age	...	14497	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy, Ascites, Anasarca	...	23	1	—	—	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tumour	...	41	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Abscess	...	137	26	11	13	50	6	2	2	2	62	3	—	4	4	6	10	12	10	17	5	4	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	...	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Sudden Death (cause unascertained)	...	8	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other ill-defined causes	...	386	59	25	15	99	9	4	4	3	119	3	7	3	4	16	24	53	56	63	33	4	—	—	—	—	—	—	—	—	—	—	
Causes not specified	...	71	22	5	—	27	—	—	—	2	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
VIOLENT DEATHS.																																	
In Mines and Quarries	...	1367	—	—	—	—	19	37	30	27	119	—	51	230	152	314	292	189	108	29	2	—	—	—	—	—	—	—	—	—	—	—	—
Vehicles and Horses	...	1913	—	3	3	6	—	—	—	—	—	140	109	130	136	286	292	273	243	135	39	11	—	—	—	—	—	—	—	—	—	—	—
Ships, Boats, and Docks (not Drowning).	...	263	—	—	—	—	—	—	—	—	—	—	—	18	21	57	55	63	30	17	2	—	—	—	—	—	—	—	—	—	—	—	—
Building Operations	...	166	—	—	—	—	—	—	—	—	—	—	—	7	12	21	46	35	29	12	4	—	—	—	—	—	—	—	—	—	—	—	—
Machinery	...	205	—	—	—	—	—	—	—	—	—	2	9	26	30	33	28	40	28	9	—	—	—	—	—	—	—	—	—	—	—	—	—
Weapons and Implements	...	99	—	—	—	—	1	1	—	1	3	1	7	13	15	19	17	11	10	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	...	1088	4	13	56	73	195	228	157	98	751	81	20	18	16	37	34	28	33	28	33	9	—	—	—	—	—	—	—	—	—	—	—
Poisons, Poisonous Vapours	...	368	4	3	8	15	18	11	5	3	52	16	22	12	19	53	51	65	37	30	9	2	—	—	—	—	—	—	—	—	—	—	—
Drowning	...	1793	8	1	3	12	28	41	44	24	149	200	102	144	121	243	272	237	200	102	22	1	—	—	—	—	—	—	—	—	—	—	—
Suffocation	...	822	498	168	49	715	17	8	4	1	745	5	2	2	5	9	8	10	16	11	9	—	—	—	—	—	—	—	—	—	—	—	—
Falls	...	1339	2	6	9	17	24	31	19	10	101	46	49	38	28	97	142	164	181	206	226	61	—	—	—	—	—	—	—	—	—	—	—
Weather Agencies	...	144	—	—	2	2	—	3	—	2	7	4	3	4	7	8	15	28	38	22	6	2	—	—	—	—	—	—	—	—	—	—	—
Otherwise or not stated	...	816	96	5	10	111	13	11	9	9	153	50	43	57	49	91	108	120	84	43	16	2	—	—	—	—	—	—	—	—	—	—	—
Battle	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide	...	132	26	4	4	34	3	2	3	2	44	3	6	5	5	18	23	18	6	2	2	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	...	2683	—	—	—	—	—	—	—	—	—	—	8	62	129	376	578	632	548	283	61	6	—	—	—	—	—	—	—	—	—	—	—
Execution	...	19	—	—	—	—	—	—	—	—	—	—	—	1	6	5	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

SUPPLEMENTARY TABLE—ENGLAND AND WALES, 1909.—DEATHS certified as from INFECTIVE PROCESSES.*—MALES.

MALES. CAUSES OF DEATH	ALL AGES.	AGES AT DEATH.											Total under 5 Years.	Total under 1 Year.	AGES AT DEATH.										Total under 5 Years.	Total under 1 Year.	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		0-3 Months.	3-6 Months.	6-12 Months.	1- 2- 3- 4-	5- 10- 15- 20- 25- 35- 45- 55- 65- 75-	10- 15- 20- 25- 35- 45- 55- 65- 75-	15- 20- 25- 35- 45- 55- 65- 75-	20- 25- 35- 45- 55- 65- 75-	25- 35- 45- 55- 65- 75-	35- 45- 55- 65- 75-	45- 55- 65- 75-			55- 65- 75-	65- 75-	75-	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Infective Diseases of { Brain ... Middle Ear ... Blood Vessels ... Larynx ... Pleura ... Lung ... Tonsil ... Mouth and Pharynx ... Stomach and Intestines... Peritoneum ... Liver ... Kidney ... Bladder and Prostate ... Bone ... Joints ... Other parts of the body...	223	1	7	9	17	11	8	2	8	46	18	19	21	23	30	26	24	11	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* The infections of Tuberculosis, Syphilis, Lobar Pneumonia, and Diarrhoea (all forms) are excluded from this Table.

SUPPLEMENTARY TABLE.—ENGLAND AND WALES, 1909.—DEATHS certified as from INFECTIVE PROCESSES.*—FEMALES.

FEMALES. CAUSES OF DEATH	ALL AGES.	AGES AT DEATH.																	85 and upwards.		
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-		65-	75-
Infective Diseases of	Brain ...	4	5	7	16	9	3	1	4	33	19	15	12	11	30	10	14	10	7	1	
	Middle Ear ...	6	16	26	48	26	19	11	21	125	58	66	38	24	19	10	13	10	5	1	
	Blood Vessels ...	—	1	1	2	—	—	—	—	2	2	1	—	—	—	—	2	19	16	—	
	Larynx ...	—	—	7	11	26	15	12	8	72	14	6	—	6	13	9	15	9	10	—	
	Pleura ...	1	3	9	17	17	13	3	1	51	15	5	11	14	17	18	19	19	10	2	
	Lung ...	7	1	—	3	7	6	8	3	27	17	6	4	1	3	3	3	2	2	2	
	Tonsil ...	1	2	—	10	15	8	7	3	43	9	—	3	4	8	6	11	10	3	5	
	Mouth and Pharynx ...	7	—	3	18	4	5	14	16	57	15	112	148	130	193	187	171	133	84	37	
	Stomach and Intestines ...	4	6	8	—	—	—	3	1	4	12	2	1	2	4	4	4	—	1	1	
	Peritoneum ...	—	—	—	—	—	—	3	1	4	1	—	—	3	10	34	43	49	34	1	
	Liver ...	—	—	—	—	—	—	3	1	3	1	1	—	5	20	34	30	30	13	4	
	Kidney ...	—	2	—	2	1	—	—	—	1	2	—	1	1	5	4	6	4	5	—	
	Bladder and Prostate ...	—	—	—	—	—	—	1	—	1	—	—	11	24	73	107	51	23	8	—	
	Uterus and Ovary ...	2	3	1	5	6	3	1	3	11	15	13	3	1	3	4	5	5	1	—	
	Bone ...	—	1	1	2	2	3	5	1	20	6	6	2	—	1	5	2	8	3	4	
	Joints ...	7	1	3	11	—	3	3	2	45	5	1	1	—	6	11	4	14	8	2	
	Other parts of the body...	17	3	9	29	10	1	3	2	—	—	—	—	3	6	11	4	14	8	2	—
Infective Processes	Ulcer ...	1	—	1	2	2	—	1	1	6	—	1	—	—	2	5	13	17	25	6	
	Abscess ...	33	9	13	55	4	1	1	2	63	4	1	—	1	4	5	12	16	13	8	
	Pelvic Cellulitis ...	1	—	—	1	—	—	—	—	1	—	1	1	5	5	11	9	4	5	3	
	Others ...	6	—	—	6	1	1	1	2	11	4	1	3	2	4	6	5	6	4	—	
Total ...	3790	97	53	90	240	130	81	75	70	596	336	240	249	239	423	502	439	388	257	102	
																				19	

* The infections of Tuberculosis, Syphilis, Lobar Pneumonia, and Diarrhoea (all forms) are excluded from this Table.

LONDON.—SUMMARY of CAUSES of DEATH, 1909.—MALES.

MALES. CAUSES OF DEATH.		ALL AGES.	AGES AT DEATH.															85 and upwards.				
			0—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—20—	25—	35—	45—	55—		65—	75—		
ALL CAUSES..	35,260	3,796	1,331	2,087	7,214	2,137	870	482	337	11,040	765	419	599	775	2,045	3,004	4,025	4,528	4,623	2,776	661
A *—GENERAL DISEASES	18,495	2,378	703	1,473	4,554	1,752	706	371	251	7,634	499	216	333	500	1,316	1,790	2,122	1,944	1,510	540	91
B.*—DISEASES OF PARTICULAR ORGANS :—																						
I. DISEASES OF NERVOUS SYSTEM	1,480	240	98	118	456	88	31	13	17	605	27	18	27	35	63	96	165	147	173	109	15
II. " ORGANS OF SPECIAL SENSE..		138	6	4	9	19	8	7	4	5	43	22	16	7	12	18	10	4	5	—	1	—
III. " HEART	2,643	—	1	2	3	3	1	1	1	9	32	44	81	59	127	252	422	596	670	309	42
IV. " BLOOD VESSELS	1,702	—	—	1	1	—	1	—	—	2	1	1	2	2	44	109	238	368	514	348	73
V. " RESPIRATORY SYSTEM	3,373	195	109	181	485	138	45	21	12	701	24	11	9	18	72	164	300	606	820	520	128
VI. " DIGESTIVE SYSTEM	1,942	208	176	161	545	74	50	24	18	691	58	46	33	54	108	179	238	261	188	75	11
VII. " LYMPH : & DUCTLESS GLANDS		81	4	4	3	11	4	5	—	2	22	6	6	5	4	15	9	4	5	4	1	—
VIII. " URINARY SYSTEM	1,545	3	1	2	6	4	1	2	2	15	18	7	24	19	92	153	254	363	376	189	35
IX. " GENERATIVE SYSTEM	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—
X. " PREGNANCY AND CHILD BIRTH		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. " LOCOMOTOR SYSTEM	93	3	2	7	12	3	—	5	1	21	10	15	10	4	9	4	7	4	9	5	—
XII. " THE SKIN	62	22	1	5	28	1	1	—	—	30	—	—	1	1	1	4	4	3	8	8	2
C.*—OTHER SPECIFIED DISEASES	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.		2,051	590	185	100	875	21	2	2	1	901	2	1	—	—	1	4	5	22	251	618	246
E.*—VIOLENT DEATHS	1,646	147	47	25	219	41	40	39	27	366	66	38	67	67	178	230	261	203	99	53	18

* The grouping in this Summary is for convenience of tabling merely ; it must not be regarded as a classification.

LONDON.—SUMMARY of CAUSES of DEATH, 1909.—FEMALES.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																	75— 85 and upwards.		
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—		65—	
		Months.	Months.	Months.	1 Year.	1—	2—	3—	4—	5 Years.	5—	10—	15—	20—	25—	35—	45—	55—		65—	
ALL CAUSES..	33,356	2,906	1,095	1,779	5,780	2,029	848	441	351	9,449	753	413	468	676	1,743	2,438	3,122	3,899	4,865	4,150	1,380
A.*—GENERAL DISEASES ..	16,297	1,890	600	1,283	3,773	1,640	703	356	266	6,738	491	215	277	417	1,083	1,318	1,567	1,596	1,540	854	201
B.*—DISEASES OF PARTICULAR ORGANS :—																					
I. DISEASES OF NERVOUS SYSTEM ..	1,271	187	73	99	359	66	32	14	21	492	43	25	24	24	53	77	109	121	129	134	40
II. " ORGANS OF SPECIAL SENSE..	104	2	3	11	16	12	3	6	7	44	18	9	6	6	6	4	3	5	2	1	—
III. " HEART ..	3,159	—	—	1	1	6	2	2	3	14	48	78	80	69	169	263	442	628	809	496	63
IV. " BLOOD VESSELS ..	1,796	—	1	1	2	4	—	—	—	6	3	2	4	5	23	92	192	345	570	431	123
V. " RESPIRATORY SYSTEM..	3,859	158	103	155	416	136	44	14	12	622	18	11	2	18	33	122	256	575	958	962	282
VI. " DIGESTIVE SYSTEM ..	1,758	104	128	103	335	75	25	17	16	468	59	41	29	41	106	170	233	254	200	130	27
VII. " LYMPH : & DUCTLESS GLANDS	120	1	3	7	11	3	1	1	2	18	2	2	3	8	14	15	16	18	19	4	1
VIII. " URINARY SYSTEM ..	1,096	2	2	2	6	4	2	2	2	16	7	12	10	26	87	152	169	230	245	121	21
IX. " GENERATIVE SYSTEM ..	198	1	1	—	2	1	—	—	—	3	1	1	4	6	33	61	46	16	13	12	2
X. " PREGNANCY AND CHILD BIRTH	175	—	—	—	—	—	—	—	—	—	—	—	5	24	78	67	1	—	—	—	—
XI. " LOCOMOTOR SYSTEM ..	47	5	—	2	7	2	2	—	2	13	5	5	1	1	2	5	3	5	3	4	—
XII. " THE SKIN ..	85	20	2	7	29	7	1	—	1	38	—	—	—	—	—	3	5	11	12	10	6
C.*—OTHER SPECIFIED DISEASES ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECI- FIED.	2,427	387	140	78	605	28	3	3	—	639	—	—	—	—	—	2	4	19	281	909	573
E.*—VIOLENT DEATHS..	964	149	39	30	218	45	30	26	19	338	58	12	23	31	56	87	76	76	84	82	41

* The grouping in this Summary is for convenience of tabling merely ; it must not be regarded as a classification.

LONDON.—CAUSES OF DEATH at different Periods of Life, 1909—MALES.

Note.—The figures in this Table differ in some cases from those published in Table 17 in the Annual Summary. These differences are due (1) to corrections made in the Tables of the Annual Summary, but not in those of this Report, for Deaths occurring in Public Institutions (*see* Note on p. 6 of Annual Summary); and (2) to alterations in classification owing to further information furnished by the Certifying Medical Practitioners after the publication of the figures in the Annual Summary; and, further, the two tables do not relate precisely to the same period.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

MALES.	ALL AGES.	AGES AT DEATH.										Total under 5 Years.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	AGES AT DEATH.										55—	65—	75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	5—	10—	15—								20—	25—	35—	45—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of

Note.—For continuation of this Table, *see* page 320.

* Called Simple Continued Fever previous to 1901.

† *i.e.*, deaths stated to be so caused.

Note.—The figures in this Table differ in some cases from those published in Table 17 in the Annual Summary. These differences are due (1) to corrections made in the Tables of the Annual Summary, but not in those of this Report, for Deaths occurring in Public Institutions (*see* Note on p. 6 of Annual Summary); and (2) to alterations in classification owing to further information furnished by the Certifying Medical Practitioners after the publication of the figures in the Annual Summary; and, further, the two tables do not relate precisely to the same period.

Note.—For continuation of this Table, see page 321.

* Called Simple Continued Fever previous to 1901.

LONDON.—CAUSES of DEATH at different Periods of Life, 1909—MALES—continued from page 318.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												85 and upwards.						
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—		20—	25—	35—	45—	55—	65—
Tetanus	...	25	5	—	—	5	—	—	—	—	1	1	8	6	1	2	—	—	—	—	—
Malaria	...	10	—	—	—	—	—	—	—	—	—	—	4	3	—	—	—	—	—	1	—
Rabies, Hydrophobia	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	...	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	...	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Syphilis	...	202	95	21	16	132	11	4	—	147	—	6	18	15	7	2	—	—	—	—	—
Gonorrhoea	...	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Pyæmia	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmasia Alba Dolens	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined).	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Endocarditis	...	77	—	—	—	—	—	—	1	—	3	7	14	19	4	1	10	4	1	1	—
Pneumonia	Lobar	667	3	2	14	19	27	12	3	63	5	10	66	126	117	124	84	26	84	26	3
	Broncho-	1608	159	146	354	659	365	111	47	1210	13	4	22	35	53	84	88	52	10	52	10
Erysipelas	Epidemic	2	—	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
	Not defined	1711	58	36	101	195	115	47	21	396	16	37	131	202	269	221	236	104	236	104	23
Septicæmia, Septic Intoxication (not Puerperal).	...	36	4	—	3	2	1	—	—	10	1	2	3	4	7	16	14	6	2	2	—
Pyæmia (not Puerperal)	...	15	4	2	—	6	—	—	—	6	—	1	1	2	1	1	2	1	2	1	—
Phlegmon, Carbuncle (not Anthrax)	...	98	8	2	3	13	3	2	1	19	—	1	10	8	15	17	17	7	7	7	2
Phagedæna	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Infective Processes	...	17	1	—	—	1	1	1	—	3	2	—	2	—	—	5	—	—	—	—	—

Note.—For continuation of this Table, see page 322.

FEMALES.	ALL AGES.	AGES AT DEATH.													Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		Months.			Months.			Months.			Months.			Months.																		Months.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3																		3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3	3—6	6—12	0—3

Note.—For continuation of this Table, see page 323.

LONDON.—CAUSES of DEATH at different Periods of Life, 1909—MALES—continued from page 320.

MALES.	ALL AGES.	AGES AT DEATH.																			
		0—3 Months.	3—5 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Pulmonary Tuberculosis (Tuberculous Phthisis).	2843	2	2	19	23	26	18	18	2	87	25	22	113	206	560	723	611	347	134	15	—
Phthisis (not otherwise defined) ...	998	—	—	—	—	2	—	1	1	4	5	5	42	79	205	227	219	143	60	8	1
Tuberculous Meningitis ...	471	2	24	74	100	112	76	31	29	348	61	29	9	5	12	6	1	—	—	—	—
Tuberculous Peritonitis ...	214	17	21	34	72	36	15	7	7	137	17	17	5	3	11	8	8	4	3	1	—
Tabes Mesenterica ...	48	12	11	6	29	10	4	1	—	44	4	—	—	—	—	—	—	—	—	—	—
Lupus ...	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1
Tubercle of other organs ...	138	—	—	3	3	6	3	6	4	22	12	14	15	9	18	17	19	7	5	—	—
General Tuberculosis ...	287	8	15	36	59	41	21	17	11	149	34	15	11	13	15	18	19	11	1	—	—
Scrofula ...	1	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases ...	13	7	1	1	9	—	—	1	—	10	—	—	—	—	1	1	—	1	—	—	—
Starvation ...	4	—	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—
Scurvy ...	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens ...	186	—	—	—	—	—	—	—	—	—	—	—	—	3	22	47	60	33	16	5	—
Opium, Morphia-habit ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Poisoning:—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	3	2	1	—	—
By Lead ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
" Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Poisons ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 324.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												85 and upwards.							
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—		20—	25—	35—	45—	55—	65—	75—
Pulmonary Tuberculosis (Tuberculous Phthisis).		1552	2	5	10	17	28	13	6	8	72	26	51	92	143	368	330	257	137	60	14	2
Phthisis (not otherwise defined) ...		797	—	—	3	3	3	—	2	4	12	9	20	63	75	173	197	134	67	37	10	—
Tuberculous Meningitis ...		438	3	27	61	91	95	71	43	29	329	59	18	12	8	8	3	1	—	—	—	—
Tuberculous Peritonitis ...		164	11	16	27	54	21	13	12	4	104	16	8	6	3	6	13	5	2	—	1	—
Tabes Mesenterica ...		33	3	10	7	20	4	2	—	2	28	2	1	—	1	—	1	—	—	—	—	—
Lupus ...		8	—	—	—	—	—	—	—	—	—	—	1	—	1	2	—	—	1	—	—	—
Tubercle of other Organs ...		104	1	—	1	2	5	6	1	1	15	15	11	7	4	19	9	6	9	7	2	—
General Tuberculosis ...		267	7	21	39	67	41	27	11	13	159	24	10	8	12	19	10	14	3	3	5	—
Scrofula ...		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases ...		12	3	2	1	6	—	—	—	—	6	—	—	—	—	—	3	1	1	—	1	—
Starvation ...		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Scurvy ...		2	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Alcoholism, Delirium Tremens ...		168	—	—	—	—	—	—	—	—	—	—	—	—	2	10	47	58	36	14	1	—
Opium, Morphia-habit ...		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Industrial Poisoning :—																						
By Lead ...			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
” Phosphorus ...			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
” Arsenic and other Poisons ...			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 325.

LONDON.—CAUSES of DEATH at different Periods of Life, 1909—MALES—continued from page 322.

MALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												Total under 5 Years.	Total under 1 Year.	Months.						75— 85 and upwards.
		0—5						6—12								1—5						
		0—3	3—6	6—12	1—	2—	3—	4—	5—	10—	15—	20—	25—			35—	45—	55—	65—			
Rheumatic Fever, Acute Rheumatism.	114	—	—	—	—	—	1	1	2	22	22	12	6	17	9	11	7	5	1	—		
<i>Rheumatism of Heart</i> ...	20	—	—	—	—	—	—	—	—	2	2	1	2	4	1	2	3	2	1	—		
Chronic Rheumatism ...	9	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	5	2	—		
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	42	—	—	1	—	—	—	—	1	—	—	—	—	1	1	5	10	20	2	2		
Gout ...	67	—	—	—	—	—	—	—	—	—	—	—	—	—	4	7	21	30	5	—		
Carcinoma ...	1368	—	—	—	—	—	—	—	—	—	—	1	1	18	98	310	470	345	112	13		
Sarcoma ...	213	—	—	—	—	—	—	—	12	7	9	12	14	28	31	39	27	26	7	1		
Cancer, Malignant Disease (not otherwise defined).	680	—	—	—	—	—	—	—	—	4	—	—	—	15	37	150	202	199	66	7		
Rickets ...	78	4	5	25	34	29	3	2	78	—	—	—	—	—	—	—	—	—	—	—		
Purpura ...	20	4	1	3	8	—	—	1	9	1	1	1	1	2	—	3	1	2	—	—		
Hæmophilia, Hæmorrhagic Diathesis	4	2	—	—	2	—	—	—	2	—	—	8	5	—	—	—	—	—	—	—		
Anæmia, Leucocythæmia ...	118	—	—	—	—	3	4	2	9	8	5	8	5	10	18	17	19	17	2	—		
Diabetes Mellitus ...	235	—	—	—	—	—	—	—	—	3	3	8	8	19	25	39	54	55	16	5		
Premature Birth ...	1192	1175	14	3	1192	—	—	—	1192	—	—	—	—	—	—	—	—	—	—	—		
Congenital Hydrocephalus	31	8	4	12	24	3	1	1	30	—	—	1	—	—	—	—	—	—	—	—		
Other Congenital Defects ...	384	305	40	13	358	8	2	2	372	8	2	1	—	—	—	1	—	—	—	—		
Injury at Birth ...	98	97	—	1	98	—	—	—	98	—	—	—	—	—	—	—	—	—	—	—		
Atelectasis ...	128	128	—	—	128	—	—	—	128	—	—	—	—	—	—	—	—	—	—	—		
Want of Breast Milk	49	37	9	3	49	—	—	—	49	—	—	—	—	—	—	—	—	—	—	—		
<i>Teething</i> ...	51	—	8	24	32	17	2	—	51	—	—	—	—	—	—	—	—	—	—	—		

Note.—For continuation of this Table, see page 326.

LONDON.—CAUSES of DEATH at different Periods of Life, 1909—FEMALES—continued from page 323.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													Total under 1 Year.	Total under 5 Years.	AGES AT DEATH.										75— 85 and upwards.
			0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	5—	10—	15—	20—	25—	35—			45—	55—	65—	75—							
Rheumatic Fever, Acute Rheumatism.	116	116	—	—	—	1	3	—	—	4	16	20	8	14	18	10	9	8	6	2	1	—						
<i>Rheumatism of Heart</i> ...	20	20	—	—	—	—	—	—	—	—	—	2	1	1	3	1	2	2	7	1	—							
Chronic Rheumatism ...	19	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	6	9	2							
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	125	125	—	—	1	1	—	—	—	—	—	—	—	2	2	3	11	29	39	32	6							
Gout ...	18	18	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	6	7	2							
Carcinoma ...	1800	1800	—	—	—	—	—	—	—	—	—	—	1	5	43	201	405	478	429	201	37							
Sarcoma ...	151	151	—	—	1	1	2	2	4	2	—	—	4	4	17	18	28	33	23	8	2							
Cancer, Malignant Disease (not otherwise defined).	916	916	—	—	—	—	—	1	1	—	3	—	—	7	29	90	206	234	219	119	10							
Rickets ...	66	66	2	8	19	29	32	4	1	—	—	—	—	—	—	—	—	—	—	—	—							
Purpura ...	19	19	2	1	1	4	—	2	—	—	1	—	—	1	1	3	2	1	1	1	—							
Hæmophilia, Hæmorrhagic Diathesis	4	4	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—							
Anæmia, Leucocythæmia ...	112	112	1	—	1	2	3	1	1	2	5	2	3	5	12	17	22	19	16	2	—							
Diabetes Mellitus ...	242	242	—	—	—	—	—	1	1	—	1	5	5	8	30	17	37	49	63	21	5							
Premature Birth ...	1013	1013	1001	11	1	1013	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Congenital Hydrocephalus	19	19	5	6	2	13	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—							
Other Congenital Defects ...	256	256	207	22	15	244	5	1	—	1	—	—	1	1	3	—	—	—	—	—	—							
Injury at Birth ...	75	75	75	—	—	75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Atelectasis ...	84	84	84	—	—	84	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Want of Breast Milk	41	41	26	12	3	41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
<i>Teething</i> ...	57	57	—	9	29	38	18	1	—	—	—	—	—	—	—	—	—	—	—	—	—							

Note.—For continuation of this Table, see page 327.

LONDON.—CAUSES of DEATH at different Periods of Life, 1909.—MALES—continued from page 324.

MALES.	ALL AGES.	AGES AT DEATH.												Total under 1 Year.	6—12 Months.	3—6 Months.	0—3 Months.
		1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Meningitis, Inflammation of Brain	304	55	21	10	10	204	14	10	12	14	12	14	18	3	2	1	—
Softening of Brain ...	64	—	—	—	—	—	—	1	—	—	—	3	4	13	24	17	3
General Paralysis of Insane	113	—	—	—	—	—	—	—	1	—	10	27	34	18	15	5	2
Insanity (not Puerperal) ...	81	1	—	—	—	1	1	—	1	3	1	6	5	6	22	30	5
Chorea	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	116	1	1	—	3	12	2	5	4	8	14	11	12	21	22	5	—
Convulsions	351	25	4	—	—	351	—	—	—	—	—	—	—	—	—	—	—
Laryngismus Stridulus	19	1	1	1	4	18	1	—	—	—	—	—	—	—	—	—	—
Locomotor Ataxy	84	—	—	—	—	—	—	—	—	—	3	11	29	23	15	3	—
Paraplegia, Diseases of Cord	136	—	1	1	—	4	—	—	3	4	10	8	33	24	34	15	1
Neuritis, Peripheral, Poly-Neuritis	13	—	—	—	—	—	—	—	—	—	1	2	7	3	—	—	—
Brain Tumour (Not Specific)	43	—	2	1	—	4	3	1	5	3	3	6	10	5	3	—	—
Other Diseases of Nervous System	155	3	1	—	—	11	5	1	1	3	9	8	13	31	36	33	4
Otitis, Mastoid Disease	125	8	6	3	5	35	21	16	6	12	18	10	3	3	—	1	—
Epistaxis, Diseases of Nose	11	—	1	—	—	7	1	—	1	—	—	—	1	1	—	—	—
Ophthalmia, Diseases of Eye	2	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—
Valvular Disease, Endocarditis (not Infective).	1107	2	—	1	—	3	19	23	62	39	81	134	189	237	210	99	11
Pericarditis	46	—	1	—	—	3	5	5	7	1	4	6	6	2	6	1	—
Hypertrophy of Heart	36	—	—	—	—	—	—	—	1	1	1	3	6	13	7	4	—
Angina Pectoris	82	—	—	—	—	—	—	—	—	—	2	4	16	16	28	15	1
Dilatation of Heart	207	—	—	—	1	2	—	—	—	3	6	15	30	57	60	26	8
Fatty Degeneration of Heart	183	—	—	—	—	—	—	—	—	—	4	14	32	43	57	29	4
Syncope, Heart Disease (not specified).	982	—	1	—	—	1	8	16	11	15	29	76	143	228	302	135	18

Note.—For continuation of this Table, see page 328.

FEMALES.	ALL AGES.	AGES AT DEATH.												Total under 1 Year.	Total under 5 Years.	4—	3—	2—	1—	0—3 Months.	3—6 Months.	6—12 Months.	8 and upwards.
		0—3	3—6	6—12	1 Year.	1—	2—	3—	4—	5—	10—	15—	20—										
Meningitis, Inflammation of Brain	246	11	19	57	87	36	20	7	14	164	28	15	4	7	9	6	5	3	4	1	—		
Softening of Brain ...	74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	16	19	25	9		
General Paralysis of Insane	46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	11	5	7	1		
Insanity (not Puerperal) ...	140	—	1	2	3	1	2	1	—	7	1	—	1	2	3	8	12	16	38	36	16		
Chorea ...	18	—	—	—	—	—	—	—	—	—	6	4	5	—	—	—	—	—	—	—	—		
Epilepsy ...	98	1	—	—	1	2	1	—	1	5	1	3	4	5	11	17	21	12	4	13	2		
Convulsions ...	282	171	48	33	252	18	8	2	1	281	1	—	—	—	—	—	—	—	—	—	—		
Laryngismus Stridulus ...	14	2	1	5	8	4	—	—	2	14	—	—	—	—	—	—	—	—	—	—	—		
Locomotor Ataxy ...	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	20	23	18	4		
Paraplegia, Diseases of Cord	111	1	—	—	1	—	—	—	1	2	2	—	4	4	5	11	18	7	1	2	1		
Neuritis, Peripheral, Poly-Neuritis	36	—	—	—	—	—	—	—	—	—	—	—	—	—	2	11	12	4	1	1	—		
Brain Tumour (not Specific) ...	42	—	—	—	—	2	—	1	1	4	4	1	4	1	8	9	5	4	1	1	—		
Other Diseases of Nervous System	138	1	4	2	7	3	1	3	1	15	—	1	2	4	4	7	13	23	31	31	7		
Otitis, Mastoid Disease ...	91	—	3	9	12	12	3	6	7	40	15	9	6	5	6	4	3	2	1	—	—		
Epistaxis, Diseases of Nose	11	2	—	2	4	—	—	—	—	4	3	—	—	1	—	—	—	2	—	1	—		
Ophthalmia, Diseases of Eye	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—		
Valvular Disease, Endocarditis (not Infective).	1313	—	—	—	—	2	—	1	2	5	30	52	47	49	97	147	185	223	272	188	18		
Pericarditis ...	44	—	1	1	1	3	—	—	—	4	6	4	5	2	3	4	4	6	5	1	—		
Hypertrophy of Heart	27	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	4	9	8	3	—		
Angina Pectoris ...	39	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	7	10	7	11	2		
Dilatation of Heart	226	—	—	—	—	—	—	—	—	—	—	1	1	1	7	8	32	48	78	42	8		
Fatty Degeneration of Heart	226	—	—	—	—	—	1	—	—	1	—	—	—	—	2	20	40	54	67	38	4		
Syncope, Heart Disease (not specified).	1284	—	—	—	—	1	1	1	1	4	12	20	27	17	59	81	170	278	372	213	31		

Note.—For continuation of this Table, see page 329.

LONDON.—CAUSES of DEATH at different Periods of Life, 1909—MALES—continued from page 326.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.															85 and upwards.			
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—		45—	55—	65—
Cerebral	Hæmorrhage, Cerebral Embolism.	816	—	—	1	1	—	1	—	2	2	1	—	2	18	34	99	183	274	171	30
Apoplexy,	Hemiplegia	239	—	—	—	—	—	—	—	—	—	—	—	—	5	5	25	57	84	48	15
Aneurysm	234	—	—	—	—	—	—	—	—	—	—	—	—	15	57	74	58	25	3	2
Senile Gangrene	100	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	36	45	9
Embolism, Thrombosis (not Cerebral).	32	—	—	—	—	—	—	—	—	—	—	1	—	2	2	9	9	6	3	—
Phlebitis	8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	3	1	—	—
Varicose Veins	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Other Diseases of Blood Vessels	272	—	—	—	—	—	—	—	—	—	—	—	—	3	11	28	48	87	78	17
Laryngitis	47	2	—	7	9	9	9	5	1	33	4	—	—	—	2	5	2	—	—	—
Membranous Laryngitis (not Diphtheritic).	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup (not Spasmodic nor Membranous).	...	1	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Other Diseases of Larynx and Trachea.	...	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Bronchitis	2762	167	97	162	426	110	28	11	7	582	11	4	4	40	89	217	508	723	461	114
Emphysema, Asthma	192	—	—	1	1	—	1	—	—	2	1	—	—	9	25	36	53	50	12	1
Pleurisy	136	3	3	4	10	12	6	4	2	34	4	3	2	13	25	25	14	6	7	—
Fibroid Disease of Lung	34	—	—	—	—	—	—	—	—	—	—	—	2	3	3	5	12	7	2	—
Other Diseases of Respiratory System.	...	199	23	8	7	38	7	1	1	2	49	4	4	2	7	19	12	17	34	38	13

Note.—For continuation of this Table, see page 330.

Note.—For continuation of this Table, see page 331.

Note.—For continuation of this Table, see page 331.

LONDON.—CAUSES of DEATH at different Periods of Life, 1909.—MALES—continued from page 328.

MALES.	ALL AGES.	AGES AT DEATH.												Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	AGES AT DEATH.										75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		0—3	3—6	6—12	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.							Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.			Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.

Note.—For continuation of this Table, see page 332.

FEMALES.	ALL AGES.	AGES AT DEATH.													85 and upwards.					
		Total under 5 Years.																		
		0-3 Months.	3-6 Months.	6-12 Months.	1 Year.	1-2	2-3	4-	5 Years.	5-10	10-15	15-20	20-25	25-35		35-45	45-55	55-65	65-75	75-85
Tonsillitis, Quinsy ... Diseases of Mouth, Pharynx, Esophagus (not Specific).	16 27	— 3	— 1	— 1	— 5	1 9	3 2	1 3	1 —	2 —	1 1	— —	— —	1 1	1 1	— 3	2 1	1 —	1 —	— —
Gastric Ulcer ... Gastritis, Gastric Catarrh... Other Diseases of Stomach (not Malignant).	138 110 28	— 12 4	— 10 3	— 8 2	— 30 9	1 2 1	— 3 —	— 2 —	— 3 —	— — —	1 3 —	— — —	— — —	7 1 —	24 2 2	23 8 4	24 9 3	10 21 2	5 16 4	— 3 —
Ulceration of Intestines ... Enteritis (not Epidemic) ... Gastro-enteritis ... Appendicitis, Perityphlitis ... Hernia ... Intestinal Obstruction ... Other Diseases of Intestines ... Peritonitis (not Puerperal) ... Cirrhosis of Liver ... Other Diseases of Liver and Gall Bladder.	38 218 184 169 111 173 30 46 282 156	— 44 35 — — 1 1 2 1 — 1	— 60 41 — — 1 9 1 2 — —	— 37 44 — — — 10 — 1 — — —	— 141 129 — — — 20 3 4 — — 1	1 22 26 — — 6 1 3 — — 2	— 5 8 2 — — — 1 1 — — —	— 2 1 3 — — 1 3 — — — —	1 2 2 27 — 5 1 12 — 2 3 2	— 2 2 — 										

Note.—For continuation of this Table, see page 333.

LONDON.—CAUSES of DEATH at different Periods of Life, 1909—MALES—continued from page 330.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																			
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Ovarian Tumour (not Malignant) Other Diseases of Ovary ... Uterine Tumour (not Malignant) ... Other Diseases of Uterus and Vagina.	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disorders of Menstruation...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Generative and Mammary Organs.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Mania	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions ... Placenta Prævia, Flooding ... Other Accidents of Pregnancy and Childbirth.	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caries, Necrosis ... Arthritis, Periostitis ... Other Diseases of Locomotor System	...	20	—	1	3	4	3	—	—	7	1	1	3	—	3	1	1	—	—	1	2	—
	...	25	3	1	—	4	1	—	—	5	3	4	1	1	2	1	2	2	3	1	1	—
	...	53	—	—	4	4	4	—	—	9	6	10	6	3	4	2	4	2	5	2	2	—
	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer, Bed-sore ... Eczema ... Pemphigus ... Other Diseases of the Skin	...	24	—	—	—	—	—	1	—	1	—	—	—	1	1	2	2	3	7	6	2	—
	...	12	3	—	4	7	—	—	—	8	—	—	—	—	—	1	1	—	—	2	—	—
	...	16	14	—	—	14	—	—	—	14	—	—	1	—	—	—	—	—	—	—	—	—
	...	10	5	1	1	7	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—
OTHER SPECIFIED DISEASES		1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 334.

FEMALES.	ALL AGES.	AGES AT DEATH.												85 and upwards.						
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—		20—	25—	35—	45—	55—	65—
Causes of Death.																				
Ovarian Tumour (not Malignant)	58	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Ovary ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant)...	61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Uterus and Vagina.	71	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of Menstruation...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Generative and Mammary Organs.	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Abortion, Miscarriage	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Mania ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Placenta Pravaria, Flooding	66	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Accidents of Pregnancy and Childbirth.	67	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caries, Necrosis. ...	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis, Periostitis ...	19	3	—	2	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Locomotor System	17	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer, Bed-sore	36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eczema	14	6	2	4	12	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pemphigus ...	12	8	—	2	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of the Skin	23	6	—	1	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 335.

LONDON.—CAUSES of DEATH at different Periods of Life, 1903.—^{TABLES}—continued from page 333.

[illegible]

SUPPLEMENTARY TABLE.—LONDON, 1909.—DEATHS certified as from INFECTIVE PROCESSES.*—MALES.

[illegible]

* The infections of Tuberculosis, Syphilis, Lobar Pneumonia, and all forms of Diarrhea are excluded from this Table.

SUPPLEMENTARY TABLE.—LONDON, 1909.—DEATHS certified as from INFECTIVE PROCESSES.*—FEMALES.

FEMALES. CAUSE OF DEATH.	ALL AGES.	AGES AT DEATH.										Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Infective Diseases of { Brain ... Middle Ear ... Blood Vessels ... Larynx ... Pleura ... Lung ... Tonsil ... Mouth and Pharynx ... Stomach and Intestines... Peritoneum ... Liver ... Kidney ... Bladder and Prostate ... Uterus and Ovary ... Bone ... Joints ... Other parts of the body...	34	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* The infections of Tuberculosis, Syphilis, Lobar Pneumonia, and all forms of Diarrhoea are excluded from this Table.

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1909.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
ALL CAUSES	265203	252800	35260	33356	5491	5375	6471	6189	4318	4566	6083	5488	2100	1879
A.*--GENERAL DISEASES	120937	112182	18495	16297	2500	2351	2766	2646	1934	1935	2673	2292	849	822
B.*--DISEASES OF PARTICULAR ORGANS:--														
I. DISEASES OF NERVOUS SYSTEM	17907	14306	1480	1271										81
II. " " ORGANS OF SPECIAL SENSE..	720	506	138	104	10	12	26	13	8	9	12	11	3	1
III. " " HEART	24089	26829	2643	3159	538	618	661	782	521	557	606	682	251	243
IV. " " BLOOD VESSELS	15665	16935	1702	1796	377	405	427	458	260	319	429	400	166	142
V. " " RESPIRATORY SYSTEM	23817	24906	3373	3859	384	489	534	544	308	428	441	481	154	177
VI. " " DIGESTIVE SYSTEM	13942	13095	1942	1758	285	287	342	339	206	218	337	297	121	92
VII. " " LYMPH: & DUCTLESS GLANDS	465	872	81	120	11	28	13	18	7	24	13	20	1	3
VIII. " " URINARY SYSTEM	10389	7197	1545	1096	237	163	297	180	178	146	335	184	103	37
IX. " " GENERATIVE SYSTEM	50	1015	3	198	—	17	4	23	—	19	1	28	—	4
X. " " PREGNANCY AND CHILDBIRTH	—	1950	—	175	—	30	—	33	—	22	—	34	—	13
XI. " " LOCOMOTOR SYSTEM	434	310	98	47	15	2	8	8	9	10	7	5	4	1
XII. " " THE SKIN	517	610	62	85	13	16	13	12	15	13	8	15	7	4
C.*--OTHER SPECIFIED DISEASES	3	2	1	—	1	—	—	—	—	—	—	—	—	—
D.*--CAUSES ILL-DEFINED OR NOT SPECI- FIED.	23051	26159	2051	2427	353	435	567	691	404	501	541	590	210	228
E.*--VIOLENT DEATHS.. .. .	13217	5926	1646	964	264	138	357	113	200	104	272	128	110	31

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1909—continued.

CAUSES OF DEATH.		DIVISION III. SOUTH MIDLAND COUNTIES.												Cambridge- shire.	
		Middlesex.		Hertford- shire.		Buckingham- shire.		Oxfordshire.		Northampton- shire.		Hunting- donshire.		Bedford- shire.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES	5993	6052	1832	1819	1192	1156	1441	1315	2419	2392	326	303	1259	1478
A.*—GENERAL DISEASES	3022	2937	770	696	482	442	532	543	1042	977	124	112	511	592
B.*—DISEASES OF PARTICULAR ORGANS:—															
I. DISEASES OF NERVOUS SYSTEM	383	325	145	104	64	61	112	89	154	129	10	6	72	65
II. " " ORGANS OF SPECIAL SENSE..	..	7	11	5	3	2	1	1	2	3	3	—	1	—	2
III. " " HEART	526	590	181	243	137	137	165	178	252	231	38	35	111	136
IV. " " BLOOD VESSELS	315	412	158	152	103	86	96	103	174	200	30	31	90	84
V. " " RESPIRATORY SYSTEM..	..	551	571	177	210	95	127	143	116	194	258	33	34	119	111
VI. " " DIGESTIVE SYSTEM	279	272	80	80	60	57	81	56	117	95	12	12	48	59
VII. " " LYPH : & DUCTLESS GLANDS	..	11	26	4	5	3	8	4	4	10	4	1	1	3	7
VIII. " " URINARY SYSTEM	231	150	66	68	45	43	70	36	102	44	12	12	53	26
IX. " " GENERATIVE SYSTEM	2	25	—	9	—	3	—	5	1	11	—	—	—	6
X. " " PREGNANCY AND CHILDBIRTH	..	—	40	—	11	—	11	—	13	—	16	—	2	—	8
XI. " " LOCOMOTOR SYSTEM	14	10	3	2	2	2	1	2	2	1	2	—	2	5
XII. " " THE SKIN	19	17	3	6	4	1	1	1	4	7	—	—	1	2
C.*—OTHER SPECIFIED DISEASES	—	1	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECI- FIED.		383	514	164	198	139	159	157	140	246	324	48	49	186	246
E.*—VIOLENT DEATHS..	..	250	151	76	32	56	18	78	27	118	42	16	8	63	32

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1909—continued.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwickshire.		Leicestershire.		Rutland-shire.		Lincoln-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES	4678	4776	847	795	1924	1994	11394	10337	3901	3807	7934	7523	3267	3285	145	164	3916	3534
A.*—GENERAL DISEASES	1948	1955	346	313	760	856	5213	4767	1724	1718	3751	3461	1447	1430	59	64	1621	1449
B.*—DISEASES OF PARTICULAR ORGANS:—																		
I. DISEASES OF NERVOUS SYSTEM.. .. .	335	281	44	42	103	110	831	601	221	172	549	460	219	203	10	8	282	215
II. " " ORGANS OF SPECIAL SENSE	12	12	3	1	4	3	22	19	13	7	22	16	5	4	—	—	13	6
III. " " HEART	495	611	115	108	219	251	849	929	368	435	623	681	334	352	19	27	385	377
IV. " " BLOOD VESSELS	312	333	68	64	150	157	495	526	242	258	385	455	195	217	9	20	283	288
V. " " RESPIRATORY SYSTEM	416	455	81	71	143	167	1196	1068	360	377	729	731	274	339	8	15	311	311
VI. " " DIGESTIVE SYSTEM	247	241	34	32	101	113	641	519	209	195	469	425	171	156	4	5	192	179
VII. " " LYMPH: & DUCTLESS GLANDS	10	11	2	7	3	8	15	21	6	14	13	31	6	13	—	—	6	15
VIII. " " URINARY SYSTEM	242	159	27	21	85	50	307	236	186	85	227	166	132	78	10	1	138	85
IX. " " GENERATIVE SYSTEM	—	38	—	2	—	3	2	30	—	9	3	33	—	8	—	2	2	12
X. " " PREGNANCY AND CHILD BIRTH	—	38	—	2	—	12	—	78	—	25	—	45	—	34	—	—	—	23
XI. " " LOCOMOTOR SYSTEM	6	8	2	1	4	—	18	17	4	2	14	10	1	4	—	—	5	2
XII. " " THE SKIN	6	9	2	4	6	6	25	16	6	15	21	20	5	8	1	1	16	11
C.*—OTHER SPECIFIED DISEASES	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.	417	522	91	108	253	225	1267	1254	389	424	763	793	332	369	15	17	472	481
E.*—VIOLENT DEATHS	232	93	32	19	88	33	522	256	173	71	365	196	146	70	10	4	190	80

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1909—continued.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Cumberland.		Westmor-land.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardigan-shire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES	2125	2019	395	415	2959	2522	8614	7359	1066	1067	666	671	642	806	483	417
A.*—GENERAL DISEASES	914	850	153	169	1276	1133	3857	3342	455	470	265	276	248	321	199	164
B.*—DISEASES OF PARTICULAR ORGANS:— I. DISEASES OF NERVOUS SYSTEM.. ..	136	104	21	21	233	163	774	642	109	77	42	40	45	53	55	31
II. " " ORGANS OF SPECIAL SENSE ..	2	4	—	—	8	3	21	14	—	2	1	3	3	—	—	—
III. " " HEART.. .. .	215	252	51	47	233	231	742	638	97	122	95	95	78	118	44	36
IV. " " BLOOD VESSELS	141	131	33	32	146	167	376	429	58	89	34	53	39	53	30	31
V. " " RESPIRATORY SYSTEM	158	152	31	32	273	215	723	589	71	82	49	55	52	68	40	40
VI. " " DIGESTIVE SYSTEM	123	108	24	26	194	174	503	460	63	56	39	26	32	41	19	28
VII. " " LYMPH: & DUCTLESS GLANDS	4	8	2	6	3	8	8	21	—	3	1	2	3	5	1	1
VIII. " " URINARY SYSTEM.. .. .	63	55	22	15	95	73	277	186	38	32	33	21	51	21	14	8
IX. " " GENERATIVE SYSTEM	1	10	1	2	1	6	1	18	1	3	—	—	—	4	—	1
X. " " PREGNANCY AND CHILD BIRTH	—	19	—	—	—	34	—	122	—	10	—	2	—	7	—	4
XI. " " LOCOMOTOR SYSTEM	5	6	—	—	6	4	9	6	4	—	—	—	—	—	1	—
XII. " " THE SKIN	4	4	—	—	5	5	17	14	—	1	2	—	1	3	—	1
C.*—OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECI- FIED.	258	279	35	53	282	258	628	712	114	100	66	82	64	97	55	59
E.*—VIOLENT DEATHS	101	37	22	12	204	48	678	166	56	20	39	16	26	15	25	13

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.				Sussex.		Hampshire.		Berkshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not vaccinated ... Doubtful ... of ...	4 4 10 4	1 2 — 7	— — — 1	— — — —	— — — —	— — — 2	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —
Cow-pox and other effects of Vaccination.	52	42	14	10	1	—	—	—	—	—	—	—	—	—
Chicken-pox ...	6466	6152	1234	1117	83	95	—	—	—	—	—	—	—	—
Measles (Morbili) ...	21	18	—	2	—	—	—	—	—	—	—	—	—	—
German Measles* ...	1662	1553	187	160	21	27	—	—	—	—	—	—	—	—
Scarlet Fever ...	11	4	—	—	—	—	—	—	—	—	—	—	—	—
Typhus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	4300	4692	549	616	113	192	—	—	—	—	—	—	—	—
Whooping-cough ...	3137	4045	551	703	72	64	—	—	—	—	—	—	—	—
Mumps ...	45	48	8	8	1	1	—	—	—	—	—	—	—	—
Diphtheria ...	2521	2714	307	303	54	48	—	—	—	—	—	—	—	—
Cerebro-spinal Fever ...	63	67	12	23	4	1	—	—	—	—	—	—	—	—
Pyæriat† (origin uncertain) ...	8	5	2	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ...	1270	872	97	51	5	5	—	—	—	—	—	—	—	—
Asiatic Cholera ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	152	122	37	24	5	2	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic ...	2618	2245	383	357	33	25	—	—	—	—	—	—	—	—
Diarrhoea.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined) ...	2628	2313	432	339	38	29	—	—	—	—	—	—	—	—
Dysentery ...	115	135	9	2	9	15	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 352.

* See note on pages 296 and 297.

† Called Simple Continued Fever previous to 1901.

‡ i.e., deaths stated to be so caused.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued.

CAUSES OF DEATH.		DIVISION III. SOUTH MIDLAND COUNTIES.											
		Middlesex.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of	...	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.	...	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox	3	—	1	—	—	—	—	—	—	—	—	—
Measles (Morbilli)	174	183	23	22	6	4	29	22	50	28	3	5
German Measles	2	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	61	63	4	3	5	2	4	1	5	3	4	5
Typhus	—	—	—	—	—	—	—	—	—	—	—	—
Plague	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	119	148	33	37	65	54	23	35	65	61	3	5
Whooping-cough	91	124	12	27	3	8	10	13	10	9	3	2
Mumps	2	1	—	—	—	—	—	—	—	—	—	—
Diphtheria	87	94	13	19	11	15	8	5	18	23	—	1
Cerebro-spinal Fever	—	—	—	—	—	—	—	—	—	1	—	—
Pyrexia* (origin uncertain)	...	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	19	11	3	3	—	1	1	1	7	10	2	2
Asiatic Cholera	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food†	...	6	1	—	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic	...	83	68	2	2	1	3	3	3	14	6	5	—
Diarrhoea, (not otherwise defined)	...	60	65	11	4	9	3	13	9	21	17	4	—
Dysentery	9	12	—	3	2	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 353. * Called Simple Continued Fever previous to 1901. † i.e., deaths stated to be so caused.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—*continued*.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.						DIVISION V. SOUTH WESTERN COUNTIES.					
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of effects of Vaccination.	— — — 1	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —
Chicken-pox ...	—	1	—	—	—	—	—	—	—	—	—	—
Measles (Morbilli) ...	215	211	—	19	—	58	13	20	—	—	—	—
German Measles ...	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever ...	63	49	—	8	2	7	—	—	—	—	—	—
Typhus ...	—	—	—	—	—	—	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	149	158	—	42	—	74	29	42	—	—	—	—
Whooping-cough ...	182	220	—	19	35	56	13	28	—	—	—	—
Mumps ...	2	3	—	1	1	1	—	—	—	—	—	—
Diphtheria ...	85	73	—	16	12	29	10	19	—	—	—	—
Cerebro-spinal Fever ...	—	—	—	—	1	—	—	—	—	—	—	—
Pyrexia* (origin uncertain)	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ...	18	17	—	4	5	9	1	3	—	—	—	—
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	5	4	—	1	1	5	—	—	—	—	—	—
Infective Enteritis, Epidemic	109	93	—	5	15	8	—	—	—	—	—	—
Diarrhoea.	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	64	42	—	24	42	27	13	10	—	—	—	—
Dysentery ...	6	7	—	—	1	1	4	4	—	—	—	—

Note.—For continuation of this Table, see page 354.

* Called Simple Continued Fever previous to 1901.

† *i.e.*, deaths stated to be so caused.

CAUSES of DEATH in REGISTRATION COUNTIES, 1909—continued.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.								PART OF DIVISION VII. NORTH MIDLAND COUNTIES.									
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	—	1	—	—	—	—	1	1	—	1	1	3	—	—	—	—	—	1
Measles (Morbilli) ...	83	82	13	7	7	4	495	509	170	160	338	365	66	97	1	2	25	16
German Measles* ...	—	1	—	1	1	—	8*	9*	—	—	73	74	—	—	—	—	—	6
Scarlet Fever ...	9	15	2	3	18	19	75	87	25	27	—	—	17	19	—	—	4	—
Typhus ...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	56	73	32	19	57	65	173	171	81	90	114	119	66	61	7	14	71	83
Whooping-cough ...	47	41	9	14	33	34	221	281	32	44	111	150	41	45	—	2	48	53
Mumps ...	—	—	—	—	—	1	1	3	1	—	4	1	—	1	—	—	1	—
Diphtheria ...	43	51	4	3	15	26	112	112	35	39	77	94	25	23	1	1	53	59
Cerebro-spinal Fever ...	1	—	—	—	3	—	1	2	—	—	1	2	1	1	—	—	—	—
Pyæriæ† (origin uncertain)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ...	14	8	3	1	2	7	74	37	10	10	28	15	9	6	—	—	28	16
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa due to Food† ...	2	1	—	1	—	1	6	6	1	—	1	3	3	—	—	—	—	—
Infective Enteritis, Epidemic	38	32	2	2	3	2	121	107	24	19	121	91	34	36	—	—	23	14
Diarrhœa.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa (not otherwise defined)	37	38	4	6	24	20	184	143	42	34	67	68	34	28	—	1	39	27
Dysentery ...	—	1	1	—	2	—	4	8	—	—	3	4	—	—	—	—	1	2

Note.—For continuation of this Table, see page 355.

† Called Simple Continued Fever previous to 1901.

* See note on pages 296 and 297.

† i.e., deaths stated to be so caused.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		Durham.		Northumberland.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	1	—	—	—	2	1	7	7	6	4	—	—	1	5	1	1
Measles (Morbilli) ...	162	171	108	97	91	96	1257	1200	460	461	55	41	345	307	115	88
German Measles ...	—	1	—	—	1	—	—	—	3	1	—	—	—	—	—	—
Scarlet Fever ...	13	10	24	14	70	68	491	453	111	102	12	5	75	60	33	33
Typhus ...	—	—	—	—	—	—	8	2	1	1	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	70	63	54	50	106	130	520	551	321	367	38	44	128	90	53	33
Whooping-cough ...	74	80	42	59	34	46	434	566	203	301	36	44	128	189	74	88
Mumps ...	1	2	—	—	—	—	9	11	5	5	1	1	—	—	—	2
Diphtheria ...	43	47	52	68	57	64	416	394	193	225	48	49	116	117	57	55
Cerebro-spinal Fever ...	—	2	—	—	1	1	17	13	4	1	—	—	1	1	4	10
Pyæmia* (origin uncertain)	—	—	1	—	—	—	2	1	—	1	—	—	—	—	—	—
Enteric Fever ...	27	22	14	6	32	27	316	230	179	114	13	11	72	57	27	12
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food†	10	12	3	—	4	4	22	15	9	9	—	—	1	6	—	—
Infective Enteritis, Epidemic	99	86	34	20	33	43	550	485	284	215	38	28	128	95	45	38
Diarrhoea.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	52	42	27	39	74	52	422	388	197	197	53	51	134	121	48	44
Dysentery ...	2	3	—	—	3	2	19	16	4	2	1	1	2	1	1	—

Note.—For continuation of this Table, see page 356.

* Called Simple Continued Fever previous to 1901.

† *i.e.*, deaths stated to be so caused.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardiganshire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Chicken-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles (Morbilli) ...	65	59	2	—	78	59	2	102	—	1	19	27	—	—	—	—
German Measles ...	—	—	—	—	1	1	133	—	—	—	3	—	—	—	—	—
Scarlet Fever ...	9	12	1	—	25	24	53	49	6	5	—	3	—	—	2	1
Typhus ...	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	28	33	14	24	57	47	144	98	17	16	5	5	13	15	16	6
Whooping-cough ...	18	25	—	2	22	32	148	189	13	8	3	9	3	4	6	8
Mumps ...	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Diphtheria ...	21	10	—	4	23	44	68	90	14	12	5	9	6	6	2	3
Cerebro-spinal Fever ...	—	—	—	—	—	—	7	5	—	—	—	—	—	—	—	—
Pyrexia* (origin uncertain)	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Enteric Fever ...	4	—	1	1	14	6	30	23	10	4	2	4	1	5	3	4
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	1	2	—	—	3	2	5	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic	13	8	—	—	9	21	158	130	3	2	5	1	2	3	—	—
Diarrhoea.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	8	12	2	2	25	21	108	93	9	10	—	5	5	3	1	—
Dysentery ...	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 357.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.									
	Radnorshire.		Montgomeryshire.		Flintshire.		Denbighshire.		Merionethshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ...	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	—	—	1	2	—	6	1	33	—	—
Measles (Morbilli) ...	—	—	—	—	—	—	37	—	1	—
German Measles ...	—	—	2	—	5	3	6	4	7	12
Scarlet Fever ...	—	—	—	—	—	—	—	—	—	—
Typhus ...	—	—	—	—	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	—	—	—	—	—
Influenza ...	6	3	16	6	17	16	31	25	5	7
Whooping-cough ...	—	—	8	1	1	1	3	6	3	5
Mumps ...	—	—	—	—	—	—	—	—	—	—
Diphtheria ...	6	3	—	1	11	7	14	11	2	3
Cerebro-spinal Fever ...	—	—	—	—	—	—	—	—	—	—
Pyrexia* (origin uncertain) ...	—	—	3	1	5	—	2	3	—	—
Enteric Fever ...	—	—	—	—	—	—	—	—	—	—
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	—	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic	1	—	1	—	1	—	5	14	—	1
Diarrhoea.	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	—	2	2	1	2	—	7	8	3	1
Dysentery ...	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 358.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 345.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	167	63	25	9	3	—	8	2	5	1	5	4	1	—
Malaria	69	11	10	1	1	1	—	1	—	1	6	—	—	1
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	4	—	—	—	—	—	—	—	1	—	—	—	—	—
Anthrax (Splenic Fever)	15	—	2	—	—	—	1	—	—	—	—	—	—	—
Syphilis	968	717	202	136	28	14	24	29	11	1	26	21	10	3
Gonorrhoea	18	21	2	3	—	—	1	—	1	—	1	3	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	—	1063	—	156	—	19	—	18	—	18	—	33	—	3
Puerperal Pyæmia	—	104	—	11	—	—	—	2	—	—	—	—	—	1
Phlegmasia Alba Dolens	—	72	—	6	—	2	—	2	—	—	—	—	—	—
Puerperal Fever (not otherwise defined).	—	190	—	18	—	5	—	1	—	4	—	5	—	2
Infective Endocarditis	253	273	77	58	9	10	10	5	4	5	8	8	2	3
{ Lobar	3719	2353	667	373	68	51	62	50	39	27	50	27	20	6
{ Broncho-	10319	9446	1608	1510	255	189	189	163	106	120	159	131	37	46
{ Epidemic	9	2	2	—	—	—	—	—	—	—	2	—	—	—
{ Not defined	11657	8573	1711	1384	218	168	202	160	188	163	206	152	74	51
Erysipelas	523	490	81	95	19	16	14	11	5	7	17	6	4	5
Septicæmia, Septic Intoxication (not Puerperal).	210	159	36	35	5	6	5	3	3	6	6	2	2	3
Pyæmia (not Puerperal)	81	40	15	10	3	2	1	1	—	2	—	—	—	—
Phlegmon, Carbuncle (not Anthrax)	494	325	98	61	22	8	8	12	13	6	10	8	2	6
Phagedæna	14	14	—	1	1	—	1	—	—	—	—	—	—	—
Other Infective Processes	151	91	17	13	2	2	2	4	1	2	2	1	1	—

Note.—For continuation of this Table, see page 359.

CAUSES OF DEATH		DIVISION III. SOUTH MIDLAND COUNTIES.											
		Middlesex.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	7	3	3	1	3	—	—	1	2	—	1	—
Malaria	5	—	—	—	—	—	—	—	1	—	—	—
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	20	11	4	1	5	2	4	—	10	3	1	—
Gonorrhœa	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	...	—	23	—	4	—	1	—	4	—	—	—	3
Puerperal Pyæmia	—	3	—	—	—	1	—	1	—	—	—	—
Phlegmasia Alba Dolens	—	3	—	—	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined).	...	—	2	—	1	—	1	—	—	—	—	—	—
Infective Endocarditis	3	7	1	—	—	—	—	1	3	—	1	—
{ Lobar	83	59	32	17	10	8	10	8	26	16	2	6
{ Broncho-	275	242	42	45	26	30	36	27	44	42	5	17
Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—
{ Epidemic	281	236	77	65	33	37	40	43	79	83	11	39
{ Not defined	16	11	—	1	—	1	4	3	10	2	—	2
Erysipelas	6	8	1	—	—	—	1	—	3	1	—	1
Septicæmia, Septic Intoxication (not Puerperal).	...	—	—	—	—	—	—	—	—	—	—	—	—
Pyæmia (not Puerperal)	2	1	1	1	—	1	—	1	1	—	—	—
Phlegmon, Carbuncle (not Anthrax)	...	16	7	6	2	—	1	2	—	6	—	—	—
Phagedæna	—	—	—	—	—	—	—	—	—	—	—	—
Other Infective Processes	3	—	2	—	—	1	1	2	—	—	—	—

Note.—For continuation of this Table, see page 360.

CAUSES of DEATH in REGISTRATION COUNTIES, 1909—continued from page 347.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.						DIVISION V. SOUTH WESTERN COUNTIES.					
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.	
	Males.	Females.	Males.	Females.	M s.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	8	2	2	—	1	—	3	—	2	—	3	3
Malaria	3	—	—	—	1	—	2	—	1	—	2	—
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	1	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	25	15	6	7	19	8	4	2	2	—	23	12
Gonorrhoea	1	—	—	—	—	—	—	—	—	—	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	—	28	—	3	—	8	—	5	—	—	—	19
Puerperal Pyæmia	—	4	—	3	—	—	—	2	—	—	—	1
Phlegmasia Alba Dolens	—	1	—	—	—	1	—	—	—	—	—	—
Puerperal Fever (not otherwise defined).	—	—	—	—	—	—	—	1	—	—	—	—
Infective Endocarditis	7	8	1	—	1	3	1	1	2	—	6	10
{ Lobar	94	70	21	16	8	10	14	5	12	—	49	37
{ Broncho-	295	288	56	48	72	75	40	35	31	—	134	127
{ Epidemic	—	—	—	—	—	—	—	—	—	—	—	—
{ Not defined	309	244	95	60	88	58	46	50	45	—	181	142
Erysipelas	12	15	3	4	7	4	7	2	2	—	13	6
Septicæmia, Septic Intoxication (not Puerperal).	15	6	2	1	4	1	2	—	1	—	4	4
Pyæmia (not Puerperal)	4	2	1	—	2	1	—	—	2	—	4	3
Phlegmon, Carbuncle (not Anthrax)	15	7	5	6	8	6	2	1	1	—	10	4
Phagedæna	1	—	—	—	—	—	—	—	—	—	—	—
Other Infective Processes	3	1	4	1	—	—	1	—	—	—	2	1

Note.—For continuation of this Table, see page 361.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	5	3	1	—	—	—	4	1	1	—	4	2	—	—	4	3	—	—
Malaria	2	—	—	—	—	—	2	—	1	—	1	—	—	—	2	1	—	—
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—
Syphilis	17	16	5	2	3	4	39	35	19	7	29	23	14	7	11	4	—	—
Gonorrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	—	19	—	1	—	11	—	39	—	13	—	31	—	10	—	14	—	—
Puerperal Pyæmia	—	2	—	1	—	3	—	5	—	1	—	1	—	—	—	—	—	—
Phlegmasia Alba Dolens	—	—	—	1	—	—	—	3	—	—	—	1	—	1	—	—	—	—
Puerperal Fever (not otherwise defined).	—	9	—	—	—	2	—	10	—	5	—	5	—	—	—	—	—	3
Infective Endocarditis	8	11	2	—	2	5	5	5	1	7	9	6	4	2	4	1	—	—
Pneumonia { Lobar Broncho- Epidemic Not defined	72	47	3	2	18	9	114	60	44	21	95	76	36	21	26	25	—	—
	127	128	16	15	45	55	486	429	145	141	293	296	107	89	117	87	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	185	140	31	20	87	76	491	380	150	133	356	273	125	94	144	87	—	—
Septicæmia, Septic Intoxication (not Puerperal).	9	5	—	1	2	5	12	23	8	11	24	18	10	8	9	4	—	—
Pyæmia (not Puerperal)	6	2	—	1	2	1	7	8	3	6	3	11	2	3	3	—	—	—
Phlegmon, Carbuncle (not Anthrax)	3	—	—	—	—	—	1	—	—	1	6	—	3	—	—	—	—	—
Phagedæna	5	3	2	2	2	5	20	12	9	4	21	7	8	7	—	3	1	—
Other Infective Processes	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
	7	4	—	—	3	—	—	4	4	—	2	—	3	3	1	2	—	—

Note.—For continuation of this Table, see page 362.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 349.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.					
	Nottingham- shire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northumber- land.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	2	2	2	1	7	1	13	5	6	4	1	—	2	1	5	2	4	4
Malaria	—	—	—	—	1	1	11	1	5	—	—	—	—	—	—	—	—	—
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	—	—	—	—	2	—	4	—	2	—	—	—	—	—	—	—	—	—
Syphilis	18	20	6	8	18	13	151	122	92	83	13	17	7	9	32	21	12	13
Gonorrhœa	—	—	1	—	—	—	1	3	5	3	—	3	—	—	1	1	1	—
Puerperal Septicæmia, Puerperal Septic Intoxication	—	26	—	18	—	28	—	182	—	112	—	13	—	13	—	37	—	25
Puerperal Pyæmia	—	1	—	1	—	1	—	19	—	7	—	3	—	1	—	3	—	3
Phlegmasia Alba Dolens	—	—	—	4	—	2	—	9	—	13	—	1	—	4	—	2	—	—
Puerperal Fever (not otherwise defined).	—	4	—	1	—	4	—	34	—	24	—	5	—	—	—	13	—	3
Infective Endocarditis	1	5	4	2	4	7	30	40	12	19	2	2	—	2	4	7	4	7
Pneumonia { Lobar Broncho- Epidemic (Not defined ...	54	35	40	21	120	87	818	562	352	197	29	19	—	43	129	71	72	65
	238	243	128	121	237	217	2050	1893	897	853	121	93	156	132	477	383	191	202
	—	—	—	—	1	—	—	1	2	—	—	—	—	—	—	—	—	1
Erysipelas	199	175	157	106	345	228	2072	1370	1051	766	138	101	204	115	492	304	185	159
Septicæmia, Septic Intoxication (not Puerperal).	15	11	9	8	15	15	74	68	38	57	12	3	6	9	13	16	6	8
Pyæmia (not Puerperal)	2	1	3	—	5	6	20	7	20	7	1	1	1	—	4	7	3	5
Phlegmon, Carbuncle (not Anthrax)	—	—	2	—	3	1	8	4	3	1	1	—	2	1	—	—	3	—
Phagedæna	12	5	9	4	8	7	57	52	37	18	9	6	7	7	15	13	6	2
Other Infective Processes	—	—	—	1	—	—	4	2	2	2	1	2	—	1	1	3	—	—
	5	—	2	3	6	1	29	15	12	14	2	1	1	2	6	3	5	2

Note.—For continuation of this Table, see page 363.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardiganshire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	1	—	—	—	2	—	10	1	1	—	—	—	—	—	—	—
Malaria	—	—	—	—	3	—	2	1	—	—	1	—	—	—	—	—
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	9	2	—	—	4	3	26	18	3	3	2	2	1	—	1	3
Gonorrhoea	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	—	8	—	2	—	14	—	42	—	5	—	2	—	1	—	2
Puerperal Pyæmia	—	1	—	—	—	1	—	7	—	4	—	—	—	—	—	1
Phlegmasia Alba Dolens	—	—	—	1	—	1	—	3	—	2	—	—	—	—	—	1
Puerperal Fever (not otherwise defined).	—	—	—	1	—	2	—	12	—	2	—	1	—	—	—	1
Infective Endocarditis	2	1	1	—	1	1	8	4	1	—	2	1	—	—	—	6
Lobar	30	15	7	4	58	30	118	53	8	14	4	3	4	3	10	21
Broncho-	54	47	6	5	173	143	439	346	50	33	25	14	9	10	25	—
Epidemic	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not defined	135	68	27	20	161	116	462	250	52	37	12	11	18	18	27	11
Erysipelas	4	2	—	1	6	2	14	7	2	—	1	—	1	3	—	—
Septicæmia, Septic Intoxication (not Puerperal).	2	1	1	—	4	3	8	4	—	1	—	—	—	—	—	—
Pyæmia (not Puerperal)	1	1	—	—	2	1	1	2	—	—	—	1	—	—	1	—
Phlegmon, Carbuncle (not Anthrax)	—	—	—	1	5	2	9	3	1	2	1	—	1	—	—	1
Phagedæna	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Infective Processes	5	3	—	—	2	1	9	1	—	—	—	—	—	—	1	—

Note.—For continuation of this Table, see page 364.

CAUSES of DEATH in REGISTRATION COUNTIES, 1909—continued from page 351.

CAUSES OF DEATH.		PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
		Radnorshire.		Montgomery-shire.		Flintshire.		Denbighshire.		Merionethshire.		Carnarvonshire.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	...	—	—	1	—	—	—	1	—	—	—	—	—
Malaria	...	—	1	—	—	—	—	—	—	—	—	—	—
Rabies, Hydrophobia	...	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	...	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	...	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	...	—	—	—	—	1	—	2	—	—	—	—	—
Gonorrhoea	...	—	—	—	—	—	—	—	1	—	—	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	...	—	1	—	2	—	4	—	8	—	2	—	6
Puerperal Pyæmia	...	—	1	—	—	—	—	—	—	—	—	—	1
Phlegmasia Alba Dolens	...	—	—	—	—	—	—	—	—	—	—	—	1
Puerperal Fever (not otherwise defined).	...	—	—	—	—	—	—	—	1	—	—	—	1
Infective Endocarditis	...	—	—	—	1	—	—	1	—	—	—	—	—
{ Lobar	...	1	1	9	5	8	1	11	8	1	3	6	8
{ Broncho-	...	—	1	10	11	13	13	34	31	15	17	34	31
{ Epidemic	...	—	—	2	—	—	—	—	—	—	—	—	—
Pneumonia	...	—	4	24	13	22	17	56	37	15	8	37	19
Not defined	...	5	—	1	1	1	—	2	—	—	—	1	1
Erysipelas	...	—	—	—	—	—	—	—	—	—	—	3	—
Septicæmia, Septic Intoxication (not Puerperal).	...	—	—	—	—	—	—	—	—	—	—	—	—
Pyæmia (not Puerperal)	...	1	—	3	—	1	1	3	2	—	—	1	—
Phlegmon, Carbuncle (not Anthrax)	...	—	—	—	—	—	—	—	—	—	—	3	4
Phagedæna	...	—	—	—	—	—	—	—	—	—	—	—	—
Other Infective Processes	...	—	—	—	—	—	—	—	—	—	—	1	—

Note.—For continuation of this Table, see page 365.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
Pulmonary Tuberculosis (Tuberculous Phthisis).	12111	8545	2843	1552	295	223	344	279	207	142	425	226	95	74
Phthisis (not otherwise defined) ...	9825	8158	998	797	179	147	254	184	210	154	200	187	52	51
Tuberculous Meningitis	2955	2819	471	438	61	43	70	70	39	34	66	52	27	16
Tuberculous Peritonitis	1833	1689	214	164	22	26	38	46	18	25	35	22	12	12
Tuberc Mesenterica ...	488	389	48	33	5	5	10	7	5	4	6	7	1	—
Lupus ...	23	56	3	8	—	1	—	1	—	1	3	3	—	1
Tubercle of other Organs	1060	868	138	104	30	14	39	21	12	23	28	18	7	4
General Tuberculosis	1908	1731	287	267	41	21	47	42	32	33	30	39	8	13
Scrophula ...	13	14	1	—	—	—	—	—	—	1	—	—	—	1
Parasitic Diseases ...	120	102	13	12	—	1	6	1	2	1	1	1	—	1
Starvation ...	11	11	4	2	1	1	—	2	—	—	—	—	—	—
Scurvy ...	26	21	1	2	—	—	—	—	—	1	3	1	—	1
Alcoholism, Delirium Tremens ...	998	673	186	168	14	12	26	13	20	24	16	10	6	6
Opium, Morphia-habit	8	13	—	2	—	—	—	1	—	—	—	—	1	1
Industrial Poisoning:—														
By Lead ...	88	3	9	—	2	—	2	—	3	—	5	—	1	—
Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arsenic and other Poisons	1	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 366.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.				DIVISION V. SOUTH WESTERN COUNTIES.											
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuber- culous Phthisis).	430	268	77	65	118	94	43	41	50	51	219	196	111	78	106	119
Phthisis (not otherwise defined) ...	282	256	139	107	135	114	84	54	47	45	166	146	101	77	110	84
Tuberculous Meningitis ...	100	105	21	21	23	26	11	13	8	9	38	42	16	14	18	20
Tuberculous Peritonitis ...	47	47	11	16	27	23	4	9	10	6	32	25	13	18	15	16
Tubes Mesenterica ...	12	9	4	—	1	2	6	3	1	1	4	3	1	1	5	1
Lupus ...	1	1	—	3	—	—	—	—	—	—	—	3	—	2	—	—
Tubercle of other Organs ...	34	26	13	11	9	7	7	7	6	6	16	13	13	11	13	4
General Tuberculosis ...	64	45	18	27	28	18	16	8	6	9	45	36	13	24	19	13
Scrofula ...	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	1
Parasitic Diseases ...	4	3	1	1	4	2	1	1	—	—	5	6	1	1	1	2
Starvation ...	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	1
Scurvy ...	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
Alcoholism, Delirium Tremens ...	28	21	10	1	8	8	2	—	2	1	17	9	3	5	12	—
Opium, Morphia-habit ...	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—
Industrial Poisoning :—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By Lead ...	2	—	—	—	2	—	—	—	—	—	2	—	—	—	3	—
" Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Poisons ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 368.

CAUSES of DEATH in REGISTRATION COUNTIES, 1909—continued from page 355.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuberculous Phthisis). <i>Phthisis</i> (not otherwise defined) ...	226	183	39	32	66	57	430	289	135	109	250	176	126	121	3	5	160	94
Tuberculous Meningitis ...	178	116	15	27	67	64	351	289	131	124	460	301	129	121	5	2	153	125
Tuberculous Peritonitis ...	50	55	5	6	14	25	109	104	39	31	66	63	50	41	1	—	40	38
<i>Tuberculous Mesenterica</i> ...	19	28	2	5	13	8	101	91	32	27	51	37	19	35	2	—	24	22
<i>Lupus</i>	5	5	—	1	2	2	21	17	8	3	10	5	7	4	—	—	6	5
Tubercle of other organs ...	—	1	—	—	—	—	—	1	—	1	1	—	—	2	—	—	1	—
General Tuberculosis ...	17	16	11	2	5	5	39	22	14	11	22	22	7	9	—	1	18	21
<i>Scrofula</i>	25	31	4	5	8	12	88	72	20	20	39	33	23	29	—	—	36	24
Parasitic Diseases	1	2	—	1	—	2	4	4	—	1	4	2	3	3	—	—	2	2
Starvation	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—
Scurvy	—	—	—	1	—	1	3	1	—	—	1	1	—	—	—	—	—	—
Alcoholism, Delirium Tremens ...	13	14	3	2	7	2	27	21	7	12	23	11	12	4	1	1	15	10
Opium, Morphia-habit	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	1
Industrial Poisoning:— By Lead	1	—	—	—	—	—	8	3	1	—	4	—	—	—	—	—	—	—
” Phosphorus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
” Arsenic and other Poisons ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 369.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 356.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottingham- shire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		Durham.		Northumber- land.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuber- culous Phthisis).	186	177	108	108	220	155	1825	1220	962	651	121	97	231	205	199	154
<i>Phthisis</i> (not otherwise defined) ...	143	141	147	125	252	199	1716	1343	842	644	184	132	414	441	243	226
Tuberculous Meningitis ...	60	47	39	40	59	65	434	434	266	256	36	32	147	175	105	92
Tuberculous Peritonitis ...	31	33	32	31	64	42	328	276	182	171	24	24	128	128	49	48
<i>Tabes Mesenterica</i> ...	8	14	4	5	27	23	92	56	55	47	1	3	45	37	15	21
Lupus ...	—	1	—	—	—	3	5	10	4	5	—	1	4	1	—	—
Tubercle of other Organs ...	17	11	7	7	25	20	151	136	111	84	14	10	37	27	28	17
General Tuberculosis ...	36	30	17	24	50	46	296	261	180	150	18	22	105	86	43	43
<i>Scrofula</i> ...	1	1	—	—	—	—	4	1	—	1	—	1	—	1	—	—
Parasitic Diseases ...	3	1	—	2	1	5	19	15	9	12	3	3	2	—	—	—
Starvation ...	—	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—
Scurvy ...	2	1	—	—	—	—	3	2	1	—	—	—	4	2	1	3
Alcoholism, Delirium Tremens ...	11	15	17	7	24	18	179	118	84	38	12	5	45	13	25	7
Opium, Morphia-habit ...	—	—	—	—	—	—	1	—	2	1	1	1	—	2	—	—
Industrial Poisoning:—	—	—	—	—	—	—	16	—	5	—	2	—	—	—	—	—
By Lead ...	1	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—
" Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Poisons ...	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 370.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 357.

CAUSES OF DEATH	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardiganshire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuberculous Phthisis).	63	51	15	13	73	72	300	261	36	51	19	25	45	56	14	13
Phthisis (not otherwise defined) ...	69	68	14	15	83	76	298	264	46	51	27	32	30	39	19	21
Tuberculous Meningitis ...	28	26	3	4	21	29	89	67	24	20	7	7	9	10	3	7
Tuberculous Peritonitis ...	17	22	2	1	6	9	48	39	9	8	9	2	4	9	1	4
Tubes Mesenterica ...	9	10	—	1	11	6	30	22	—	1	1	—	—	—	1	—
Lupus... ..	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—
Tubercle of other Organs ...	11	5	1	1	12	4	24	22	5	4	4	—	4	4	1	—
General Tuberculosis ...	18	20	5	1	10	10	50	51	9	10	8	6	8	6	6	1
Scrofula ...	1	1	—	—	1	2	2	1	—	—	—	—	—	—	—	—
Parasitic Diseases ...	2	—	1	—	1	—	3	—	1	—	—	—	—	—	—	—
Starvation ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scurvy ...	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens ...	6	4	1	—	13	8	43	13	3	—	3	2	1	—	—	1
Opium, Morphia-habit ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Poisoning—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By Lead ...	—	—	—	—	1	—	6	—	—	—	2	—	1	—	—	—
“ Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
“ Arsenic and other Poisons	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 371.

CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.									
	Radnorshire.		Montgomery-shire.		Flintshire.		Denbighshire.		Merionethshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuber- culous Phthisis).	5	4	18	15	15	9	24	23	15	20
<i>Phthisis</i> (not otherwise defined) ...	5	8	18	12	28	17	35	36	22	76
Tuberculous Meningitis ...	2	2	3	3	3	3	16	6	10	9
Tuberculous Peritonitis ...	1	1	5	5	4	3	9	9	4	20
<i>Tuberc Mesenterica</i> ...	—	—	—	—	—	—	3	1	1	1
Lupus... ..	—	—	—	—	—	—	—	—	1	—
Tubercle of other organs ...	1	—	4	5	1	1	7	2	1	10
General Tuberculosis ...	—	—	2	4	2	2	5	8	5	7
<i>Scrophula</i> ...	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases ...	—	—	—	—	1	—	2	—	1	—
Starvation ...	—	—	—	—	—	—	—	—	—	—
Scurvy ...	—	—	—	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens ...	—	—	1	2	1	1	4	3	2	1
Opium, Morphia-habit ...	—	—	—	—	—	—	—	—	—	—
Industrial Poisoning :—	—	—	—	—	—	—	—	—	—	—
By Lead ...	—	—	—	—	—	—	—	—	—	—
” Phosphorus ...	—	—	—	—	—	—	—	—	—	—
” Arsenic and other Poisons	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 372.

CAUSES of DEATH in REGISTRATION COUNTIES, 1909—continued from page 359.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
Rheumatic Fever, Acute Rheumatism.	961	1009	114	116	18	14	31	26	16	11	17	28	5	5
Rheumatism of Heart	149	208	20	20	1	5	3	1	2	3	4	5	2	—
Chronic Rheumatism	167	271	9	19	2	1	—	6	2	7	8	6	1	4
Rheumatoid Arthritis, Rheumatic Gout.	295	793	42	125	8	28	9	25	5	19	11	23	4	4
Gout	320	81	67	18	18	3	14	2	6	2	14	1	6	1
Carcinoma	7794	11719	1368	1800	219	323	254	374	185	274	228	299	81	129
Sarcoma	1073	901	213	151	22	26	31	27	23	26	29	16	6	10
Cancer, Malignant Disease (not otherwise defined).	5396	7170	680	916	125	150	175	200	156	191	169	140	55	62
Rickets	664	454	78	66	13	8	13	11	6	5	16	8	6	5
Purpura	159	153	20	19	3	6	4	6	1	2	6	3	1	—
Hæmophilia, Hæmorrhagic Diathesis	58	33	4	4	4	2	3	—	3	1	—	3	1	—
Anæmia, Leucocythæmia	997	1219	118	112	22	24	26	36	17	19	24	29	8	10
Diabetes Mellitus	1898	1800	235	242	46	50	56	58	40	43	50	44	21	26
Premature Birth	10207	8003	1192	1013	170	138	242	175	122	107	224	172	87	64
Congenital Hydrocephalus	203	126	31	19	1	4	7	3	5	2	3	5	1	1
Other Congenital Defects	2517	2084	384	256	47	39	57	47	40	32	55	50	28	12
Injury at Birth	566	390	98	75	10	8	18	12	8	7	10	3	6	6
Atelectasis	874	632	128	84	22	10	11	8	14	8	15	12	4	7
Want of Breast Milk	384	285	49	41	15	8	5	5	2	4	12	5	2	1
Teething	994	775	51	57	11	9	17	14	16	4	11	16	8	6

Note.—For continuation of this Table, see page 373.

DIVISION III.
SOUTH MIDLAND COUNTIES.

CAUSES OF DEATH	Middlesex.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.		Bedfordshire.		Cambridgeshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	33	33	9	5	5	3	5	6	11	11	1	—	5	3	4	2
<i>Rheumatism of Heart</i> ...	4	—	—	1	—	—	—	2	—	—	—	—	—	1	—	—
Chronic Rheumatism ...	—	2	—	2	—	—	1	3	—	—	2	1	—	1	1	1
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	5	22	5	11	4	3	1	4	3	8	1	3	—	2	2	11
Gout ...	14	2	2	1	3	—	2	—	5	1	—	—	1	1	2	1
Carcinoma ...	187	330	73	99	46	64	70	77	86	127	10	15	49	71	70	89
Sarcoma ...	21	22	9	14	9	5	4	8	13	7	1	1	8	7	11	9
Cancer, Malignant Disease (not otherwise defined).	130	179	49	58	28	36	29	51	89	102	13	10	30	46	48	68
Rickets ...	12	6	4	—	6	1	4	—	10	5	1	—	1	1	3	1
Purpura ...	—	3	1	—	1	—	—	1	—	2	—	1	2	—	2	2
Hæmophilia, Hæmorrhagic Diathesis	1	3	—	—	—	—	—	—	1	—	—	—	—	—	—	1
Anæmia, Leucocythæmia ...	18	15	9	4	8	9	8	6	10	9	—	1	—	6	5	9
Diabetes Mellitus ...	42	40	16	10	18	8	11	15	23	27	4	1	7	10	22	15
Premature Birth ...	234	210	55	46	52	44	38	38	82	81	12	14	44	46	55	46
Congenital Hydrocephalus...	3	2	2	1	1	—	4	1	—	2	2	—	2	2	2	1
Other Congenital Defects ...	69	53	13	12	15	6	11	8	26	13	3	—	17	7	15	10
Injury at Birth ...	18	15	3	3	1	3	1	4	2	1	—	—	2	1	—	2
Atelectasis ...	17	14	11	3	2	—	2	1	13	5	3	1	—	1	3	4
Want of Breast Milk ...	16	8	3	1	2	—	2	1	5	2	1	—	—	2	—	2
<i>Teething</i> ...	28	6	2	4	3	4	2	3	2	3	2	1	4	3	3	3

Note.—For continuation of this Table, see page 374.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 361.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.				DIVISION V. SOUTH WESTERN COUNTIES.											
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	30	38	7	7	5	6	7	6	5	3	16	17	6	8	13	7
<i>Rheumatism of Heart</i> ...	1	8	1	2	2	4	1	—	—	1	5	2	1	1	2	2
Chronic Rheumatism ...	3	11	1	2	2	5	1	2	5	—	5	5	4	5	—	3
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	7	27	8	11	7	17	2	5	2	3	4	28	6	9	4	17
Gout ...	13	5	3	3	—	2	2	3	2	—	9	2	—	—	11	2
Carcinoma ...	247	399	94	137	100	182	52	81	36	69	166	249	88	141	117	176
Sarcoma ...	29	27	8	10	21	14	9	11	7	3	24	27	12	13	13	21
Cancer, Malignant Disease (not otherwise defined).	147	189	81	97	93	152	51	75	44	45	107	182	56	86	90	110
Rickets ...	16	6	1	1	9	5	2	3	—	3	12	11	17	11	8	1
Purpura ...	2	4	—	—	1	4	—	2	1	1	6	2	1	2	—	2
Hæmophilia, Hæmorrhagic Diathesis	2	1	—	—	—	2	—	—	—	—	—	—	1	—	—	—
Anæmia, Leucocythæmia ...	30	26	9	10	8	7	10	12	5	11	17	28	8	10	16	13
Diabetes Mellitus ...	48	53	24	21	38	22	8	15	7	13	33	37	20	23	31	30
Premature Birth ...	336	243	91	96	134	94	68	41	42	43	152	123	71	59	120	89
Congenital Hydrocephalus	4	3	2	1	3	2	1	1	2	1	2	2	2	1	4	1
Other Congenital Defects ...	70	72	18	19	29	27	18	15	10	3	45	33	20	16	32	31
Injury at Birth ...	22	11	4	5	4	1	2	3	10	1	8	3	4	4	8	8
Atelectasis ...	20	17	7	4	5	5	4	3	—	3	10	9	8	3	12	6
Want of Breast Milk	20	8	3	1	7	6	2	—	—	—	5	2	4	2	5	1
<i>Teething</i> ...	18	14	7	7	13	12	5	6	4	—	8	5	5	7	5	3

Note.—For continuation of this Table, see page 375.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.								PART OF DIVISION VII. NORTH MIDLAND COUNTIES.									
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	10	13	2	2	4	6	44	25	12	13	26	26	19	9	1	1	19	18
<i>Rheumatism of Heart</i> ...	2	4	—	1	2	2	5	4	1	3	5	7	—	6	—	—	2	2
Chronic Rheumatism ...	4	1	—	2	2	1	11	10	3	2	5	9	4	2	—	—	5	3
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	8	12	2	6	4	7	8	13	7	10	9	19	—	4	1	—	6	8
Gout ...	5	2	1	—	3	1	14	5	15	2	11	2	6	—	—	—	7	—
Carcinoma ...	170	298	44	45	77	108	236	352	123	217	203	352	98	137	8	5	104	170
Sarcoma ...	23	17	3	4	8	11	35	29	13	21	25	22	9	9	—	—	16	16
Cancer, Malignant Disease (not otherwise defined).	93	136	21	30	33	70	176	242	73	79	141	155	74	104	5	6	123	135
Rickets ...	7	2	—	—	6	4	26	15	10	9	11	12	9	14	—	—	14	4
Purpura ...	—	3	—	—	1	—	8	6	4	2	4	6	3	4	—	—	—	5
Hæmophilia, Hæmorrhagic Diathesis	2	—	—	—	—	2	1	1	—	—	3	—	1	—	—	—	—	1
Anæmia, Leucocythæmia ...	21	24	3	5	8	10	22	42	18	27	20	31	17	15	—	—	13	23
Diabetes Mellitus ...	49	40	12	12	16	21	72	44	32	26	46	45	24	26	1	—	32	33
Premature Birth ...	152	135	33	17	64	56	472	366	146	133	353	257	135	110	6	2	177	112
Congenital Hydrocephalus	6	3	—	—	1	1	12	7	2	4	4	4	4	1	—	—	3	3
Other Congenital Defects ...	37	36	9	3	10	13	102	97	20	25	81	56	32	25	2	—	39	38
Injury at Birth ...	9	6	1	—	4	3	18	13	10	8	14	11	6	4	—	—	6	5
Atelectasis ...	15	5	2	1	1	5	42	38	20	10	38	30	9	12	—	—	23	11
Want of Breast Milk	8	—	2	—	2	1	25	18	5	4	5	4	4	4	—	1	5	1
<i>Teething</i> ...	9	11	2	—	2	1	46	35	13	9	32	18	9	10	1	1	15	6

Note.—For continuation of this Table, see page 376.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 363.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	14	29	15	15	24	26	160	184	79	98	19	19	13	22	31	34
<i>Rheumatism of Heart</i> ...	3	4	—	6	3	6	27	51	13	20	1	4	—	2	9	8
Chronic Rheumatism ...	6	2	4	4	1	14	31	54	14	29	3	3	1	4	3	8
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	3	15	5	7	10	11	37	106	24	69	1	9	5	12	4	11
Gout ...	3	1	2	1	3	—	15	8	20	6	6	—	1	1	—	1
Carcinoma ...	129	202	87	135	178	281	964	1486	556	922	101	146	89	127	163	288
Sarcoma ...	19	15	17	15	27	14	124	100	101	82	17	9	7	7	35	13
Cancer, Malignant Disease (not otherwise defined).	109	110	81	110	119	175	587	888	471	666	72	103	57	102	194	214
Rickets ...	16	9	12	10	5	9	111	70	97	63	4	7	8	11	30	15
Purpura ...	5	2	2	1	4	4	24	20	20	17	6	4	3	2	7	2
Hæmophilia, Hæmorrhagic Diathesis	—	—	—	—	—	—	11	3	7	4	2	1	1	—	5	1
Anæmia, Leucocythæmia ...	17	20	14	17	29	46	162	199	97	120	14	8	11	25	36	46
Diabetes Mellitus ...	47	30	31	16	40	38	255	272	177	173	28	23	30	21	46	49
Premature Birth ...	278	217	173	141	213	186	1549	1147	924	713	161	132	144	100	607	424
Congenital Hydrocephalus	4	3	1	2	8	5	26	9	18	12	1	1	1	2	9	3
Other Congenital Defects ...	56	48	41	38	59	44	362	343	235	173	26	39	29	43	124	87
Injury at Birth ...	7	3	8	7	12	6	81	37	61	41	6	5	5	2	36	34
Atelectasis ...	19	19	16	10	15	11	128	73	81	56	9	13	15	6	54	53
Want of Breast Milk	13	17	6	7	8	6	55	56	30	26	4	4	1	3	14	6
Teething ...	18	20	16	7	20	24	190	150	140	91	18	14	9	11	96	83

Note.—For continuation of this Table, see page 377.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.							
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	9	7	—	1	21	16	34	44	4	5	3	1
<i>Rheumatism of Heart</i> ...	1	1	1	—	3	2	7	5	3	1	3	2
Chronic Rheumatism ...	1	5	—	—	4	2	6	7	—	1	3	1
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	2	8	1	3	2	4	4	16	—	2	1	3
Gout ...	—	—	—	—	1	—	8	1	—	—	1	—
Carcinoma ...	55	101	17	27	42	71	167	264	15	36	18	37
Sarcoma ...	1	5	—	—	8	4	31	25	—	3	4	1
Cancer, Malignant Disease (not otherwise defined).	55	79	6	13	44	54	108	147	25	32	14	22
Rickets ...	2	2	1	—	7	1	17	17	3	2	—	2
Purpura ...	1	2	1	1	1	3	7	2	1	1	—	1
Hæmophilia, Hæmorrhagic Diathesis	1	—	—	—	—	1	—	1	1	—	1	—
Anæmia, Leucocythæmia ...	9	12	2	1	13	15	32	41	2	8	7	8
Diabetes Mellitus ...	12	13	7	5	18	12	39	31	7	4	6	3
Premature Birth ...	73	64	10	9	133	107	352	275	44	40	22	13
Congenital Hydrocephalus	6	1	—	—	2	—	2	7	3	—	—	—
Other Congenital Defects ...	28	15	1	3	27	23	66	75	11	15	8	5
Injury at Birth ...	4	3	1	1	7	2	11	8	—	1	2	2
Atelectasis ...	7	7	1	—	12	9	26	29	1	4	4	1
Want of Breast Milk	1	—	—	1	5	1	19	21	—	1	—	1
<i>Teething</i> ...	11	7	—	—	14	9	54	44	11	8	2	—

Note.—For continuation of this Table, see page 378.

CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.									
	Radnorshire.		Montgomery-shire.		Flintshire.		Denbighshire.		Merionethshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	1	—	1	1	1	4	5	2	1	—
<i>Rheumatism of Heart</i> ...	—	—	—	1	—	2	2	2	1	—
Chronic Rheumatism ...	—	—	—	2	—	—	—	3	—	—
Rheumatoid Arthritis, <i>Rheumatic Gout.</i>	1	—	—	1	—	2	—	2	—	—
Gout ...	—	—	—	—	—	—	1	—	—	—
Carcinoma ...	3	3	11	18	6	24	31	30	14	20
Sarcoma ...	—	1	—	1	2	—	3	1	3	3
Cancer, Malignant Disease (not otherwise defined).	3	2	15	26	15	20	41	54	23	29
Rickets ...	—	—	—	—	—	—	3	—	—	—
Purpura ...	—	—	—	—	—	—	1	—	—	—
Hæmophilia, Hæmorrhagic Diathesis	—	—	—	—	—	—	—	—	—	—
Anæmia, Leucocythæmia ...	—	—	3	4	4	3	1	9	4	11
Diabetes Mellitus ...	2	1	4	2	5	2	8	4	2	3
Premature Birth ...	3	3	10	11	17	12	23	23	15	8
Congenital Hydrocephalus	—	—	—	—	—	—	—	2	—	—
Other Congenital Defects ...	3	1	—	5	3	2	15	8	3	3
Injury at Birth ...	1	—	1	1	1	—	1	—	—	—
Atelectasis ...	—	—	—	—	—	1	6	2	1	1
Want of Breast Milk	—	—	—	—	—	—	1	1	—	—
<i>Teething</i> ...	—	—	—	—	2	—	3	4	2	2

Note.—For continuation of this Table, see page 379.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.				Hampshire.		Berkshire.	
	Males.	Females.	London.		Surrey.		Kent.		Sussex.		Hampshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	2903	2442	304	246	49	37	59	51	38	35	64	41
Softening of Brain ...	1105	1023	64	74	34	37	48	33	13	21	43	42
General Paralysis of Insane	1817	546	113	46	151	39	80	16	30	16	73	17
Insanity (not Puerperal) ...	995	1176	81	140	20	44	13	19	38	63	14	21
Chorea ...	38	132	1	18	2	2	1	3	—	1	1	3
Epilepsy ...	1472	1342	116	98	67	60	53	48	22	25	40	37
Convulsions ...	5890	4425	351	282	68	49	83	65	31	25	88	69
Laryngismus Stridulus ...	150	120	19	14	1	4	4	3	2	2	7	1
Locomotor Ataxy ...	496	123	84	26	15	5	15	2	10	1	9	3
Paraplegia, Diseases of Cord ...	1156	948	136	111	30	18	31	24	30	21	29	27
Neuritis, Peripheral, Poly-Neuritis	126	281	13	36	3	6	3	10	1	3	4	5
Brain Tumour (not Specific) ...	392	377	43	42	13	9	16	13	11	3	5	16
Other Diseases of Nervous System	1368	1971	155	138	50	74	50	42	42	45	31	39
Otitis, Mastoid Disease ...	647	444	125	91	9	11	23	12	7	9	10	8
Epistaxis, Diseases of Nose ...	40	41	11	11	—	—	2	—	—	—	2	1
Ophthalmia, Diseases of Eye ...	33	21	2	2	1	1	1	1	1	—	—	—
Valvular Disease, Endocarditis (not Infective).	7799	9236	1107	1313	212	256	226	283	182	173	198	226
Pericarditis ...	224	186	46	44	6	8	5	2	9	4	8	2
Hypertrophy of Heart ...	135	85	36	27	5	2	4	4	3	2	6	—
Angina Pectoris ...	629	328	82	39	17	8	10	7	12	15	11	9
Dilatation of Heart...	1771	1778	207	226	40	54	40	52	32	37	40	39
Fatty Degeneration of Heart	1069	1424	183	226	38	52	33	53	22	45	31	50
Syncope, Heart Disease (not specified).	12462	13792	982	1284	220	238	343	381	261	281	312	356

Note.—For continuation of this Table, see page 380.

CAUSES of DEATH in REGISTRATION COUNTIES, 1909—continued from page 367.

CAUSES OF DEATH.	DIVISION III. SOUTH MIDLAND COUNTIES.											
	Middlesex.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	51	54	14	11	7	11	12	11	21	26	2	4
Softening of Brain ...	16	21	17	18	11	3	10	9	10	7	1	—
General Paralysis of Insane	64	17	28	8	8	2	12	2	15	4	1	—
Insanity (not Puerperal) ...	51	56	10	10	3	4	23	24	4	5	1	—
Chorea ...	1	2	—	—	—	—	—	—	1	2	—	—
Epilepsy ...	33	30	13	17	3	9	8	10	15	15	1	—
Convulsions ...	88	62	28	17	15	7	15	13	51	38	1	2
Laryngismus Stridulus ...	2	3	—	2	1	1	1	—	—	—	—	—
Locomotor Ataxy ...	14	6	2	1	—	—	1	1	5	2	—	—
Paraplegia, Diseases of Cord	29	27	14	7	4	3	15	9	12	7	1	—
Neuritis, Peripheral, Poly-Neuritis	1	8	—	2	—	—	—	1	—	2	—	—
Brain Tumour (not Specific) ...	9	16	5	1	4	4	2	4	5	7	1	—
Other Diseases of Nervous System	24	23	14	10	8	17	13	5	15	14	2	—
Otitis, Mastoid Disease ...	5	10	5	3	2	1	1	2	3	3	—	1
Epistaxis, Diseases of Nose	1	—	—	—	—	—	—	—	—	—	—	1
Ophthalmia, Diseases of Eye	1	1	—	—	—	—	—	—	—	—	—	—
Valvular Disease, Endocarditis (not Infective).	194	213	74	106	33	32	48	50	50	58	10	14
Pericarditis ...	7	8	1	2	1	1	—	1	5	2	—	—
Hypertrophy of Heart ...	2	3	3	2	1	1	1	—	3	—	—	—
Angina Pectoris ...	18	4	3	2	4	—	8	3	6	4	2	—
Dilatation of Heart...	43	42	7	13	12	14	13	9	14	20	1	1
Fatty Degeneration of Heart	52	64	6	16	6	10	4	13	4	19	1	—
Syncope, Heart Disease (not specified).	210	256	87	102	80	79	91	102	170	178	24	19

Note.—For continuation of this Table, see page 381.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 368.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.				DIVISION V. SOUTH WESTERN COUNTIES.											
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	53	53	22	16	18	18	15	11	7	37	41	12	17	25	30	
Softening of Brain ...	24	28	11	14	13	13	15	5	13	29	27	9	11	22	25	
General Paralysis of Insane	68	29	17	4	26	3	9	15	2	33	11	8	8	23	3	
Insanity (not Puerperal) ...	16	27	13	16	10	15	7	2	4	21	28	4	9	7	9	
Chorea ...	1	2	1	—	—	1	—	—	1	—	2	2	2	—	2	
Epilepsy ...	51	43	20	14	28	19	10	16	16	40	37	16	20	22	32	
Convulsions ...	117	85	36	22	61	42	24	26	21	88	68	47	31	40	27	
Laryngismus Stridulus ...	3	3	1	—	—	—	2	1	1	4	3	6	1	—	1	
Locomotor Ataxy ...	13	—	5	3	5	1	5	—	—	5	3	6	2	5	—	
Paraplegia, Diseases of Cord ...	39	28	21	14	15	23	13	6	7	23	26	21	6	19	12	
Neuritis, Peripheral, Poly-Neuritis	4	11	1	1	—	3	1	—	—	1	3	1	2	2	1	
Brain Tumour (not Specific) ...	19	10	3	2	6	5	2	—	3	19	6	3	5	6	4	
Other Diseases of Nervous System	49	54	21	12	46	33	11	11	8	37	32	22	15	23	36	
Otitis, Mastoid Disease ...	13	12	7	1	9	6	1	5	1	11	3	3	1	8	2	
Epistaxis, Diseases of Nose	1	4	—	1	—	—	—	—	1	—	—	—	1	1	1	
Ophthalmia Diseases of Eye	—	3	—	—	1	2	—	—	—	1	1	1	—	—	—	
Valvular Disease, Endocarditis (not Infective).	208	313	96	107	101	122	71	58	60	152	191	70	81	124	130	
Pericarditis ...	10	4	—	1	1	4	—	1	1	1	4	3	2	4	3	
Hypertrophy of Heart ...	2	—	2	4	2	—	2	1	—	4	2	—	1	1	1	
Angina Pectoris ...	19	13	8	4	7	6	4	3	1	10	4	10	3	8	4	
Dilatation of Heart...	78	45	25	13	12	14	18	11	8	36	33	18	12	22	37	
Fatty Degeneration of Heart	35	39	6	11	14	17	12	6	6	26	49	9	18	20	16	
Syncope, Heart Disease (not specified).	342	369	153	168	199	243	158	103	112	292	311	166	200	251	255	

Note.—For continuation of this Table, see page 382.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottingham- shire.		Derbyshire		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		Durham.		Northumber- land.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	60	46	51	36	78	71	569	495	289	266	46	33	182	130	80	75
Softening of Brain ...	19	24	23	10	30	19	184	163	114	104	18	15	39	27	22	20
General Paralysis of Insane	32	8	12	9	47	9	295	61	160	56	35	11	49	16	39	21
Insanity (not Puerperal) ...	15	23	1	6	8	21	158	146	82	88	8	13	32	27	12	15
Chorea ...	—	1	—	3	2	4	4	21	5	13	—	1	2	8	1	2
Epilepsy ...	34	21	24	22	47	41	200	181	93	107	33	15	51	42	38	31
Convulsions ...	149	114	130	106	150	119	1031	659	610	466	104	77	412	341	216	183
Laryngismus Stridulus ...	2	5	2	1	11	1	29	17	21	17	2	—	6	3	2	4
Locomotor Ataxy ...	7	3	7	3	17	2	62	24	43	11	11	—	18	4	13	2
Paraplegia, Diseases of Cord ...	19	16	23	12	25	28	142	130	85	75	20	16	42	33	20	13
Neuritis, Peripheral, Poly-Neuritis	4	9	3	3	3	9	17	53	12	17	4	2	5	12	5	11
Brain Tumour (Not Specific) ...	10	5	1	8	5	7	54	72	41	33	10	6	7	4	5	7
Other Diseases of Nervous System	16	20	15	14	32	39	158	144	108	116	21	26	54	40	28	37
Otitis, Mastoid Disease ...	13	10	11	5	16	9	111	61	64	39	17	9	18	21	14	10
Epistaxis, Diseases of Nose	—	1	—	—	3	3	4	5	3	4	—	1	2	—	—	3
Ophthalmia, Diseases of Eye	1	—	1	—	—	—	7	—	6	2	—	—	1	1	4	—
Valvular Disease, Endocarditis (not Infective).	122	153	100	128	185	220	997	1251	764	973	112	123	276	307	211	217
Pericarditis ...	4	2	2	3	6	3	30	24	24	13	3	—	8	4	2	1
Hypertrophy of Heart ...	5	4	1	1	5	3	14	7	8	—	2	—	2	1	1	—
Angina Pectoris ...	6	5	5	6	14	11	99	43	61	42	9	4	29	9	18	3
Dilatation of Heart ...	11	18	19	18	56	53	330	382	156	146	21	24	47	45	31	17
Fatty Degeneration of Heart	16	30	7	13	28	39	110	136	94	106	18	20	26	36	4	19
Syncope, Heart Disease (not specified).	260	314	210	209	338	381	1761	1971	1056	1237	191	164	471	432	253	241

Note.—For continuation of this Table, see page 384.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 371.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardiganshire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	31	15	4	2	29	25	104	82	16	7	3	5	1	4	6	4
Softening of Brain ...	7	11	6	4	15	6	25	17	2	5	2	4	3	3	—	—
General Paralysis of Insane	6	4	2	1	12	3	50	11	2	3	—	—	2	2	17	1
Insanity (not Puerperal) ...	2	—	—	—	1	4	57	53	4	4	1	2	4	6	2	3
Chorea ...	—	2	—	—	—	2	6	11	—	—	—	2	—	—	—	—
Epilepsy ...	17	13	—	2	16	12	40	34	9	7	3	6	4	6	10	2
Convulsions ..	45	33	5	6	132	91	396	358	63	42	24	14	24	20	11	10
Laryngismus Stridulus ...	3	4	—	1	2	2	2	6	—	—	2	1	—	—	1	—
Locomotor Ataxy ...	4	2	—	—	4	—	20	2	5	1	—	1	1	—	—	—
Paraplegia, Diseases of Cord	9	9	2	—	3	—	29	30	3	3	2	4	2	5	5	3
Neuritis, Peripheral, Poly-Neuritis	1	1	—	—	—	2	5	8	—	1	—	—	1	1	—	1
Brain Tumour (not Specific) ...	3	—	—	—	8	4	10	9	1	1	1	1	2	—	—	—
Other Diseases of Nervous System	7	6	2	3	11	9	30	21	4	3	4	—	1	6	3	6
Otitis, Mastoid Disease ...	2	4	—	—	8	3	18	12	—	2	1	3	3	—	—	—
Epistaxis, Diseases of Nose	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—
Ophthalmia, Diseases of Eye	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Valvular Disease, Endocarditis (not Infective).	67	85	18	19	73	84	215	217	25	29	14	16	27	33	10	14
Pericarditis ...	2	3	1	—	—	1	4	1	1	—	1	—	—	1	—	1
Hypertrophy of Heart ...	1	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—
Angina Pectoris ...	2	3	2	—	7	4	20	12	1	2	6	—	—	—	1	—
Dilatation of Heart...	5	10	1	1	12	9	70	50	7	4	9	6	7	6	2	—
Fatty Degeneration of Heart	11	8	1	2	6	7	23	27	4	7	1	3	2	9	1	—
Syncope, Heart Disease (not specified).	127	142	28	25	135	126	410	330	59	80	64	70	41	69	30	21

Note.—For continuation of this Table, see page 385.

CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.									
	Radnorshire.		Montgomery- shire.		Flintshire.		Denbighshire.		Merionethshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	—	1	3	1	11	6	9	5	6	9
Softening of Brain ...	1	—	2	1	4	1	11	10	6	5
General Paralysis of Insane	—	—	2	—	1	—	5	1	—	2
Insanity (not Puerperal) ...	—	—	4	1	—	—	3	4	1	1
Chorea ...	—	—	—	—	—	—	—	—	—	—
Epilepsy ...	1	—	1	1	1	1	8	3	2	4
<i>Convulsions</i> ...	2	2	14	9	13	13	34	26	15	35
Laryngismus Stridulus ...	1	—	—	—	—	—	1	—	2	—
Locomotor Ataxy ...	—	—	1	—	2	4	8	5	2	3
Paraplegia, Diseases of Cord	—	—	1	—	1	—	1	3	1	1
Neuritis, Peripheral, Poly-Neuritis	—	—	—	—	—	—	—	—	—	—
<i>Brain Tumour</i> (not Specific) ...	1	—	—	1	—	1	1	1	1	—
Other Diseases of Nervous System	2	1	—	1	1	2	7	8	2	9
Otitis, Mastoid Disease ...	—	—	—	—	—	—	3	—	—	2
Epistaxis, Diseases of Nose	—	—	—	—	—	—	—	—	—	—
Ophthalmia, Diseases of Eye	—	—	—	—	—	—	—	—	—	—
Valvular Disease. Endocarditis (not Infective).	4	5	15	14	16	29	30	43	20	53
Pericarditis ...	—	—	1	1	—	3	—	—	—	1
Hypertrophy of Heart ...	—	—	2	1	—	—	—	2	1	—
Angina Pectoris ...	1	—	3	—	1	1	3	3	—	3
Dilatation of Heart ...	2	1	6	4	6	5	3	6	4	7
Fatty Degeneration of Heart	—	2	3	5	1	—	3	3	5	7
<i>Syncope, Heart Disease</i> (not specified).	7	15	28	43	23	19	76	63	24	54

Note.—For continuation of this Table, see page 386.

CAUSES of DEATH in REGISTRATION COUNTIES, 1909—continued from page 373.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
Cerebral Hæmorrhage. Cerebral Embolism.	7999	9939	816	1091	192	233	218	278	125	184	205	244	94	91
<i>Apoplexy, Hemiplegia</i>	3609	4485	239	356	46	60	84	93	55	76	90	92	24	29
Aneurysm ...	946	221	234	51	25	8	21	6	25	5	44	6	9	1
Senile Gangrene ...	845	706	100	77	22	16	23	23	13	15	22	16	6	4
Embolic, Thrombosis (not Cerebral).	203	269	32	40	4	4	10	9	4	8	5	8	—	3
Phlebitis ...	55	93	8	10	2	3	4	7	—	3	2	4	—	—
Varicose Veins ...	33	79	1	9	1	2	—	1	2	3	1	4	1	—
Other Diseases of Blood Vessels ...	1975	1143	272	162	85	79	67	41	36	25	60	26	32	14
Laryngitis ...	566	425	47	31	8	4	12	8	6	2	7	8	5	1
<i>Membranous Laryngitis</i> (not Diphtheritic).	17	14	—	1	—	—	—	—	1	1	—	—	—	—
<i>Croup</i> (not Spasmodic nor Membranous).	130	111	1	6	1	1	4	2	—	1	3	2	1	—
Other Diseases of Larynx and Trachea.	15	13	2	3	—	—	—	—	—	—	1	—	—	—
Bronchitis ...	19404	21414	2762	3344	298	412	414	473	240	367	364	392	126	158
Emphysema, Asthma ...	1089	837	192	141	23	29	42	19	24	14	24	26	8	10
Pleurisy ...	815	588	136	94	18	10	30	10	10	12	17	14	3	2
Fibroid Disease of Lung ...	420	163	34	26	7	4	5	3	1	3	5	5	2	—
Other Diseases of Respiratory System.	1361	1341	199	213	29	29	27	29	26	28	20	34	9	6

Note.—For continuation of this Table, see page 387.

CAUSES of DEATH in REGISTRATION COUNTIES, 1909—continued from page 375.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.						DIVISION V. SOUTH WESTERN COUNTIES.									
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Cerebral Hæmorrhage, Cerebral Embolism.	232	272	85	133	122	154	91	82	52	69	195	271	85	140	141	188
<i>Apoplexy, Hemiplegia</i> ...	96	114	43	51	72	81	36	39	23	23	81	85	21	57	42	73
Aneurysm ...	35	7	7	3	14	1	10	—	4	2	19	4	10	2	12	5
Senile Gangrene ...	24	20	19	11	27	17	7	11	4	4	11	18	11	15	13	20
Embolism, Thrombosis (not Cerebral).	7	5	3	3	3	5	—	1	1	1	10	6	—	2	3	4
Phlebitis ...	1	2	—	2	—	—	1	1	2	—	4	—	3	—	—	1
Varicose Veins ...	2	1	—	1	1	1	—	1	—	2	2	—	—	—	2	1
Other Diseases of Blood Vessels ...	69	25	24	9	45	22	15	5	10	3	37	25	13	5	22	13
Laryngitis ...	7	11	3	3	4	5	—	1	1	1	12	12	2	5	5	1
<i>Membranous Laryngitis</i> (not Diphtheritic).	1	1	—	1	—	—	1	1	—	—	1	—	—	—	—	—
<i>Croup</i> (not Spasmodic nor Membranous).	4	2	—	—	1	—	1	—	—	—	4	—	1	—	—	1
Other Diseases of Larynx and Trachea.	2	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—
Bronchitis ...	633	720	156	154	243	252	102	137	95	85	347	410	125	140	196	222
Emphysema, Asthma ...	37	34	12	6	11	7	11	5	7	8	27	19	14	8	10	12
Pleurisy ...	15	15	8	4	6	3	3	6	6	4	21	18	8	6	9	7
Fibroid Disease of Lung ...	9	1	3	2	4	3	2	1	3	—	8	1	44	—	2	1
Other Diseases of Respiratory System.	63	52	16	9	22	30	10	14	16	11	46	35	8	12	23	22

Note.—For continuation of this Table, see page 389.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Cerebral Hæmorrhage, Cerebral Embolism.	182	229	45	44	76	92	258	312	134	154	224	280	99	125	6	7	125	147
<i>Apoplexy, Hemiplegia</i> ...	45	70	11	10	37	40	123	150	45	63	73	111	50	71	2	13	84	106
Aneurysm ...	20	6	1	—	4	—	18	6	7	1	25	3	9	2	—	—	16	9
Senile Gangrene ...	17	15	6	3	13	9	32	19	13	14	21	30	7	3	—	—	22	12
Embolism, Thrombosis (not Cerebral).	6	9	—	1	1	1	8	6	2	11	7	7	2	2	—	—	1	4
Phlebitis ...	—	3	—	1	2	—	4	3	—	—	1	—	1	—	—	—	—	—
Varicose Veins ...	—	2	—	—	—	1	2	3	1	2	—	2	—	2	—	—	2	2
Other Diseases of Blood Vessels ...	42	29	5	5	17	14	50	27	40	13	34	22	27	12	1	—	33	8
Laryngitis ...	9	3	5	—	6	2	25	18	7	6	14	8	7	13	—	—	5	7
<i>Membranous Laryngitis</i> (not Diphtheritic).	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
<i>Croup</i> (not Spasmodic nor Membranous).	2	1	1	—	2	1	10	9	2	—	2	2	7	5	—	—	4	2
Other Diseases of Larynx and Trachea.	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—
Bronchitis ...	324	390	56	56	109	138	1039	951	311	327	598	647	236	283	7	15	252	261
Emphysema, Asthma ...	20	13	11	5	5	8	28	17	11	9	38	14	6	11	1	—	17	11
Pleurisy ...	21	8	1	3	5	5	29	20	11	6	20	27	2	5	—	—	5	6
Fibroid Disease of Lung ...	5	3	2	—	3	2	24	5	7	3	11	4	3	2	—	—	2	1
Other Diseases of Respiratory System.	34	37	5	7	13	11	40	48	11	26	45	29	12	19	—	—	26	23

Note.—For continuation of this Table, see page 390.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 377.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.					
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northumber- land.	
	Males.		Males.		Males.		Males.		Males.		Males.		Males.		Males.		Males.	
	Females.		Females.		Females.		Females.		Females.		Females.		Females.		Females.		Females.	
Cerebral Hæmorrhage, Cerebral Embolism.	140	171	136	150	185	249	1154	1432	793	897	121	134	95	118	310	356	146	160
<i>Apoplexy, Hemiplegia</i>	111	114	54	64	118	97	543	682	381	504	71	75	43	65	193	216	68	99
Aneurysm ...	19	3	4	3	10	3	100	23	56	19	26	6	7	3	23	3	15	4
Senile Gangrene ...	10	17	9	10	21	15	108	78	83	50	19	17	12	9	24	23	14	12
Embolic, Thrombosis (not Cerebral).	7	4	6	3	3	6	23	37	19	21	4	—	1	2	1	6	6	2
Phlebitis ...	1	—	—	2	1	1	5	11	6	11	—	1	—	5	2	3	—	1
Varicose Veins ...	—	2	1	—	—	1	7	12	1	8	—	—	—	3	—	1	2	4
Other Diseases of Blood Vessels ...	39	12	21	11	44	21	276	164	199	119	21	11	15	13	54	23	32	8
Laryngitis ...	17	9	6	7	12	8	93	83	63	47	10	2	13	6	39	37	8	9
<i>Membranous Laryngitis</i> (not Diphtheritic).	—	—	—	—	—	—	3	2	2	—	—	—	—	1	1	1	—	1
<i>Croup</i> (not Spasmodic nor Membranous).	—	3	—	1	4	2	30	29	10	10	1	2	1	—	10	6	3	4
Other Diseases of Larynx and Trachea.	—	—	—	—	1	—	2	1	—	4	1	1	—	—	—	—	—	—
Bronchitis ..	379	423	274	290	435	507	3528	4012	1761	1821	244	269	188	198	770	697	320	284
Emphysema, Asthma	24	17	16	8	19	24	119	103	84	57	17	17	8	13	47	25	16	19
Pleurisy ...	4	12	8	3	20	15	123	91	87	57	16	9	13	10	32	17	21	12
Fibroid Disease of Lung ...	5	5	7	—	12	4	57	26	65	16	5	5	—	—	14	9	11	1
Other Diseases of Respiratory System.	18	21	15	10	33	34	209	194	76	77	20	20	16	11	53	45	27	17

Note.—For continuation of this Table, see page 391.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 378.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardiganshire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Cerebral Hæmorrhage, Cerebral Embolism.	65	77	19	16	64	83	188	227	29	48	16	29	14	28	21	22
<i>Apoplexy, Hemiplegia</i> ...	45	33	9	10	55	64	117	149	17	24	10	14	18	19	6	6
Aneurysm ...	5	—	—	—	9	—	24	3	1	2	2	2	2	—	—	—
Senile Gangrene ...	9	12	2	1	6	8	7	18	1	4	2	—	1	3	2	2
Embolism, Thrombosis (not Cerebral).	2	1	—	2	5	2	5	9	1	2	1	2	—	—	—	—
Phlebitis ...	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—
Varicose Veins ...	—	1	—	—	—	—	—	1	—	3	—	—	—	—	—	—
Other Diseases of Blood Vessels ...	15	7	3	3	7	9	34	22	9	5	3	6	4	3	1	1
Laryngitis ...	5	4	—	1	14	9	33	14	2	2	3	2	2	—	1	1
<i>Membranous Laryngitis</i> (not Diphtheritic).	2	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—
<i>Croup</i> (not Spasmodic nor Membranous).	1	—	—	—	1	3	9	7	1	2	—	—	—	—	—	—
Other Diseases of Larynx and Trachea.	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Bronchitis ...	121	129	24	25	212	169	581	503	55	69	31	40	33	58	33	32
Emphysema, Asthma ...	6	7	2	3	11	8	40	18	1	2	4	2	5	6	—	2
Pleurisy ...	7	7	1	—	8	4	22	11	7	4	2	4	6	2	—	—
Fibroid Disease of Lung ...	8	2	—	1	2	—	7	5	—	1	6	2	6	1	—	—
Other Diseases of Respiratory System.	8	3	3	2	25	21	29	30	5	2	3	5	—	1	6	5

Note.—For continuation of this Table, see page 392.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 379.

PART OF DIVISION XI.
MONMOUTHSHIRE AND WALES.

CAUSES OF DEATH.	Radnorshire.		Montgomeryshire.		Flintshire.		Denbighshire.		Merionethshire.		Carmarvonshire.		Anglesey.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Cerebral Hæmorrhage, Cerebral Embolism.	4	3	18	14	17	34	40	47	24	20	37	56	8	15
<i>Apoplexy, Hemiplegia.</i>	3	4	19	14	19	18	11	33	16	13	22	33	13	11
Aneurysm ...	—	—	1	1	1	—	5	1	1	2	4	—	1	—
Senile Gangrene ...	—	—	1	3	1	3	4	—	—	1	2	3	1	1
Embolism, Thrombosis (not Cerebral).	—	—	—	—	—	1	—	2	—	—	—	1	1	—
Phlebitis ...	—	—	—	1	—	1	1	3	—	1	—	1	—	1
Varicose Veins ...	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Other Diseases of Blood Vessels ...	—	—	1	3	5	3	8	3	3	2	5	8	3	2
Laryngitis ...	—	—	—	—	—	3	5	2	5	3	—	2	—	—
<i>Membranous Laryngitis</i> (not Diphtheritic).	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Croup</i> (not Spasmodic nor Membranous).	—	—	1	—	—	1	—	—	—	—	—	2	1	—
Other Diseases of Larynx and Trachea.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis ...	12	8	35	35	28	30	72	82	22	24	45	46	10	11
Emphysema, Asthma ...	—	1	1	2	2	2	5	3	1	—	7	—	—	2
Pleurisy ...	—	—	2	3	3	1	2	4	3	—	4	2	1	1
Fibroid Disease of Lung ...	—	—	3	—	1	—	5	—	3	—	1	2	1	—
Other Diseases of Respiratory System.	1	1	6	3	2	—	7	6	3	2	9	5	4	1

Note.—For continuation of this Table, see page 393.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
Tonsillitis, Quinsy ... Diseases of Mouth, Pharynx, Esophagus (not Specific). Gastric Ulcer ... Gastritis, <i>Gastric Catarrh</i> ... Other Diseases of Stomach (not Malignant). Ulceration of Intestines ... Enteritis (not Epidemic) ... <i>Gastro-enteritis</i> ... Appendicitis, Perityphlitis ... Hernia ... Intestinal Obstruction ... Other Diseases of Intestines ... <i>Peritonitis</i> (not Puerperal) ... Cirrhosis of Liver ... Other Diseases of Liver and Gall Bladder. Other Diseases of Digestive System	221 295 688 1592 252 485 1994 1567 1279 695 1355 147 282 2048 825 217	164 268 1040 1666 206 297 1714 1333 997 806 1262 151 333 1481 1137 240	26 35 141 125 29 89 259 252 223 108 175 15 31 306 95 33	16 27 138 110 28 38 218 184 169 111 173 30 46 282 156 32	7 5 12 25 3 13 43 23 25 14 34 4 2 46 19 10	1 5 30 30 6 8 32 21 27 22 23 5 2 44 27 4	4 6 22 24 6 10 36 20 40 20 40 8 7 68 29 2	5 5 28 38 4 8 43 29 23 16 33 8 9 55 25 10	3 7 7 18 2 10 7 18 16 18 30 6 5 32 20 7	— 2 23 18 8 5 11 9 23 11 23 6 7 38 26 8	7 7 17 28 4 17 28 29 38 16 40 10 9 53 26 8	3 6 35 24 3 12 35 26 21 22 33 7 7 33 25 5	1 1 10 12 4 5 4 6 — 4 29 4 1	1 2 3 10 1 3 13 8 7 8 11 2 3 15 2

Note.—For continuation of this Table, see page 394.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 381.

CAUSES OF DEATH.		DIVISION III. SOUTH MIDLAND COUNTIES.												Cambridge-shire.	
		Middlesex.		Hertfordshire.		Buckingham-shire.		Oxfordshire.		Northamptonshire.		Huntingdon-shire.		Bedford-shire.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy	9	5	1	—	1	1	1	1	3	1	1	1	1	—
Diseases of Mouth, Pharynx, Esophagus (not Specific).	...	7	4	2	2	1	1	3	1	4	5	1	—	2	3
Gastric Ulcer	...	5	19	3	4	7	6	4	5	7	8	—	6	6	4
Gastritis, Gastric Catarrh...	...	40	29	6	6	5	9	4	3	19	12	2	10	5	6
Other Diseases of Stomach (not Malignant).	...	8	4	1	—	1	—	1	—	2	1	1	—	2	1
Ulceration of Intestines	12	8	—	1	2	1	3	3	6	3	—	2	1	1
Enteritis (not Epidemic)	41	18	10	4	8	9	8	8	14	5	—	4	7	10
Gastro-enteritis	30	28	4	4	8	4	10	6	8	15	2	3	7	4
Appendicitis, Perityphlitis...	...	31	25	8	7	2	4	10	4	13	9	2	3	8	7
Hernia	11	20	3	10	6	1	5	4	4	5	—	1	2	3
Intestinal Obstruction	19	20	11	11	4	6	11	12	9	13	—	1	13	4
Other Diseases of Intestines	...	1	4	3	2	2	—	1	—	—	1	—	—	—	—
Feritonitis (not Puerperal)	...	5	5	1	1	—	2	2	3	3	1	1	—	1	3
Cirrhosis of Liver	44	46	21	11	9	6	14	2	17	5	2	6	10	8
Other Diseases of Liver and Gall Bladder.	...	11	33	3	15	3	6	3	4	6	8	—	3	6	8
Other Diseases of Digestive System	...	5	6	3	2	1	2	1	—	2	3	—	—	3	2
Diseases of Spleen	1	1	1	—	—	—	—	—	—	—	—	—	—	1
Other Diseases of Lymphatic System.	...	6	6	1	—	1	2	2	—	4	1	1	1	2	1
Diseases of Thyroid Body	1	14	1	5	—	6	1	3	3	3	—	5	1	4
Diseases of Supra Renal Capsules	...	3	5	1	—	2	—	1	1	3	—	—	1	1	3
Acute Nephritis, Uræmia	30	29	9	14	1	6	6	5	15	9	2	9	13	10
Chronic Bright's Disease, Albuminuria.	...	136	109	38	52	31	33	31	29	62	32	3	17	33	26
Calculus (not Biliary)	1	4	—	—	—	1	1	1	1	1	—	—	2	—
Diseases of Bladder and of Prostate	...	53	6	16	2	12	2	30	1	24	—	6	—	13	4
Other Diseases of Urinary System	...	11	2	3	—	1	1	2	—	—	2	1	—	3	—

Note.—For continuation of this Table, see page 395.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.						DIVISION V. SOUTH WESTERN COUNTIES.					
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy ...	5	2	2	1	4	1	1	1	1	1	6	1
Diseases of Mouth, Pharynx, Esophagus (not Specific).	12	6	4	3	4	7	1	1	—	—	3	1
Gastric Ulcer ...	14	29	9	9	10	16	3	7	7	20	12	12
Gastritis, <i>Gastric Catarrh</i> ...	30	40	7	9	12	18	14	4	5	38	34	25
Other Diseases of Stomach (not Malignant).	9	5	5	—	3	4	3	—	2	5	14	3
Ulceration of Intestines ...	10	7	4	1	6	3	1	4	1	4	11	10
Enteritis (not Epidemic) ...	66	44	18	18	7	14	16	7	6	33	24	13
<i>Gastro-enteritis</i> ...	54	36	5	14	8	4	6	2	11	17	26	10
Appendicitis, Perityphilitis ...	29	21	13	9	19	9	11	6	6	23	21	15
Hernia ...	13	18	6	7	10	7	3	7	7	13	6	12
Intestinal Obstruction ...	43	41	11	11	17	19	14	10	10	30	20	14
Other Diseases of Intestines ...	4	2	2	3	—	2	1	1	1	1	5	22
<i>Puerperal</i> (not Puerperal)	5	8	—	4	4	1	2	5	1	7	2	1
<i>Puerperitis</i> (not Puerperal)	63	46	25	12	31	19	11	13	6	26	35	14
Cirrhosis of Liver ...	22	23	3	17	10	22	3	13	6	25	32	16
Other Diseases of Liver and Gall Bladder.	9	14	1	3	5	6	5	3	2	8	4	6
Other Diseases of Digestive System												
Diseases of Spleen ...	1	—	1	1	2	—	—	1	1	1	—	1
Other Diseases of Lymphatic System.	9	6	4	—	4	2	1	—	—	1	4	—
Diseases of Thyroid Body ...	1	18	1	9	—	10	1	9	—	18	2	11
Diseases of Supra Renal Capsules	4	3	—	—	—	1	1	2	—	6	1	2
Acute Nephritis, Uræmia ...	59	58	8	22	25	18	9	14	6	43	17	23
Chronic Bright's Disease, Albu- minuria.	173	178	67	57	60	47	35	28	25	113	41	69
Calculus (not Biliary) ...	3	2	4	—	6	3	3	—	—	5	1	—
Diseases of Bladder and of Prostate	55	9	29	5	44	3	18	2	—	62	19	6
Other Diseases of Urinary System	14	3	4	2	5	3	—	1	—	4	2	3

Note.—For continuation of this Table, see page 396.

CAUSES of DEATH in REGISTRATION COUNTIES, 1909—continued from page 383.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.								PART OF DIVISION VII. NORTH MIDLAND COUNTIES.									
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy ...	2	3	—	—	3	1	10	7	5	3	8	5	3	2	—	—	2	4
Diseases of Mouth, Pharynx, Esophagus (not Specific).	5	4	—	1	—	2	20	7	—	4	14	5	3	2	—	—	5	4
Gastric Ulcer ...	18	16	7	3	5	9	21	39	6	12	17	22	9	16	—	—	9	13
Gastritis, Gastric Catarrh...	28	27	6	3	17	20	82	68	18	30	67	67	16	22	2	2	23	29
Other Diseases of Stomach (not Malignant).	4	7	1	—	1	2	14	5	1	2	8	4	2	3	—	—	3	1
Ulceration of Intestines ...	9	7	2	2	2	—	13	9	5	6	20	8	3	2	—	—	4	4
Enteritis (not Epidemic) ...	27	27	1	6	10	17	110	78	48	29	74	69	29	24	—	1	18	22
Gastro-enteritis ...	25	19	7	1	10	4	83	66	31	29	47	37	19	15	—	—	21	21
Appendicitis, Perityphlitis ...	25	23	2	4	7	6	48	42	22	14	52	24	19	12	—	1	11	11
Hernia ...	17	16	3	—	7	7	36	22	6	8	13	24	10	7	—	—	11	9
Intestinal Obstruction ...	27	26	2	6	13	11	46	43	23	10	52	31	22	23	—	—	31	19
Other Diseases of Intestines	3	6	—	—	—	1	8	5	1	—	6	5	—	2	—	—	—	5
Peritonitis (not Puerperal)	6	5	—	1	4	4	16	13	3	2	7	11	2	3	—	—	4	6
Cirrhosis of Liver ...	39	29	2	1	12	13	93	68	25	31	59	64	21	12	1	—	30	15
Other Diseases of Liver and Gall Bladder.	9	22	1	4	8	13	35	39	10	12	23	45	10	9	—	—	17	16
Other Diseases of Digestive System	3	4	—	—	2	3	6	8	5	3	2	4	3	2	1	1	3	—
Diseases of Spleen ...	1	—	1	—	—	1	1	1	1	1	—	1	1	2	—	—	—	1
Other Diseases of Lymphatic System.	6	1	1	3	1	1	13	5	4	5	9	9	2	5	—	—	4	—
Diseases of Thyroid Body ...	1	9	—	4	2	5	1	12	—	7	3	19	2	2	—	—	2	10
Diseases of Supra Renal Capsules	2	1	—	—	—	1	—	3	1	1	1	2	1	4	—	—	—	4
Acute Nephritis, Uræmia ...	50	48	5	5	8	10	87	83	39	24	59	54	20	22	3	1	20	12
Chronic Bright's Disease, Albuminuria.	120	105	13	15	48	38	140	140	102	55	96	102	73	47	5	—	66	65
Calculus (not Biliary) ...	4	—	—	—	1	—	2	2	2	1	3	—	—	2	—	—	4	2
Diseases of Bladder and of Prostate	63	3	8	1	23	2	65	6	38	2	59	6	35	4	2	—	41	4
Other Diseases of Urinary System	5	3	1	—	5	—	13	5	5	3	10	4	4	3	—	—	7	2

Note.—For continuation of this Table, see page 397.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		Durham.		Northumberland.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy ...	2	1	6	2	6	5	30	33	14	19	—	—	18	11	7	5
Diseases of Mouth, Pharynx, Oesophagus (not specific).	3	5	4	6	8	6	54	56	16	21	3	1	6	9	8	7
Gastric Ulcer	13	25	6	12	21	30	93	156	51	73	6	14	25	38	10	27
Gastritis, <i>Gastric Catarrh</i> ...	22	44	20	19	49	41	329	321	100	117	22	23	62	82	27	36
Other Diseases of Stomach (not Malignant).	3	2	—	1	10	8	36	25	26	15	2	3	9	9	1	7
Ulceration of Intestines ...	4	5	7	3	4	5	67	52	58	28	9	1	17	8	14	11
Enteritis (not Epidemic) ...	57	46	36	17	50	34	376	322	186	165	24	13	72	78	50	35
<i>Gastro-enteritis</i> ...	42	41	26	21	26	25	269	255	105	93	16	16	66	54	29	34
Appendicitis, Perityphlitis ...	24	14	14	15	40	26	179	154	92	86	14	15	39	18	24	31
Hernia ...	13	15	8	8	12	18	105	135	63	85	15	10	18	30	17	17
Intestinal Obstruction ...	23	25	25	18	31	29	196	186	89	115	20	16	39	42	26	15
Other Diseases of Intestines	2	3	2	1	1	1	13	18	10	4	2	1	12	7	3	2
<i>Peritonitis</i> (not Puerperal) ...	5	4	6	6	10	5	45	68	25	25	2	8	9	13	9	7
Cirrhosis of Liver ...	48	29	44	20	57	23	261	203	190	109	25	28	62	31	40	17
Other Diseases of Liver and Gall Bladder.	22	30	10	10	18	16	112	170	86	108	10	20	24	32	16	33
Other Diseases of Digestive System	2	2	3	3	5	4	22	25	23	24	4	1	11	9	4	5
Diseases of Spleen ...	1	—	1	—	1	1	—	3	2	5	—	—	—	—	1	—
Other Diseases of Lymphatic System.	9	1	2	4	2	5	23	18	20	13	1	4	6	5	6	7
Diseases of Thyroid Body ...	4	10	3	6	4	9	5	68	7	38	1	5	4	19	3	15
Diseases of Supra Renal Capsules	2	2	2	1	4	1	15	24	8	12	1	3	—	6	3	2
Acute Nephritis, Uræmia ...	32	32	20	21	44	37	354	377	176	155	29	15	100	68	56	45
Chronic Bright's Disease, Albuminuria	83	80	76	63	149	130	812	731	523	473	68	48	153	111	134	107
Calculus (not Biliary) ...	7	4	—	2	1	2	22	4	14	7	1	2	5	2	5	2
Diseases of Bladder and of Prostate	50	1	20	1	44	7	242	29	174	20	29	2	58	9	39	6
Other Diseases of Urinary System	13	5	4	1	12	1	53	17	26	13	10	1	9	4	15	1

Note.—For continuation of this Table, see page 398.

CAUSES of DEATH in REGISTRATION COUNTIES, 1909—continued from page 385.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.							
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy ...	1	1	—	1	5	1	4	6	1	1	2	1
Diseases of Mouth, Pharynx, Esophagus (not Specific).	3	2	—	—	2	4	13	18	6	6	—	2
Gastric Ulcer ...	26	17	1	4	4	6	17	31	1	7	3	1
Gastritis, Gastric Catarrh...	4	17	3	2	38	26	123	108	9	14	4	3
Other Diseases of Stomach (not Malignant).	—	—	—	—	—	2	13	10	—	—	—	—
Ulceration of Intestines ...	4	1	1	—	1	3	8	4	—	2	1	1
Enteritis (not Epidemic) ...	14	24	—	2	29	31	81	62	4	4	6	—
Gastro-enteritis ...	13	15	7	—	44	28	65	60	11	7	5	3
Appendicitis, Perityphlitis ...	13	6	4	4	13	9	46	17	1	2	1	1
Hernia ...	2	6	1	1	8	9	8	31	6	3	3	1
Intestinal Obstruction ...	14	7	3	3	8	16	34	37	11	7	3	3
Other Diseases of Intestines	1	2	—	—	3	3	5	3	—	—	—	—
Peritonitis (not Puerperal)	1	2	—	2	5	4	10	7	—	1	4	—
Cirrhosis of Liver ...	11	2	2	2	20	20	44	32	11	—	3	4
Other Diseases of Liver and Gall Bladder.	12	6	1	5	13	9	28	25	2	1	3	5
Other Diseases of Digestive System	1	—	1	—	1	3	4	9	—	1	1	1
Diseases of Spleen ...	—	—	—	—	—	1	1	—	—	—	—	—
Other Diseases of Lymphatic System.	3	2	1	1	1	—	3	8	—	—	—	—
Diseases of Thyroid Body ...	1	6	—	5	—	6	3	13	—	2	—	4
Diseases of Supra Renal Capsules	—	—	1	—	2	1	1	—	—	1	—	1
Acute Nephritis, Uræmia ...	11	14	5	3	30	29	88	86	9	10	9	2
Chronic Bright's Disease, Albuminuria.	38	39	10	11	40	42	116	91	18	21	13	18
Calculus (not Biliary) ...	1	—	—	—	—	—	3	2	1	—	—	—
Diseases of Bladder and of Prostate	12	2	6	1	23	1	56	4	10	—	7	—
Other Diseases of Urinary System	1	—	1	—	2	1	14	3	—	1	4	—

Note.—For continuation of this Table, see page 399.

PART OF DIVISION XI.
MONMOUTHSHIRE AND WALES.

CAUSES OF DEATH.	Radnorshire.		Montgomeryshire.		Flintshire.		Denbighshire.		Merionethshire.		Carnarvonshire.		Anglesey.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy ...	—	1	—	—	2	—	2	—	—	—	—	—	—	—
Diseases of Mouth, Pharynx, Oesophagus (not Specific).	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastric Ulcer ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis, Gastric Catarrh...	1	1	2	1	3	2	3	6	1	4	4	9	4	2
Other Diseases of Stomach (not Malignant).	—	—	3	1	—	—	—	—	2	1	1	10	1	1
Ulceration of Intestines ...	—	—	—	—	1	—	—	—	1	—	3	1	—	—
Enteritis (not Epidemic) ...	1	—	2	4	2	2	7	8	2	1	5	3	6	1
Gastro-enteritis ...	—	—	2	1	5	2	6	2	3	8	6	3	2	2
Appendicitis, Perityphlitis ...	2	1	—	—	2	2	4	4	—	—	3	—	1	2
Hernia ...	—	—	1	—	2	2	14	5	1	2	10	4	1	3
Intestinal Obstruction ...	1	—	2	2	—	—	2	11	—	—	2	—	1	—
Other Diseases of Intestines ...	—	1	1	—	1	—	2	1	—	—	2	—	1	—
Peritonitis (not Puerperal) ...	—	1	3	1	—	—	1	—	—	—	2	—	2	—
Cirrhosis of Liver ...	2	—	6	1	4	—	2	5	2	4	8	3	3	—
Other Diseases of Liver and Gall Bladder.	—	1	3	2	3	—	4	2	—	4	4	3	—	—
Other Diseases of Digestive System	—	—	—	—	1	—	1	1	—	1	—	2	—	—
Diseases of Spleen ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Lymphatic System.	1	—	—	—	1	—	3	—	—	—	1	1	1	—
Diseases of Thyroid Body ...	—	—	1	—	—	—	—	—	—	—	—	2	—	—
Diseases of Supra Renal Capsules	—	—	—	—	1	—	2	—	—	3	1	—	—	—
Acute Nephritis, Uremia ...	—	1	4	1	5	10	10	8	8	9	9	12	—	4
Chronic Bright's Disease, Albuminuria.	2	2	8	2	7	29	21	12	11	43	20	20	9	4
Calculus (not Biliary) ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of Bladder and of Prostate	2	—	9	—	—	5	—	—	8	22	—	4	7	—
Other Diseases of Urinary System	—	—	3	—	—	1	1	1	1	2	2	—	—	—

Note.—For continuation of this Table, see page 400.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 387.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
Ovarian Tumour (not Malignant)	—	307	—	58	—	7	—	—	—	—	—	—	—	—
Other Diseases of Ovary ...	—	33	—	3	—	—	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant)...	—	293	—	61	—	7	—	—	—	—	—	—	—	—
Other Diseases of Uterus and Vagina.	—	337	—	71	—	1	—	—	—	—	—	—	—	—
Disorders of Menstruation...	—	33	—	3	—	1	—	—	—	—	—	—	—	—
Other Diseases of Generative and Mammary Organs.	50	12	3	2	—	1	—	4	—	—	—	1	—	—
Abortion, Miscarriage	—	85	—	9	—	1	—	—	—	—	—	—	—	1
Puerperal Mania ...	—	42	—	4	—	1	—	—	—	—	—	—	—	1
Puerperal Convulsions ...	—	462	—	29	—	4	—	—	—	—	—	—	—	5
Placenta Prævia, Flooding	—	574	—	66	—	9	—	—	—	—	—	—	—	2
Other Accidents of Pregnancy and Childbirth.	—	787	—	67	—	15	—	—	—	—	—	—	—	4
Caries, Necrosis	106	81	20	11	8	1	3	—	1	3	5	—	2	—
Arthritis, Periostitis	154	102	25	19	5	—	4	—	4	3	2	4	2	1
Other Diseases of Locomotor System	174	127	53	17	2	1	1	—	4	4	—	1	—	—
Ulcer, Bed-sore	152	278	24	36	6	7	2	—	—	8	2	6	3	2
Eczema	141	107	12	14	1	1	3	—	5	2	1	3	2	—
Pemphigus	113	101	16	12	2	4	4	—	5	1	3	1	—	1
Other Diseases of the Skin	111	124	10	23	4	4	4	—	3	2	2	5	2	1
OTHER SPECIFIED DISEASES	3	2	1	—	1	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 401.

DIVISION III.
SOUTH MIDLAND COUNTIES.

CAUSES OF DEATH.	Middlesex.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.		Bedfordshire.		Cambridgeshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
<i>Ovarian Tumour</i> (not Malignant)	—	8	—	5	—	1	—	—	—	5	—	—	—	2	—	5
Other Diseases of Ovary ...	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Uterine Tumour</i> (not Malignant)...	—	6	—	1	—	—	—	2	—	3	—	—	—	1	—	1
Other Diseases of Uterus and Vagina.	—	8	—	3	—	2	—	2	—	3	—	—	—	3	—	2
Disorders of Menstruation...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Other Diseases of Generative and Mammary Organs.	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Abortion, Miscarriage ...	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Puerperal Mania ...	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions ...	—	4	—	4	—	2	—	5	—	5	—	2	—	3	—	4
Placenta Prævia, Flooding	—	16	—	2	—	4	—	3	—	4	—	—	—	3	—	1
Other Accidents of Pregnancy and Childbirth.	—	18	—	5	—	3	—	5	—	6	—	—	—	6	—	3
Caries, Necrosis ...	4	2	1	—	2	2	1	1	—	—	1	—	—	2	—	1
Arthritis, Periostitis ...	4	5	—	1	—	—	1	—	1	—	—	—	—	—	1	1
Other Diseases of Locomotor System	6	3	2	1	—	—	—	1	1	1	1	—	2	3	—	—
Ulcer, Bed-sore ...	5	7	2	3	3	—	—	—	2	5	—	—	—	2	—	4
Eczema ...	7	4	—	—	—	1	—	—	—	—	—	—	1	—	2	—
Penphigus ...	4	3	—	1	—	—	—	—	2	—	—	—	—	—	1	—
Other Diseases of the Skin	3	3	1	2	—	—	1	1	—	2	—	—	—	—	—	2
OTHER SPECIFIED DISEASES	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 402.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 389.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.				DIVISION V. SOUTH WESTERN COUNTIES.							
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
<i>Ovarian Tumour</i> (not Malignant)	—	2	—	4	—	5	—	3	—	—	—	4
Other Diseases of Ovary ...	—	1	—	—	—	—	—	—	—	—	—	1
<i>Uterine Tumour</i> (not Malignant)...	—	7	—	2	—	4	—	1	—	—	—	1
Other Diseases of Uterus and Vagina.	—	5	—	2	—	5	—	1	—	—	—	7
Disorders of Menstruation...	—	—	—	1	—	—	—	—	—	—	—	2
Other Diseases of Generative and Mammary Organs ...	1	3	—	1	1	—	—	—	1	—	—	—
Abortion, Miscarriage	—	3	—	1	—	1	—	1	—	—	—	2
Puerperal Mania ...	—	1	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions ...	—	16	—	3	—	11	—	3	—	—	—	6
Placenta Prævia, Flooding	—	12	—	2	—	3	—	3	—	—	—	10
Other Accidents of Pregnancy and Childbirth.	—	12	—	6	—	11	—	5	—	—	—	9
Caries, Necrosis ...	8	3	1	—	1	2	2	—	1	—	2	1
Arthritis, Periostitis ...	1	6	1	1	2	1	1	2	5	—	3	3
Other Diseases of Locomotor System	2	4	—	—	1	4	1	2	5	1	3	3
Ulcer, Bed-sore ...	7	8	—	7	2	12	1	—	—	—	3	5
Eczema ...	3	4	6	2	2	1	2	—	—	—	—	1
Pemphigus ...	5	6	1	—	1	1	1	2	4	—	—	4
Other Diseases of the Skin	3	5	1	1	3	1	1	—	2	—	1	1
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 403.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester- shire.		Hereford- shire.		Shropshire.		Stafford- shire.		Worcester- shire.		Warwick- shire.		Leicester- shire.		Rutland- shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
<i>Ovarian Tumour</i> (not Malignant)	—	13	—	1	—	—	—	8	—	—	4	—	—	—	—	—	—	6
Other Diseases of Ovary ...	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
<i>Uterine Tumour</i> (not Malignant)...	—	16	—	1	—	—	—	10	—	—	—	—	—	—	—	—	—	4
Other Diseases of Uterus and Vagina.	—	8	—	—	—	—	—	8	—	—	4	—	—	—	—	—	—	2
Disorders of Menstruation ...	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Other Diseases of Generative and Mammary Organs.	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	2	—	—
Abortion, Miscarriage ...	—	3	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	2
Puerperal Mania ...	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2
Puerperal Convulsions ...	—	11	—	—	—	—	—	16	—	—	4	—	—	—	—	—	—	6
Placenta Prævia, Flooding ...	—	7	—	1	—	—	—	26	—	—	7	—	—	—	—	—	—	7
Other Accidents of Pregnancy and Childbirth.	—	16	—	1	—	—	—	31	—	—	14	—	—	—	—	—	—	6
Caries, Necrosis ...	3	1	1	—	1	—	2	2	1	1	—	—	—	—	—	—	1	1
Arthritis, Periostitis ...	1	2	1	—	1	—	10	6	2	—	7	—	—	—	—	—	3	—
Other Diseases of Locomotor System	2	5	—	1	2	—	6	9	1	1	6	—	—	2	—	—	1	1
Ulcer, Bed-sore ...	3	2	2	—	2	—	8	6	1	4	5	8	—	6	3	4	4	8
Eczema ...	2	3	—	1	3	—	5	3	1	1	4	3	—	—	4	7	1	1
Pemphigus ...	—	3	—	1	—	—	7	1	2	6	7	5	—	1	—	3	1	1
Other Diseases of the Skin ...	1	1	—	2	1	—	5	6	2	4	5	4	—	1	—	2	—	1
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 404.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 391.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		Durham.		Northumberland.	
	Males.		Males.		Males.		Males.		Males.		Males.		Males.		Males.	
	Females.	Females.	Females.	Females.	Females.	Females.	Females.	Females.	Females.	Females.	Females.	Females.	Females.	Females.	Females.	Females.
Ovarian Tumour (not Malignant)	—	8	—	6	—	6	—	44	29	—	7	—	—	3	—	1
Other Diseases of Ovary ...	—	3	—	—	—	—	—	8	3	—	1	—	—	1	—	—
Uterine Tumour (not Malignant)...	—	5	—	3	—	7	—	49	22	—	5	—	—	3	—	7
Other Diseases of Uterus and Vagina.	—	13	—	2	—	1	—	63	32	—	5	—	—	8	—	11
Disorders of Menstruation ...	—	—	—	—	—	1	—	8	3	—	—	—	—	3	—	—
Other Diseases of Generative and Mammary Organs.	1	—	—	—	1	—	11	1	1	—	1	—	—	1	—	1
Abortion, Miscarriage ...	—	1	—	—	—	2	—	16	10	—	1	—	—	4	—	3
Puerperal Mania ...	—	—	—	—	—	—	—	4	3	—	—	—	—	4	—	1
Puerperal Convulsions ...	—	9	—	6	—	8	—	83	50	—	4	—	—	23	—	16
Placenta Prævia, Flooding ...	—	24	—	17	—	12	—	80	57	—	7	—	—	25	—	14
Other Accidents of Pregnancy and Childbirth.	—	30	—	13	—	23	—	124	77	—	13	—	—	44	—	18
Caries, Necrosis ...	1	—	1	—	1	2	10	11	8	—	5	—	3	1	2	1
Arthritis, Periostitis ...	3	2	1	—	2	1	19	14	9	—	3	—	8	6	5	3
Other Diseases of Locomotor System	2	—	2	1	1	2	25	21	9	—	3	2	11	2	—	4
Ulcer, Bed-sore ...	7	8	1	4	3	4	18	27	23	3	7	10	2	7	1	4
Eczema ...	2	3	2	4	2	1	18	25	7	1	1	—	9	4	4	2
Pemphigus ...	4	1	1	1	2	2	12	14	10	2	1	1	2	4	2	2
Other Diseases of the Skin ...	1	1	1	3	3	2	20	12	7	3	1	3	5	4	3	1
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 405.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardiganshire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
<i>Ovarian Tumour</i> (not Malignant)	—	2	—	1	—	1	—	3	—	1	—	—	—	2	—	—
Other Diseases of Ovary ...	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
<i>Uterine Tumour</i> (not Malignant)...	—	2	—	—	—	1	—	7	—	1	—	—	—	2	—	—
Other Diseases of Uterus and Vagina.	—	5	—	1	—	2	—	7	—	—	—	—	—	—	—	1
Disorders of Menstruation ...	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Other Diseases of Generative and Mammary Organs.	1	—	1	—	1	—	1	—	1	—	—	—	—	—	—	—
Abortion, Miscarriage ...	—	1	—	—	—	2	—	6	—	—	—	—	—	—	—	—
Puerperal Mania ...	—	2	—	—	—	3	—	3	—	—	—	—	—	1	—	—
Puerperal Convulsions ...	—	5	—	—	—	5	—	27	—	2	—	2	—	2	—	1
Placenta Prævia, Flooding ...	—	2	—	—	—	12	—	38	—	4	—	1	—	1	—	2
Other Accidents of Pregnancy and Childbirth.	—	9	—	—	—	12	—	48	—	4	—	—	—	3	—	1
Caries, Necrosis ...	1	2	—	—	—	1	2	2	1	—	—	—	—	—	1	—
Arthritis, Peritonitis ...	3	—	—	—	3	1	3	1	1	—	—	—	—	—	—	—
Other Diseases of Locomotor System	1	4	—	—	3	2	4	3	2	—	—	—	—	—	—	—
Ulcer, Bed-sore ...	1	2	—	—	—	1	2	8	—	—	—	—	1	—	—	—
Eczema ...	2	—	—	—	—	1	2	1	1	—	2	—	—	1	—	—
Pemphigus ...	—	1	—	—	—	1	6	2	—	—	—	—	—	2	—	—
Other Diseases of the Skin ...	1	1	—	—	—	2	7	3	—	—	—	—	—	—	—	—
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 406.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1909—continued from page 393.

CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.									
	Radnorshire.		Montgomery-shire.		Flintshire.		Denbighshire.		Merionethshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Ovarian Tumour (not Malignant)	—	—	—	—	—	—	—	—	—	—
Other Diseases of Ovary ...	—	—	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant)...	—	—	—	—	—	—	—	—	—	—
Other Diseases of Uterus and Vagina.	—	—	—	—	—	—	—	—	—	—
Disorders of Menstruation...	—	—	—	—	—	—	—	—	—	—
Other Diseases of Generative and Mammary Organs.	—	—	—	—	—	—	—	—	—	—
Abortion, Miscarriage ...	—	—	—	—	—	—	—	—	—	—
Puerperal Mania ...	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions ...	—	—	—	—	—	—	—	—	—	—
Placenta Prævia, Flooding	—	—	—	—	—	—	—	—	—	—
Other Accidents of Pregnancy and Childbirth.	—	—	—	—	—	—	—	—	—	—
Caries, Necrosis ...	—	—	—	—	—	—	—	—	—	—
Arthritis, Periostitis ...	—	—	—	—	—	—	—	—	—	—
Other Diseases of Locomotor System	—	—	—	—	—	—	—	—	—	—
Ulcer, Bed-sore ...	—	—	—	—	—	—	—	—	—	—
Eczema ...	—	—	—	—	—	—	—	—	—	—
Pemphigus ...	—	—	—	—	—	—	—	—	—	—
Other Diseases of the Skin	—	—	—	—	—	—	—	—	—	—
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 407.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.											
	Males.	Females.	Males.	Females.	Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.			
					Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.				
CAUSES ILL-DEFINED OR NOT SPECIFIED.																
<i>Atrophy, Debility</i> ...	7872	6107	891	632	95	77	126	110	110	49	121	87	36	32		
<i>Old Age</i> ...	14497	19478	1124	1772	248	352	423	565	288	449	403	493	155	186		
<i>Dropsy, Ascites, Anasarca</i> ...	23	41	1	2	1	1	—	—	—	—	—	—	—	—		
<i>Tumour</i> ...	41	56	7	7	—	—	2	2	1	2	4	—	1	1		
<i>Abscess</i> ...	137	129	25	12	2	3	1	—	—	—	—	—	2	—		
<i>Hæmorrhage</i> ...	16	17	1	—	1	—	—	—	—	—	—	—	—	—		
<i>Sudden Death (cause unascertained)</i> ...	8	11	—	—	—	—	—	—	—	—	—	—	—	—		
<i>Other ill-defined causes</i> ...	386	272	—	—	—	—	13	8	2	1	12	7	7	6		
<i>Causes not specified...</i> ...	71	48	2	2	5	1	1	4	3	—	1	—	6	1		
VIOLENT DEATHS.																
<i>In Mines and Quarries</i> ...	1367	—	—	—	1	—	7	—	1	—	—	—	—	—		
<i>Vehicles and Horses</i> ...	1913	346	311	80	49	6	48	9	32	5	31	9	27	—		
<i>Ships, Boats, and Docks (not Drowning).</i> ...	263	1	20	—	—	—	14	—	1	—	17	—	—	—		
<i>Building Operations</i> ...	166	—	44	—	2	—	2	—	—	—	—	—	1	—		
<i>Machinery</i> ...	205	8	20	1	1	—	6	—	—	—	—	1	1	—		
<i>Weapons and Implements</i> ...	99	10	8	—	2	—	2	—	—	—	2	—	2	—		
<i>Burns and Scalds</i> ...	1088	1571	131	188	14	24	13	18	3	1	13	28	6	1		
<i>Poisons, Poisonous Vapours</i> ...	368	189	83	45	11	5	10	2	8	7	21	5	—	5		
<i>Drowning</i> ...	1793	397	155	27	39	24	58	12	34	5	44	12	20	5		
<i>Suffocation</i> ...	822	760	187	179	14	11	19	16	7	13	25	16	6	8		
<i>Falls</i> ...	1339	1271	196	225	21	32	35	16	26	33	25	25	8	1		
<i>Weather Agencies</i> ...	144	52	7	10	1	1	4	5	3	2	5	2	3	—		
<i>Otherwise or not stated</i> ...	816	272	96	51	23	6	26	5	3	7	20	5	8	—		
<i>Battle</i> ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
<i>Homicide</i> ...	132	155	16	17	—	3	5	9	2	1	1	3	1	—		
<i>Suicide</i> ...	2683	894	367	141	79	26	108	21	72	21	64	22	27	5		
<i>Execution</i> ...	19	—	5	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.				DIVISION V. SOUTH WESTERN COUNTIES.											
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
CAUSES ILL-DEFINED OR NOT SPECIFIED.																
<i>Atrophy, Debility</i> ...	258	197	91	61	114	92	43	34	30	18	106	73	74	42	54	38
<i>Old Age</i> ...	496	665	290	296	348	439	179	241	119	167	356	590	200	349	301	453
<i>Dropsy, Ascites, Anasarca</i> ...	1	2	—	2	1	—	—	1	—	1	3	1	—	2	—	—
<i>Tumour</i> ...	—	1	1	1	1	1	—	—	1	1	—	2	—	—	—	1
<i>Abscess</i> ...	4	1	2	1	—	—	—	2	—	1	2	—	—	—	—	1
<i>Hæmorrhage</i> ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Sudden Death (cause unascertained)</i> ...	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
<i>Other ill-defined causes</i> ...	—	—	4	4	19	17	1	1	4	2	2	—	8	8	2	1
<i>Causes not specified</i> ...	—	—	4	2	3	3	1	—	—	—	—	3	1	1	—	1
VIOLENT DEATHS.																
<i>In Mines and Quarries</i> ...	1	—	1	—	—	—	—	—	2	—	1	—	16	—	3	—
<i>Vehicles and Horses</i> ...	58	12	19	—	17	2	16	2	18	2	36	7	17	1	22	3
<i>Ships, Boats, and Docks (not Drowning).</i>	8	—	—	—	—	—	—	—	1	—	10	—	6	—	—	—
<i>Building Operations</i> ...	4	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—
<i>Machinery</i> ...	2	—	3	—	—	—	—	—	—	—	1	—	2	—	—	—
<i>Weapons and Implements</i> ...	5	—	2	—	4	—	2	—	1	—	—	—	1	—	—	—
<i>Burns and Scalds</i> ...	21	34	5	10	6	16	12	7	1	5	19	18	6	12	13	17
<i>Poisons, Poisonous Vapours</i> ...	9	5	2	1	11	—	2	—	1	1	4	2	—	—	—	1
<i>Drowning</i> ...	50	8	34	5	44	5	13	2	17	2	44	5	23	3	14	6
<i>Suffocation</i> ...	27	34	8	5	6	1	6	3	—	3	20	15	5	—	8	6
<i>Falls</i> ...	28	38	19	8	19	7	8	10	7	3	24	23	11	10	13	15
<i>Weather Agencies</i> ...	6	3	—	1	4	—	2	—	4	—	4	1	—	—	3	1
<i>Otherwise or not stated</i> ...	23	16	9	2	15	4	8	2	7	1	22	2	16	1	13	3
Battle...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide ...	1	4	—	—	2	1	1	3	—	—	5	4	2	2	1	1
Suicide ...	84	27	39	8	40	15	22	8	13	7	58	13	20	6	34	16
Execution ...	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—

(CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		Durham.		Northumberland.	
	Males.		Males.		Males.		Males.		Males.		Males.		Males.		Males.	
	Females.		Females.		Females.		Females.		Females.		Females.		Females.		Females.	
CAUSES ILL-DEFINED OR NOT SPECIFIED.																
<i>Atrophy, Debility</i> ...	209	184	128	111	180	139	1233	941	554	461	111	79	526	425	214	179
<i>Old Age</i> ...	279	362	268	308	366	531	1604	2480	1017	1304	259	276	583	649	290	371
<i>Dropsy, Ascites, Anasarca</i> ...	1	1	—	1	3	1	1	1	1	1	—	—	—	2	1	3
<i>Tumour</i> ...	2	1	1	1	—	2	7	9	4	2	—	1	—	—	—	1
<i>Abscess</i> ...	3	1	2	4	1	4	19	17	12	18	3	3	5	14	1	3
<i>Hæmorrhage</i> ...	—	1	—	—	—	—	5	4	—	—	—	—	1	—	—	—
<i>Sudden Death (cause unascertained)</i> ...	—	—	—	—	—	—	1	2	—	—	—	—	—	2	—	—
<i>Other ill-defined causes</i> ...	5	2	4	6	2	2	132	94	17	8	2	1	13	12	1	1
<i>Causes not specified</i> ...	—	1	3	—	—	—	7	1	2	—	1	—	3	2	1	5
VIOLENT DEATHS.																
In Mines and Quarries ...	49	—	36	—	16	—	147	—	185	—	2	—	288	—	51	—
Vehicles and Horses ...	33	8	29	5	39	5	246	50	136	25	24	7	73	13	41	11
Ships, Boats, and Docks (not Drowning).	—	—	—	—	10	—	63	1	3	—	15	—	40	—	15	—
Building Operations ...	2	—	2	—	3	—	36	—	12	—	4	—	6	—	5	—
Machinery ...	1	1	5	—	3	—	50	1	36	1	3	—	12	—	2	1
Weapons and Implements ...	3	1	2	—	1	—	8	1	7	1	4	—	—	—	—	1
Burns and Scalds ...	18	38	23	21	34	35	200	339	104	136	25	28	48	76	27	42
Poisons, Poisonous Vapours	8	2	4	4	9	4	40	29	31	15	7	6	8	1	10	4
Drowning ...	27	12	27	9	57	13	248	64	122	33	58	7	61	9	42	8
Suffocation ...	8	12	6	9	23	19	147	134	51	56	13	13	18	17	4	6
Falls ...	25	22	17	22	34	34	227	202	132	114	23	30	48	52	24	14
Weather Agencies ...	2	—	2	—	5	—	8	6	7	2	3	—	9	—	4	1
Otherwise or not stated ...	10	2	17	2	15	8	109	49	57	16	13	7	25	6	25	4
Battle ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide ...	5	3	1	4	2	4	15	20	7	16	2	2	12	10	2	1
Suicide ...	55	16	39	10	58	19	367	130	237	90	32	18	94	23	44	13
Execution ...	1	—	—	—	—	—	2	—	3	—	1	—	2	—	—	—

CAUSES of DEATH in REGISTRATION COUNTIES, 1909—continued from page 399.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.							
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
CAUSES ILL-DEFINED OR NOT SPECIFIED.												
<i>Atrophy, Debility</i> ...	66	62	6	2	101	68	327	291	57	26	29	12
<i>Old Age</i> ...	179	213	32	48	171	181	289	409	54	67	33	68
<i>Dropsy, Ascites, Anasarca</i> ...	1	—	—	—	1	2	—	—	—	—	—	1
<i>Tumour</i> ...	1	1	—	2	—	1	1	—	—	—	1	—
<i>Abscess</i> ...	2	1	—	1	4	1	6	4	1	2	—	—
<i>Hæmorrhage</i> ...	—	—	—	—	—	—	—	—	—	—	—	—
<i>Sudden Death (cause unascertained)</i>	—	—	—	—	—	—	—	—	2	3	1	1
<i>Other ill-defined causes</i> ...	5	2	—	—	3	4	4	—	—	—	1	7
<i>Causes not specified</i> ...	4	—	—	—	2	1	1	1	—	2	1	1
VIOLENT DEATHS.												
In Mines and Quarries ...	11	—	—	—	72	—	267	—	18	—	—	—
Vehicles and Horses ...	16	2	5	1	26	3	89	10	11	1	2	2
Ships, Boats, and Docks (not Drowning).	1	—	—	—	—	—	21	—	—	—	1	—
Building Operations ...	—	—	—	—	—	—	6	—	—	—	1	—
Machinery ...	3	—	—	—	2	—	3	—	2	2	1	—
Weapons and Implements ...	2	—	1	—	—	—	1	—	—	1	1	—
Burns and Scalds ...	7	15	2	—	18	20	49	73	—	8	4	5
Poisons, Poisonous Vapours	1	2	—	—	2	2	6	8	1	—	1	—
Drowning ...	15	1	3	1	24	3	85	15	6	—	8	1
Suffocation ...	1	7	—	1	5	2	19	14	1	1	2	3
Falls ...	13	5	2	5	15	6	46	18	3	3	5	5
Weather Agencies ...	1	—	—	—	1	—	9	3	—	—	3	—
Otherwise or not stated	11	1	—	—	13	—	30	4	2	—	5	1
Battle ...	—	—	—	—	—	—	—	—	—	—	—	—
Homicide ...	1	—	—	1	6	3	6	5	—	—	—	—
Suicide ...	18	4	9	3	19	9	40	16	10	4	5	2
Execution ...	—	—	—	—	1	—	1	—	—	—	—	—

DEATHS from SEVERAL CAUSES, and INQUEST CASES in the Year 1909, in REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS.

REGISTRATION DIVISIONS.		ALL CAUSES.		CAUSES OF DEATH. (See Note.)																	Inquests.					
				Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	<i>Pyrexia</i> ,* of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	<i>Phthisis</i> , not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	<i>Tuberc. Mesenterica</i> .	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.
ENGLAND AND WALES.		21	12618	3215	15	8992	7182	5235	13	2142	10329	20656	17983	5774	3522	877	5613	34053	3118	2327	46108	40818	3379	19143	264870	36436
Persons ..		518003							8	1270	5514	12111	9825	2955	1833	488	3004	14263	1726	1110	25734	19404	—	13217	134625	
Males ..		265203	6466	1662	11	4300	3137	2521	5	872	4815	8545	8158	2819	1689	389	2609	19790	1392	1217	20374	21414	3379	5926	130244	
Females ..		252800	6152	1553	4	4692	4045	2714																		
LONDON.			2351	347	—	1165	1254	610	2	148	1583	4395	1795	909	378	81	808	5128	597	270	7255	6106	366	2610	30458	6853
Persons ..		68616	1234	187	—	549	551	307	2	97	861	2843	998	471	214	48	429	2261	324	134	3988	2762	366	1646	15354	
Males ..		55260	1117	160	—	616	703	303	—	51	722	1552	797	438	164	33	379	2867	273	136	3267	3344	—	964	15104	
Females ..		33356																								
S. EASTERN.		4	519	166	—	1240	464	556	—	172	626	2310	1618	478	256	50	514	4005	332	197	3379	3244	253	1717	25860	3382
Persons ..		47960	263	87	—	537	217	271	—	96	321	1366	895	263	125	27	277	1758	182	99	1875	1442	—	1203	13155	
Males ..		24463	256	79	—	703	247	285	—	76	305	944	723	215	131	23	237	2247	150	98	1504	1802	253	514	12705	
Females ..		23497																								
S. MIDLAND.		3	652	179	—	790	341	346	2	69	498	1273	1056	351	149	22	316	2578	173	144	2368	2476	169	1056	16727	2013
Persons ..		31735	340	95	—	365	140	162	1	37	263	731	572	177	75	8	168	1083	105	77	1270	1158	—	730	8350	
Males ..		15907	312	84	—	425	201	184	1	32	235	542	484	174	74	14	148	1495	68	67	1098	1318	169	326	8377	
Females ..		15828																								
EASTERN.		2	589	139	—	519	530	232	—	59	474	1052	1033	296	171	28	306	2027	161	111	1907	2158	130	911	14750	1780
Persons ..		27583	301	75	—	245	235	114	—	29	263	625	556	144	85	17	168	820	95	46	1038	1032	—	639	7486	
Males ..		14013	288	64	—	274	295	118	—	30	211	427	477	152	86	11	138	1207	66	65	869	1126	130	272	7264	
Females ..		13570																								
S. WESTERN.		3	225	77	—	513	241	249	1	87	414	1014	914	189	148	26	294	2161	162	103	1794	1859	157	927	16068	1853
Persons ..		27621	111	34	—	232	109	109	—	57	218	529	508	91	74	17	156	872	88	56	964	865	—	672	7834	
Males ..		13599	114	43	—	281	132	140	1	30	196	485	406	98	74	9	138	1289	74	47	830	994	157	255	8229	
Females ..		14022																								

NOTE.—The Total Deaths in each Registration Division, County, District, and sub-district will be found at pp. 150-211. For Tables showing in greater detail the causes of death of Males and Females in England and Wales, in London and in Counties, see pp. 294-407.

* Called Simple Continued Fever previous to 1901.

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION DIVISIONS.		CAUSES OF DEATH.																	ALL CAUSES.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhus Mesenterica.	All other Tuberculous Diseases.	Cancer.			Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
DIV. VI.	W. MIDLAND.																										
	Persons ..	59910	2233	427	1	1050	1017	611	1	209	1274	1992	2123	567	414	79	547	3685	358	219	5059	4946	363	2080	30646	3618	
DIV. VII.	Males ..	30678	1106	202	1	513	453	286	—	131	687	1146	1202	283	218	46	293	1497	189	113	2758	2437	—	1412	15699		
	Females ..	29232	1127	225	—	537	564	325	1	78	587	846	921	284	196	33	254	2188	169	106	2301	2509	363	638	14947		
DIV. VIII.	N. MIDLAND.																										
	Persons ..	32034	745	107	—	539	444	372	1	128	671	1028	1091	356	229	53	324	2048	187	163	2504	2420	242	1160	17222	1930	
DIV. VIII.	Males ..	16327	362	58	—	268	205	174	1	78	361	523	577	190	108	25	163	879	112	73	1383	1148	—	803	8836		
	Females ..	15707	383	49	—	271	239	198	—	50	310	505	514	166	121	28	161	1169	75	90	1121	1272	242	357	8386		
DIV. IX.	N. WESTERN.																										
	Persons ..	93197	2644	1082	10	1307	1080	931	3	605	2132	3420	3510	992	710	198	1008	4943	488	481	10001	8482	631	3389	45149	5932	
DIV. IX.	Males ..	47612	1348	561	8	626	468	473	2	348	1127	2045	1968	493	392	119	531	1999	263	214	5643	3963	—	2222	22798		
	Females ..	45585	1296	521	2	681	612	458	1	257	1005	1375	1542	499	318	79	477	2944	225	267	4358	4519	631	1167	22351		
DIV. IX.	YORKSHIRE.																										
	Persons ..	58058	1151	248	2	845	785	584	1	351	1227	2028	2001	682	445	119	678	3635	324	290	5360	4481	440	2215	30164	4345	
DIV. IX.	Males ..	29865	586	130	1	395	320	269	—	214	655	1180	1126	357	236	60	374	1471	169	125	3041	2193	—	1525	15436		
	Females ..	28193	565	118	1	450	465	315	1	137	572	848	875	325	209	59	304	2164	155	165	2319	2288	440	690	14728		
DIV. X.	NORTHERN.																										
	Persons ..	36122	981	223	1	403	524	380	—	174	718	931	1490	580	395	138	456	1871	169	148	3149	2370	269	1525	19227	2284	
DIV. X.	Males ..	19074	527	118	1	223	220	194	—	104	389	508	740	283	196	69	253	809	86	70	1805	1235	—	1163	10081		
	Females ..	17048	454	105	—	180	304	186	—	70	329	423	750	297	199	69	203	1062	83	78	1344	1135	269	362	9146		
DIV. XI.	WELSH.																										
	Persons ..	35167	528	220	1	621	502	364	2	140	712	1213	1352	374	227	83	362	1972	167	201	3332	2276	359	1553	18604	2446	
DIV. XI.	Males ..	18405	288	115	—	347	219	162	2	79	369	615	683	203	110	52	192	814	113	103	1969	1169	—	1202	9597		
	Females ..	16762	240	105	1	274	283	202	—	61	343	598	669	171	117	31	170	1158	54	98	1363	1107	359	351	9007		

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Divisions, Counties, and Districts—*continued*.

REGISTRATION COUNTIES.	CAUSES OF DEATH.																			ALL CAUSES.						
	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tuberc Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever. Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
I.—LONDON.																										
1 LONDON.																										
Persons	2351	347	—	—	1165	1254	610	2	148	1583	4395	1795	909	378	81	808	5128	597	270	7255	6106	366	2610	30458	6853	
Males	1234	187	—	—	549	551	307	2	97	861	2843	998	471	214	48	429	2261	324	134	3988	2762	—	1646	15354		
Females	1117	160	—	—	616	703	303	—	51	722	1552	797	438	164	33	379	2867	273	136	3267	3344	366	964	15104		
II.—Sth. EASTERN.																										
2 SURREY.																										
Persons	178	48	—	—	305	136	102	—	10	156	518	326	104	48	10	107	865	105	38	949	710	58	402	5691	826	
Males	83	21	—	—	113	72	54	—	5	85	295	179	61	22	5	71	366	61	19	541	298	—	264	2876		
Females	95	27	—	—	192	64	48	—	5	71	223	147	43	26	5	36	499	44	19	408	412	58	138	2815		
3 KENT.																										
Persons	87	41	—	—	275	99	147	—	57	192	623	438	140	84	17	150	1061	77	61	826	887	56	470	6868	807	
Males	43	21	—	—	122	43	67	—	30	93	344	254	70	38	10	86	460	41	34	453	414	—	357	3487		
Females	44	20	—	—	153	56	80	—	27	99	279	184	70	46	7	64	601	36	27	373	473	56	113	3381		
4 SUSSEX.																										
Persons	32	28	—	—	344	91	90	—	27	84	349	364	73	43	9	102	855	54	32	643	607	46	304	4707	614	
Males	20	15	—	—	156	45	41	—	16	45	207	210	39	18	5	44	364	26	18	333	240	—	200	2276		
Females	12	13	—	—	188	46	49	—	11	39	142	154	34	25	4	58	491	28	14	310	367	46	104	2431		
5 HAMPSHIRE.																										
Persons	165	40	—	—	191	127	166	—	70	144	651	387	118	57	13	121	881	68	54	727	756	74	400	6361	903	
Males	86	23	—	—	90	52	82	—	40	76	425	200	66	35	6	61	426	43	21	417	364	—	272	3298		
Females	79	17	—	—	101	75	84	—	30	68	226	187	52	22	7	60	455	25	33	310	392	74	128	3063		

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.		ALL CAUSES.	CAUSES OF DEATH.																				Inquests.						
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tubercu- culosis, Tubercu- lous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tuberculosis Mesenterica.	All other Tubercu- lous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.		
6	II.—STH. EASTERN —continued. BERKSHIRE.	3979 2100 1879	—	57	9	—	—	125	11	51	—	8	50	169	103	43	24	1	34	343	28	12	234	284	19	141	2233	232	
			—	31	7	—	56	5	22	95	52	27	12	1	15	142	11	7	131	126	—	11	131	126	—	110	1218		
			—	26	2	—	69	3	28	74	51	16	12	—	19	201	17	5	103	158	19	17	103	158	19	31	1015		
7	III.—STH. MIDLAND. MIDDLESEX.	12045 5993 6052	—	357	124	—	—	267	215	181	—	30	304	528	382	155	73	8	117	869	80	70	1176	913	71	401	5724	953	
			—	174	61	—	119	19	158	322	213	74	36	2	64	338	46	37	639	439	—	46	639	439	—	250	2824		
			—	183	63	—	148	11	146	206	169	81	37	6	53	531	34	33	537	474	71	34	537	474	71	151	2900		
8	HERTFORDSH.	3651 1832 1819	—	45	7	—	—	70	39	32	—	6	22	211	89	45	14	2	27	302	15	15	278	328	16	108	1980	177	
			—	23	4	—	33	3	13	123	45	33	11	3	13	131	11	9	151	150	—	11	151	150	—	76	977		
			—	22	3	—	37	3	9	88	44	12	3	1	14	171	4	6	127	178	16	4	127	178	16	32	1003		
9	BUCKINGHAMS.	2348 1192 1156	—	10	7	—	—	119	11	26	1	1	19	63	49	13	7	1	24	188	4	8	144	184	14	74	1376	145	
			—	6	5	—	65	—	12	44	26	7	4	1	6	83	—	5	69	76	105	—	5	69	76	56	713		
			—	4	2	—	54	1	7	24	23	6	3	—	18	105	4	3	75	108	14	4	75	108	14	18	663		
10	OXFORDSHIRE.	2756 1441 1315	—	51	5	—	—	58	23	13	—	2	29	98	114	29	10	3	22	239	15	13	164	214	18	105	1531	190	
			—	29	4	—	23	1	16	52	64	10	6	1	12	103	8	5	86	121	136	7	5	86	121	—	78	804	
			—	22	1	—	35	5	13	46	50	19	4	2	10	136	7	8	78	93	—	7	8	78	93	18	27	727	

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Divisions, Counties and Districts---continued.

REGISTRATION COUNTIES.		ALL CAUSES.	CAUSES OF DEATH.																	Inquests.							
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever. Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
11	III.—STH. MIDLAND —continued. NORTHAMPTNS. Persons Males Females	4811 2419 2392	— — —	78 50 28	8 5 3	— — —	126 65 61	19 10 9	41 18 23	— — —	17 7 10	59 35 24	154 85 69	216 114 102	67 31 36	18 8 10	6 3 3	60 34 26	424 188 236	35 23 12	22 11 11	290 149 141	385 161 224	21 — 21	160 118 42	2605 1304 1301	243
12	HUNTINGDONSH. Persons Males Females	629 326 303	— — —	8 3 5	9 4 5	— — —	8 3 5	5 3 2	1 — 1	— — —	— — —	5 4 1	19 10 9	20 8 12	3 1 2	3 1 2	— — —	8 5 3	50 24 26	2 1 1	1 1 —	32 21 11	57 28 29	2 — 2	24 16 8	372 193 179	30
13	BEDFORDSH. Persons Males Females	2572 1259 1313	— — —	94 48 46	4 3 1	— — —	58 22 36	9 3 6	21 10 11	— — —	4 2 2	25 15 10	82 40 42	106 64 42	20 13 7	12 2 10	1 — 1	30 17 13	211 87 124	11 8 3	9 5 4	149 82 67	220 97 123	16 — 16	79 63 16	1411 678 733	128
14	CAMBRIDGESH. Persons Males Females	2923 1445 1478	— — —	9 7 2	15 9 6	— — —	84 35 49	20 8 12	31 15 16	1 1 —	9 5 4	35 10 25	113 55 58	80 38 42	19 8 11	12 7 5	1 — 1	28 17 11	295 129 166	11 8 3	6 4 2	135 73 62	175 86 89	11 — 11	105 73 32	1728 857 871	147
15	IV.—EASTERN. ESSEX. Persons Males Females	15724 7990 7734	— — —	426 215 211	112 63 49	— — —	307 149 158	402 182 220	158 85 73	— — —	35 18 17	330 184 146	698 430 268	538 282 256	205 100 105	94 47 47	21 12 9	171 99 72	1038 423 615	96 57 39	77 31 46	1300 698 602	1353 633 720	77 — 77	508 327 181	7778 3955 3823	1055
16	SUFFOLK. Persons Males Females	5059 2612 2447	— — —	43 24 19	13 5 8	— — —	76 34 42	37 18 19	33 17 16	— — —	10 6 4	44 20 24	142 77 65	246 139 107	42 21 21	27 11 16	4 4 —	73 32 41	427 183 244	28 16 12	17 8 9	296 172 124	310 156 154	18 — 18	181 141 40	2992 1528 1464	325

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Divisions, Counties, and Districts—*continued*.

REGISTRATION COUNTIES.	ALL CAUSES.	CAUSES OF DEATH.																		Inquests.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	<i>Pyrexia</i> , of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phtis.	<i>Phtis</i> , not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	<i>Tabs Mesenterica</i> .	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).		Rheumatic Fever, <i>Rheumatism</i> of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
17	IV.—EASTERN— <i>continued</i> . NORFOLK. Persons Males Females 3411 3389	—	120 62 58	14 7 7	—	—	136 62 74	91 35 56	41 12 29	—	14 5 9	100 59 41	212 118 94	249 135 114	49 23 26	50 27 23	3 1 2	62 37 25	562 214 348	37 22 15	17 7 10	311 168 143	495 243 252	35 — 35	222 171 51	3980 2003 1977	400
18	V.—STH. WESTERN. WILTSHIRE. Persons Males Females 1793 1790	—	33 13 20	9 3 6	—	—	71 29 42	41 13 28	29 10 19	—	4 1 3	33 20 18	84 43 41	138 84 54	24 11 13	13 4 9	9 6 3	38 23 15	279 112 167	17 13 4	14 8 6	190 100 90	239 102 137	20 — 20	129 92 37	2164 1106 1058	256
19	DORSETSHIRE. Persons Males Females 1393 1351	—	18 14 4	35 14 21	—	—	71 38 33	13 7 6	35 15 20	—	14 11 3	31 22 9	101 50 51	92 47 45	17 8 9	16 10 6	2 1 1	29 13 16	204 87 117	16 8 8	9 5 4	165 88 77	180 95 85	14 — 14	96 72 24	1586 788 798	162
20	DEVONSHIRE. Persons Males Females 4895 5063	1 1 —	119 53 66	17 9 8	—	—	191 81 110	88 48 40	89 44 45	1 — 1	45 32 13	193 94 99	415 219 196	312 166 146	80 38 42	57 32 25	7 4 3	114 62 52	755 297 458	67 39 28	40 21 19	670 364 306	757 347 410	49 — 49	343 253 90	5548 2691 2857	717
21	CORNWALL. Persons Males Females 2302 2479	—	33 16 17	10 4 6	—	—	66 33 33	48 21 27	25 10 15	—	13 6 7	67 34 33	189 111 78	178 101 77	30 16 14	31 13 18	2 1 1	63 26 37	396 156 240	24 11 13	16 7 9	317 166 151	265 125 140	32 — 32	161 126 35	2815 1319 1496	322
22	SOMERSETSH Persons Males Females 3216 3339	2 2 —	22 15 7	6 4 2	—	—	114 51 63	51 20 31	71 30 41	—	11 7 4	85 48 37	225 106 119	194 110 84	38 18 20	31 15 16	6 5 1	50 32 18	527 220 307	38 17 21	24 15 9	452 246 206	418 196 222	42 — 42	198 129 69	3950 1930 2020	396

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.		CAUSES OF DEATH.																		ALL CAUSES.						
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Mænterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).			Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
23	VI.—WEST MIDLAND.	9	165	24	—	129	88	94	—	22	149	409	294	105	47	10	90	737	63	29	699	714	68	325	5184	733
	Persons ..	6	83	9	—	56	47	43	—	14	77	226	178	50	19	5	42	286	38	12	384	324	—	232	2547	
	Males ..	3	82	15	—	73	41	51	—	8	72	183	116	55	28	5	48	451	25	17	315	390	68	93	2637	
24	HEREFORDSH.	—	20	5	—	51	23	7	—	4	16	71	42	11	7	1	22	147	8	5	87	112	5	51	947	88
	Persons ..	—	13	2	—	32	9	4	—	3	7	39	15	5	2	—	15	68	4	2	50	56	—	32	489	
	Males ..	—	7	3	—	19	14	3	—	1	9	32	27	6	5	1	7	79	4	3	37	56	5	19	458	
25	SHROPSHIRE.	—	11	37	1	122	67	41	—	9	52	123	131	39	21	4	30	307	27	14	290	247	28	121	2196	199
	Persons ..	—	7	18	1	57	33	15	—	2	29	66	67	14	13	2	13	118	11	6	150	109	—	88	1105	
	Males ..	—	4	19	—	65	34	26	—	7	23	57	64	25	8	2	17	189	16	8	140	138	28	33	1091	
26	STAFFORDSH.	—	1004	162	—	344	502	224	—	111	579	719	640	213	192	38	222	1070	98	78	1960	1990	135	778	10672	1419
	Persons ..	—	495	75	—	173	221	112	—	74	315	430	351	109	101	21	127	447	45	49	1091	1039	—	522	5597	
	Males ..	—	509	87	—	171	231	112	—	37	264	289	289	104	91	17	95	623	53	29	869	951	135	256	5075	
27	WORCESTERSH.	—	330	52	—	171	76	74	—	20	120	244	255	70	59	11	66	526	55	29	634	638	44	244	3990	380
	Persons ..	—	170	25	—	81	32	35	—	10	67	135	131	39	32	8	34	209	26	13	339	311	—	173	2031	
	Males ..	—	160	27	—	90	44	39	—	10	53	109	124	31	27	3	32	317	29	16	295	327	44	71	1959	
28	WARWICKSH.	—	703	147	—	233	261	171	1	43	358	426	761	129	88	15	117	898	107	64	1389	1245	83	561	7657	799
	Persons ..	—	338	73	—	114	111	77	—	28	192	250	460	66	51	10	62	369	65	31	744	598	—	365	3930	
	Males ..	—	365	74	—	119	150	94	1	15	166	176	301	63	37	5	55	529	42	33	645	647	83	196	3727	

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.		CAUSES OF DEATH.																		ALL CAUSES.	Inquests.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tubercu- losis, Tubercu- lous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tuberculosis Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).			Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
29	VII.—N. MIDLAND. LEICESTERSH. Persons Males Females	— — —	163 66 97	36 17 19	— — —	127 66 61	86 41 45	48 25 23	— — —	15 9 6	135 71 64	247 126 121	250 129 121	91 50 41	54 19 35	11 7 4	71 30 41	431 181 250	53 30 23	34 19 15	472 268 204	519 236 283	45 — 45	216 146 70	3448 1731 1717	410
30	RUTLANDSH. Persons Males Females	— — —	3 1 2	— — —	— — —	21 7 14	2 — 2	2 1 1	— — —	— — —	1 — 1	8 3 5	7 5 2	1 1 —	2 2 —	— — —	1 — 1	24 13 11	2 1 1	29 12 17	22 7 15	1 — 1	14 10 4	167 81 86	19	
31	LINCOLNSH. Persons Males Females	— — —	41 25 16	10 4 6	— — —	154 71 83	101 48 53	112 53 59	— — —	44 28 16	106 63 43	194 100 94	278 153 125	78 40 38	46 24 22	11 6 5	100 55 45	564 243 321	28 17 11	41 21 20	486 287 199	513 252 261	41 — 41	270 190 80	4232 2236 1996	442
32	NOTTINGHAMSH. Persons Males Females	— — —	333 162 171	23 13 10	— — —	133 70 63	154 74 80	90 43 47	— — —	49 27 22	306 163 143	363 186 177	284 143 141	107 60 47	64 31 33	22 8 14	97 54 43	584 257 327	57 35 22	50 17 33	944 491 453	802 379 423	95 — 95	364 247 117	5432 2737 2695	557
33	DERBYSHIRE. Persons Males Females	— — —	205 108 97	38 21 14	— — —	104 54 50	101 42 59	120 52 68	1 1 —	20 14 6	123 64 59	216 108 108	272 147 125	79 39 40	63 32 31	9 4 5	55 24 31	445 185 260	47 29 18	36 15 21	573 325 248	564 274 290	60 — 60	296 210 86	3943 2051 1892	502
34	VIII.—N. WESTERN. CHESHIRE. Persons Males Females	1 1 —	187 91 96	138 70 68	— — —	236 106 130	80 34 46	121 57 64	— — —	59 32 27	215 114 101	375 220 155	451 252 199	124 59 65	106 64 42	50 27 23	144 75 69	794 324 470	78 41 37	59 27 32	1235 703 532	942 435 507	80 — 80	450 309 141	6445 3251 3194	893

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Divisions, Counties, and Districts—*continued*.

REGISTRATION COUNTIES.		CAUSES OF DEATH.																	ALL CAUSES.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	<i>Pyrexia</i> , of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tubercu- lous Phthisis.	<i>Phthisis</i> , not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	<i>Tuberc Mesenterica</i> .	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, <i>Rheumatism of Heart</i> .	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
35	VIII.—NORTH WES- TERN— <i>continued</i> .	80827	2457	944	10	1071	1000	810	3	546	1917	3045	3059	868	604	148	864	4149	410	422	8766	7540	551	2939	38704	5039
	LANCASHIRE.	41320	1257	491	8	520	434	416	2	316	1013	1825	1716	434	328	92	456	1675	222	187	4940	3528	—	1913	19547	
	Persons Males Females.. ..	39507	1200	453	2	551	566	394	1	230	904	1220	1343	434	276	56	408	2474	188	235	3826	4012	551	1026	19157	
36	IX.—YORKSHIRE	44622	921	213	2	688	504	418	1	293	917	1613	1486	522	353	102	535	2798	242	210	4118	3582	353	1635	23116	3252
	WEST RIDING.	22861	460	111	1	321	203	193	—	179	494	962	842	266	182	55	295	1128	124	92	2302	1761	—	1130	11760	
	Persons Males Females.. ..	21761	461	102	1	367	301	225	1	114	423	651	644	256	171	47	240	1670	118	118	1816	1821	353	505	11356	
37	E. RIDING (WITH YORK).	7075	96	17	—	82	80	97	—	24	172	218	316	68	48	4	66	448	43	43	501	513	47	347	3843	682
	Persons Males Females.. ..	3738 3337	55 41	12 5	— —	38 44	36 44	48 49	— —	13 11	92 80	121 97	184 132	36 32	24 24	1 3	32 34	190 258	28 15	20 23	288 213	244 269	— 47	229 118	2045 1798	
	NORTH RIDING.	6361	134	18	—	75	201	69	—	34	138	197	199	92	44	13	77	389	39	37	741	386	40	233	3205	411
38	Persons Males Females.. ..	3266 3095	71 63	7 11	— —	36 39	81 120	28 41	— —	22 12	69 69	97 100	100 99	55 37	30 14	4 9	47 30	153 236	17 22	13 24	451 290	188 198	— 40	166 67	1631 1574	
	X.—NORTHERN.	20672	652	135	—	218	317	233	—	129	494	436	855	322	256	82	261	907	92	82	1856	1467	155	951	10772	1308
	DURHAM.	11073	345	75	—	128	128	116	—	72	271	231	414	147	128	45	146	392	43	40	1098	770	—	741	5740	
39	Persons Males Females.. ..	9599	307	60	—	90	189	117	—	57	223	205	441	175	128	37	115	515	49	42	758	697	155	207	5032	

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.		ALL CAUSES.	CAUSES OF DEATH.																			Inquests.					
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tubercu- losis, Tubercu- lous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes
40	X.—NORTHERN—cont.																										
	NORTHUMBRL.																										
	Persons	10496	203	66	—	86	162	112	—	39	176	353	469	197	97	36	131	605	51	46	875	604	82	402	5704	730	
	Males	6481	115	33	53	74	57	—	27	94	199	243	105	49	15	71	283	27	19	448	320	—	296	2853			
	Females..	5015	88	33	33	88	55	—	12	82	154	226	92	48	21	60	322	24	27	427	284	82	106	2751			
41	CUMBERLAND.																										
	Persons	4144	124	21	61	43	31	—	4	44	114	137	54	39	19	56	296	22	18	349	250	28	138	2295	204		
	Males	2125	65	9	28	18	21	—	4	22	63	69	28	17	9	30	111	14	10	219	121	—	101	1165			
	Females..	2019	59	12	33	25	10	—	—	22	51	68	26	22	10	26	185	8	8	130	129	28	37	1130			
42	WESTMORL.																										
	Persons	810	2	1	38	2	4	—	2	4	28	29	7	3	1	8	63	4	2	69	49	4	34	456	42		
	Males	395	2	1	14	—	—	—	1	2	15	14	3	2	—	6	23	2	1	40	24	—	22	223			
	Females..	415	—	—	24	2	4	—	1	2	13	15	4	1	1	2	40	2	1	29	25	4	12	233			
43	XI.—WELSH. MONMOUTHSH.																										
	Persons	5481	137	49	1	104	54	67	—	20	81	145	159	50	15	17	40	223	31	42	681	381	52	252	2880	389	
	Males	2959	78	25	—	57	22	23	—	14	37	73	83	21	6	11	23	94	21	24	392	212	—	204	1539		
	Females..	2522	59	24	1	47	32	44	—	6	44	72	76	29	9	6	17	129	10	18	289	169	52	48	1341		

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.		ALL CAUSES		CAUSES OF DEATH.																	Inquests.								
				Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- cious Phtisis.	Phtisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tabes Mesenterica.	All other Tuber- culous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
No. 50	XL.—WELSH—cont.		907 483 424	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	
	MONTGOMERYS.																												
	Persons	..																											
51	FLINTSHIRE.		979 503 476	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
	Persons																												
	Persons	..																											
52	DENBIGHSHIRE.		2135 1076 1059	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
	Persons																												
	Persons	..																											
53	MERIONETHSH.		935 451 481	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
	Persons																												
	Persons	..																											
54	CARNARVONSH.		2132 1056 1076	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
	Persons																												
	Persons	..																											
55	ANGLESEY.		560 278 282	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
	Persons																												
	Persons	..																											

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts.

I.—LONDON.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				Inquests.					
		ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Heart, Rheumatism of.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
No.	1.—LONDON.	2165	—	35	1	—	70	36	4	—	3	49	96	62	35	13	2	26	175	18	10	221	184	11	103	1011	204
1	PADDINGTON ..	2780	—	69	—	—	77	42	2	—	3	47	184	111	26	12	—	29	279	30	3	266	278	14	70	1236	176
2	KENSINGTON ..	1781	—	77	1	—	37	45	6	—	3	48	65	52	21	6	—	13	117	13	10	214	137	15	97	801	200
3	*FUL—(HAMMERSMITH)..	1943	—	81	47	—	28	16	98	—	16	92	119	62	23	7	—	24	109	12	5	209	136	17	41	771	148
4	HAM (FULHAM) ..	1652	—	27	1	—	25	15	7	—	1	31	176	25	39	8	—	20	219	13	4	169	141	6	46	678	110
5	CHELSEA ..	1685	—	13	—	—	30	1	—	—	5	24	52	43	22	1	1	30	195	29	2	181	114	6	107	799	180
6	ST. GEORGE HANR. SQ.	223	—	5	—	—	4	21	—	—	—	1	5	4	11	1	—	1	9	2	2	18	26	—	13	129	26
7	WESTMINSTER ..	1769	—	27	2	—	44	2	3	—	2	27	66	33	11	7	—	22	288	16	3	154	133	19	65	826	157
8	ST. MARYLEBONE ..	1067	—	18	35	—	25	20	39	—	6	35	118	21	12	7	—	15	109	5	5	85	69	7	40	426	73
9	HAMPSTEAD ..	3627	—	104	—	—	56	28	12	—	9	35	258	109	16	16	4	44	301	45	24	444	297	18	134	1674	370
10	ST. PANCRAS ..	4818	—	226	10	—	78	90	8	—	10	61	404	113	62	22	15	26	338	29	19	491	518	20	158	2120	424
11	ISLINGTON ..	3560	—	81	23	—	64	62	55	—	10	70	228	111	41	35	8	36	266	26	12	325	295	16	166	1625	453
12	HACKNEY ..	259	—	3	—	—	4	2	—	—	—	—	16	12	1	—	—	—	14	5	1	37	25	1	5	137	27
13	ST. GILES ..	510	—	2	—	—	7	2	—	—	1	6	16	5	9	—	—	10	77	1	2	46	21	5	37	252	61
14	STRAND ..	1698	—	58	—	—	4	70	6	—	3	62	70	52	68	16	2	39	88	9	15	202	133	7	62	716	171
15	HOLBORN ..	917	—	12	—	—	20	14	9	—	3	16	28	14	21	3	—	21	90	26	3	109	29	8	113	388	187
16	LONDON CITY ..	2037	—	122	—	—	4	57	15	—	5	65	155	45	23	7	—	24	82	17	7	280	205	9	63	839	310
17	SHOREDITCH ..	2254	—	83	—	—	24	39	3	—	4	118	182	31	38	24	5	23	108	31	6	281	264	4	80	914	269
18	BETHNAL GREEN ..	2232	—	53	1	—	11	14	17	—	6	55	158	26	48	19	1	46	184	42	3	330	109	24	141	945	329
19	WHITECHAPEL ..	697	—	51	1	—	33	7	12	—	1	37	62	22	14	3	2	7	26	1	—	62	87	3	18	260	103
20	ST. GEORGE IN THE EAST	947	—	62	1	—	4	53	4	—	1	47	36	22	30	6	1	25	25	12	3	125	72	1	44	365	138
21	STEPNEY ..	1350	—	60	1	—	16	15	7	—	1	26	92	48	9	5	—	14	67	10	4	144	175	5	30	624	133
22	MILE END OLD TOWN	2791	—	164	3	—	22	76	4	—	5	98	188	48	25	10	—	29	145	18	9	296	303	19	133	1190	405
23	POPLAR ..	3020	—	127	2	—	44	68	21	—	2	120	90	105	43	17	3	63	160	40	18	429	272	12	154	1229	389
24	SOUTHWARK ..	1968	—	184	2	—	24	50	—	—	—	58	156	46	30	34	3	29	125	9	5	211	216	4	57	725	179
	ST. OLAVE (BERMONDSEY)																										

* 3.—The District of FULHAM comprises the two Poor Law Parishes of HAMMERSMITH and FULHAM.

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts--continued.

CAUSES OF DEATH.

[illegible]

II.—SOUTH EASTERN COUNTIES.

[illegible]

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—continued.
II.—SOUTH EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
3.—KENT—cont.																											
No.	HOO ..	21	7	9	—	10	23	—	—	26	1	5	—	1	19	—	4	—	18	3	—	1	100	—	5	16	3
46	MEDWAY ..	1312	—	—	—	—	9	—	—	11	35	2	2	9	9	—	1	6	2	30	—	68	34	19	713	94	
47	MALLING ..	351	3	—	—	—	—	—	—	7	1	2	1	2	2	—	1	2	6	42	3	27	22	8	189	12	
48	SEVENOAKS ..	332	1	—	—	4	—	—	—	35	9	1	1	1	9	—	2	10	8	103	7	49	68	4	25	511	37
49	TONBRIDGE ..	953	10	—	—	3	18	—	—	28	18	6	1	1	6	—	1	1	1	42	4	61	22	37	488	51	
50	MAIDSTONE ..	894	—	—	—	1	—	—	—	6	—	4	—	—	2	—	—	1	1	17	2	12	15	—	83	9	
51	HOLLINGBOURN ..	153	—	—	—	—	—	—	—	4	2	1	—	—	3	—	—	1	1	16	—	5	17	—	85	12	
52	CRANBROOK ..	137	—	—	—	—	—	—	—	8	6	1	—	—	2	—	—	1	6	21	—	9	4	—	91	14	
53	TENTERDEN ..	156	—	—	—	—	—	—	—	12	1	18	—	1	3	—	—	1	11	—	11	25	—	7	148	9	
54	WEST ASHFORD ..	263	—	—	—	—	2	—	—	5	6	9	—	1	1	—	—	1	17	1	9	4	—	4	161	10	
55	EAST ASHFORD ..	191	—	—	—	—	—	—	—	30	1	5	—	8	1	—	—	5	24	6	24	6	—	4	161	36	
56	BRIDGE ..	276	—	—	—	—	—	—	—	15	—	20	—	2	1	—	—	4	11	1	20	12	—	12	194	20	
57	CANTERBURY ..	294	8	—	—	—	—	—	—	3	2	3	—	—	1	—	—	3	37	1	13	19	—	5	173	14	
58	BLEAN ..	321	3	—	—	—	—	—	—	20	3	17	—	—	4	—	—	2	25	5	22	11	—	10	183	12	
59	FAVERSHAM ..	290	2	—	—	1	—	—	—	14	5	6	—	3	2	—	—	1	24	1	19	22	6	16	124	17	
60	MILTON ..	322	—	—	—	2	—	—	—	8	2	3	—	—	4	—	—	2	18	5	18	25	2	13	183	12	
61	SHEPPEY ..	239	3	—	—	8	—	—	—	14	5	56	—	—	8	—	—	35	86	3	52	59	4	40	543	51	
62	THANET ..	1043	16	2	—	2	4	—	—	78	5	21	—	11	6	—	—	6	36	2	27	27	2	16	225	23	
63	EASTRY ..	645	3	—	—	3	8	—	—	12	14	21	—	7	1	—	—	5	60	2	46	52	3	30	333	40	
64	DOVER ..	685	11	1	—	2	4	—	—	10	18	21	—	1	1	—	—	4	60	5	38	62	1	32	365	47	
65	ELHAM ..	76	1	1	—	—	—	—	—	20	51	10	4	1	1	—	—	—	11	—	10	3	—	2	39	2	
66	ROMNEY MARSH ..	76	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4.—SUSSEX.																											
No.	RYE ..	133	—	—	—	1	—	—	—	—	2	1	—	—	—	—	—	2	10	—	4	30	1	2	75	5	
68	HASTINGS ..	878	1	—	—	22	4	—	—	9	51	34	—	3	—	—	—	8	106	4	77	43	5	31	460	48	
69	BATTLE ..	296	—	—	—	9	1	—	—	4	7	9	—	4	—	—	—	3	33	1	16	23	2	8	169	10	
70	EASTBOURNE ..	642	7	—	—	34	1	—	3	3	30	36	5	4	—	—	—	8	57	2	33	22	3	17	358	41	

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—*continued*.
 II.—SOUTH EASTERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																Inquests.									
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Miasmatica.	All other Tuberculous Diseases.		Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
No.	ALL CAUSES.																										
4.—SUSSEX—cont.																											
72	298	—	4	—	—	15	—	3	—	—	4	13	13	3	3	—	10	23	4	—	1	19	13	1	3	167	10
73	199	—	—	—	—	5	1	1	—	—	1	8	8	—	—	—	1	30	14	2	—	8	11	1	5	126	11
74	286	—	—	—	—	16	—	3	—	—	1	10	10	—	—	—	2	33	33	—	—	19	17	1	8	158	13
75	272	—	—	—	—	7	—	4	—	—	3	9	9	1	1	—	6	37	37	—	—	24	23	1	20	134	25
76	331	—	—	—	—	14	—	4	—	—	4	12	14	2	2	—	6	24	24	1	—	20	23	1	14	171	23
77	368	—	—	—	—	13	—	5	—	—	—	7	15	2	2	—	3	18	18	4	—	18	33	1	9	227	24
78	134	—	—	—	—	4	—	1	—	—	—	1	9	—	—	—	—	8	15	—	—	8	3	1	13	67	21
79	1692	—	—	—	—	70	—	3	—	—	24	73	84	21	8	6	22	150	150	12	6	151	136	10	75	820	174
80	1328	—	—	15	—	74	—	22	—	—	15	51	44	3	5	—	12	128	128	9	6	111	103	5	35	660	84
81	398	—	—	—	—	7	—	8	—	—	—	12	12	2	3	—	2	42	42	2	1	29	42	4	10	214	24
82	124	—	—	—	—	3	—	—	—	—	—	2	1	2	—	—	—	14	14	1	—	12	8	—	7	72	11
83	105	—	—	—	—	1	—	—	—	—	—	2	2	1	—	—	—	—	8	—	—	7	6	—	2	66	15
84	580	—	—	—	—	33	—	5	—	—	8	24	29	4	8	—	—	55	55	2	—	37	39	—	17	305	30
85	265	—	—	—	—	6	—	1	—	—	4	4	17	4	1	—	—	31	31	2	—	14	13	2	15	126	21
86	289	—	—	—	—	6	—	—	—	—	1	22	8	2	—	—	—	27	27	2	—	20	8	2	6	167	8
87	179	—	—	—	—	—	—	—	—	—	—	8	4	2	—	—	—	12	12	2	—	10	11	—	3	124	7
88	87	—	—	—	—	4	—	4	—	—	—	9	5	2	—	—	—	6	6	—	—	6	4	—	4	41	9
5.—HAMPSHIRE.																											
89	150	—	105	19	—	4	—	1	—	1	2	9	1	2	—	—	—	19	19	1	—	5	9	3	11	81	17
90	3170	—	7	2	—	22	—	67	—	38	50	169	102	40	18	—	—	203	203	19	9	205	216	25	125	1671	297
91	454	—	—	—	—	9	—	7	—	3	4	36	6	3	—	—	—	35	35	—	—	37	28	2	21	244	39
92	372	—	1	—	—	6	—	6	—	—	2	29	9	4	2	—	—	31	31	4	—	23	17	4	6	219	17
93	1185	—	3	—	—	14	—	15	—	7	4	84	35	17	8	—	—	93	93	3	—	76	85	7	28	663	64
94	202	—	—	—	—	5	—	9	—	—	2	9	5	2	—	—	—	21	21	3	—	9	10	1	6	128	14
95	1125	—	7	3	—	27	—	1	—	—	14	101	61	5	9	—	—	108	108	11	—	60	56	1	24	593	59
96	75	—	—	—	—	2	—	3	—	—	—	4	1	—	—	—	—	10	10	—	—	12	8	—	—	36	2
97	80	—	—	—	—	3	—	1	—	—	—	2	4	—	1	—	—	6	6	—	—	3	8	—	1	47	4

4.—SUSSEX—*cont.*

HAILESHAM ..
 TICEHURST ..
 UCKFIELD ..
 EAST GRINSTEAD ..
 CUCKFIELD ..
 LEWES ..
 NEWHAVEN ..
 BRIGHTON ..
 STEYNING ..
 HORSHAM ..
 PETWORTH ..
 THAKEHAM ..
 EAST PRESTON ..
 WESTHAMPTON ..
 WESTHAMPTON ..
 MIDHURST ..
 WESTBOURNE ..

5.—HAMPSHIRE.

HAVANT ..
 PORTSMOUTH ..
 ALVERSTOCK ..
 FAREHAM ..
 ISLE OF WIGHT ..
 LYMINGTON ..
 CHRISTCHURCH ..
 RINGWOOD ..
 FORDINGBRIDGE ..

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—*continued*.
 II.—SOUTH EASTERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																All other Causes.	Inquests.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.			Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
5.—HAMPSHIRE																										
—continued.																										
No.		194	—	—	—	5	5	3	—	4	—	8	6	3	—	—	—	4	23	1	—	5	8	1	10	17
98	NEW FOREST ..	1281	—	3	—	14	21	12	—	9	10	61	44	17	6	3	—	10	90	10	—	72	105	1	67	160
99	SOUTHAMPTON* ..	905	4	4	—	15	25	19	—	—	—	61	33	10	2	2	—	13	62	4	6	77	65	5	17	462
100	SOUTH STONEHAM*	117	—	—	—	6	—	—	—	—	—	—	1	—	—	—	—	—	12	1	—	8	—	—	3	76
101	ROMSEY ..	72	—	—	—	4	—	—	—	—	2	—	3	—	—	—	—	—	1	1	—	3	2	—	1	46
102	STOCKBRIDGE ..	413	7	1	—	13	2	3	—	1	—	9	9	—	1	1	—	5	39	1	1	26	31	3	15	245
103	+WINCHES- -TER { WIN- -CHESTER	50	—	—	—	2	1	1	—	—	—	3	1	1	—	—	—	—	3	1	—	4	1	—	—	30
104	DROXFORD ..	152	—	—	—	2	2	—	—	—	1	4	4	—	—	—	—	1	8	—	10	4	1	—	7	102
105	CATHERINGTON ..	44	2	—	—	3	—	—	—	—	—	—	1	—	—	—	—	—	3	1	—	—	4	1	—	28
106	PETERSFIELD ..	162	3	—	—	2	—	2	—	—	—	—	1	—	—	—	—	1	18	2	—	19	3	—	—	93
107	ALRESFORD ..	101	—	—	—	—	—	—	—	—	—	2	7	—	—	—	—	—	11	—	6	15	5	—	6	54
108	ALTON ..	235	—	—	—	7	1	6	—	—	1	4	10	3	2	—	—	3	11	—	17	13	13	2	8	140
109	HARTLEY WINTNEY ..	349	12	3	—	6	9	1	—	1	6	20	11	3	2	—	—	5	25	4	3	21	25	1	17	186
110	BASINGSTOKE ..	307	11	1	—	7	—	—	—	—	—	12	14	2	4	—	—	6	13	3	17	12	7	9	17	29
111	WHITCHURCH ..	65	2	—	—	2	2	5	—	1	—	3	2	2	1	—	—	1	6	—	1	7	10	3	2	183
112	ANDOVER ..	220	1	—	—	4	2	—	—	—	—	8	6	—	—	—	—	—	13	1	7	10	3	2	9	34
113	KINGSCLERE ..	91	—	—	—	7	—	—	—	—	—	3	4	—	—	—	—	—	8	—	4	2	2	2	2	143
6.—BERKSHIRE.																										
NEWBURY ..		333	—	1	—	5	—	3	—	1	2	12	7	2	3	—	—	1	27	2	1	11	27	3	6	219
114	HUNGERFORD ..	202	—	—	8	2	—	1	—	—	—	6	3	3	—	—	—	1	17	2	22	11	27	—	9	12
115	FARINGDON ..	180	—	—	6	1	—	—	—	—	—	5	3	1	—	—	—	1	15	2	9	10	10	—	5	119
116	ABINGDON ..	243	—	—	8	—	—	1	—	—	—	3	13	—	—	—	—	2	24	—	8	37	37	3	9	117
117	WANTAGE ..	224	—	—	6	—	—	3	—	—	—	9	6	4	1	—	—	4	11	—	14	14	1	8	9	131
118	WALLINGFORD ..	257	—	2	—	15	—	6	—	1	1	16	12	2	—	—	—	1	17	1	14	21	21	—	6	141
119																										10

* On 1st July, 1909, the boundary between SOUTHAMPTON (99) and SOUTH STONEHAM (100) Registration Districts was altered, *see* page 501. The deaths are included in the figures for the districts in which they were registered.

† 103.—The District of WINCHESTER comprises the two Poor Law Unions of WINCHESTER and HURSLEY.

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—continued.
II.—SOUTH EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
III.—SOUTH MIDLAND COUNTIES.																											
6.—BERKSHIRE																											
—continued.																											
No.	BRADFELD	252																									
120	READING ..	995	1	2		9	3	7	—	1	4	10	5	—	2	—	—	1	20	5	1	9	19	1	11	141	14
121	WOKINGHAM ..	243	35	2		20	—	5	—	3	24	63	22	10	12	—	—	14	94	9	3	69	59	7	42	502	57
122	MAIDENHEAD ..	343	7	—		8	—	1	—	—	1	7	13	4	—	—	—	1	26	2	1	13	23	1	10	125	10
123	EASTHAMPESTEAD	186	2	1		8	1	18	—	—	3	14	3	7	—	1	—	4	30	—	1	25	22	1	14	187	17
124	WINDSOR ..	521	5	—		22	—	4	—	—	10	23	11	8	4	—	—	3	45	6	1	35	26	—	2	115	27
125																										297	28
7.—MIDDLESEX.																											
No.	STAINES	518	16	2		16	7	7	—	1	18	22	15	4	2	—	—	9	36	3	3	43	43	2	22	253	42
126	UXBRIDGE ..	845	8	1		8	10	4	—	—	20	56	27	10	6	—	—	8	63	3	4	71	38	8	29	432	40
127	BRENTFORD	3019	71	26		71	65	41	—	4	84	140	82	42	10	—	1	25	204	20	17	329	235	13	105	1376	212
128	WILLESDEN*	1451	35	16		35	40	10	—	7	49	77	42	23	6	—	1	14	90	8	11	143	117	10	39	672	93
129	HENDON*	772	17	6		17	18	9	—	3	9	48	27	11	3	—	—	7	78	2	2	46	46	5	29	365	45
130	BARNET ..	1026	30	—		30	5	8	—	—	31	49	20	9	9	—	2	7	87	10	1	149	78	6	30	472	61
131	EDMONTON	4414	90	73		90	70	102	—	15	93	136	169	56	37	4	—	47	311	34	32	395	336	27	147	2154	460
132																											
8.—HERTFORDSH.																											
No.	WARE ..	302	3	—		3	10	—	—	—	1	7	14	3	—	—	—	1	33	—	1	20	42	—	16	149	20
133	BISHOP STORTFORD	318	6	—		9	2	2	—	—	1	9	8	6	4	—	—	2	27	1	—	21	27	8	8	183	10

* 129-130.—On 1st October, 1909, Willesden sub-district of HENDON Registration District was created a separate Registration District. WILLESDEN (129) and HENDON Registration District was renumbered (130). The deaths are shown as if the change had taken place at the beginning of the year.

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—*continued*.
 III.—SOUTH MIDLAND COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																			ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, <i>Phtisis</i> . <i>Phtisis</i> , not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	<i>Tuberculous Mesenterica</i> .	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, <i>Rheumatism of Heart</i> .	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
8.—HERTFORDSH. —continued.																										
No.	*ROYSTON { BUNTINGFORD	95																								
135	HITCHIN ..	237	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
136	HERTFORD..	443	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
137	+HATFIELD { HATFIELD	246	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
138	WELWYN ..	80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
139	ST. ALBANS	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140	WATFORD ..	566	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
141	HEMEL HEMPSTEAD ..	859	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
142	BERKHAMPTON ..	261	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		210	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9.—BUCKINGHMS.																										
143	AMERSHAM	315	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
144	ETON..	415	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
145	WYCOMBE ..	542	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
146	AYLESBURY ..	483	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
147	WINSLOW ..	105	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
148	NEWPORT PAGNELL ..	335	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
149	BUCKINGHAM ..	153	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10.—OXFORDSH.																										
150	HENLEY ..	324	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
151	THAME ..	172	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
152	HEADINGTON ..	709	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
153	OXFORD ..	233	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 135.—The District of ROYSTON comprises the two Poor Law Unions of BUNTINGFORD and ROYSTON.

† 138.—The District of HATFIELD comprises the two Poor Law Unions of HATFIELD and WELWYN.

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—*continued*.
 III.—SOUTH MIDLAND COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	ALL CAUSES.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
10.—OXFORDSH. —continued.																											
No.		173	5	—	—	2	2	1	—	1	2	8	5	1	1	—	—	—	13	—	—	4	21	1	5	101	13
154	BICESTER ..	192	—	—	—	4	6	—	—	—	1	7	2	3	—	—	—	15	2	—	6	12	1	13	176	19	
155	WOODSTOCK ..	306	—	—	—	8	7	1	—	1	—	10	18	2	—	—	—	25	1	—	17	25	3	7	134	19	
156	WITNEY ..	208	—	—	—	7	—	—	—	—	1	9	1	1	—	—	1	15	—	—	11	19	1	3	249	7	
157	CHIPPING NORTON ..	439	18	1	—	9	1	—	—	5	3	13	13	2	1	—	3	21	3	—	30	42	2	24	249	37	
158	BANBURY ..																										
11.—NORTHAMPTONSHIRE.																											
No.		156	—	—	—	2	1	—	—	3	3	2	2	1	—	—	—	3	18	—	2	13	12	—	3	93	7
159	BRACKLEY ..	156	3	—	—	3	—	—	—	1	—	2	4	—	—	—	—	14	2	—	12	13	—	4	94	7	
160	TOWCESTER ..	199	—	—	—	13	—	—	—	1	—	5	10	1	—	—	2	16	1	—	8	16	—	11	103	16	
161	POTTERS PURDY ..	139	—	—	—	1	—	—	—	1	—	1	10	3	1	—	—	10	10	1	10	14	—	5	76	8	
162	HARDINGSTONE ..	139	—	—	—	1	—	—	—	1	—	1	10	3	1	—	—	21	108	13	5	106	127	7	41	746	60
163	NORTHAMPTON ..	1432	33	—	—	37	—	10	—	25	40	11	80	25	2	2	2	3	26	5	9	14	2	—	8	150	10
164	DAVENTRY ..	255	—	—	—	18	—	—	—	1	16	16	4	—	—	—	—	23	—	—	10	10	—	7	83	10	
165	BRIXWORTH ..	179	—	—	—	8	—	—	—	2	2	16	9	—	—	—	—	49	4	—	26	61	—	24	342	42	
166	WELLINGBOROUGH ..	635	5	—	—	14	—	—	—	3	3	26	30	9	4	—	—	8	23	—	5	10	10	7	83	10	
167	KETERING ..	619	15	—	—	13	—	5	—	2	16	16	28	9	4	—	—	43	3	3	44	48	—	22	336	36	
168	THRAPSTON ..	188	—	—	—	4	—	—	—	1	8	1	12	4	—	—	—	18	—	—	12	9	—	4	108	7	
169	OUNDLÉ ..	148	—	—	—	2	6	2	—	—	1	7	7	2	—	—	—	11	—	—	9	15	—	5	89	3	
170	PETERBOROUGH ..	705	15	1	—	11	9	5	—	6	9	26	20	9	4	1	—	9	88	5	3	31	43	29	383	37	
12.—HUNTINGDONSHIRE.																											
No.		248	1	8	—	—	—	1	—	—	1	7	4	2	—	—	—	6	21	2	1	7	26	1	9	151	11
171	HUNTINGDON ..	213	7	—	—	2	3	—	—	—	2	5	13	—	3	—	—	2	16	—	12	19	—	10	119	11	
172	ST. IVES ..	163	—	1	—	6	2	—	—	—	—	7	3	1	—	—	—	—	13	—	13	12	1	5	102	8	
173	ST. NEOTS ..		—																								

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—*continued*.
 III.—SOUTH MIDLAND COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				Inquests.		
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever of Heart.		Pneumonia.	Bronchitis.
IV.—EASTERN COUNTIES.																								

IV.—EASTERN COUNTIES.

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—*continued*.IV.—EASTERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				Inquests.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
No.	ALL CAUSES.																										
15.—ESSEX—cont.																											
192	ORSETT ..	—	20	1	—	6	9	3	—	—	14	11	25	5	4	1	1	7	31	3	1	48	33	2	13	236	18
193	BILLERICAY ..	—	2	3	—	8	11	—	—	1	2	10	26	—	—	—	—	6	25	1	1	36	43	9	9	310	11
194	CHELMSFORD ..	—	1	1	—	9	6	3	—	1	2	18	13	5	2	—	—	5	37	5	1	13	32	1	11	245	14
195	ROCHFORD..	—	11	4	—	14	23	8	—	1	8	57	45	17	7	1	—	11	70	6	5	53	67	9	44	532	54
196	MALDON ..	—	—	—	—	11	9	—	—	3	9	12	9	4	1	—	—	1	43	3	4	14	16	1	19	209	15
197	TENDRING ..	—	—	3	—	12	6	4	—	—	2	29	10	4	7	—	—	5	43	4	3	23	40	5	17	391	21
198	COLCHESTER ..	—	6	1	—	4	4	2	—	—	9	14	23	9	3	—	—	9	37	4	2	25	51	3	17	291	23
199	LEXDEN ..	—	—	—	—	—	1	—	—	—	1	11	7	3	3	—	—	5	23	—	—	7	20	6	6	181	8
200	HALSTEAD ..	—	—	—	—	7	—	—	—	—	2	1	3	4	1	—	—	1	13	—	—	14	23	1	—	133	2
201	BRAINTREE ..	—	2	4	—	11	—	4	—	—	—	6	12	3	3	—	—	9	31	1	1	14	40	3	9	224	10
202	DUNMOW ..	—	4	1	—	7	4	1	—	—	—	5	5	4	4	—	—	4	22	—	—	9	25	1	5	124	5
203	SAFFRON WALDEN ..	—	—	1	—	12	—	—	—	—	—	3	7	2	2	—	—	—	19	1	2	5	16	1	5	163	3
16.—SUFFOLK.																											
204	RISBRIDGE..	—	—	2	—	4	—	1	—	—	3	7	6	1	1	—	—	5	30	—	1	8	18	—	4	141	6
205	SUDBURY ..	—	—	3	—	9	—	—	—	—	5	19	10	1	2	—	—	8	28	5	1	19	38	1	11	202	15
206	COSFORD ..	—	—	—	—	—	1	—	—	—	1	6	8	3	3	—	—	3	9	—	—	10	16	—	7	115	11
207	BURY ST. EDMUNDS ..	—	5	1	—	—	1	2	—	—	2	8	11	3	3	—	—	7	36	4	3	31	27	—	15	274	15
208	MILDENHALL ..	—	—	—	—	—	—	3	—	—	4	6	4	1	1	—	—	—	8	1	1	6	2	—	1	73	2
209	STOW..	—	2	1	—	5	2	2	—	—	1	5	17	—	1	—	—	—	13	—	—	6	12	—	6	138	11
210	HARTISMERE ..	—	4	—	—	9	1	1	—	1	5	4	15	1	—	—	—	1	29	1	—	21	33	1	12	207	24
211	BOSMERE ..	—	—	—	—	1	—	1	—	—	2	5	4	2	—	—	—	3	11	—	—	13	11	—	6	141	11

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—continued.

IV.—EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.	CAUSES OF DEATH.																	ALL CAUSES.									
	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.	
16.—SUFFOLK																											
—continued.																											
No.	SAMFORD	3	2	—	—	—	—	2	9	—	1	—	—	2	16	1	1	8	18	—	9	92	11	
212	IPSWICH	4	—	13	16	8	—	3	11	23	64	15	10	—	—	19	102	6	4	74	63	4	40	539	90	
213	WOODBRIIDGE	—	—	3	1	5	—	—	1	5	21	2	3	1	—	11	29	1	1	14	16	—	13	247	31	
214	PLOMESGATE	—	—	9	—	—	—	1	1	5	13	—	—	—	—	2	23	1	2	10	8	—	5	142	15	
215	PLYMOUTH	—	—	4	1	—	—	—	1	10	21	4	1	2	—	4	33	3	1	20	17	13	13	218	18	
216	WANGFORD	—	—	3	—	1	—	—	—	3	15	3	—	—	—	3	15	1	—	10	10	9	9	108	14	
217	MUTFORD	2	—	11	12	6	—	3	7	13	28	6	2	—	—	4	45	4	—	46	21	3	30	355	51	
218																											
17.—NORFOLK.																											
219	YARMOUTH	—	—	31	32	4	—	—	18	40	27	10	7	—	—	12	82	6	1	37	79	—	53	501	90	
220	FLEGG	—	—	8	1	—	—	1	—	—	6	—	—	—	—	1	13	—	—	4	16	—	4	84	8	
221	SMALLBURGH	—	—	2	1	—	—	—	2	4	10	1	—	—	—	1	18	1	—	4	15	—	6	133	11	
222	ERPINGHAM	1	—	1	3	—	—	—	—	2	13	2	1	—	—	2	39	3	2	18	14	—	6	140	10	
223	AYLSHAM	—	—	3	—	3	—	—	1	6	4	—	2	—	—	2	22	—	—	8	10	—	3	143	7	
224	ST. FAITH'S	—	—	5	1	1	—	—	3	6	4	1	1	—	—	13	13	—	—	7	14	—	3	110	8	
225	NORWICH	—	—	13	20	18	—	9	51	60	69	18	19	2	2	19	128	11	5	91	120	—	47	957	123	
226	FOREHOE	85	—	—	—	4	—	—	1	5	1	2	2	—	—	2	7	—	—	6	10	—	3	96	5	
227	HENSTEAD	1	—	1	1	2	—	—	—	7	—	—	—	—	—	1	16	—	—	6	10	—	5	63	6	
228	BLOFIELD	3	—	2	1	—	—	—	—	3	—	—	2	—	—	1	5	—	—	14	11	—	4	149	6	
229	LODDON	—	—	7	—	—	—	—	1	3	27	1	1	—	—	1	9	—	—	4	15	—	2	103	18	
230	DEPWADE	—	—	5	2	—	—	—	—	13	7	1	1	—	—	2	31	1	—	4	23	—	11	204	9	
231	WAYLAND	1	—	6	5	1	—	—	—	9	1	2	2	—	—	3	17	—	—	5	17	—	6	103	24	
232	MITFORD	4	—	5	4	—	—	—	2	16	13	4	—	—	—	4	30	—	—	15	23	—	15	214	10	
233	WALSINGHAM	—	—	5	1	1	—	—	2	7	6	—	3	—	—	2	24	3	—	16	22	—	9	159		

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—*continued*.
IV.—EASTERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubæ Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
V.—SOUTH WESTERN COUNTIES.																											
17.—NORFOLK— <i>continued.</i>																											
No.	DOCKING ..	250	2	—	—	1	5	3	5	5	11	—	2	1	1	—	—	1	20	—	1	14	15	1	8	158	10
234	FREEBRIDGE LYNN ..	159	—	—	—	—	—	—	—	—	10	—	—	1	1	—	—	—	13	1	—	5	7	1	1	107	4
235	KING'S LYNN ..	273	—	—	—	—	—	—	—	—	3	5	4	2	2	—	—	5	21	2	2	13	22	16	9	155	21
236	DOWNHAM ..	252	—	1	—	—	—	—	—	—	6	5	1	1	1	—	—	2	20	1	—	11	15	2	5	158	9
237	SWAFFHAM ..	140	—	—	—	—	—	—	—	—	2	4	—	—	—	—	—	1	11	2	1	3	7	2	6	95	8
238	THETFORD ..	279	2	1	1	—	—	—	1	—	4	26	1	—	—	—	—	—	23	2	—	16	30	—	6	148	7
18.—WILTSHIRE.																											
No.	SWINDON ..	780	25	4	—	1	5	4	—	—	32	32	7	3	5	—	12	61	5	4	55	42	5	27	440	58	
240	CRICKLADE ..	154	2	—	—	—	—	—	—	—	2	5	—	2	—	—	—	10	15	—	4	4	—	4	101	11	
241	MARNESBURY ..	160	—	—	—	—	—	—	—	—	—	4	1	3	—	—	—	15	21	—	9	7	—	8	99	14	
242	CHIPPENHAM ..	309	—	—	—	—	—	—	—	—	14	5	2	1	—	—	2	6	6	2	8	22	2	17	194	31	
243	CALNE ..	102	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	12	19	1	4	11	—	4	62	7	
244	MARLBOROUGH ..	111	2	—	—	—	—	—	—	—	1	3	—	—	—	—	—	12	12	—	9	4	—	—	70	1	
245	DEVIZES ..	353	1	—	—	—	—	—	—	—	19	3	7	—	—	—	2	19	22	5	35	21	—	7	209	20	
246	MELKSHAM ..	259	—	—	—	—	—	—	—	—	8	8	2	—	—	—	—	11	19	1	3	18	—	10	157	19	
247	BRADFORD ON AVON ..	114	—	—	—	—	—	—	—	—	6	3	—	—	—	—	—	11	22	1	6	12	—	4	63	11	
248	WESTBURY ..	141	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	17	8	—	5	14	—	8	80	16	
249	WARMINSTER ..	155	—	—	—	—	—	—	—	—	6	6	—	—	—	—	—	6	6	—	7	14	—	7	100	9	
250	PEWSEY ..	164	—	—	—	—	—	—	—	—	1	9	—	—	—	—	—	2	11	—	5	8	—	3	105	8	
251	AMESBURY ..	119	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	11	6	—	7	14	—	10	72	14	
252	SALISBURY ..	385	—	—	—	—	—	—	—	—	12	8	—	—	—	—	—	34	2	—	18	30	—	9	234	23	
253	WILTON ..	120	—	—	—	—	—	—	—	—	2	6	2	—	—	—	—	12	5	—	4	5	—	3	78	5	
254	TISBURY ..	97	—	—	—	—	—	—	—	—	1	5	—	—	—	—	—	5	—	—	7	6	—	4	62	4	
255	MERE ..	60	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	6	—	—	1	2	—	4	38	5	

V.—SOUTH WESTERN COUNTIES.

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—continued.
V.—SOUTH WESTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.	CAUSES OF DEATH.																	Inquests.							
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
20.—DEVON-SHIRE—continued.																											
No.																											
279	TAVISTOCK	348	—	—	1	—	—	—	—	—	—	14	22	4	1	—	—	3	18	2	1	23	16	5	15	213	25
280	OKEHAMPTON	255	—	—	—	—	—	—	—	—	—	14	9	2	—	—	—	—	18	—	—	24	20	2	3	152	6
281	CREDITON	228	—	—	—	—	—	—	—	—	—	9	6	3	—	—	—	—	15	—	—	16	18	2	8	133	10
282	TIVERTON	360	—	—	—	—	—	—	—	—	—	7	6	2	—	—	—	—	24	21	3	37	10	2	11	204	21
283	SOUTH MOLTON	184	—	—	—	—	—	—	—	—	—	7	5	—	—	—	—	5	21	—	—	15	4	—	4	109	14
284	BARNSTAPLE	614	—	2	1	—	—	—	—	—	—	22	15	—	4	—	—	2	55	26	6	33	16	—	24	366	41
285	TORRINGTON	177	—	—	—	—	—	—	—	—	—	16	4	1	3	—	—	3	11	17	1	13	15	—	3	93	10
286	BIDEFORD	256	—	—	—	—	—	—	—	—	—	15	6	1	2	—	—	9	17	—	—	21	15	—	29	121	38
287	HOLSWORTHY	97	—	—	—	—	—	—	—	—	—	3	7	1	—	—	—	1	6	—	—	4	5	—	2	66	3
21.—CORNWALL.																											
288	STRATTON	92	—	—	—	—	—	—	—	—	—	1	2	—	1	—	4	10	1	1	—	2	7	7	5	55	8
289	CAMELFORD	112	—	—	—	—	—	—	—	—	—	7	9	1	—	—	—	8	21	1	—	9	11	—	2	70	9
290	LAUNCESTON	166	—	—	—	—	—	—	—	—	—	11	6	—	—	—	—	21	18	1	—	18	10	—	9	142	15
291	ST. GERMAN'S	226	—	—	—	—	—	—	—	—	—	9	8	1	—	—	5	25	22	1	—	15	16	—	7	217	17
292	LISKEARD	328	—	—	—	—	—	—	—	—	—	10	7	3	—	—	7	23	22	1	3	30	14	—	15	194	31
293	BODMIN	334	—	—	1	—	—	—	—	—	—	9	8	—	—	—	—	22	22	1	2	22	17	—	8	140	20
294	ST. COLUMB	252	—	—	—	—	—	—	—	—	—	10	7	—	—	—	1	35	38	2	2	25	41	—	18	302	33
295	ST. AUSTELL	510	—	—	—	—	—	—	—	—	—	16	9	—	6	—	8	38	22	2	2	22	28	4	12	305	20
296	TRURO	492	—	—	2	—	—	—	—	—	—	23	19	—	3	—	4	39	25	1	1	20	25	—	12	199	23
297	FALMOUTH	352	—	—	1	—	—	—	—	—	—	12	10	3	—	—	3	4	35	—	—	22	16	—	8	180	16
298	HELSTON	309	—	—	1	—	—	—	—	—	—	4	12	1	—	—	—	3	70	3	—	46	42	—	33	492	55
299	REDRUTH	866	—	—	1	—	—	—	—	—	—	65	34	7	2	—	—	14	49	5	—	72	25	—	21	428	51
300	PENZANCE	721	—	—	1	—	—	—	—	—	—	20	38	5	10	—	6	—	—	—	—	4	1	—	—	12	—
301	ISLES OF SCILLY	21	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—continued.
V.—SOUTH WESTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	ALL CAUSES.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
VI.—WEST MIDLAND COUNTIES.																											
22.—SOMERSET-SHIRE.																											
No.	WILLITON ..	233	1	—	—	—	—	—	—	—	—	6	12	—	1	—	—	—	17	1	—	11	15	3	149	11	
302	DULVERTON ..	55	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	6	2	1	36	3	
303	WELLINGTON ..	231	—	—	—	—	—	—	—	—	—	—	9	3	—	—	—	—	19	—	—	10	19	—	136	12	
304	TAUNTON ..	603	—	—	—	—	—	—	—	—	—	24	20	—	—	—	—	6	52	1	—	39	35	—	359	35	
305	BRIDGWATER ..	505	—	—	—	—	—	—	—	—	—	16	12	—	—	—	—	4	36	1	—	58	42	5	277	27	
306	LANGPORT ..	188	—	—	—	—	—	—	—	—	—	5	3	—	—	—	—	4	18	1	—	11	9	—	121	9	
307	CHARD ..	307	—	—	—	—	—	—	—	—	—	11	8	—	—	—	—	4	17	2	—	20	19	—	197	18	
308	YEOVIL ..	393	—	—	—	—	—	—	—	—	—	8	14	—	—	—	—	5	21	—	—	25	25	—	242	17	
309	WINCANTON ..	195	—	—	—	—	—	—	—	—	—	3	6	—	—	—	—	2	19	—	—	6	13	—	128	12	
310	FROME ..	289	—	—	—	—	—	—	—	—	—	13	5	—	—	—	—	2	26	—	—	19	6	—	180	14	
311	SHEPTON Mallet ..	185	—	—	—	—	—	—	—	—	—	4	2	—	—	—	—	2	16	—	—	10	6	—	128	12	
312	WELLS ..	398	—	—	—	—	—	—	—	—	—	13	7	—	—	—	—	1	28	—	—	27	19	—	269	27	
313	AXBRIDGE ..	682	—	—	—	—	—	—	—	—	—	13	42	—	—	—	—	1	56	—	—	46	36	—	407	47	
314	CLUTTON ..	351	—	—	—	—	—	—	—	—	—	18	—	—	—	—	—	7	30	—	—	26	32	—	200	23	
315	BATH ..	1158	—	—	—	—	—	—	—	—	—	54	—	—	—	—	—	9	121	11	—	79	75	—	651	82	
316	KEYNSHAM ..	479	—	—	—	—	—	—	—	—	—	17	19	—	—	—	—	3	33	—	—	41	35	—	276	28	
317	LONG ASHTON ..	306	—	—	—	—	—	—	—	—	—	8	7	—	—	—	—	2	16	2	—	18	24	—	194	19	
318																											
23.—GLOUCESTER-SHIRE.																											
No.	BRISTOL ..	4894	94	13	—	34	57	57	—	13	98	243	168	65	27	—	4	45	370	32	16	366	397	31	180	2575	433
319	CHIPPING Sodbury ..	272	3	1	—	3	—	2	—	—	4	9	6	2	1	—	1	3	20	1	1	14	15	5	10	171	20
320	THORNBURY ..	229	4	—	—	3	1	—	—	—	3	6	8	—	—	—	—	1	22	5	1	15	10	—	14	136	19
321																											

VI.—WEST MIDLAND COUNTIES.

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—continued.
VI.—WEST MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
25.—SHROPSHIRE.																											
No.	LUDLOW	258																									
342	CLUN.. ..	114																									
343	CHURCH STREETON ..	60																									
344	CLEOBURY MORTIMER ..	121																									
345	BRIDGNORTH	224																									
346	SHIFNAL	173																									
347	MADELEY	363																									
348	ATCHAM	952																									
349	OSWESTRY	413																									
350	ELLESMERE	201																									
351	WEM.. ..	149																									
352	WHITCHURCH	136																									
353	MARKET DRAYTON ..	230																									
354	WELLINGTON	338																									
355	NEWPORT	186																									
356																											
26.—STAFFORDSHIRE.																											
No.	STAFFORD	590																									
357	STONE	280																									
358	NEWCASTLE UN. LYME ..	652																									
359	WOLSTANTON	2046																									
360	STOKE UPON TRENT ..	3195																									
361	LEEK	795																									
362	CHEADLE	453																									
363	UTTOXETER	201																									
364	BURTON UPON TRENT..	1252																									
365																											

VI.—WEST MIDLAND COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.			
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Mænterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.

* 369.—The District of WOLVERHAMPTON comprises the two Poor Law Unions of SEISDON and WOLVERHAMPTON.

† On 1st December, 1909, the boundary between STOURBRIDGE (373) and KINGS NORTON (383) Registration Districts was altered: see page 505. The deaths are included in the figures for the District in which they were registered.

REGISTRATION DISTRICTS.		ALL CAUSES.	CAUSES OF DEATH.																			Inquests.					
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhus Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
29.—LEICESTER-SHIRE—continued.																											
No. 404	ASHBY DE LA ZOUCH ..	662	—	8	—	18	12	6	—	1	5	14	26	11	8	2	2	12	35	9	2	41	53	8	31	358	49
405	LOUGHBOROUGH ..	487	—	1	—	18	6	5	—	3	7	14	14	5	5	1	1	5	30	3	1	34	36	4	15	278	21
406	BARROW UPON SOAR ..	423	—	21	—	6	2	12	—	—	6	9	19	6	2	—	—	4	26	2	3	29	34	2	13	208	24
407	LEICESTER ..	2895	—	102	7	36	51	6	—	1	101	115	115	41	30	—	2	31	195	23	17	250	222	22	93	1435	205
408	MELTON MOWBRAY ..	322	—	—	21	—	—	8	—	1	2	5	12	2	—	—	—	3	22	2	3	18	27	1	7	186	12
30.—RUTLAND-SHIRE.																											
409	OAKHAM ..	161	—	2	—	8	—	—	—	—	1	2	3	1	2	—	—	—	11	1	1	25	15	—	5	84	7
410	UPPINGHAM ..	148	—	1	—	13	2	2	—	—	—	6	4	—	—	—	1	1	13	1	1	4	7	1	9	83	12
31.—LINCOLNSH.																											
411	STAMFORD ..	249	—	1	—	3	1	3	—	—	—	5	6	3	1	1	—	3	23	2	2	20	13	1	11	145	15
412	BOURNE ..	244	—	5	—	4	3	3	—	1	2	4	16	4	3	—	—	2	20	—	—	16	15	—	11	143	14
413	SPALDING ..	303	—	2	—	—	2	3	—	—	7	9	22	2	2	—	—	3	30	1	—	15	17	—	12	181	17
414	HOLBEACH ..	265	—	2	—	—	—	3	—	—	7	6	9	2	2	—	—	2	22	1	—	24	11	2	9	158	9
415	BOSTON ..	585	—	4	—	7	—	2	—	2	7	13	22	2	5	—	—	6	52	3	—	38	54	3	23	330	44
416	SLEAFORD ..	328	—	2	—	5	7	1	—	—	3	14	13	3	1	—	—	5	23	1	—	18	15	1	10	206	14
417	GRANTHAM ..	514	—	9	—	16	10	10	—	4	6	7	21	3	1	—	—	5	32	7	13	38	31	3	13	296	23
418	LINCOLN ..	1215	—	—	3	25	8	67	—	6	9	31	62	7	7	—	—	21	95	3	13	71	67	9	40	668	73
419	HORNCASTLE ..	252	—	1	—	7	1	—	—	—	3	5	8	2	—	—	—	6	12	1	2	8	19	2	4	170	8
420	SPILSBY ..	350	—	—	—	9	1	1	—	—	4	20	4	6	—	—	—	1	27	1	1	20	20	1	21	211	24
421	LOUTH ..	429	—	1	—	18	1	1	—	1	2	13	15	3	6	—	—	5	35	1	1	17	41	1	17	247	21
422	GRIMSBY ..	1310	—	4	2	17	3	2	—	27	37	38	55	26	7	—	—	20	82	4	10	116	108	9	47	676	109
423	CAIMSTOR ..	242	—	—	—	5	3	2	—	1	15	3	3	1	1	—	—	2	19	—	—	16	13	—	6	165	14
424	GLANFORD BRIGG ..	654	—	9	—	19	24	4	—	1	15	12	15	11	6	—	—	10	49	3	—	40	49	—	32	348	35
425	GAINSBOROUGH ..	610	—	1	2	17	16	3	—	1	3	14	22	4	3	—	—	9	37	—	—	29	40	4	14	288	22

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—continued.
VII.—NORTH MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				Inquests.						
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
No.	32.—NOTTINGHAMSHIRE.	374	—	15	—	—	6	4	4	—	1	4	5	9	2	3	1	1	12	15	1	1	24	24	1	13	229	19
426	EAST RETFORD ..	690	—	35	—	—	6	16	5	—	2	22	21	24	0	5	2	2	7	34	4	4	58	42	5	31	360	35
427	WORKSOP ..	1500	—	34	—	—	8	21	2	—	13	37	2	37	16	2	2	2	16	71	11	10	124	70	28	56	863	60
428	MANSFIELD ..	2213	—	97	—	—	32	35	21	—	8	64	63	46	29	9	6	6	15	115	9	14	215	177	22	87	1143	110
429	BASFORD ..	4541	—	144	—	—	55	60	28	—	23	173	192	140	47	31	10	10	36	274	25	17	449	414	31	143	2238	270
430	NOTTINGHAM ..	289	—	—	—	—	8	3	7	—	—	—	6	8	—	—	—	—	3	23	3	1	9	19	4	13	185	26
431	SOUTHWELL ..	502	—	5	—	—	12	15	2	—	2	3	18	9	3	5	—	1	7	36	2	1	51	41	4	12	268	26
432	NEWARK ..	244	—	2	—	—	6	—	2	—	—	—	13	11	1	—	—	—	1	16	2	3	14	15	—	9	146	12
433	BINGHAM ..																											
No.	33.—DERBYSHIRE.	755	—	14	—	—	19	6	12	—	1	11	29	37	7	2	—	—	3	56	2	1	43	62	6	26	417	41
434	SHARDLOW ..	1815	—	47	—	—	19	44	32	—	2	31	49	90	13	16	2	2	14	110	17	11	113	156	13	71	961	209
435	DERBY ..	930	—	16	—	—	13	20	25	—	4	6	26	19	6	11	3	3	12	51	1	3	105	70	11	18	509	31
436	BELPER ..	263	—	1	—	—	5	2	2	—	—	—	10	6	4	—	—	—	2	18	4	—	24	11	3	17	151	21
437	ASHBOURNE ..	2075	—	92	—	—	24	18	30	—	10	55	68	64	31	27	1	1	17	111	16	8	171	188	17	92	1042	100
438	CHESTERFIELD ..	524	—	9	—	—	12	7	11	—	—	6	15	14	9	1	—	—	—	34	2	3	36	33	4	24	303	39
439	BAKEWELL ..	411	—	5	—	—	6	—	6	—	1	2	9	17	5	3	1	1	5	27	2	4	35	18	—	19	242	24
440	CHAPEL EN LE FRITH ..	374	—	19	—	—	2	—	1	—	1	6	8	11	1	1	—	—	1	24	1	4	24	34	4	18	200	23
441	GLOSSOP ..	223	—	2	—	—	4	4	1	—	1	4	2	14	3	2	2	2	1	14	2	2	22	12	2	11	118	14
442	HAYFIELD ..																											
No.	34.—CHESHIRE.	2661	—	50	—	—	31	25	29	—	23	57	117	86	37	23	5	35	144	10	10	272	229	15	73	1364	173	
443	STOCKPORT ..	955	—	8	—	—	18	—	4	—	3	12	31	28	11	9	2	15	73	5	5	92	66	6	29	531	70	
444	MACCLESFIELD ..	1156	—	25	—	—	29	—	8	—	4	14	39	38	9	7	3	12	89	9	9	112	94	4	38	599	77	
445	BUCKLOW ..																											

VIII.—NORTH WESTERN COUNTIES.

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—*continued*.
 VIII.—NORTH WESTERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																			ALL CAUSES.						
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
34.—CHESHIRE— <i>continued.</i>																											
No.		582																									
446	RUNCORN ..	733																									
447	NORTHWICH ..	448																									
448	CONGLETON ..	1057																									
449	NANTWICH ..	207																									
450	*CHESTER { TARVIN ..	1032																									
451	CHESTER { ..	673																									
452	WIRRAL ..	2829																									
BIRKENHEAD ..																											
35.—LANCASHIRE.																											
453	LIVERPOOL ..	3969																									
454	TOXTETH PARK ..	2424																									
455	WEST DERBY ..	10088																									
456	PRESCOT ..	2951																									
457	ORMSKIRK ..	1637																									
458	WIGAN ..	3787																									
459	WARRINGTON ..	2084																									
460	LEIGH ..	1538																									
461	BOLTON ..	4088																									
462	BURY ..	2312																									
463	BARTON UPON IRWELL ..	1753																									
464	CHORLTON ..	6483																									
465	SALFORD ..	4700																									
466	MANCHESTER ..	2126																									
467	PRESTWICH ..	4650																									
468	ASHTON UNDER LYNE ..	3049																									

* 450.—The District of CHESTER comprises the two Poor Law Unions of TARVIN and CHESTER.

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—*continued*.
VIII.—NORTH WESTERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.	ALL CAUSES.	CAUSES OF DEATH.																			Inquests.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
35.—LANCASHIRE —continued.																										
No. 469	4090	—	99	26	—	49	22	31	—	17	61	121	196	49	25	3	49	179	30	39	436	405	53	110	2090	233
470	2092	—	42	12	—	54	13	20	—	6	14	51	85	20	15	4	20	128	9	14	171	180	11	60	1163	128
471	1824	—	42	6	—	39	12	13	—	16	18	37	66	15	14	1	16	93	8	12	165	161	17	58	1015	91
472	3181	—	29	28	—	35	21	22	—	13	65	126	94	41	26	4	33	155	13	23	342	330	22	134	1025	209
473	314	—	1	1	—	10	5	2	—	2	6	16	8	4	2	2	6	19	1	1	24	23	4	12	165	18
474	3690	—	73	62	—	62	47	34	1	27	64	83	138	31	13	15	30	198	16	29	355	401	31	128	1852	214
475	1030	—	28	4	—	16	7	16	—	7	7	29	42	10	2	2	6	49	5	5	126	84	4	39	542	52
476	2636	—	26	8	—	52	77	19	—	17	48	50	170	24	23	6	22	141	16	20	235	213	18	84	1367	122
477	1649	—	9	19	—	30	17	41	—	26	13	18	81	13	12	3	19	102	7	6	139	107	12	65	910	87
478	167	—	—	2	—	4	—	1	—	2	1	1	5	1	—	—	2	9	2	1	13	11	—	12	100	14
479	1161	—	17	18	—	10	22	5	—	7	1	34	59	12	8	—	18	63	6	4	106	66	7	29	665	43
480	93	—	—	4	—	—	2	2	—	—	1	3	2	1	—	—	2	5	5	—	8	3	4	9	54	4
481	513	—	—	1	—	21	—	2	—	—	3	24	13	9	4	—	7	40	2	2	34	49	2	9	287	13
482	757	—	1	6	—	22	6	14	1	3	—	26	46	11	8	1	16	40	3	7	59	48	5	24	401	25

IX.—YORKSHIRE.

No. 483	54	—	—	—	—	4	—	1	—	1	—	—	1	1	—	—	—	5	1	1	5	4	—	1	29	1
484	178	—	—	—	—	3	2	—	—	—	—	6	3	—	1	—	—	9	1	1	8	13	3	3	122	3
485	635	—	8	6	—	16	12	1	—	—	7	22	23	7	1	—	5	31	11	—	61	60	3	13	338	21
486	117	—	—	—	—	6	—	3	—	—	1	1	2	1	1	1	—	2	—	1	9	4	—	6	78	8
487	219	—	—	—	—	4	3	2	—	2	—	6	15	1	3	—	2	18	—	—	21	20	5	3	113	9

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—continued.
IX.—YORKSHIRE—continued.

REGISTRATION DISTRICTS		CAUSES OF DEATH.																									
ALL CAUSES.		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tubercu- losis, Tubercu- lous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.	
36.—W. RIDING —continued.																											
No.	GREAT OUSEBURN	133	—	—	—	2	2	—	—	2	1	4	10	3	—	—	—	—	11	—	—	12	6	—	2	78	6
488	KNARESBOROUGH	610	8	1	—	11	5	—	—	2	4	17	19	2	4	—	—	9	49	3	—	46	39	—	14	365	32
489	WETHERBY	189	—	—	—	8	1	—	—	—	1	2	5	—	3	—	—	2	13	3	—	8	16	1	8	114	17
491	WHARFEDALE	892	—	—	—	21	10	10	—	2	3	35	51	4	3	—	—	10	56	4	—	72	43	1	21	536	33
492	KEIGHLEY..	1101	—	9	—	26	5	16	—	7	14	46	37	15	7	—	—	20	67	4	—	70	79	7	34	619	42
493	TODMORDEN	660	3	—	—	13	5	9	—	2	7	23	20	3	3	—	—	7	52	4	—	66	55	4	20	364	45
494	SADDLEWORTH	296	6	3	—	2	1	5	—	—	1	11	8	2	3	—	—	4	19	3	—	30	13	3	15	156	20
495	HUDDERSFIELD	2741	27	11	—	41	22	29	—	21	37	92	89	32	17	1	—	32	205	14	18	218	212	22	89	1502	175
496	HALIFAX	2715	8	27	—	44	34	42	—	20	20	104	110	28	20	2	—	38	173	7	12	255	224	16	82	1449	176
497	NORTH BIERLEY	1911	14	10	—	38	18	11	—	6	19	53	76	18	11	2	—	19	130	6	12	139	176	11	64	1087	115
498	BRADFORD..	3536	13	17	—	71	43	49	—	11	37	83	193	38	16	7	—	38	302	18	17	317	311	21	120	1814	323
499	BRAMLEY ..	1114	8	—	—	16	10	6	—	3	11	57	49	10	12	14	—	16	66	4	9	72	105	12	24	610	83
500	LEEDS	4376	35	12	—	74	45	53	—	41	52	193	163	49	32	6	—	61	321	36	15	456	376	32	186	2136	446
501	HUNSLT ..	1196	22	—	—	15	24	7	—	—	12	32	60	15	12	19	—	16	25	2	6	140	103	4	14	571	100
502	HOLBECK ..	533	16	2	—	6	7	3	—	3	36	25	13	6	3	7	—	3	69	2	2	65	48	2	14	274	49
503	DEWSBURY	2578	8	16	—	35	46	23	—	23	37	83	92	49	14	2	—	39	180	18	14	219	198	35	84	1363	186
504	WAKEFIELD	1813	16	2	—	19	13	15	—	13	25	56	83	27	16	2	—	28	96	6	9	169	137	16	78	987	180
505	PONTEFRAC	1308	31	8	—	7	25	9	—	17	86	35	30	19	21	3	—	18	50	9	4	105	115	15	51	650	105
506	HEMSWORTH	494	16	4	—	3	14	4	—	9	17	17	12	5	7	—	—	7	14	2	2	49	59	5	23	225	51
507	BARNSELY ..	2091	75	10	—	22	13	11	—	31	82	32	57	32	34	7	—	25	81	13	6	208	216	23	93	1020	161
508	*WORTLEY {PENISTONE	247	2	1	—	10	1	4	—	—	4	3	2	4	—	—	—	5	19	—	1	25	19	3	14	130	25
509	WORTLEY {WORTLEY	675	36	—	—	2	5	3	—	6	5	45	7	2	6	1	—	7	34	2	2	77	26	3	23	383	35
510	ECCLESALL	2664	160	38	—	52	28	25	—	19	86	143	56	33	15	—	—	14	182	8	12	252	179	43	61	1287	123
511	SHEFFIELD	4619	284	4	—	43	27	13	1	16	173	248	59	55	30	5	—	36	263	25	20	452	351	18	195	2275	345
512	ROTHERHAM	1946	57	19	—	21	18	19	—	22	71	39	71	26	21	2	—	33	87	14	14	212	148	18	114	920	154
512	DONCASTER	1626	27	11	—	40	50	16	—	9	56	59	32	21	19	2	—	18	88	9	2	156	122	14	76	789	87

* 508.—The District of WORTLEY comprises the two Poor Law Unions of PENISTONE and WORTLEY.

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—continued.

IX.—YORKSHIRE—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.		CAUSES OF DEATH.																		Inquests.						
				Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).			Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
36.—W. RIDING—																												
<i>continued.</i>																												
No.		257		—	10	—	—	4	—	2	—	3	11	4	18	7	—	—	3	20	3	1	18	11	1	9	153	9
513	THORNE ..	406		—	1	—	—	6	4	6	—	—	4	18	1	—	—	—	9	18	4	—	52	35	8	22	205	38
514	GOOLE ..	261		—	—	1	—	10	—	—	—	—	9	10	3	—	—	—	3	16	—	—	21	21	3	7	146	13
515	SELBY ..	431		—	11	2	—	5	8	2	—	9	13	4	4	—	—	5	27	5	—	4	33	38	3	18	218	33
516	TADCASTER ..			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
37.—E. RIDING																												
<i>(with York).</i>																												
517	YORK ..	1265		—	4	2	—	15	15	4	—	4	22	30	84	18	7	—	6	87	9	6	85	88	8	46	723	92
518	POCKLINGTON ..	182		—	—	1	—	2	4	1	—	1	1	7	1	2	—	1	1	15	1	—	8	18	3	6	109	15
519	HOWDEN ..	176		—	1	1	—	2	1	1	—	1	—	7	1	—	—	—	1	11	1	—	13	9	—	8	107	15
520	BEVERLEY ..	418		—	—	—	—	5	7	1	—	3	—	23	18	—	—	—	2	20	2	—	23	17	1	20	259	32
521	SCULCOATES ..	2778		2	61	12	—	34	32	59	—	13	95	72	139	27	23	2	28	158	17	2	223	201	18	104	1436	239
522	HULL ..	1561		—	29	1	—	14	19	10	—	1	44	51	49	16	13	—	21	101	10	8	115	143	14	115	787	206
523	PATRINGTON ..	124		—	—	—	—	2	—	1	—	—	1	7	5	—	—	—	9	9	—	1	7	9	—	12	69	17
524	SKIRLAUGH ..	104		—	1	—	—	—	1	1	—	—	1	7	3	1	1	—	1	5	—	1	3	3	—	10	62	12
525	DRIFFIELD ..	220		—	—	1	—	6	—	1	—	—	2	7	6	3	—	—	1	17	1	—	9	15	3	11	136	22
526	BRIDLINGTON ..	247		—	—	—	—	2	1	—	—	—	4	7	4	—	—	—	4	25	2	3	15	10	—	15	155	32
38.—N. RIDING.																												
527	SCARBOROUGH ..	697		—	—	6	—	9	2	3	—	—	3	17	22	2	5	2	5	81	2	7	55	20	2	23	431	55
528	MALTON ..	237		—	—	1	—	1	2	—	—	—	—	12	6	4	1	—	4	21	4	2	9	17	1	7	144	14
529	EASINGWOLD ..	139		—	—	—	—	3	1	—	—	—	—	4	6	—	—	—	—	12	1	—	14	1	—	9	86	19
530	THIRSK ..	161		—	6	—	—	—	2	—	—	—	3	4	6	—	1	—	—	9	3	—	6	13	—	8	96	13

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—continued.
IX.—YORKSHIRE—continued

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.			Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
No.	38.—N. RIDING— continued.																										
531	*HELMSEY { HELMSLEY KIRKBY	—	—	—	—	5	—	1	—	—	—	3	1	—	—	—	—	—	6	1	—	2	1	—	1	19	2
	MOORSIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
532	PICKERING	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	45	10
533	WHITBY	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	87	20
534	GUISBOROUGH	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	203	56
535	MIDDLESBROUGH	—	—	—	—	8	31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	—	—	—	350	157
536	STOKESLEY	—	—	—	—	27	136	—	—	—	—	—	—	—	—	—	—	—	—	—	—	536	—	—	—	1276	10
537	NORTHALLERTON	—	—	—	—	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	91	13
538	BEADALE	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	—	—	—	102	10
539	LEYBURN	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	—	—	—	56	12
540	AYSGARTH	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	39	4
541	REETH	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	19	2
542	RICHMOND..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	103	10

X.—NORTHERN COUNTIES.

39.—DURHAM.																											
No.																											
543	DARLINGTON	—	—	—	—	10	25	4	—	6	3	21	35	14	9	3	7	46	5	4	59	65	7	30	525	37	
544	STOCKTON ..	—	—	—	—	19	24	7	—	3	17	16	39	23	16	—	26	32	6	3	83	57	5	55	492	84	
545	HARTLEPOOL	—	—	—	—	9	10	15	—	4	13	31	45	30	22	3	25	83	1	5	105	86	5	57	650	87	
546	SEDGEFIELD	—	—	—	—	1	6	5	—	2	11	6	41	6	9	6	8	20	1	1	41	15	3	22	365	35	
547	AUCKLAND	—	—	—	—	19	16	14	—	16	49	31	54	27	15	8	22	64	4	7	106	132	19	63	859	76	

* 531.—The District of HELMSLEY comprises the two Poor Law Unions of HELMSLEY and KIRKBY MOORSIDE.

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—*continued*.
X.—NORTHERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
39.—DURHAM— <i>continued.</i>																											
No.																											
548	TEESDALE..	..	2	—	—	8	5	—	—	—	1	13	—	3	1	—	1	1	27	—	—	15	13	3	7	195	9
549	WEARDALE	..	—	2	2	2	4	—	12	37	7	11	18	20	3	16	11	46	15	17	21	15	15	11	123	11	
550	LANCHESTER	..	34	18	20	36	21	—	6	33	17	78	27	17	10	10	18	53	46	6	173	90	7	208	775	216	
551	DURHAM	15	3	13	5	14	—	9	45	25	49	18	26	3	3	10	23	23	6	3	113	90	15	60	696	75
552	EASINGTON	..	63	5	5	3	21	—	20	17	20	28	19	10	2	10	18	41	8	8	98	60	3	48	579	69	
553	HOUGHTON LE SPRENG	..	34	5	2	7	9	—	8	17	5	23	5	10	2	2	12	23	41	—	76	31	6	15	337	31	
554	CHESTER LE STREET	..	18	12	16	34	14	—	8	43	24	21	20	13	1	1	10	48	6	2	123	52	12	50	597	59	
555	SUNDERLAND	..	191	16	28	37	38	—	22	72	62	151	40	25	9	9	40	151	151	20	8	318	338	20	126	1644	231
556	SOUTH SHIELDS	..	65	23	42	81	36	—	15	65	90	122	42	43	11	11	31	131	16	11	248	212	18	109	1474	168	
557	GATESHEAD	..	50	24	24	24	32	—	6	88	74	140	48	27	9	9	36	107	107	11	11	277	211	29	90	1461	120
40.—NORTHUMB- ERLAND.																											
558	NEWCASTLE UPON TYNE	..	107	4	24	56	23	—	7	48	159	173	70	38	18	51	282	282	28	24	365	270	35	165	2209	392	
559	TYNEMOUTH	..	46	55	23	82	60	—	21	77	99	123	70	34	11	29	126	126	9	11	272	202	25	117	1606	181	
560	CASTLE WARD	..	5	3	1	3	6	—	1	12	38	31	9	—	—	11	28	28	2	—	41	33	4	19	351	26	
561	HEXHAM	9	—	8	7	3	—	1	8	14	26	8	6	2	8	40	40	3	6	32	13	2	19	280	28	
562	BELLINGHAM	..	—	1	2	—	—	—	1	2	1	4	5	1	—	3	10	10	—	—	8	5	1	4	52	5	
563	HALLWISTLE	..	—	—	1	—	—	—	—	1	—	8	—	—	—	—	4	4	—	—	7	3	—	2	51	2	
564	MORPETH	32	—	10	11	9	—	7	22	28	56	28	12	3	20	47	47	4	2	101	51	11	43	635	50	
565	ALNWICK	4	1	1	1	5	—	1	—	5	18	4	3	—	6	18	18	2	—	19	10	1	14	198	17	
566	BELFORD	—	—	4	—	—	—	—	—	2	2	—	—	—	—	4	4	—	—	10	2	—	1	32	1	
567	BERWICK	—	—	7	—	—	—	—	—	2	17	1	3	2	—	30	30	2	—	16	4	3	12	162	20	
568	GLENDALE	..	—	—	2	—	—	—	—	—	1	8	1	—	—	—	11	11	1	—	4	7	—	1	78	3	
569	ROTHBURY..	..	—	—	3	—	1	—	—	—	4	3	1	—	—	1	5	5	—	—	—	4	4	—	5	50	5

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—*continued*.
X.—NORTHERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculous Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
41.—CUMBERLAND.																											
No. 570	ALSTON ..	—	—	—	—	1	—	—	—	—	—	3	2	—	—	—	—	1	29	—	—	—	1	1	3	27	4
571	PENRITH ..	—	2	—	—	12	7	—	—	—	10	8	—	—	—	—	—	5	2	—	—	—	17	2	5	195	7
572	BRAMPTON ..	—	—	—	—	—	—	—	—	—	2	10	—	—	—	—	—	1	8	—	—	—	2	1	4	75	6
573	LONGTOWN ..	—	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	1	8	—	—	—	1	1	2	56	4
574	CARLISLE ..	—	13	—	—	3	—	—	—	—	44	40	13	1	12	—	—	7	87	10	—	4	6	5	2	549	56
575	WIGTON ..	—	—	—	—	14	5	—	—	—	7	11	16	2	—	—	2	24	24	1	3	31	26	12	12	206	15
576	COCKERMOUTH ..	—	16	—	—	4	13	—	2	8	33	23	13	9	—	—	19	73	7	4	4	87	63	37	29	606	54
577	WHITEHAVEN ..	—	93	6	—	17	5	—	—	23	13	29	13	11	2	—	17	48	2	2	5	62	82	8	7	476	47
578	BOOTLE ..	—	—	—	—	7	1	—	1	2	1	10	6	2	5	2	2	17	1	1	16	9	1	7	105	11	
42.—WESTMORLAND.																											
579	EAST WARD ..	—	—	1	—	13	3	—	1	—	7	7	2	1	—	—	2	12	—	1	4	14	1	2	112	4	
580	WEST WARD ..	—	—	—	—	6	1	—	—	—	3	2	—	—	—	—	—	8	—	2	7	7	1	1	52	4	
581	KENDAL ..	—	2	—	—	19	—	—	1	4	18	20	5	2	1	1	6	43	1	1	58	28	31	31	292	34	
43.—MONMOUTHSHIRE AND WALES.																											
43.—MONMOUTHSHIRE.																											
No. 582	CHEPSTOW ..	—	—	—	—	12	—	—	1	1	6	5	2	1	—	—	3	18	—	3	1	18	12	1	7	122	10
583	MONMOUTH ..	—	—	—	—	7	6	—	—	1	10	6	1	1	1	1	3	27	1	1	25	43	2	17	230	31	
584	ABERGAVENNY ..	—	3	2	—	9	10	—	1	1	7	21	1	1	2	2	6	27	1	1	73	25	4	18	278	22	

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—*continued*.
 XI.—MONMOUTHSHIRE AND WALES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																			ALL CAUSES.						
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
43.—MONMOUTHSHIRE— <i>cont.</i>																											
No.																											
585	BEDWELLY ..	1661	34	28	—	31	32	23	—	6	30	49	37	16	5	5	9	31	10	14	255	111	25	82	828	109	
586	PONTYPOOL ..	751	5	15	—	13	3	7	—	6	9	10	24	8	1	1	4	31	3	9	94	66	6	39	397	51	
587	NEWPORT ..	1968	95	3	—	32	8	21	—	7	30	63	66	22	6	5	16	89	13	15	216	124	14	89	1025	166	
44.—GLAMORGANSHIRE.																											
588	CARDIFF ..	3480	26	12	—	50	60	25	—	11	81	105	201	41	21	16	31	240	28	24	312	211	20	170	1794	371	
589	PONTYPRIDD ..	3962	65	38	—	54	76	57	1	15	174	118	101	32	20	14	33	151	11	23	446	281	62	228	1962	344	
590	MERTHYR TYDFIL ..	2741	43	31	—	48	40	29	—	9	87	84	81	16	12	9	25	106	13	8	367	199	34	163	1337	212	
591	BRIDGEND ..	1421	29	9	—	29	40	19	—	8	24	54	30	11	5	5	19	51	6	9	150	85	21	65	758	108	
592	NEATH ..	1315	10	3	—	19	19	13	—	4	41	54	49	11	7	4	10	43	2	14	112	79	20	91	704	138	
593	PONTARDAWE ..	520	20	1	—	13	5	4	—	1	15	12	13	18	5	1	3	13	1	6	44	36	9	36	264	54	
594	SWANSEA ..	2385	42	7	—	24	91	11	1	5	81	133	77	26	17	3	26	126	8	6	228	182	18	89	1183	189	
595	GOWER ..	149	—	1	—	5	6	—	—	—	3	1	10	1	—	—	3	12	1	—	9	11	2	2	82	8	
45.—CARMARTHENSHIRE.																											
596	LLANELLY ..	924	—	9	—	16	7	6	—	5	11	40	47	25	4	1	12	41	4	6	93	63	7	44	483	51	
597	LLANDOVERY ..	159	—	—	—	3	—	—	—	1	—	10	7	—	—	—	4	9	—	—	13	11	3	4	94	5	
598	LLANDILOFAWR ..	470	—	1	—	5	5	13	—	4	9	13	18	12	4	—	3	21	1	1	44	25	10	14	264	18	
599	CARMARTHEN ..	580	—	1	—	9	9	7	—	4	5	24	26	7	9	—	9	40	2	3	44	25	3	14	340	24	
46.—PEMBROKESHIRE.																											
600	NARBERTH ..	274	—	—	—	3	1	3	—	—	1	9	18	3	1	—	5	23	—	2	16	12	3	9	165	18	
601	PEMBROKE ..	459	13	6	—	5	—	2	—	3	5	17	14	7	3	1	5	32	3	3	21	23	1	24	271	34	
602	HAVERFORDWEST ..	604	33	—	—	2	11	9	—	3	5	18	27	4	7	—	9	41	3	3	32	36	1	22	338	32	

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—continued.
 XI.—MONMOUTHSHIRE AND WALES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.	CAUSES OF DEATH.																			Inquests.						
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
47.—CARDIGAN-SHIRE.																												
No.	CARDIGAN ..	257	—	1	—	—	—	3	—	7	—	27	5	2	1	—	—	3	20	—	2	2	12	15	15	10	151	13
603	NEWCASTLE IN EMLYN	333	—	—	—	—	—	1	—	—	—	25	7	4	4	—	8	20	20	2	1	15	17	17	13	199	19	
604	LAMPERTER ..	148	—	—	—	—	—	—	—	—	—	10	12	3	—	—	3	6	6	—	—	9	9	23	3	79	8	
605	ABERAYRON ..	215	—	—	—	—	—	2	—	—	—	15	14	2	—	—	2	15	15	2	—	6	6	23	3	114	6	
606	ABERYSTWTH ..	364	—	1	—	—	—	—	—	—	6	23	25	3	—	—	2	40	40	1	—	17	22	22	8	202	9	
607	..	131	—	—	—	—	—	—	—	—	1	1	6	—	3	—	3	15	15	1	2	3	5	5	4	79	5	
608	TREGARON ..		—	—	—	—	—	—	—	—	—	1	6	—	3	—	3	15	15	1	2	3	5	5	4	79	5	
48.—BRECKNOCK-SHIRE.																												
No.	BUILTH ..	101	—	—	—	—	—	1	—	—	—	3	3	—	1	—	—	7	7	1	1	3	7	7	4	64	8	
609	BRECKNOCK ..	225	—	—	—	—	—	—	—	—	—	7	10	8	3	—	3	18	18	—	—	32	10	10	6	114	17	
610	CRICKHOWELL ..	373	—	—	—	—	—	6	—	—	1	12	10	2	1	—	5	9	9	2	4	52	37	7	24	184	31	
611	HAY ..	201	—	—	—	—	—	—	—	—	—	5	17	—	—	—	—	14	14	—	—	13	11	—	4	126	3	
612	..		—	—	—	—	—	—	—	—	—	5	17	—	—	—	—	14	14	—	—	13	11	—	4	126	3	
49.—RADNOR-SHIRE.																												
No.	KNIGHTON ..	143	—	—	—	—	—	—	—	—	—	6	6	2	1	—	—	5	5	—	—	6	12	2	7	80	8	
613	RIAYADER ..	104	—	—	—	—	—	—	—	—	3	3	7	2	1	—	—	7	7	1	—	6	8	1	2	59	5	
614	..		—	—	—	—	—	—	—	—	—	3	7	2	1	—	—	7	7	1	—	6	8	1	2	59	5	
50.—MONTGOMERYSHIRE.																												
No.	MACHYNLETH ..	171	—	1	—	—	—	—	—	—	2	9	3	—	2	—	5	16	16	—	—	19	6	1	3	97	5	
615	NEWTOWN ..	317	—	1	2	—	—	2	—	—	1	8	14	4	4	—	5	25	25	3	2	24	20	3	12	183	21	
616	FORDEN ..	175	—	—	—	—	—	—	—	—	—	8	6	2	1	—	1	14	14	1	1	14	18	1	2	91	6	
617	LLANFYLLIN ..	244	—	1	—	—	—	—	—	—	1	8	7	—	3	—	4	16	16	3	—	17	26	1	5	144	7	

Deaths from several Causes, and Inquest Cases in the Year 1909, in Registration Districts—continued.
 XI.—MONMOUTHSHIRE AND WALES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																			ALL CAUSES.						
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.			Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
51.—FLINTSHIRE.																											
No. 619	HOLYWELL	—	6	2	—	26	—	12	—	2	3	19	34	4	6	—	3	51	51	4	3	41	35	6	29	369	40
620	HAWARDEN	—	1	6	—	7	2	6	—	3	—	5	11	2	1	—	3	16	16	1	4	33	23	3	13	184	15
52.—DENBIGH-SHIRE.																											
621	WREXHAM	—	55	6	—	27	5	10	—	—	28	23	18	9	10	2	11	69	69	3	6	102	111	23	41	578	55
622	RUTHIN	—	1	—	—	1	—	3	—	—	1	6	7	2	2	—	3	19	19	1	3	9	8	—	4	98	4
623	St. ASAPH	—	5	4	—	27	4	9	—	2	3	10	31	8	5	1	7	49	49	4	3	59	27	3	16	341	19
624	LLANRWST	—	9	—	—	1	—	3	—	3	2	8	15	3	1	1	1	23	23	—	—	7	8	3	7	118	6
53.—MERIONETH-SHIRE.																											
625	CORWEN	—	—	3	—	3	—	2	—	—	2	5	12	5	1	—	2	21	21	1	—	28	12	1	9	131	11
626	BALA	—	—	—	—	—	—	1	—	—	—	2	6	3	2	—	1	5	5	—	—	3	2	2	2	55	2
627	DOLGELLY	—	—	3	—	7	—	2	—	—	1	9	6	1	2	—	—	21	21	1	—	11	13	2	5	100	6
628	FESTINIOG	—	1	13	—	2	8	—	—	—	2	19	20	6	5	1	10	45	45	3	2	19	19	3	12	242	17
54.—CARNARVON-SHIRE.																											
629	PWLLHELI	—	1	2	—	3	—	5	—	3	—	13	26	—	3	—	4	28	28	4	1	15	10	2	5	209	11
630	CARNARVON	—	5	—	—	6	13	10	—	3	19	27	56	7	18	1	12	60	60	3	3	28	34	10	20	368	24
631	BANGOR	—	11	5	—	23	16	2	—	3	2	23	31	7	5	3	8	48	48	5	3	49	26	2	18	289	23
632	CONWAY	—	9	3	—	10	—	—	—	9	3	18	27	8	2	2	10	47	47	3	2	43	21	6	20	266	23
55.—ANGLESEY.																											
633	ANGLESEY	—	—	—	—	—	—	3	—	—	—	4	13	2	3	—	—	23	23	—	2	11	13	1	9	156	12
634	HOLYHEAD	—	1	—	—	9	—	4	—	2	1	15	10	4	2	—	3	30	30	3	—	16	8	1	6	205	7

VIOLENT DEATHS, 1909.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at DIFFERENT PERIODS OF LIFE, in the YEAR 1909.—Males.

No.	CAUSE OR CHARACTER OF ACCIDENT	ALL AGES.	AGES AT DEATH.																	85 and up-wards.		
			Total under 1 Year.			4—	Total under 5 Years.	5—					699	611	1268	1360	1263	1037	647		368	
			0—3 Months.	3—6 Months.	6—12 Months.			1—	2—	3—	5—	10—										15—
			612	199	140	951	315	371	268	175	2080	545	417	699	611	1268	1360	1263	1037	647	368	
1	TOTAL	10383																				88
2	MINES, QUARRIES, &c.—																					
	(a) Coal Mines	1203																				
	(c) Quarries, Excavations	124																				
3	VEHICLES AND HORSES—																					
	(a) Railways	657																				
	(c) Horse drawn vehicles and horses	486																				
4	SHIPS, BOATS, DOCKS, &c. (excluding drowning).	263																				
	BUILDING OPERATIONS	163																				
	MACHINERY	205																				
5	WEAPONS AND IMPLEMENTS	99																				
	BURNS, SCALDS, EXPLOSIONS (not in Mines, Ships, &c.).	1088																				
	POISONS AND POISONOUS VAPOURS ..	368																				
6	DROWNING (not in Mines, Quarries, &c.) ..	1793																				
	SUFFOCATION	822																				
	FALLS	1339																				
7	WEATHER AGENCIES	144																				
	OTHERWISE OR NOT STATED	816																				

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life in the Year 1909.—**Males**—*continued*.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.												Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
			Total under 1 Year.			1—	2—	3—	4—	5—	6—	7—	8—	9—													10—	11—	12—	13—	14—	15—	16—	17—	18—	19—	20—	21—	22—	23—	24—	25—	26—	27—	28—	29—	30—	31—	32—	33—	34—	35—	36—	37—	38—	39—	40—	41—	42—	43—	44—	45—	46—	47—	48—	49—	50—	51—	52—	53—	54—	55—	56—	57—	58—	59—	60—	61—	62—	63—	64—	65—	66—	67—	68—	69—	70—	71—	72—	73—	74—	75—	76—	77—	78—	79—	80—	81—	82—	83—	84—	85—	86—	87—	88—	89—	90—	91—	92—	93—	94—	95—	96—	97—	98—	99—	100—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
			0—3 Months.	3—6 Months.	6—12 Months.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
7	CONFLAGRATIONS, BURNS, SCALDS, EXPLOSIONS. (Not in Mines, Ships, &c.)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

ENGLAND AND WALES.—DEATHS from ACCIDENT and NEGLIGENCE at different Periods of Life, in the Year 1909. — **MALES**—continued.

[illegible]

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1909.—**Males**—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.												85 and up-wards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
			Total under 1 Year.			Total under 5 Years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			0—3 Months.	3—6 Months.	6—12 Months.		1—	2—	3—	4—	5—	10—	15—	20—		25—	35—	45—	55—	65—	75—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
13	OTHERWISE OR NOT STATED.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										</

* When a person dies from an operation performed on account of any disease or injury the nature of which is stated in the certificate, the death is classed under that disease or injury, unless it is certified to have been directly caused by the administration of an Anæsthetic (see under heading "Poisons and Poisonous Vapours," page 459).

ENGLAND AND WALES—DEATHS FROM ACCIDENT AND NEGLIGENCE AT DIFFERENT PERIODS OF LIFE, in the YEAR 1909.—**Females.**

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.																	85 and upwards.	
			0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-2	2-3	3-4	Total under 5 Years.	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74		75-84
			643	181	129	953	256	239	205	1877	435	137	116	91	189	258	314	301	453		501
2	TOTAL	4877																			
	VEHICLES AND HORSES--																				
	(a) Railways	53	—	—	—	—	—	1	3	—	4	7	4	4	7	5	8	7	2	—	
	(b) Other vehicles mechanically propelled.	101	—	—	—	—	1	7	8	20	9	2	2	3	8	10	15	7	4	—	
	(c) Horse-drawn vehicles and horses	90	—	—	—	—	11	16	4	14	5	—	—	1	3	9	7	9	3	—	
	(d) Other and undefined vehicles ..	102	—	2	2	4	14	6	4	11	2	5	6	5	6	4	6	13	8	2	
3	SHIPS, BOATS, DOCKS, &c. (excluding drowning)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
5	MACHINERY	8	—	—	—	—	—	—	—	—	3	1	—	1	2	1	—	—	—	—	
6	WEAPONS AND IMPLEMENTS ..	10	—	—	—	—	—	—	—	1	1	1	1	3	—	2	—	1	—	—	
7	BURNS, SCALDS, EXPLOSIONS ..	1571	3	8	54	65	158	161	177	289	68	55	37	45	60	67	60	86	66	22	
8	POISONS AND POISONOUS VAPOURS	189	3	4	1	8	8	6	2	13	10	7	13	37	30	19	11	14	4	3	
9	DROWNING	397	10	1	4	15	23	26	15	37	13	29	21	52	53	55	31	15	4	1	
10	SUFFOCATION	760	508	155	49	712	8	3	1	28	12	—	—	4	12	3	9	3	1	—	
11	FALLS	1271	2	4	14	20	22	7	11	716	28	3	2	25	57	107	135	277	385	171	
12	WEATHER AGENCIES	52	3	2	1	6	—	3	1	10	1	2	2	1	3	11	5	8	6	1	
13	OTHERWISE OR NOT STATED ..	272	114	5	4	123	11	3	1	145	17	8	4	8	17	20	14	13	18	5	

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.												85 and upwards.							
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—		20—	25—	35—	45—	55—	65—	75—
3	VEHICLES AND HORSES —cont.																					
	(d) OTHER AND UNDEFINED VEHICLES.																					
	Carriage ...	3									1										1	
	Omnibus ...	2									2										1	
	Tramcar ...	11									1			1				4	1			
	Cab ...	2									1											
	Van, Wagon ...	19					5	2			5											
	Dray ...	16					7	2			1											
	Fire Engine ...	1																				
	Bicycle, Tricycle ...	36											1	3	4			2			1	
	Perambulator ...	6		2	2	4						1	2									
	Other, or undefined ...	6						1												1		
	5	SHIPS, BOATS, DOCKS, &c.																				
		Collision ...	1															1				
MACHINERY.																						
In Textile Factories ...		1															1					
Agricultural Machinery ...		3											1									
6	Lift ...	2														1						
	Other Machinery ...	2											2									
	WEAPONS AND IMPLEMENTS.																					
	Gun-shot Wound ...	9															2					
	Cut, Stab ...	1																				

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE AT DIFFERENT PERIODS OF LIFE, IN THE YEAR 1909.—FEMALES—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.												85 and upwards.							
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—		20—	25—	35—	45—	55—	65—	75—
POISONS, &c.— <i>cont.</i>																						
	Hydrochloric Acid ...	7	—	—	—	—	—	—	—	—	—	—	—	1	2	2	—	—	1	—	—	—
	Potassium Cyanide ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Potassium Permanganate ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Potassium Bichromate ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Biniodide of Mercury ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nitre ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Acetic Acid ...	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Carbolic Acid ...	8	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	Oxalic Acid ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Methyl Salicylate ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ANÆSTHETICS FOR OPERATIONS:—																						
	Chloroform ...	29	—	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ether ...	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Chloroform and Ether ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cocaine ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Kind not stated</i> ...	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Chloral ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Chlorodyne ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Opium, Morphia, Laudanum ...	14	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sulphonal ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Veronal ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Trional ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Narcotic (<i>kind not stated</i>) ...	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strychnia ...	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Alcohol ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.														85 and upwards.					
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—		35—	45—	55—	65—	75—
11	FALLS.																					
	From Window	40	—	—	—	—	3	—	1	2	1	4	—	—	1	3	5	7	4	4	4	2
	Down Stairs	386	—	1	1	2	1	—	2	2	—	2	—	1	—	8	33	55	81	101	74	22
	In Room	145	1	1	3	5	8	1	1	—	15	1	—	—	—	2	6	3	9	31	50	28
	Otherwise	700	1	2	10	13	10	6	7	5	41	19	12	2	1	12	13	42	41	141	257	119
12	WEATHER AGENCIES.																					
	Lightning	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Sunstroke	28	—	1	1	2	—	3	1	—	6	2	1	2	2	1	3	3	2	5	1	—
	Gelatio and Exposure to Cold	23	3	1	—	4	—	—	—	—	4	—	—	—	—	—	—	8	2	3	—	1
13	OTHERWISE OR NOT STATED.																					
	Swallowing Foreign Body...	24	—	2	2	4	4	1	—	2	11	1	—	1	—	2	2	3	—	—	1	—
	Fall of Heavy Substance on	14	—	—	—	—	1	1	1	1	4	5	—	—	1	1	1	—	—	—	1	—
	Blow	11	1	—	1	2	1	1	—	—	4	—	2	—	—	—	3	—	—	—	—	—
	Fracture	21	—	—	—	—	1	—	—	—	1	1	—	—	—	—	4	2	7	2	3	—
	Injury by Horse other than in Sec. 2 (c).	2	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	Injuries by Cat	1	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Strain...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Operation*	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
	Other Wounds (not Weapons or Implements).	8	1	—	—	1	—	—	—	—	1	—	—	1	1	1	1	2	—	1	—	—
	Strangulation	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
	Neglect	108	105	2	1	108	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Accident (not otherwise described)	66	1	1	2	2	2	—	—	—	108	8	4	2	1	4	3	7	4	8	12	5
	Violence (cause or kind not stated)	11	5	—	—	5	—	—	—	—	5	—	1	—	—	—	1	2	—	1	1	—

* See note *, page 462.

ENGLAND AND WALES.—DEATHS from **Suicide** at DIFFERENT PERIODS OF LIFE in the YEAR 1909.—**Males.**

No.	METHOD OF SUICIDE.	ALL AGES.	AGES AT DEATH.											
			5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
	TOTAL	2683	—	8	62	129	376	578	632	548	283	61	6	
2	VEHICLES AND HORSES ..	160	—	3	10	6	35	34	32	27	9	4	—	
6	WEAPONS AND IMPLEMENTS	728	—	1	11	46	102	181	163	123	79	18	4	
7	BURNS, SCALDS, EXPLOSIONS..	2	—	—	—	—	—	—	—	1	1	—	—	
8	POISONS AND POISONOUS VAPOURS	414	—	—	9	17	68	106	105	79	22	7	1	
9	DROWNING	481	—	2	14	31	49	97	121	99	58	10	—	
10	SUFFOCATION	748	—	2	16	25	93	134	175	189	94	19	1	
11	FALLS	63	—	—	—	1	16	6	17	10	11	2	—	
13	OTHERWISE OR NOT STATED	87	—	—	2	3	13	20	19	20	9	1	—	
2	VEHICLES AND HORSES.													
	On Railways	156	—	3	10	6	34	34	30	26	9	4	—	
	Electric Tramcar	1	—	—	—	—	—	—	1	—	—	—	—	
	Motor Omnibus	1	—	—	—	—	—	—	1	—	—	—	—	
	Motor Van	1	—	—	—	—	1	—	—	—	—	—	—	
	Dray	1	—	—	—	—	—	—	—	1	—	—	—	
6	WEAPONS AND IMPLEMENTS.													
	Gun-shot Wound	237	—	1	10	28	42	54	50	31	17	4	—	
	By Knife	491	—	—	1	18	60	127	113	92	62	14	4	
7	BURNS, SCALDS, EXPLOSIONS.													
	Gunpowder in Mouth	1	—	—	—	—	—	—	—	—	1	—	—	
	Explosion of Cartridge	1	—	—	—	—	—	—	—	1	—	—	—	
8	POISONS AND POISONOUS VAPOURS.													
	Arsenic	1	—	—	—	—	—	—	—	1	—	—	—	
	Caustic Soda	1	—	—	—	—	—	1	—	—	—	—	—	
	Ammonia	7	—	—	—	—	1	1	2	2	—	1	—	
	Hydrochloric Acid	45	—	—	—	—	6	13	16	9	1	—	—	
	Nitric Acid	3	—	—	—	—	1	—	1	1	—	—	—	
	Sulphuric Acid	3	—	—	—	—	—	1	1	1	—	—	—	
	Bichloride of Mercury	1	—	—	—	—	—	—	1	—	—	—	—	
	Oxycyanide of Mercury	1	—	—	—	—	1	—	—	—	—	—	—	
	Red Precipitate	1	—	—	—	—	—	1	—	—	—	—	—	
	Potassium Bichromate	1	—	—	—	—	—	—	—	1	—	—	—	
	Potassium Cyanide	36	—	—	—	1	6	7	11	7	2	2	—	
	Acetic Acid	2	—	—	—	—	—	—	2	—	—	—	—	
	Carbolic Acid	50	—	—	2	3	13	11	8	9	4	—	—	
	Oxalic Acid	47	—	—	1	1	6	16	12	7	4	—	—	
	Prussic Acid	33	—	—	4	1	5	10	8	5	—	—	—	
	Chlorodyne	4	—	—	—	—	—	3	—	1	—	—	—	
	Chloroform	2	—	—	—	—	—	1	1	—	—	—	—	
	Cocaine	1	—	—	—	1	—	—	—	—	—	—	—	
	Nicotine	2	—	—	—	—	—	1	—	1	—	—	—	
	Opium, Laudanum, Morphia	25	—	—	—	2	6	9	3	3	2	—	—	
	Sulphonal	1	—	—	—	—	—	—	1	—	—	—	—	
	Narcotic (<i>kind not stated</i>)	3	—	—	—	—	—	—	1	1	1	—	—	
	Aconite	1	—	—	—	—	1	—	—	—	—	—	—	
	Belladonna.. .. .	2	—	—	—	—	1	1	—	—	—	—	—	
	Strychnia, Nux Vomica	4	—	—	—	1	—	1	2	—	—	—	—	
	Liniment	1	—	—	—	—	—	—	—	—	—	1	—	
	Weed Killer	1	—	—	1	—	—	—	—	—	—	—	—	
	Insecticide	1	—	—	—	—	—	—	1	—	—	—	—	
	Izal	1	—	—	—	—	—	—	1	—	—	—	—	
	Lysol.. .. .	1	—	—	—	—	—	1	—	—	—	—	—	
	Disinfectant	1	—	—	—	—	—	—	—	—	1	—	—	
	Sulphuretted Hydrogen	1	—	—	—	—	—	—	1	—	—	—	—	
	Carbon Monoxide	1	—	—	—	—	1	—	—	—	—	—	—	
	Coal Gas	95	—	—	—	5	12	22	25	22	5	3	1	
	<i>Kind not stated</i>	34	—	—	1	2	8	6	7	8	2	—	—	
9	DROWNING	481	—	2	14	31	49	97	121	99	58	10	—	
10	SUFFOCATION.													
	By Hanging	747	—	2	16	25	93	134	175	188	94	19	1	
	Blanket in Mouth	1	—	—	—	—	—	—	—	1	—	—	—	
11	FALLS.													
	Jumping from Height	63	—	—	—	1	16	6	17	10	11	2	—	
13	OTHERWISE OR NOT STATED	87	—	—	2	3	13	20	19	20	9	1	—	

ENGLAND AND WALES.—DEATHS from **Suicide** at DIFFERENT PERIODS OF LIFE in
the YEAR 1909.—**Females.**

No.	METHOD OF SUICIDE.	ALL AGES.	AGES AT DEATH.										
			5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
	TOTAL	894	—	4	54	73	154	188	204	140	62	13	2
2	VEHICLES AND HORSES	27	—	—	3	7	6	2	5	2	2	—	—
6	WEAPONS AND IMPLEMENTS..	104	—	—	3	3	24	23	23	18	9	1	—
7	BURNS, SCALDS, EXPLOSIONS..	5	—	—	—	1	—	2	2	—	—	—	—
8	POISONS AND POISONOUS VAPOURS	279	—	—	17	31	48	58	62	46	16	1	—
9	DROWNING	270	—	3	26	27	46	57	56	37	11	7	—
10	SUFFOCATION	151	—	1	1	2	22	36	38	29	18	3	1
11	FALLS	31	—	—	3	1	3	6	8	5	3	1	1
13	OTHERWISE OR NOT STATED..	27	—	—	1	1	5	4	10	3	3	—	—
2	VEHICLES AND HORSES.												
	On Railways	27	—	—	3	7	6	2	5	2	2	—	—
6	WEAPONS AND IMPLEMENTS.												
	Gun-shot Wound	15	—	—	3	2	6	1	3	—	—	—	—
	By Knife	89	—	—	—	1	18	22	20	18	9	1	—
7	BURNS, SCALDS, EXPLOSIONS.												
	Setting fire to Clothes	4	—	—	—	—	—	2	2	—	—	—	—
	Scalds	1	—	—	—	1	—	—	—	—	—	—	—
8	POISONS AND POISONOUS VAPOURS.												
	Arsenic	2	—	—	—	2	—	—	—	—	—	—	—
	Lead	1	—	—	—	—	—	1	—	—	—	—	—
	Mercury	1	—	—	—	—	—	1	—	—	—	—	—
	Phosphorus	5	—	—	—	—	—	2	—	—	—	—	—
	Ammonia	5	—	—	—	1	2	1	—	1	—	—	—
	Hydrochloric Acid	40	—	—	1	5	9	8	7	7	3	—	—
	Nitric Acid	4	—	—	1	—	1	—	1	1	—	—	—
	Sulphuric Acid	2	—	—	—	—	1	—	1	—	—	—	—
	Bichloride of Mercury	3	—	—	—	—	—	1	2	—	—	—	—
	Sulphate of Copper	1	—	—	—	—	—	—	—	—	1	—	—
	Potassium Cyanide	6	—	—	—	1	—	3	—	1	—	—	—
	Acetic Acid	1	—	—	—	—	—	—	1	—	—	—	—
	Carbolic Acid	53	—	—	6	4	7	12	12	6	5	1	—
	Oxalic Acid	51	—	—	6	5	7	11	13	7	2	—	—
	Prussic Acid	2	—	—	—	1	—	—	—	1	—	—	—
	Chloral	1	—	—	—	—	—	1	—	—	—	—	—
	Chlorodyne	2	—	—	—	—	—	—	1	1	—	—	—
	Chloroform	1	—	—	—	1	—	—	—	—	—	—	—
	Nicotine	1	—	—	—	—	1	—	—	—	—	—	—
	Opium, Laudanum, Morphia	15	—	—	—	1	2	2	2	7	1	—	—
	Veronal	2	—	—	—	—	—	1	1	—	—	—	—
	Narcotic (<i>kind not stated</i>)	1	—	—	1	—	—	—	—	—	—	—	—
	Aconite	1	—	—	—	—	—	—	—	1	—	—	—
	Belladonna	1	—	—	—	—	—	1	—	—	—	—	—
	Belladonna and Aconite	1	—	—	—	—	—	—	—	1	—	—	—
	Strychnia, Nux Vomica	4	—	—	—	1	1	1	1	—	—	—	—
	Turpentine	1	—	—	—	—	—	1	—	—	—	—	—
	Paraffin	1	—	—	—	—	—	—	1	—	—	—	—
	Whisky	1	—	—	—	1	—	—	—	—	—	—	—
	Camphor	1	—	—	—	—	—	—	1	—	—	—	—
	Vermin Killer	3	—	—	—	—	—	—	1	—	2	—	—
	Lysoform	1	—	—	—	—	—	—	—	1	—	—	—
	Disinfectant	1	—	—	—	—	—	—	—	1	—	—	—
	Cresolene	3	—	—	—	—	2	—	1	—	—	—	—
	Carbon Monoxide	2	—	—	—	1	—	—	1	—	—	—	—
	Coal Gas	35	—	—	—	1	9	9	9	5	2	—	—
	<i>Kind not stated</i>	23	—	—	2	4	6	2	5	4	—	—	—
9	DROWNING	270	—	3	26	27	46	57	56	37	11	7	—
10	SUFFOCATION.												
	By Hanging	151	—	1	1	2	22	36	38	29	18	3	1
11	FALLS.												
	Jumping from Height	31	—	—	3	1	3	6	8	5	3	1	1
13	OTHERWISE OR NOT STATED..	27	—	—	1	1	5	4	10	3	3	—	—

ENGLAND AND WALES.—DEATHS from **Murder** at DIFFERENT PERIODS of LIFE in
the YEAR 1909.—**Males.**

No.	METHOD OF MURDER,	ALL AGES.	AGES AT DEATH.																		85 and up- wards.
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
	TOTAL	66	20	1	3	2	2	3	2	33	3	3	2	1	6	9	5	1	1	2	—
6	WEAPONS AND IM- PLEMENTS	25	—	—	1	1	2	—	2	6	2	3	—	1	4	5	3	1	—	—	—
8	POISONS AND POISONOUS VA- POURS	3	1	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
9	DROWNING	5	1	—	—	1	—	2	—	4	—	—	—	—	—	—	—	—	1	—	—
10	SUFFOCATION.. ..	5	5	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.. ..	28	13	—	2	—	—	1	—	16	—	—	2	—	2	4	2	—	—	2	—
6	WEAPONS AND IM- PLEMENTS.																				
	Gun-shot Wound ..	8	—	—	—	—	—	—	—	—	1	1	—	—	1	2	2	1	—	—	—
	By Knife	17	—	—	1	1	2	—	2	6	1	2	—	1	3	3	1	—	—	—	—
8	POISONS AND POISONOUS VA- POURS.																				
	Hydrochloric Acid ..	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Carbolic Acid	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Coal Gas	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9	DROWNING	5	1	—	—	1	—	2	—	4	—	—	—	—	—	—	—	—	1	—	—
10	SUFFOCATION.																				
	Not stated how	5	5	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick	4	1	—	—	—	—	—	—	1	—	—	—	—	1	1	1	—	—	—	—
	Fracture	2	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	Strangulation	6	5	—	1	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—
	Murder (not otherwise described).. ..	16	6	—	1	—	—	1	—	8	—	—	1	—	1	3	1	—	—	2	—

ENGLAND AND WALES.—DEATHS from **Murder** at DIFFERENT PERIODS OF LIFE in
the YEAR 1909.—**Females.**

No.	METHOD OF MURDER.	ALL AGES.	AGES AT DEATH.																		
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.
	TOTAL	100	26	—	6	4	1	—	2	39	5	3	5	7	19	9	6	3	3	1	—
6	WEAPONS AND IM- PLEMENTS	26	—	—	—	—	1	—	1	2	2	2	1	3	10	3	2	1	—	—	—
7	BURNS, SCALDS, EX- PLOSIONS	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
8	POISONS AND POISON- OUS VAPOURS	7	1	—	3	1	—	—	—	5	1	1	—	—	—	—	—	—	—	—	—
9	DROWNING	8	3	—	2	1	—	—	—	6	2	—	—	—	—	—	—	—	—	—	—
10	SUFFOCATION.. ..	7	6	—	—	—	—	—	—	6	—	—	—	1	—	—	—	—	—	—	—
11	FALLS	3	2	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—
12	WEATHER AGENCIES	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED	46	14	—	—	2	—	—	1	17	—	—	4	3	9	3	4	2	3	1	—
6	WEAPONS AND IM- PLEMENTS. Gun-shot Wound ..	8	—	—	—	—	—	—	—	—	—	—	—	1	5	—	1	1	—	—	—
	By Knife	18	—	—	—	—	1	—	1	2	2	2	1	2	5	3	1	—	—	—	—
7	BURNS, SCALDS, EX- PLOSIONS. By Lamp	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	„ Red hot poker ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
8	POISONS AND POISON- OUS VAPOURS. Carbolic Acid	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Opium	2	1	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	Coal Gas	3	—	—	2	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—
	Poison (<i>kind not stated</i>)	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
9	DROWNING	8	3	—	2	1	—	—	—	0	2	—	—	—	—	—	—	—	—	—	—
10	SUFFOCATION. <i>Not stated how</i>	7	6	—	—	—	—	—	—	6	—	—	—	1	—	—	—	—	—	—	—
11	FALLS. Thrown from Height ..	3	2	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—
12	WEATHER AGENCIES. <i>Exposure to cold</i> ..	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED. Blow, Kick	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—
	Fracture	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Navel Hæmorrhage ..	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	12	5	—	—	1	—	—	—	6	—	—	1	1	2	—	1	—	1	—	—
	Starvation.. ..	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Attempt to procure abortion:— By operation	8	—	—	—	—	—	—	—	—	—	—	1	2	4	1	—	—	—	—	—
	<i>Not stated how</i> ..	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Murder (<i>not otherwise described</i>)	19	7	—	—	1	—	—	1	9	—	—	2	—	2	1	2	1	2	—	—

ENGLAND AND WALES.—DEATHS from **Manslaughter** at DIFFERENT PERIODS OF LIFE in the YEAR 1909.—**Males.**

No.	METHOD OF MANSLAUGHTER.	ALL AGES.	AGES AT DEATH.																		
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and up- wards.
	TOTAL	66	6	3	1	1	-	-	-	11	-	3	3	4	12	14	13	5	1	-	-
2	VEHICLES AND HORSES	10	-	-	-	-	-	-	-	-	-	2	1	-	-	3	1	3	-	-	-
6	WEAPONS AND IM- PLEMENTS	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
10	SUFFOCATION	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
12	WEATHER AGENCIES	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
13	OTHERWISE OR NOT STATED	51	5	3	1	-	-	-	-	9	-	1	-	3	12	11	12	2	1	-	-
2	VEHICLES AND HORSES.																				
	Motor Car	6	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-
	Motor Omnibus	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	Motor Cab.. ..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Wagonette.. ..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
6	WEAPONS AND IM- PLEMENTS.																				
	Gun-shot Wound	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	By Knife	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	„ Hatchet	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
10	SUFFOCATION.																				
	Not stated how	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
12	WEATHER AGENCIES.																				
	Exposure to cold	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick	16	-	-	-	-	-	-	-	-	-	-	-	3	4	5	4	-	-	-	-
	Fight	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	Fracture	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	Strangulation	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Starvation.. ..	2	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Neglect	7	3	2	1	-	-	-	-	6	-	-	-	-	-	-	-	-	1	-	-
	Manslaughter (not other- wise described)	16	-	-	-	-	-	-	-	-	-	1	-	-	6	2	5	2	-	-	-
	Justifiable Homicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-

ENGLAND AND WALES.—DEATHS from **Manslaughter** at DIFFERENT PERIODS OF LIFE in the YEAR 1909.—**Females.**

No.	METHOD OF MANSLAUGHTER.	ALL AGES.	AGES AT DEATH.																		85 and up- wards.
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	
	TOTAL	55	3	2	2	3	1	1	1	13	—	2	—	2	20	11	4	—	1	1	1
2	VEHICLES AND HORSES	4	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	1	—	—
7	BURNS, SCALDS, EX- PLOSIONS	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
9	DROWNING	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED	48	3	2	2	1	1	1	—	10	—	2	—	2	20	10	2	—	—	1	1
2	VEHICLES AND HORSES.																				
	Electric Tramcar	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Motor Car	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
	Horse Wagonette	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
7	BURNS, SCALDS, EX- PLOSIONS.																				
	By Lamp	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Burn (<i>not stated how</i>)	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
9	DROWNING	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick	5	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	1
	Starvation	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Attempt to procure Abortion:—																				
	By Drugs	11	—	—	—	—	—	—	—	—	—	—	—	—	8	3	—	—	—	—	—
	By Operation	6	—	—	—	—	—	—	—	—	—	—	—	1	4	1	—	—	—	—	—
	<i>Not stated how</i>	5	—	—	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—	—
	Neglect	8	2	2	1	1	1	—	—	7	—	1	—	—	—	—	—	—	—	—	—
	Manslaughter (<i>not other- wise described</i>)	11	—	—	1	—	—	1	—	2	—	1	—	—	5	2	1	—	—	—	—
	Justifiable Homicide	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—

INDEX OF REGISTRATION DISTRICTS.

The following Index furnishes a reference to the *Number* of each REGISTRATION DISTRICT, according to the topographical arrangement adopted in the Tables of Abstracts contained in the Report.* Districts having compound names are placed alphabetically according to the initial letter of the word spoken first locally : thus, East Ashford will be found under the letter E, and *not* under A.

For names of Towns such as Accrington, Queenborough, &c., which are not found in this "Index of Registration Districts," see the "Index of Registration Sub-districts" (pp. 480-489) and "Index of Urban Districts" (pp. 490-500).

A

Aberayron, 606.
Abergavenny, 584.
Aberystwith, 607.
Abingdon, 117.
Alcester, 395.
Alnwick, 565.
Alresford, 107.
Alston, 570.
Alton, 108.
Alverstokey, 91.
Amersham, 143.
Amesbury, 252.
Ampthill, 176.
Andover, 112.
Anglesey, 633.
Ashbourne, 437.
Ashby de la Zouch, 404.
Ashton under Lyne, 468.
Aston, 385.
Atcham, 349.
Atherstone, 387.
Auckland, 547.
Axbridge, 314.
Axminster, 268.
Aylesbury, 146.
Aylsham, 223.
Aysgarth, 540.

B

Bakewell, 439.
Bala, 626.
Banbury, 158.
Bangor, 631.
Barnet, 131.
Barnsley, 507.
Barnstaple, 284.
Barrow in Furness, 482.
Barrow upon Soar, 406.
Barton upon Irwell, 463.
Basford, 429.
Basingstoke, 110.
Bath, 316.
Battle, 70.

Beaminster, 266.
Bedale, 538.
Bedford, 174.
Bedwellty, 585.
Belford, 566.
Bellingham, 563.
Belper, 436.
Berkhampstead, 142.
Berwick, 567.
Bethnal Green, 17.
Beverley, 520.
Bicester, 154.
Bideford, 286.
Biggleswade, 175.
Billericay, 193.
Billesdon, 400.
Bingham, 433.
Birkenhead, 452.
Birmingham, 384.
Bishop Stortford, 134.
Blaby, 401.
Blackburn, 474.
Blandford, 259.
Blean, 59.
Blofield, 228.
Blything, 216.
Bodmin, 293.
Bolton, 461.
Bootle, 578.
Bosmere, 211.
Boston, 415.
Bourne, 412.
Brackley, 159.
Bradfield, 120.
Bradford on Avon, 248.
Bradford, 498.
Braintree, 201.
Bramley, 499.
Brampton, 572.
Brecknock, 610.
Brentford, 128.
Bridge, 57.
Bridgend, 591.
Bridgnorth, 346.
Bridgwater, 306.
Bridlington, 526.
Bridport, 267.
Brighton, 79.
Bristol, 319.
Brixworth, 165.
Bromley, 42.
Bromsgrove, 382.
Bromyard, 339.

Buckingham, 149.
Bucklow, 445.
Builth, 609.
Burnley, 472.
Burton upon Trent, 365.
Bury, 462.
Bury St. Edmunds, 207.

C

Caistor, 423.
Calne, 244.
Camberwell, 27.
Cambridge, 181.
Camelford, 289.
Cannock, 368.
Canterbury, 58.
Cardiff, 588.
Cardigan, 603.
Carlisle, 574.
Carmarthen, 599.
Carnarvon, 630.
Castle Ward, 560.
Catherington, 105.
Caxton, 179.
Chapel en le Frith, 440.
Chard, 308.
Cheadle, 363.
Chelmsford, 194.
Chelsea, 4.
Cheltenham, 333.
Chepstow, 582.
Chertsey, 32.
Chester, 450.
Chesterfield, 438.
Chester le Street, 554.
Chesterton, 180.
Chichester, 86.
Chippenham, 243.
Chipping Norton, 157.
Chipping Sodbury, 320.
Chorley, 475.
Chorlton, 464.
Christchurch, 95.
Church Stretton, 344.
Cirencester, 329.
Cleobury Mortimer, 345.
Clitheroe, 473.
Clun, 343.

* Thus, the number of Births, Illegitimate Births, Deaths, and Marriages in Aberayron District may be ascertained by referring to the "*Abstract of Births, Deaths, and Marriages*," district number 606, which will be found on page 209.

Clutton, 315.
 Cockermouth, 576.
 Colchester, 198.
 Congleton, 448.
 Conway, 632.
 Corwen, 625.
 Cosford, 206.
 Coventry 390.
 Cranbrook, 53.
 Crediton, 281.
 Crickhowell, 611.
 Cricklade, 241.
 Croydon, 39.
 Cuckfield, 76.

D

Darlington, 543.
 Dartford, 43.
 Daventry, 164.
 Depwade, 230.
 Derby, 435.
 Devizes, 246.
 Devonport, 278.
 Dewsbury, 503.
 Docking, 234.
 Dolgelly, 627.
 Doncaster, 512.
 Dorchester, 264.
 Dorking, 36.
 Dover, 65.
 Downham, 237.
 Driffield, 525.
 Droitwich, 381.
 Droxford, 104.
 Dudley, 372.
 Dulverton, 303.
 Dunmow, 202.
 Durham, 551.
 Dursley, 322.

E

Easington, 552.
 Easingwold, 529.
 East Ashford, 56.
 Eastbourne, 71.
 East Grinstead, 75.
 Easthampstead, 124.
 East Preston, 84.
 East Retford, 426.
 Eastry, 64.
 East Stonehouse, 277.
 East Ward, 579.
 Ecclesall Bierlow, 509.
 Edmonton, 132.
 Elham, 66.
 Ellesmere, 351.
 Ely, 184.
 Epping, 189.
 Epsom, 31.
 Erpingham, 222.
 Eton, 144.
 Evesham, 379.
 Exeter, 271.

F

Falmouth, 297.
 Fareham, 92.
 Faringdon, 116.
 Farnham, 34.
 Faversham, 60.
 Festiniog, 628.
 Flegg, 220.
 Foleshill, 389.
 Forden, 617.
 Fordingbridge, 97.
 Forehoe, 226.
 Freebridge Lynn, 235.
 Frome, 311.
 Fulham, 3.
 Fylde, 477.

G

Gainsborough, 425.
 Garstang, 478.
 Gateshead, 557.
 Glanford Brigg, 424.
 Glendale, 568.
 Glossop, 441.
 Gloucester, 325.
 Godstone, 38.
 Goole, 514.
 Gower, 595.
 Grantham, 417.
 Gravesend, 44.
 Great Ouseburn, 488.
 Greenwich, 28.
 Grimsby, 422.
 Guildford, 33.
 Guisborough, 534.

H

Hackney, 11.
 Hailsham, 72.
 Halifax, 496.
 Halstead, 200.
 Haltwhistle, 562.
 Hambledon, 35.
 Hampstead, 8.
 Hardingstone, 162.
 Hartismere, 210.
 Hartlepool, 545.
 Hartley Wintney, 109.
 Haslingden, 471.
 Hastings, 69.
 Hatfield, 138.
 Havant, 89.
 Haverfordwest, 602.
 Hawarden, 620.
 Hay, 612.
 Hayfield, 442.
 Headington, 152.
 Helmsley, 531.
 Helston, 298.
 Hemel Hempstead, 141.

Hemsworth, 506.
 Hendon, 130.
 Henley, 150.
 Henstead, 227.
 Hereford, 337.
 Hertford, 137.
 Hexham, 561.
 Hinckley, 402.
 Hitchin, 136.
 Holbeach, 414.
 Holbeck, 502.
 Holborn, 14.
 Hollingbourn, 52.
 Holsworthy, 287.
 Holyhead, 634.
 Holywell, 619.
 Honiton, 269.
 Hoo, 46.
 Horncastle, 419.
 Horsham, 81.
 Houghton le Spring, 553.
 Howden, 519.
 Huddersfield, 495.
 Hull, 522.
 Hungerford, 115.
 Hunslet, 501.
 Huntingdon 171.

I

Ipswich, 213.
 Isle of Wight, 93.
 Isles of Scilly, 301.
 Islington, 10.

K

Keighley, 492.
 Kendal, 581.
 Kensington, 2.
 Kettering, 167.
 Keynsham, 317.
 Kidderminster, 374.
 Kingsbridge, 274.
 Kingsclere, 113.
 King's Lynn, 236.
 Kings Norton, 383.
 Kingston, 40.
 Kingston, 341.
 Knaresborough, 489.
 Knighton, 613.

L

Lambeth, 25.
 Lampeter, 605.
 Lancaster, 479.
 Lanchester, 550.
 Langport, 307.
 Launceston, 290.
 Ledbury, 335.
 Leeds, 500.
 Leek, 362.

Leicester, 407.
 Leigh, 460.
 Leighton Buzzard, 177.
 Leominster, 340.
 Lewes, 77.
 Lewisham, 29.
 Lexden, 199.
 Leyburn, 539.
 Lichfield, 367.
 Lincoln, 418.
 Linton, 182.
 Liskeard, 292.
 Liverpool, 453.
 Llandilofawr, 598.
 Llandovery, 597.
 Llanelly, 596.
 Llanfyllin, 618.
 Llanrwst, 624.
 Loddon, 229.
 London City, 15.
 Long Ashton, 318.
 Longtown, 573.
 Loughborough, 405.
 Louth, 421.
 Ludlow, 342.
 Lunesdale, 480.
 Luton, 178.
 Lutterworth, 398.
 Lymington, 94.

M

Macclesfield, 444.
 Machynlleth, 615.
 Madeley, 348.
 Maidenhead, 123.
 Maidstone, 51.
 Maldon, 196.
 Mallng, 48.
 Malmesbury, 242.
 Malton, 528.
 Manchester, 466.
 Mansfield, 428.
 Market Bosworth, 403.
 Market Drayton, 354.
 Market Harborough, 399.
 Marlborough, 245.
 Martley, 376.
 Medway, 47.
 Melksham, 247.
 Melton Mowbray, 408.
 Mere, 256.
 Meriden, 386.
 Merthyr Tydfil, 590.
 Middlesbrough, 535.
 Midhurst, 87.
 Mildenhall, 208.
 Mile End Old Town, 21.
 Milton, 61.
 Mitford, 232.
 Monmouth, 583.
 Morpeth, 564.
 Mutford, 218.

N

Nantwich, 449.
 Narberth, 600.
 Neath, 592.
 Newark, 432.
 Newbury, 114.
 Newcastle in Emlyn, 604.
 Newcastle under Lyme, 359.
 Newcastle upon Tyne, 558.
 Newent, 324.
 New Forest, 98.
 Newhaven, 78.
 Newmarket, 183.
 Newport (Monmouth), 587.
 Newport (Salop), 356.
 Newport Pagnell, 148.
 Newton Abbot, 272.
 Newtown, 616.
 Northallerton, 537.
 Northampton, 163.
 North Bierley, 497.
 Northleach, 330.
 Northwich, 447.
 North Witchford, 185.
 Norwich, 225.
 Nottingham, 430.
 Nuneaton, 388.

O

Oakham, 409.
 Okehampton, 280.
 Oldham, 469.
 Ongar, 190.
 Ormskirk, 457.
 Orsett, 192.
 Oswestry, 350.
 Oundle, 169.
 Oxford, 153.

P

Paddington, 1.
 Pateley Bridge, 486.
 Patrington, 523.
 Pembroke, 601.
 Penrith, 571.
 Penzance, 300.
 Pershore, 380.
 Peterborough, 170.
 Petersfield, 106.
 Petworth, 82.
 Pewsey, 251.
 Pickering, 532.
 Plomesgate, 215.
 Plymouth, 276.
 Plympton St. Mary, 275.
 Pocklington, 518.
 Pontardawe, 593.
 Pontefract, 505.
 Pontypool, 586.
 Pontypridd, 589.
 Poole, 261.

Poplar, 22.
 Portsmouth, 90.
 Potterspury, 161.
 Prescott, 456.
 Preston, 476.
 Prestwich, 467.
 Pwllheli, 629.

R

Reading, 121.
 Redruth, 299.
 Reeth, 541.
 Reigate, 37.
 Rhayader, 614.
 Richmond (Surrey), 41.
 Richmond (Yorks), 542.
 Ringwood, 96.
 Ripon, 487.
 Risbridge, 204.
 Rochdale, 470.
 Rochford, 195.
 Romford, 191.
 Romney Marsh, 67.
 Romsey, 101.
 Ross, 336.
 Rothbury, 569.
 Rotherham, 511.
 Royston, 135.
 Rugby, 391.
 Runcorn, 446.
 Ruthin, 622.
 Rye, 68.

S

Saddleworth, 494.
 Saffron Walden, 203.
 St. Albans, 139.
 St. Asaph, 623.
 St. Austell, 295.
 St. Columb, 294.
 St. Faith's, 224.
 St. George Hanover Sq., 5.
 St. George in the East, 19.
 St. Germans, 291.
 St. Giles, 12.
 St. Ives, 172.
 St. Marylebone, 7.
 St. Neots, 173.
 St. Olave (Bermondsey), 24.
 St. Pancras, 9.
 St. Thomas, 270.
 Salford, 465.
 Salisbury, 253.
 Samford, 212.
 Scarborough, 527.
 Sculcoates, 521.
 Sedbergh, 483.
 Sedgefield, 546.
 Selby, 515.
 Settle, 484.
 Sevenoaks, 49.
 Shaftesbury, 257.
 Shardlow, 434.

Sheffield, 510.
 Sheppey, 62.
 Shepton Mallet, 312.
 Sherborne, 265.
 Shifnal, 347.
 Shipston on Stour, 396.
 Shoreditch, 16.
 Skipton, 485.
 Skirlaugh, 524.
 Sleaford, 416.
 Smallburgh, 221.
 Solihull, 392.
 Southam, 397.
 Southampton, 99.
 South Molton, 283.
 South Shields, 556.
 South Stoneham, 100.
 Southwark, 23.
 Southwell, 431.
 Spalding, 413.
 Spilsby, 420.
 Stafford, 357.
 Staines, 126.
 Stamford, 411.
 Stepney, 20.
 Steyning, 80.
 Stockbridge, 102.
 Stockport, 443.
 Stockton, 544.
 Stokesley, 536.
 Stoke upon Trent, 361.
 Stone, 358.
 Stourbridge, 373.
 Stow, 209.
 Stow on the Wold, 331.
 Strand, 13.
 Stratford on Avon, 394.
 Stratton, 288.
 Strood, 45.
 Stroud, 327.
 Sturminster, 258.
 Sudbury, 205.
 Sunderland, 555.
 Swaffham, 238.
 Swansea, 594.
 Swindon, 240.

T

Tadcaster, 516.
 Tamworth, 366.
 Taunton, 305.
 Tavistock, 279.
 Teesdale, 548.
 Tenbury, 375.
 Tendring, 197.
 Tenterden, 54.

Tetbury, 328.
 Tewkesbury, 334.
 Thakeham, 83.
 Thame, 151.
 Thanet, 63.
 Thetford, 239.
 Thirsk, 530.
 Thornbury, 321.
 Thorne, 513.
 Thrapston, 168.
 Ticehurst, 73.
 Tisbury, 255.
 Tiverton, 282.
 Todmorden, 493.
 Tonbridge, 50.
 Torrington, 285.
 Totnes, 273.
 Towcester, 160.
 Toxteth Park, 454.
 Tregaron, 603.
 Truro, 296.
 Tynemouth, 559.

U

Uckfield, 74.
 Ulverston, 481.
 Uppingham, 410.
 Upton on Severn, 378.
 Uttoxeter, 364.
 Uxbridge, 127.

W

Wakefield, 504.
 Wallingford, 119.
 Walsall, 370.
 Walsingham, 233.
 Wandsworth, 26.
 Wangford, 217.
 Wantage, 118.
 Ware, 133.
 Wareham, 262.
 Warminster, 250.
 Warrington, 459.
 Warwick, 393.
 Watford, 140.
 Wayland, 231.
 Weardale, 549.
 Wellingborough, 166.
 Wellington (Salop), 355.
 Wellington (Somerset), 304.

Wells, 313.
 Wem, 352.
 Weobley, 338.
 West Ashford, 55.
 Westbourne, 88.
 West Bromwich, 371.
 Westbury, 249.
 Westbury on Severn, 323.
 West Derby, 455.
 West Ham, 188.
 Westhampnett, 85.
 Westminster, 6.
 West Ward, 580.
 Wetherby, 490.
 Weymouth, 263.
 Wharfedale, 491.
 Wheatenhurst, 326.
 Whitby, 533.
 Whitechurch (Hants), 111.
 Whitechurch (Salop), 353.
 Whitechapel, 18.
 Whitehaven, 577.
 Whittlesey, 186.
 Wigan, 458.
 Wigton, 575.
 Willesden, 129.
 Williton, 302.
 Wilton, 254.
 Wimborne, 260.
 Wincanton, 310.
 Winchcomb, 332.
 Winchester, 103.
 Windsor, 125.
 Winslow, 1147.
 Wirral, 451.
 Wisbech, 187.
 Witney, 156.
 Wokingham, 122.
 Wolstanton, 360.
 Wolverhampton, 369.
 Woodbridge, 214.
 Woodstock, 155.
 Woolwich, 30.
 Worcester, 377.
 Worksop, 427.
 Wortley, 508.
 Wrexham, 621.
 Wycombe, 145.

Y

Yarmouth, 219.
 Yeovil, 309.
 York, 517.

In consequence of numerous alterations in districts since the numerical arrangement, 1 to 630, was adopted in the Abstracts for the year 1881, the districts have been re-numbered consecutively from 1 to 634 in the Abstracts for the year 1909.

INDEX OF REGISTRATION SUB-DISTRICTS.

In this arrangement the principle is adopted of placing the Sub-Districts (or Registrars' Districts) having *compound names* in alphabetical order according to the initial letter of the word spoken first locally; thus East Grinstead will be found under the letter E, and not as "Grinstead, East"; St. James under the letter S, and not as "James, St." The number against each Sub-District, in the third column, refers to the numerical place in the Tables of Abstracts; thus Abbey Holme (575; 2) is the 2nd Sub-District of the Wigton District (No. 575).

SUB-DISTRICT.	DISTRICT.	NO.	SUB-DISTRICT.	DISTRICT.	NO.	SUB-DISTRICT.	DISTRICT.	NO.
A			Ancoats	Manchester ..	466; 1	Bampton	Witney	151
Abbey Holme	Wigton	575; 2	Andover	Andover	112; 3	Banbury	Banbury	155
Abbots Brom- ley.	Utttoxeter	364; 2	Anston	Worksop	427; 3	Bangor	Bangor	633
Abbotsbury ..	Weymouth....	263; 4	Antony	St. Germans ..	291; 1	Barham	Bridge	5
Abbots Lang- ley.	Watford	140; 4	Appleby	East Ward	579; 1	Barking Town	Romford	191
Abercromby..	Liverpool.....	453; 3	Appleton	Northallerton	537; 1	Barnbrough..	Doncaster	515
Aberdare	Merthyr Tydfil	590; 4		Wiske.		Barmouth	Dolgelly	623
Aberdaron	Pwllheli	629; 3	Ardleigh	Tendring	197; 5	Barnack	Stamford.....	41
Aberford	Tadcaster	516; 1	Ardley	Wakefield	504; 5	Barnard Castle	Teesdale	54
Abergavenny ..	St. Asaph	623; 2	Ardwick	Chorlton	464; 2	Barnet	Barnet	13
Abergele	Bedwellty	585; 1	Arkholme	Lunesdale	480; 4	Barnoldswick	Skipton	48
Aberystwith ..	Aberystwith ..	607; 2	Arncliffe	Settle	484; 5	Barnsbury	Islington	11
Abingdon	Abingdon	117; 2	Arnold	Basford	429; 5	Barnsley	Barnsley	50
Accrington....	Haslingden....	471; 4	Arundel	East Preston ..	84; 3	Barnstaple....	Barnstaple	28
Acton	Brentford	128; 5	Ashbourne ..	Ashbourne	437; 1	Barnwood	Gloucester	32
Addingham	Skipton	485; 6	Ashburton	Newton Abbot	272; 4	Barrow in Fur- ness.	Barrow in Fur- ness.	48
Albrighton....	Shifnal	347; 1	Ashby de la Zouch.	Ashby de la Zouch.	404; 3	Barrowden ..	Uppingham ..	41
Albury	Guildford	33; 3	Ashford	West Ashford	55; 2	Barrow upon Soar.	Barrow upon Soar.	40
Alcester	Alcester	395; 2	Ashington	Morpeth	564; 3	Barton	Barton upon Irwell.	46
Aldbrough	Richmond	542; 4	Ashley	Bristol	319; 8	Barton	Glanford Brigg	42
	(Yorks).		Ashover	Chesterfield ..	438; 1	Baschurch	Ellesmere	35
Aldbrough	Skirlaugh	524; 3	Ashton	Wigan	458; 7	Basingstoke ..	Basingstoke ..	11
Aldeburgh	Plomesgate ..	215; 3	Ashton in Makerfield.	Ashton under Lyne.	468; 3	Bassingham ..	Newark	43
Aldeby	Loddon	229; 1	Ashwater	Holsworthy ..	287; 4	Batheaston ..	Bath	31
Alderbury	Salisbury	253; 1	Askrigg	Aysgarth	540; 1	Bathwick	Bath	31
Alderley	Macclesfield ..	444; 7	Aslackby	Bourne	412; 2	Batley	Dewsbury	50
Aldershot	Farnham	34; 2	Aspull	Wigan	458; 2	Battle	Battle	7
Aldridge	Walsall	370; 4	Aston	Rotherham ..	511; 1	Bawdeswell ..	Mitford	23
Alford	Spilsby	420; 5	Aston Manor..	Aston	385; 4	Bawtry	Doncaster	51
Alfreton	Belper	436; 5	Atherstone....	Atherstone	387; 1	Beaminster ..	Beaminster ..	26
Allendale	Hexham	561; 3	Atherton	Leigh	460; 4	Beaufort	Crickhowell ..	61
Allerston	Pickering	532; 3	Attercliffe ..	Sheffield	510; 7	Beaumaris	Bangor	63
All Saints	Birmingham ..	384; 2	Attleborough	Wayland	231; 1	Bebington	Wirral	45
All Saints	Hastings	69; 2	Audenshaw ..	Ashton under Lyne.	468; 4	Beccles	Wangford	21
All Saints	Newcastle upon Tyne.	558; 5	Audley	Newcastle under Lyme.	359; 3	Beckenham ..	Bromley	4
All Saints	Northampton	163; 2	Aughton	Ormskirk	457; 3	Beckley	Rye	6
All Souls	St. Marylebone	7; 1	Axbridge	Axbridge	314; 1	Bedale	Bedale	53
Almondsbury..	Huddersfield ..	495; 6	Axminster	Axminster	268; 2	Bedford and Cardington.	Bedford	17
Almondsbury	Thornbury	321; 1	Aycliffe	Darlington	543; 3	Bedford and Kempston.	Bedford	17
Alnwick	Alnwick	565; 2	Aylesbury	Aylesbury	146; 2	Bedlington ..	Morpeth	56
Alresford	Alresford	107; 2	Aylesford	Malling	48; 1	Bedminster ..	Bristol	31
Alston	Alston	570; 1				Beeston	Basford	42
Alston	Preston	476; 6				Begelly	Narberth	60
Altarnun	Launceston ..	290; 1				Belbroughton	Bromsgrove ..	38
Alton	Alton	108; 1				Belford	Belford	56
Alton	Cheadle	363; 1				Belgrave	St. George Han- over-square.	5
Altrincham ..	Bucklow	445; 2				Bellingham ..	Bellingham ..	56
Alverstone	Alverstone	91; 1				Belper	Belper	43
Ambleside	Kendal	581; 1				Belton	Mutford	218
Amersham....	Amersham....	143; 3				Benington	Boston	415
Amesbury	Amesbury	252; 2				Bentham	Settle	484
Amlwch	Anglesey	633; 2				Benwell	Newcastle upon Tyne.	558
Amport	Andover	112; 2						
Amphill.....	Amphill.....	176; 2				Bere Regis....	Wareham	262
						Berkeley.....	Thornbury....	321
						Berkhamp- stead.	Berkhamp- stead.	142
						Bermondsey ..	St. Olave (Bermondsey).	24
						Berwick upon Tweed.	Berwick	567
						Betchworth ..	Reigate	37
						Bethnal Green	Bethnal Green	17
							North East.	
						Bethnal Green	Bethnal Green	17
							South West.	
						Bettws y Coed	Llanrwst.....	624

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Beverley	Beverley	520; 2	Braintree	Braintree	201; 5	C		
Bewdley	Kidderminster	374; 5	Bramley	Basingstoke ..	110; 2			
Bexhill	Battle	70; 1	Bramley	Bramley	499; 1			
Bibley	Dartford	43; 1	Brampton	Brampton	572; 2			
Bibury	Northleach....	330; 1	Brandesburton	Skirlaugh	524; 5			
Bicester	Bicester	154; 2	Brassington ..	Ashbourne	437; 2			
Bickerstaffe ..	Ormskirk	457; 1	Bratton Clo-	Okehampton..	280; 1			
Biddulph	Leek	362; 2	vely.					
Bideford	Bideford	286; 1	Braughing	Bishop Stort-	134; 3			
Biggleswade ..	Biggleswade ..	175; 1		ford.				
Billesdon	Billesdon	400; 1	Breage	Helston	298; 4			
Billinge	Wigan	458; 6	Brecknock ..	Brecknock	610; 2			
Billinghay	Sleaford	416; 1	Bredbury	Stockport	443; 3	Cadoxton	Neath	592; 4
Billington	Blackburn	474; 1	Brenchley	Tonbridge	50; 3	Caerleon	Newport(Mon-	537; 1
Bilston	Wolverhampton	369; 7	Brentford	Brentford	128; 3		mouth).	
Binbrook	Louth	421; 3	Brentwood	Billerica	193; 1	Cainham	Ludlow	342; 3
Bingham	Bingham	433; 1	Bretton	Wakefield	504; 1	Caistor	Caistor	423; 1
Bingley	Keighley	492; 1	Brewood	Cannock	368; 1	Calbourne	Isle of Wight..	93; 6
Binsted	Alton	108; 2	Bridgend	Bridgend	591; 4	Caldbeck	Wigton	575; 3
Birkenhead ..	Birkenhead ..	452; 1	Bridgnorth ..	Bridgnorth....	346; 2	Calchill	West Ashford ..	55; 1
Bishop Auck-	Auckland	547; 1	Bridgwater ..	Bridgwater ..	306; 2	Callington	Liskeard	292; 1
land.			Bridlington ..	Bridlington ..	526; 2	Calne	Calne	244; 1
Bishops Castle	Clun	343; 2	Bridport	Bridport	267; 2	Calstock	Tavistock	279; 1
Bishops Frome	Bromyard	339; 2	Brigg	Glanford Brigg	424; 1	Calverley	North Bierley ..	497; 8
Bishop's Lyde-	Taunton	305; 4	Brighouse	Halifax	496; 1	Camberwell ..	Camberwell ..	27; 3
ard.			Brilley	Kington	341; 1	North.		
BishopsTawton	Barnstaple	284; 5	Brindle	Chorley	475; 1	Camberwell ..	Camberwell ..	27; 2
Bishopstone ..	Wilton	254; 2	Bristol Central	Bristol	319; 2	South.		
Bishops Walt-	Droxford	104; 1	Brixham	Totnes	273; 2	Camborne ..	Redruth	299; 4
ham.			Brixton	Lambeth	25; 5	Camelford	Camelford	289; 2
Bishopthorpe	York	517; 4	Broadstairs ..	Thanet	63; 3	Campsall	Doncaster	512; 4
Bisley	Stroud	327; 3	Broadway	Evesham	379; 2	Canford	Poole	261; 1
Biton	Keynsham	317; 1	Brockhampton	Bromyard	339; 3	Canning Town	West Ham	188; 4
Blackawton ..	Kingsbridge ..	274; 1	Bromley	Bromley	42; 1	Cannock	Cannock	368; 2
Blackburn ..	Blackburn	474; 4	Bromsgrave ..	Poplar	22; 2	Canterbury ..	Canterbury ..	58; 1
Northern.			Bromsgrove ..	Bromsgrove ..	382; 1	Capel	Dorking	36; 1
Blackburn ..	Blackburn	474; 6	Brompton	Kensington....	2; 2	Capel St. Mary	Samford	212; 1
South Eastern.			Bromyard	Bromyard	339; 1	Carburton	Worksop	427; 4
Blackburn ..	Blackburn	474; 5	Broomhall	Ecclesall Bier-	509; 7	Cardigan	Cardigan	603; 2
low.				low.		Carlford	Woodbridge ..	214; 1
South Western.			Broseley	Madeley	348; 3	Carlton	Basford	429; 6
Blackley	Prestwich	467; 3	Broughton ..	Preston	476; 7	Carlton	Selby	515; 1
Blackpool	Fylde	477; 3	Broughton ..	Salford	465; 2	Carlton	Worksop	427; 2
Black Torring-	Holsworthy ..	287; 3	Broughton ..	Stockbridge ..	102; 1	Carmarthen ..	Carmarthen ..	599; 3
ton.			Bryngwran ..	Holyhead	634; 1	Carnarvon	Carnarvon	630; 3
Blackwell	Mansfield	428; 3	Bubwith	Howden	519; 2	Carshalton....	Epsom	31; 1
Blaenavon	Abergavenny ..	584; 4	Buckfastleigh	Totnes	273; 5	Cartmel	Ulverston	481; 1
Blagdon	Axbridge	314; 4	Buckingham..	Buckingham..	149; 1	Castle Cary ..	Wincanton	310; 1
Bladford	Blandford	259; 2	Bucklebury ..	Bradfield	120; 1	Castle Combe ..	Chippenham..	243; 1
Bletchington	Bicester	151; 1	Budworth	Runcorn	446; 1	Castle Doning-	Shardlow	434; 1
Blidworth	Mansfield	428; 6	Bugbrooke	Northampton	163; 3	ton.		
Blockley	Shipston on	396; 1	Builth	Builth	609; 4	Castleford	Pontefract	505; 4
	Stour.		Bulmer	Malton	528; 5	Castle Rising..	Freebridge ..	235; 3
Blofield	Blofield	228; 1	Bulmer	Sudbury	205; 1	Lynn.		
Bloxham	Banbury	158; 1	Bulwell	Nottingham ..	430; 5	Castleton No.1	Rochdale	470; 2
Bloxwich	Walsall	370; 2	Bunbury	Nantwich	449; 3	Castleton No.2	Rochdale	470; 3
Blyth	Tynemouth ..	559; 5	Bungay	Wangford	217; 1	Caton	Lunesdale ..	480; 1
Bobbingworth	Ongar	190; 1	Buntingford ..	Royston	135; 1	Catterick	Richmond ..	542; 2
Bocking	Braintree	201; 2	Burbage	Hinckley	402; 1	(Yorks).		
Bodenham ..	Leominster	340; 2	Bures	Sudbury	205; 2	Caversham ..	Henley	150; 2
Bodmin	Bodmin	293; 3	Burford	Witney	156; 4	Cawthorne ..	Wortley	508; 1
Bognor	Westhampnett	85; 2	Burgh	Carlisle	574; 5	Caxton	Caxton	179; 1
Bollington	Macclesfield ..	444; 2	Burgh	Spilsby	420; 4	Cenarth	Newcastle in	604; 3
Bolsover	Chesterfield ..	438; 3	Burghill	Hereford	337; 3	Emlyn.		
Bootle	Bootle	578; 2	Burnham	Axbridge	314; 2	Central	Manchester ..	466; 2
Bootle	West Derby ..	455; 5	Burnham	Docking	234; 1	Central Cardiff	Cardiff	588; 3
Bordsley	Aston	385; 2	Burnham	Eton	144; 2	Central Hack-	Hackney	11; 3
Boroughbridge	Great Ouse-	488; 1	Burslem	Wolstanton....	360; 3	ney.		
	burn.		Burton Brad-	Bridport	267; 1	Cerne	Dorchester	284; 4
Boscastle	Camelford	289; 1	stock.			Chadderton ..	Oldham	469; 4
Boston	Boston	415; 3	Burton Lati-	Kettering	167; 1	Chaddesley ..	Kidderminster	374; 1
Botesdale	Hartismere ..	210; 2	mer.			Corbett.		
Boughton	Faversham	60; 1	Burton upon	Burton upon	365; 4	Chagford	Okehampton..	280; 4
Bourne	Bourne	412; 3	Trent.	Trent.		Chailey	Lewes	77; 1
Bournemouth	Christchurch..	95; 2	Burwell	Newmarket ..	183; 3	Chalfont	Amersham	143; 4
Bourton on the	Stow on the	331; 1	Bury St. Ed-	Bury St. Ed-	207; 2	Chapel en le	Chapel en le	440; 2
Water.	Wold.		munds.	munds.		Frith.		
Bow	Crediton	281; 2	Bushey	Watford	140; 1	Chapeltown ..	Leeds	500; 5
Bow	Poplar	22; 1	Buxton	Aylsham	223; 2	Chard	Chard	308; 3
Bowling	Bradford	498; 1	Buxton	Chapel en le	440; 1	Chardstock ..	Axminster	268; 3
Boxgrove	Westhampnett	85; 4		Frith.		Charlbury	Chipping Nor-	157; 1
Brabourne ..	East Ashford..	56; 1	Byker	Newcastle	558; 6		ton.	
Brackley	Brackley	159; 1		upon Tyne		Charlton	Woolwich	30; 1
Bracknell	Easthampstead	124; 4	Bywell	Hexham	561; 1	Charlton Kings	Cheltenham ..	333; 1
Bradfield	Wortley	508; 6				Chartham	Bridge	57; 1
Bradford	Prestwich	467; 6				Chatteris	North Witch-	185; 1
Bradford	Bradford	498; 2					ford.	
Central.						Cheadle	Cheadle	363; 4
Bradford on	Bradford on	248; 1				Cheadle	Stockport	443; 8
Avon.	Avon.					Chedworth ..	Northleach	330; 2
Brading	Isle of Wight..	93; 4				Cheetham	Prestwich	167; 1
Bradley	Westbury	249; 1				Chelmsford ..	Chelmsford ..	191; 2
Bradfield	Hardingstone	162; 1						

H

G

F

[illegible]

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Langport	Langport	307; 2	Llanrwst	Llanrwst	624; 1	Malmesbury	Malmesbury ..	242; 2
Langtoft	Driffield	525; 4	Llansadwrn ..	Llandovery ..	597; 3	Western.	Whitchurch	353; 2
Lanlivery	Bodmin	293; 1	Llansamlet ..	Swansea	594; 4	Malpas	(Salop).	
Lastingham ..	Pickering	532; 1	Llansantffraid	Aberayron	606; 2		Rotherham ..	511; 6
Latham	Ormskirk	457; 8	Llansantffraid	Llanfyllin	618; 2	Maltby	Malton	528; 3
Launceston ..	Launceston ..	290; 3	Llansilin	Oswestry	350; 2	Malton	Upton on Severn	378; 1
Lavenham	Cosford	206; 1	Llantarnam ..	Newport (Mon-	587; 4	Malvern	Bradford	498; 3
Lavington	Devizes	246; 2		mouth).		Manningham	Tendring	197; 4
Leake	Loughborough	405; 2	Llantrisant ..	Pontypridd ..	589; 3	Manningtree..	Mansfield	428; 5
Leamington ..	Warwick	393; 2	Llanvihangel	Abergavenny ..	584; 2	Marazion	Penzance	300; 3
Leatherhead..	Epsom	31; 3	Llanwenog	Lampeter	605; 4	March	North Witch-	185; 2
Ledbury	Ledbury	335; 1	Llanwnnog	Newtown	616; 2		ford.	
Lee	Lewisham	29; 2	Llanwonno ..	Pontypridd ..	589; 2	Maresfield	Uckfield	74; 4
Leek	Leek	362; 3	Llanwrtyd ..	Builth	609; 1	Margam	Neath	592; 1
Leek Frith....	Leek	362; 4	Llanybyther..	Lampeter	605; 1	Margate	Thanet	63; 2
Leigh	Leigh	460; 3	Lockington ..	Beverley	520; 3	Market Bos-	Market Bos-	403; 1
Leigh	Martley	376; 2	Lockton	Pickersing	532; 4	worth.	worth.	
Leighton Buz-	Leighton Buz-	177; 1	Lockwood	Huddersfield..	495; 9	Market Dray-	Market Dray-	354; 2
zard.	zard.		Loddon	Loddon	229; 2	ton.	ton.	
Leintwardine	Ludlow	342; 1	Loftus	Guisborough ..	534; 1	Market Har-	Market Har-	399; 1
Leiston	Blything	216; 1	Long Ashton	Long Ashton ..	318; 1	borough.	borough.	
Lenham	Hollingbourn ..	52; 2	Longbenton ..	Tynemouth ..	559; 3	Market Rasen	Caistor	423; 2
Leominster ..	Leominster....	349; 1	Longbridge ..	Warminster ..	250; 2	Market	Pocklington ..	518; 3
Leven	Beverley	520; 4	Deverill			Weighton.		
Leverington ..	Wisbech	187; 1	Long Buckby ..	Daventry	164; 3	Marlborough	Marlborough..	245; 1
Lewes	Lewes	77; 2	Longnor	Leek	362; 5	Marlow	Wycombe	145; 2
Lewisham	Lewisham	29; 3	Longparish ..	Andover	112; 1	Marshfield	Chipping Sod-	320; 3
Lewknor	Thame	151; 1	Long Preston ..	Settle	484; 3		bury.	
Leyburn	Leyburn	539; 2	Long Sutton ..	Holbeach	414; 2	Marske	Guisborough ..	534; 3
Leyland	Chorley	475; 2	Longton	Preston	476; 1	Martley	Martley	376; 1
Lichfield	Lichfield	367; 1	Longton	Stoke upon	361; 4	Martock	Yeovil	309; 3
Lifton	Tavistock	279; 3		Trent.		Marton	Gainsborough	425; 4
Limehouse ..	Stepney	20; 2	Longtown	Longtown	573; 1	Maryport	Cockermouth ..	576; 4
Lincoln Home	Lincoln	418; 2	Looe	Liskeard	292; 3	Masham	Bedale	538; 2
Lincoln North-	Lincoln	413; 3	Loose	Maidstone	51; 2	Matlock	Bakewell	459; 2
east.			Loughborough	Loughborough	405; 1	Mattishall	Mitford	232; 2
Lincoln South-	Lincoln	418; 1	Loughor	Llanelly	596; 1	Mayfair and	St. George Han-	5; 1
west.			Louth	Louth	421; 2	Knightsbridge	over Square.	
Linton	Linton	182; 2	Lower	Islington	10; 4	Measham	Ashby de la	404; 1
Liskeard	Liskeard	292; 2	Holloway.				Zouch.	
Litcham	Mitford	232; 5	Lower Merthyr	Merthyr Tydfil	590; 2	Melbourn	Royston	135; 3
Litherland ..	West Derby ..	455; 2	Tydfil.			Melbourne	Shardlow	434; 2
Little Bolton.	Bolton	461; 7	Lower Mitton	Kidderminster	374; 4	Melford	Sudbury	205; 4
Littleborough	Rochdale	470; 7	Lowestoft	Mutford	218; 2	Melksham	Melksham	247; 1
Littlehampton	East Preston ..	84; 2	Lowther	West Ward	580; 2	Mellor	Blackburn	474; 3
Littleport	Ely	184; 4	Lowton	Leigh	460; 1	Melton Mow-	Melton Mow-	408; 1
Liversedge	Dewsbury	503; 4	Ludham	Smallburgh ..	221; 1	bray.	bray.	
Llanarmon	Ruthin	622; 1	Ludlow	Ludlow	342; 2	Mendlesham ..	Hartismere ..	210; 1
Llanarth	Abergavenny ..	584; 1	Luton	Luton	178; 2	Mere	Mere	256; 1
Llanbister	Knighton	613; 3	Lutterworth ..	Lutterworth ..	398; 1	Meriden	Meriden	386; 2
Llanboidy	Narberth	600; 1	Lydbury	Clun	343; 4	Methwold	Thetford	239; 1
Llandaff	Cardiff	588; 1	Lydd	Romney Marsh ..	67; 2	Mevagissey ..	St. Austell	295; 3
Llandausant ..	Llandovery ..	597; 1	Lydney	Chepstow	582; 2	Micheldever ..	Winchester....	103; 1
Llanddeusant.	Holyhead	634; 2	Lyme	Axminster	268; 1	Michelmersh ..	Romsey	101; 2
Llandebie	Llandilofawr..	598; 6	Lymington ..	Lymington	94; 1	Middleham ..	Leyburn	539; 1
Llandilo	Llandilofawr..	598; 4	Lymm	Bucklow	445; 4	Middlesbrough	Middlesbrough	535; 1
Llandilo Taly-	Swansea	594; 1	Lyncombe	Bath	316; 3	Middleton	Oldham	469; 5
bont.			Lyndhurst	New Forest ..	98; 1	Middleton	Teesdale	548; 3
Llandinog	Llandovery ..	597; 4	Lynton	Barnstaple	284; 2	Middlewich ..	Northwich	447; 4
Llandudno	Conway	632; 2	Lytchett	Poole	261; 3	Middlezoy	Bridgwater ..	306; 4
Llandwrog	Carnarvon	630; 1	Lytham	Fylde	477; 2	Midhurst	Midhurst	87; 1
Llandyrnog ..	Ruthin	623; 5	Lythe	Whitby	533; 3	MidsomerNor-	Clutton	315; 4
Llandysilio ..	Aberayron	606; 1				ton.		
Llandyssil	Newcastle in	604; 4				Milborne Port	Wincanton	310; 2
	Emlyn.					Mildenhall....	Mildenhall....	208; 1
Llanelidan	Ruthin	622; 3				Mile End New	Whitechapel ..	18; 2
Llanelly	Crickhowell ..	611; 3				Town.		
Llanelly	Llanelly	596; 2				Mile End Old	Mile End Old	21; 2
Llanfair	Llanfyllin	618; 1				Town North	Town.	
Llanfairary-	Llandovery ..	597; 5				Eastern.		
bryn.						Mile End Old	Mile End Old	21; 1
Llanfairfechan	Bangor	631; 3				Town South	Town.	
Llanfechell ..	Anglesey	633; 3				Western.		
Llanfynydd ..	Llandilofawr..	598; 2				Milford	Haverfordwest	602; 1
Llangadock ..	Llandovery ..	597; 2				Milford	Lymington....	94; 2
Llangafelach ..	Swansea	594; 2				Millbrook	South Stone-	100; 3
Llangathen ..	Llandilofawr..	598; 3					ham.	
Llangefni	Anglesey	633; 1				Milnrow	Rochdale	470; 1
Llangeitho	Tregaron	608; 2				Milnthorpe ..	Kendal	581; 4
Llangendeirne	Carmarthen ..	599; 1				Milton	Milton	61; 1
Llangibby	Pontypool	536; 3				Milton Abbas	Blandford	259; 1
Llangollen	Corwen	625; 2				MiltonDamarel	Holsworthy ..	287; 1
Llangorse	Brecknock	610; 4				Milverton	Wellington	304; 2
Llanhilleth ..	Pontypool	586; 1					(Somerset).	
Llanidan	Carnarvon	630; 4				Minchinhampt-	Stroud	327; 6
Llanidloes	Newtown	616; 1				ton.		
Llanllechid ..	Bangor	596; 4				Minehead	Williton	302; 1
Llannon	Llanelly	631; 4				Minster	Sheppey	62; 1
Llanrhaiadr ..	Llanfyllin	618; 3				Minster	Thanet	63; 1
Llanrhaiadr ..	Ruthin	622; 4				Mirfield	Dewsbury	503; 5
Llanrhystyd ..	Aberystwith ..	607; 1				Missenden	Amersham ..	143; 1
Llanrug	Carnarvon	630; 2						

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	
Portsea and Landport.	Portsmouth ..	90; 3	Romford	Romford	191; 1	St. Mabyn	Bodmin	293; 2	
Portsmouth and Mid Southsea.	Portsmouth ..	90; 4	Romsey	Romsey	101; 1	St. Margaret and St. John.	St. George Han-over-square.	5; 3	
Potterspurty ..	Potterspurty ..	161; 1	Roose	Pembroke	601; 3	St. Margaret's at Cliffe.	Dover	65; 1	
Prees	Wem	352; 2	Ropley	Alresford	107; 1	St. Martin	Birmingham ..	384; 4	
Prescot	Prescot	456; 4	Ross	Ross	336; 2	St. Martin's ..	Oswestry	350; 4	
Prestbury	Macclesfield ..	444; 1	Rothbury	Rothbury	569; 1	St. Mary	Atcham	349; 2	
Presteigne	Knighton	613; 1	Rotherfield ..	Uckfield	74; 1	St. Mary	Carlisle	574; 3	
Preston	Steyning	80; 1	Rotherhithe ..	St. Olave (Bermondsey).	24; 3	St. Mary	St. Marylebone	7; 2	
Prestwich	Prestwich	467; 2	Rothley	Barrow upon Soar.	406; 3	St. Mary	Reading	121; 1	
Princes Risborough.	Wycombe	145; 3	Rothwell	Hunslet	501; 3	St. Mary Extra	South Stoneham.	100; 1	
Pritlewell ..	Rochford	195; 2	Rothwell	Kettering	167; 3	St. Mary Magdalen.	Hastings	69; 3	
Probus	Truro	296; 1	Rougham	Bury	207; 1	St. Michael	Garstang	478; 2	
Puddletown ..	Dorchester	264; 2	Rowley Regis	St. Edmunds.	372; 1	St. Neots	St. Neots	173; 1	
Pudsey	North Bierley	497; 9	Royston	Dudley	135; 2	St. Nicholas ..	Cardiff	588; 6	
Pulborough	Thakeham	83; 1	Royton	Royston	469; 6	St. Nicholas ..	Durham	551; 2	
Putford	Bideford	286; 5	Rugby	Oldham	621; 2	St. Nicholas ..	Newcastle upon Tyne.	558; 4	
Putney	Wandsworth ..	26; 8	Rugby	Wrexham	391; 1	St. Olave	St. Olave (Bermondsey).	24; 1	
Pwllheli	Pwllheli	629; 2	Rugeley	Rugby	367; 2	St. Oswald	Durham	551; 1	
			Runcorn	Lichfield	446; 2	St. Philip and St. Jacob.	Bristol	319; 6	
			Ruthin	Runcorn	622; 2	St. Sepulchre and Allhallows.	London City ..	15; 2	
			Ryde	Ruthin	93; 3	St. Thomas	St. Thomas	270; 5	
			Rye	Isle of Wight..	68; 1	St. Thomas	Ross	336; 3	
			Ryhope	Rye	555; 5	Sale	Bucklow	445; 3	
				Sunderland ..		Salisbury	Salisbury	253; 3	
						Saltash	St. Germans ..	291; 3	
						Saltfleet	Louth	421; 4	
						Sandal	Wakefield	504; 2	
						Sandbach	Congleton	448; 3	
						Sandhurst	Easthampstead	124; 2	
						Sandwich	Eastry	64; 1	
						Sankey	Warrington ..	459; 3	
						Sawtry	Huntingdon ..	171; 2	
						Scarborough ..	Scarborough ..	527; 2	
						Scotland	Liverpool	453; 1	
						Scotter	Gainsborough	425; 1	
						Seaford	Eastbourne ..	71; 3	
						Sedbergh	Sedbergh	483; 1	
						Sedgefield	Sedgefield	546; 1	
						Sedgley	Dudley	372; 3	
						Selby	Selby	515; 2	
						Settle	Settle	484; 2	
						Sevenoaks	Sevenoaks	49; 2	
						Shadwell and Ratcliff.	Stepney	20; 1	
						Shaftesbury ..	Shaftesbury ..	257; 1	
						Shardlow	Shardlow	434; 3	
						Sharrow	Eccleshall	509; 6	
							Bierlow		
						Shebbear	Torrington	285; 3	
						Sheffield Park	Sheffield	510; 3	
						Shepton Mallet	Shepton Mallet	312; 1	
						Sherborne	Sherborne	265; 2	
						Sherburn	Scarborough ..	527; 4	
						Sherburn	Tadcaster	516; 3	
						Sheringham ..	Erpingham ..	222; 2	
						Shifnal	Shifnal	347; 2	
						Shillington	Amphill	176; 1	
						Shipdham	Mitford	232; 1	
						Shipley	North Bierley	497; 6	
						Shipston on Stour.	Shipston on Stour.	396; 2	
						Shoreditch North East.	Shoreditch	16; 3	
						Shoreditch North West.	Shoreditch	16; 2	
						Shoreditch South.	Shoreditch	16; 1	
						Shoreham	Sevenoaks	49; 1	
						Shoreham	Steyning	80; 3	
						Shrivenham ..	Faringdon	116; 1	
						Silverton	Tiverton	282; 1	
						Skelton	Guisborough ..	534; 2	
						Skelton	York	517; 1	
						Skipsea	Bridlington ..	526; 1	
						Skipton	Skipton	485; 5	
						Skirlaugh	Skirlaugh	524; 2	
						Slaidburn	Clitheroe	473; 2	
						Slaithwaite ..	Huddersfield ..	495; 1	
						Sleaford	Sleaford	416; 2	
						Smallburgh ..	Smallburgh ..	221; 2	
						Smethwick ..	King's Norton	383; 4	
						Sneath	Goole	514; 3	
						Sncttisham ..	Docking	234; 2	
						Soham	Newmarket ..	183; 4	
					</				

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Solihull	Solihull	392; 1	Stockport	Stockport	443; 6	Templenew-	Hunslet	501; 2
Sollershope ..	Ross	336; 1	Third.			sam.		
Somersham ..	St. Ives	172; 2	Stockton	Stockton	514; 1	Tenbury	Tenbury	375; 1
Somerton	Langport	307; 1	Stockwell ..	Lambeth	25; 4	Tenby	Pembroke	601; 1
Soothill	Dewsbury	503; 7	Stogumber....	Williton	302; 5	Tenterden ...	Tenterden	54; 1
Southam	Southam	397; 1	Stogursey	Williton	302; 4	Terrington St.	Wisbech	187; 1
Southampton ..	Southampton..	99; 1	Stoke	Devonport	278; 2	Clement.		
Eastern.			Stokenchurch	Wyeombe	145; 4	Tetbury	Tetbury	328; 1
Southampton	Southampton..	99; 2	Stoke Newing-	Hackney	11; 1	Tetney	Louth	421; 1
Western.			ton.			Tettenhall ...	Wolverhampton	369; 1
South Bury ..	Bury	462; 6	Stokenham ..	Kingsbridge ..	274; 2	Tewkesbury ..	Tewkesbury ...	334; 1
South Cave ..	Beverley	520; 1	Stoke Rural ..	Stoke upon	361; 5	Teynham	Faversham ..	60; 1
Southcoates ..	Sculcoates	521; 1	Trent.	Trent.		Thame	Thame	151; 1
South Croydon	Croydon	39; 2	Stokesley	Stokesley	536; 1	Thatcham	Newbury	114; 1
South East	Hackney	11; 5	Stoke upon	Stoke upon	361; 2	Thaxted	Dunmow	202; 1
Hackney.			Trent.	Trent.		Thetford	Thetford	239; 1
South East	West Ham	188; 5	Stone	Stone	358; 1	Thirsk	Thirsk	530; 1
Ham.			Stonehouse ..	Stroud	327; 1	Thornaby	Middlesbrough	535; 1
South East	Leeds	500; 1	Stortford	Bishop Stort-	134; 1	Thornbury....	Thornbury	321; 1
Leeds.				ford.		Thorne	Thorne	513; 1
South East	Rotherham ..	511; 2	Stotfold	Biggleswade ..	175; 2	Thorney	Peterborough..	510; 1
Rotherham.			Stottesden	Cleobury Mor-	345; 2	Thornhill	Dewsbury	503; 1
South Everton	West Derby ..	455; 8		timer.		Thornthwaite	Pateley Bridge	486; 1
Southfields...	Wandsworth..	26; 7	Stourbridge ..	Stourbridge ..	373; 2	Thornton	North Bierley	497; 1
South Fulham	Fulham	3; 5	Stowmarket ..	Stow	209; 3	Thorpe	Tendring	197; 1
South Ham-	Fulham	3; 2	Stow on the	Stow on the	331; 2	Thrapston	Thrapston	168; 1
merssmith.			Wold.	Wold.		Ticehurst	Ticehurst	73; 1
South Horsham	Horsham	81; 1	Stradbroke ..	Hartismere....	210; 3	Tickhill	Doncaster	512; 1
South Kings	Kings Lynn ..	236; 2	Strand	Strand	13; 1	Tideswell	Bakewell	439; 1
Lynn.			Stratford	West Ham	188; 1	Tilehurst	Bradfield	120; 1
South Leicester	Leicester	407; 3	Stratford on	Stratford on	394; 2	Tingewick	Buckingham..	149; 1
South Leyton .	West Ham	188; 8	Avon.	Avon.		Tipton	Dudley	372; 1
South Mimms	Barnet	131; 1	Stratton	Depwade	230; 3	Tisbury	Tisbury	255; 1
Southminster	Maldon	196; 1	Stratton	Stratton	288; 2	Titchfield	Fareham	92; 1
South Molton	South Molton	283; 2	Streatham	Wandsworth..	26; 5	Tiverton	Tiverton	282; 1
South Pether-	Yeovil	309; 2	Stretford	Barton upon	463; 3	Todmorden	Todmorden ..	493; 1
ton.				Irwell.		Tollesbury	Maldon	196; 1
South St. Pan-	St. Pancras ..	9; 2	Strood	Strood	45; 2	Tollington ...	Islington	10; 1
cras.			Strood	Strood	327; 4	Tonbridge	Tonbridge	50; 1
South Sheffield	Sheffield	510; 1	Sturminster ..	Sturminster ..	258; 1	Tonge	Bolton	461; 1
South Shields	South Shields	556; 1	Sturry	Blean	59; 1	Topcliffe	Thirsk	530; 1
South Stone-	South Stone-	100; 2	Sudbury	Sudbury	205; 3	Topsham	St. Thomas ...	270; 1
ham.			Sudbury	Uttoxeter	364; 3	Torquay	Newton Abbot	272; 1
South Walsham	Blofield	228; 2	Sunbury	Staines	126; 1	Totnes	Totnes	273; 1
Southwell	Southwell	431; 1	Sunderland	Sunderland ..	555; 2	Tottington....	Bury	462; 1
South West	Wandsworth..	26; 3	East.			Towcester	Towcester	160; 1
Battersea.			Sunderland	Sunderland ..	555; 3	Towyn	Machynlleth..	615; 1
South West	Bolton	461; 2	North.			Toxteth Park	Toxteth Park..	454; 1
Bolton.			Sunderland	Sunderland ..	555; 1	Central		
South West	Hackney	11; 4	West.			Toxteth Park	Toxteth Park	454; 1
Hackney.			Surbiton	Kingston	40; 3	East		
Southwick....	Sunderland ..	555; 4	Sutton	Ely	184; 2	Toxteth Park	Toxteth Park	454; 1
Southwold....	Blything	216; 2	Sutton	Macclesfield ..	444; 5	North West.		
Sowerby	Halifax	496; 4	Sutton	Thirsk	530; 3	Toxteth Park	Toxteth Park	454; 1
Spalding	Spalding	413; 4	Sutton Cold-	Aston	385; 6	South West.		
Spaldwick	Huntingdon ..	171; 3	field.			Tranmere	Birkenhead ..	452; 1
Speen	Newbury	114; 2	Sutton Court-	Abingdon	117; 3	Tredegar	Bedwellty	585; 1
Spilsby	Spilsby	420; 3	enay.			Treflis	Builth	609; 1
Spitalfields...	Whitechapel ..	18; 1	Sutton in Ash-	Mansfield	428; 4	Tregaron	Tregaron	608; 1
Spondon	Shardlow	434; 5	field.			Tregynon	Newtown	616; 1
Spotland and	Rochdale	470; 4	Swaffham	Swaffham	238; 1	Trelleck	Monmouth	583; 1
Norden.			Swalcliffe	Banbury	158; 2	Tremadoc	Festiniog	628; 1
Springfield...	Wandsworth..	26; 6	Swanage	Wareham	262; 1	Tring	Berkhampstead	142; 1
Springhead ...	Saddleworth..	494; 1	Swansea	Swansea	594; 3	Trowbridge ..	Melksham	247; 1
Stafford	Stafford	357; 1	Swavesey	St. Ives	172; 3	Tufnell	Islington	10; 1
Staindrop	Teesdale	548; 1	Swindon	Swindon	240; 2	Tunbridge	Tonbridge	50; 1
Staines	Staines	126; 2	Swinefleet ...	Goole	511; 1	Wells.		
Stalham	Smallburgh ..	221; 3	Sydenham	Lewisham	29; 4	Tunstall	Lunesdale	480; 1
Stalmine	Garstang	478; 1	Syston	Barrow upon	406; 4	Tunstall	Wolstanton ..	360; 1
Stalybridge ..	Ashton under	468; 8		Soar.		Turton	Bolton	461; 1
	Lyne.					Turvey	Bedford	174; 1
Stamford	Stamford	411; 1				Tutbury	Burton upon	365; 1
Stamfordham	Castle Ward ..	560; 4					Trent.	
Standish	Wigan	458; 1				Tuxford	East Retford ..	426; 1
Standon	Ware	133; 4				Twerton	Bath	316; 1
Stanhope	Weardale	549; 2				Twickenham..	Brentford	128; 1
Stanley	Wakefield	504; 6				Twyford	Winchester ...	103; 1
Stanstead	Ware	133; 2				Tynemouth ..	Tynemouth ..	559; 1
Stansted	Bishop Stort-	134; 2						
	ford.							
Stanway	Lexden	199; 2						
Stanwix	Carlisle	574; 4						
Stapleford	Shardlow	434; 4						
Stapleton	Bristol	319; 7						
Steyning	Steyning	80; 4						
Stickney	Spilsby	420; 1						
Stillington ...	Easingwold ..	529; 1						
Stilton	Peterborough .	170; 1						
Stockbridge ..	Stockbridge ..	102; 2						
Stockport First	Stockport	443; 4						
Stockport	Stockport	443; 5						
Second								

T

U

INDEX OF URBAN DISTRICTS.

As existing on 31st December, 1909, together with a reference to the number of the Registration District and Sub-district in which each is situated. See pages 150-209 of this Report.

Urban Districts which are County Boroughs or Municipal Boroughs are indicated by the letters C.B. or M.B. Those Urban Districts marked * have been created, and the boundaries of those marked † have been altered since the Census of 1901. The exact constitution of each Urban District and of each Registration Sub-district at the time of the last Census is shown in Tables 9 and 12 respectively of the Census County Volumes. Of the 1,171 Urban Districts (including County, Municipal, and Metropolitan Boroughs) 156 were each co-extensive, at the end of December, 1909, with one or more Registration Areas.

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Aberavon (M.B.)	592 : 1, pt. of.	Ardley ...	507 : 2, pt. of.	Banbury(M.B.)	158 : 4, pt. of.
Aberayron ...	606 : 2, pt. of.	Ardley East and West.	504 : 5, pt. of.	Bangor, City of (M.B.)	631 : 2, pt. of.
Abercarn ...	587 : 5, pt. of.	Arlecdon and Frizington.	577 : 1, pt. of.	†Barking Town	191 : 3.
Aberdare ...	590 : 4, pt. of.	Arnold ...	429 : 5, pt. of.	Barkisland ...	496 : 3, pt. of.
Abergavenny (M.B.)	584 : 3, pt. of.	†Arundel (M.B.)	84 : 3, pt. of.	Barmouth ...	627 : 2, pt. of.
Abergele and Pensarn.	623 : 2, pt. of.	Ashbourne ...	437 : 1, pt. of.	Barnard Castle	548 : 2, pt. of.
Abersychan ...	586 : 2, pt. of.	Ashburton ...	272 : 4, pt. of.	Barnes... ...	41 : 2.
Abertillery ...	585 : 1, pt. of ; 586 : 1.	Ashby de la Zouch.	404 : 3, pt. of.	†Barnet ...	131 : 1, pt. of, 2, pt. of.
Aberystwith (M.B.)	607 : 2, pt. of.	Ashby Woulds	404 : 2, pt. of.	Barnoldswick	485 : 3, pt. of.
Abingdon (M.B.)	117 : 2, pt. of.	Ashford ...	55 : 2, pt. of.	Barnsley(M.B.)	507 : 2, pt. of.
Abram ...	458 : 4, pt. of.	†Ashington ...	564 : 3, pt. of.	Barnstaple (M.B.)	284 : 1, 4, pt. of.
Accrington (M.B.)	471 : 4.	Ashton in Makerfield.	458 : 7.	Barrowford ...	472 : 5, pt. of.
Acton	128 : 5, pt. of.	Ashton under Lyne (M.B.)	468 : 3.	Barrow in Fur- ness (C.B.)	482 : 1.
Adlington ...	475 : 3, pt. of.	†Ashton upon Mersey.	445 : 3, pt. of.	Barry	588 : 6, pt. of.
Aldeburgh (M.B.)	215 : 3, pt. of.	Aspatria ...	575 : 2, pt. of.	Barton upon Humber.	424 : 3, pt. of.
Alderley Edge	444 : 7, pt. of ; 445 : 1, pt. of.	Aspull... ...	458 : 2, pt. of.	Basingstoke (M.B.)	110 : 1, pt. of.
Aldershot ...	34 : 2.	Aston Manor (M.B.)	385 : 4.	Baslow and Bubnell.	439 : 1, pt. of.
Alford... ...	420 : 5, pt. of.	Atherton ...	460 : 4, pt. of.	Bath, City of (C.B.)	316 : 2, pt. of, 3, 4.
Alfreton ...	436 : 5.	Audenshaw ...	468 : 4, pt. of.	Batley (M.B.)	503 : 2.
Allerton ...	455 : 11, pt. of.	Audley ...	359 : 3, pt. of.	Battle	70 : 2, pt. of.
Alnwick ...	565 : 2, pt. of.	Awre ...	323 : 1, pt. of.	Beaconsfield ...	143 : 3, pt. of.
Alsager ...	448 : 3, pt. of.	Aylesbury ...	146 : 2, pt. of	Beaumaris (M.B.)	631 : 1, pt. of
Altofts ...	504 : 7, pt. of.			Beebles (M.B.)	217 : 2, pt. of.
Alton	108 : 1, pt. of.			†Beckenham ...	42 : 1, pt. of, 2, pt. of.
Altrincham ...	445 : 2, pt. of.			Bedford (M.B.)	174 : 4, pt. of, 5, pt. of.
†Alvaston and Boulton.	434 : 3, pt. of.			Bedlington- shire.	564 : 2, pt. of.
Amble... ...	565 : 1, pt. of.	Bacup (M.B.)...	471 : 2.	Bedwellty ...	585 : 2, pt. of, 3.
Amblecote ...	373 : 2, pt. of.	Baildon ...	491 : 5, pt. of.	Beeston ...	429 : 3, pt. of.
Ambleside ...	581 : 1, pt. of.	†Bakewell ...	439 : 1, pt. of.	Belper... ...	436 : 3.
*Amlwch ...	633 : 2, pt. of.	Bala ...	626 : 1, pt. of.	Benfieldside ...	550 : 2, pt. of.
*Ammanford...	598 : 6, pt. of.	Balby with Hexthorpe.	512 : 1, pt. of.	Berwick upon Tweed(M.B.)	567 : 1, pt. of.
Ampthill ...	176 : 2, pt. of.	†Baldock ...	136 : 1, pt. of.	Bethesda ...	631 : 4, pt. of.
Andover (M.B.)	112 : 3, pt. of.	Bampton ...	282 : 4, pt. of.		
Annfield Plain	550 : 1, pt. of, 3, pt. of.				
Appleby (M.B.)	579 : 1, pt. of.				

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
†Bettws y coed	624 : 2, pt. of.	Bradford on	248 : 1, pt. of.	Burnham ...	314 : 2, pt. of.
Beverley (M.B.)	520 : 2, pt. of.	Avon.		Burnham on	196 : 1, pt. of.
Bewdley (M.B.)	374 : 5, pt. of.	Braintree ...	201 : 5, pt. of.	Crouch.	
Bexhill (M.B.)	70 : 1, pt. of.	Brampton and	438 : 2, pt. of.	Burnley (C.B.)	472 : 1, pt. of,
†Bexley ...	43 : 1, pt. of.	Walton.			2, pt. of.
Bicester ...	154 : 2, pt. of.	Brandon and	551 : 1, pt. of.	*Burry Port ...	596 : 3, pt. of.
Biddulph ...	362 : 2.	Byshottles.		Burslem (M.B.)	360 : 3, pt. of.
Bideford (M.B.)	286 : 1, pt. of.	Brecknock ...	610 : 2, pt. of.	Burton upon	365 : 4, pt. of.
Biggleswade ...	175 : 1, pt. of.	†Bredbury and	443 : 3, pt. of.	Trent (C.B.)	
Billinge ...	458 : 6.	Romiley.		Bury (C.B.) ...	462 : 3, pt. of.
Bilston ...	369 : 7.	Brentford ...	128 : 3, pt. of.		4, 6, pt. of.
Bingley ...	492 : 1, pt. of ;	†Brentwood ...	193 : 1, pt. of.	Bury	207 : 2.
	497 : 5.	†Bridgend ...	591 : 4, pt. of.	St. Edmunds	
†Birkdale ...	457 : 5, pt. of.	Bridgnorth	346 : 2, pt. of,	(M.B.)	
Birkenhead	452 : 1, 2, pt.	(M.B.)	3, pt. of.	*Bushey ...	140 : 1, pt. of.
(C.B.)	of.	Bridgwater	306 : 2, pt. of.	Buxton ...	440 : 1, pt. of.
Birkenshaw ...	503 : 3, pt. of.	(M.B.)			
†Birmingham,	383 : 2, 3,	Bridlington	526 : 2, pt. of.		
City of (C.B.)	384 : 1-4 ;	(M.B.)			
	385 : 1, 2, 3,	†Bridport	267 : 2.		
	5, pt. of.	(M.B.)			
Birstal ...	503 : 3, pt. of.	Brierfield ...	472 : 4, pt. of.		
Bishop Auck-	547 : 1, pt. of.	Brierley Hill...	373 : 3, pt. of.		
land.		Brigg ...	424 : 1, pt. of.		
Bishops	343 : 2, pt. of.	Brighouse	496 : 1, pt. of.		
Castle (M.B.)		(M.B.)			
Bishop	134 : 1, pt. of.	Brightlingsea	197 : 5, pt. of.	Caerleon ...	587 : 1, pt. of.
Stortford.		Brighton (C.B.)	79 : 1, 2 ; 80 :	Caerphilly ...	589 : 1, pt. of.
*Bispham with	477 : 3, pt. of.		1, pt. of.	*Callington ...	292 : 1, pt. of.
Norbreck.		†Bristol, City	319 : 1-9.	Calne (M.B.) ...	244 : 1, pt. of.
†Blackburn	474 : 4, 5, 6.	of (C.B.)		Calverley ...	497 : 8, pt. of.
(C.B.)		Briton Ferry ...	592 : 2, pt. of.	Camborne ...	299 : 4.
Blackpool	477 : 3, pt. of.	Brixham ...	273 : 2, pt. of.	Cambridge	181 : 1, 2.
(C.B.)		Broadstairs and	63 : 3, pt. of.	(M.B.)	
Blackrod ...	458 : 2, pt. of.	St. Peter's.		Cannock ...	368 : 2, pt. of.
Blaenavon ...	584 : 4, pt. of.	Bromborough	451 : 3, pt. of.	Canterbury,	57 : 1, pt. of ;
Blandford	259 : 2, pt. of.	†Bromley	42 : 1, pt. of,	City of (C.B.)	58 : 1 ; 59 :
Forum (M.B.)		(M.B.)	2, pt. of.		1, pt. of.
†Blaydon ...	557 : 4, pt. of.	Bromsgrove ...	382 : 1, pt. of.	Cardiff, City of	588 : 2, 3, 4.
†Blyth ...	559 : 5, pt. of.	Bromyard ...	339 : 1, pt. of.	(C.B.)	
Bodmin (M.B.)	293 : 3, pt. of.	Broughton ...	424 : 1, pt. of.	Cardigan	603 : 2, pt. of.
Bognor ...	85 : 2, pt. of.	Brownhills ...	367 : 1, pt. of ;	(M.B.)	
Bollington ...	444 : 2, pt. of.		368 : 2, pt.	Carlisle, City	574 : 2, pt. of,
Bolsover ...	438 : 3, pt. of.		of ; 370 : 4,	of (M.B.)	3.
Bolton (C.B.)...	461 : 2, 3, 5,		pt. of.	Carlton ...	429 : 6, pt. of.
	7, 8.			Carmarthen	599 : 3, pt. of.
Bolton upon	512 : 2, pt. of.	Brumby and	424 : 2, pt. of.	(M.B.)	
Dearne.		Frodingham.		Carnarvon	630 : 3, pt. of.
Bonsall ...	437 : 2, pt. of.	Brynmaur ...	611 : 3, pt. of.	(M.B.)	
†Bootle (C.B.)	455 : 2, pt.	Buckfastleigh	273 : 5, pt. of.	Carnforth ...	479 : 4, pt. of.
	of, 5.	Buckhurst Hill	189 : 1, pt. of.	Carshalton ...	31 : 1, pt. of.
		Buckingham	149 : 1, pt. of.	Castleford ...	505 : 4, pt. of.
Boston (M.B.)	415 : 3, pt. of.	(M.B.)		Caterham ...	38 : 1, pt. of.
Bourne ...	412 : 3, pt. of.	Buckley ...	620 : 1, pt. of.	Caversham ...	150 : 2, pt. of.
†Bournemouth	95 : 1, pt. of, 2.	Budleigh Sal-	270 : 1, pt. of.	Chadderton ...	469 : 4.
(C.B.)		terton.		Chard (M.B.)...	308 : 3, pt. of
Bowdon ...	445 : 2, pt. of.	Buglawton ...	448 : 2, pt. of.	Charlton Kings	333 : 1, pt. of.
Bracebridge ...	418 : 2, pt. of.	Builth Wells...	609 : 4, pt. of.	Chatham	47 : 1, pt. of.
Brackley	159 : 1, pt. of.	Bulkington ...	388 : 1, pt. of.	(M.B.)	
(M.B.)		Burgess Hill...	76 : 2, pt. of.	Chatteris ...	185 : 1, pt. of.
Bradford, City	497 : 2, pt. of,	Burley in	491 : 3, pt. of.	†Cheadle and	443 : 8, pt. of.
of (C.B.)	3, 4, pt. of,	Wharfedale.		Gatley.	
	7 ; 498 : 1-4.				

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
†Chelmsford (M.B.)	194 : 2, pt. of, 4, pt. of.	Conway (M.B.)	632 : 1, pt. of.	Dewsbury (M.B.)	503 : 6.
Cheltenham (M.B.)	333 : 2.	Coseley ...	372 : 3, pt. of.	Diss ...	230 : 2, pt. of.
†Chepping Wycombe (M.B.)	145 : 1, pt. of.	Cottingham ...	521 : 2, pt. of.	Dodworth ...	507 : 2, pt. of.
Chepstow ...	582 : 1, pt. of.	Coventry, City of (C.B.)	390 : 1, pt. of, 2, pt. of.	Dolgelly ...	627 : 2, pt. of.
Cheriton ...	66 : 1, pt. of.	Cowbridge (M.B.)	591 : 3, pt. of.	Doncaster (M.B.)	512 : 3, pt. of.
Chertsey ...	32 : 2, pt. of.	Cowes ...	93 : 1, pt. of.	Dorchester (M.B.)	264 : 1, pt. of, 3, pt. of.
Chesham ...	143 : 2, pt. of.	Cramlington ...	559 : 6, pt. of.	Dorking ...	36 : 2, pt. of.
Cheshunt ...	132 : 8.	Crediton ...	281 : 3, pt. of.	†Dover (M.B.)	65 : 2.
Chester, City of (C.B.)	450 : 2, pt. of, 3, pt. of.	Crewe (M.B.)	449 : 1, pt. of.	Downham Market	237 : 2, pt. of.
Chesterfield (M.B.)	438 : 2, pt. of.	Crewkerne ...	308 : 4, pt. of.	Drighlington...	497 : 2, pt. of.
*Chester le Street.	554 : 1 pt. of.	Criccieth ...	629 : 1, pt. of.	Droitwich (M.B.)	381 : 1, pt. of, 2, pt. of.
Chesterton ...	180 : 1, pt. of.	†Cromer ...	222 : 1, pt. of.	Dronfield ...	438 : 5, pt. of.
Chichester, City of (M.B.)	86 : 1.	Crompton ...	469 : 7.	Droylsden ...	468 : 4, pt. of.
Childwall ...	455 : 11, pt. of.	Crook ...	547 : 2, pt. of.	Dudley (C.B.)	372 : 4, pt. of.
Chingford ...	189 : 1, pt. of.	Croston ...	475 : 5, pt. of.	Dukinfield (M.B.)	468 : 7.
Chippenham (M.B.)	243 : 3, pt. of.	Crowle ...	513 : 3, pt. of.	†Dunstable (M.B.)	178 : 1, pt. of.
Chipping Norton (M.B.)	157 : 2, pt. of.	Croydon (C.B.)	39 : 2-4.	†Durham, City of (M.B.)	551 : 1, pt. of, 2, pt. of.
Chislehurst ...	42 : 4, pt. of.	Cuckfield ...	76 : 1, pt. of.		
Chiswick ...	128 : 4.	Cudworth ...	507 : 1, pt. of.		
Chorley (M.B.)	475 : 4, pt. of.				
Christchurch (M.B.)	95 : 1, pt. of.	Dalton in Fur- ness.	481 : 4, pt. of.		
Church ...	474 : 7, pt. of.	Darfield ...	507 : 3, pt. of.	Ealing (M.B.)	128 : 3, pt. of.
Church Stretton	344 : 1, pt. of.	Darlaston ...	370 : 1, pt. of.	*Earby ...	485 : 3, pt. of.
Cirencester ...	329 : 2, pt. of.	Darlington (M.B.)	543 : 2, pt. of.	Earsdon ...	559 : 4, pt. of.
Clacton ...	197 : 1, pt. of.	Dartford ...	43 : 3, pt. of.	East and West Molesey.	40 : 4, pt. of.
Clay Cross ...	438 : 1, pt. of.	Dartmouth (M.B.)	273 : 3, pt. of.	East Barnet Valley.	131 : 2, pt. of.
Clayton ...	497 : 4, pt. of.	Darton ...	507 : 1, pt. of, 2, pt. of ; 508 : 1, pt. of.	Eastbourne (M.B.)	71 : 2, pt. of.
Clayton le Moors.	474 : 2, pt. of.			East Cowes ...	93 : 1, pt. of.
Clayton West...	508 : 2, pt. of.	Darwen (M.B.)	474 : 8, pt. of.	East Dereham	232 : 4, pt. of.
Cleator Moor...	577 : 3, pt. of.	Daventry (M.B.)	164 : 2, pt. of.	East Grinstead	75 : 2, pt. of.
Cleckheaton ...	497 : 1, pt. of.	Dawley ...	348 : 1, pt. of.	†East Ham (M.B.)	188 : 5, 6.
†Cleethorpe with Thruscoe.	422 : 1, pt. of.	Dawlish ...	272 : 1, pt. of.	Eastleigh and Bishopstoke.	100 : 2, pt of ; 103 : 3, pt. of.
Clevedon ...	318 : 2, pt. of.	Deal (M.B.) ...	64 : 4, pt. of.	East Retford (M.B.)	426 : 2, pt. of, 3, pt. of.
Clitheroe (M.B.)	473 : 4, pt. of.	Denbigh (M.B.)	622 : 4, pt. of ; 623 : 3, pt. of.	East Stonehouse	277 : 1.
Coalville ...	404 : 4, pt. of.	Denby and Cumberworth.	495 : 5, pt. of ; 508 : 2, pt. of.	Eastwood ...	429 : 1, pt. of.
Cockermouth...	576 : 2, pt. of.			Ebbw Vale ...	585 : 1, pt. of, 2, pt. of ; 611 : 2, pt. of.
Colchester (M.B.)	198 : 1-2.	Denholme ...	497 : 4, pt. of.	Eccles (M.B.)	463 : 2, pt. of.
Coleford ...	583 : 2, pt. of.	Denton ...	468 : 5.	Edmonton ...	132 : 5, pt. of
Colne (M.B.)...	472 : 5, pt. of.	†Derby (C.B.)	435 : 1, 2, pt. of.	*Egham ...	125 : 1, pt. of.
Colwyn Bay and Colwyn.	632 : 3, pt. of.			Egremont ...	577 : 3, pt. of.
*Compstall ...	443 : 3, pt. of.	Desborough	167 : 3, pt. of.	Elland ...	496 : 2, pt. of.
Congleton (M.B.)	448 : 2, pt. of.	Devizes (M.B.)	246 : 1, pt. of.		
Connah's Quay	619 : 3, pt. of.	Devonport (C.B.)	278 : 1-3.		
Consett ...	550 : 2, pt. of.				

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Ellesmere ...	351 : 3, pt. of.	Frimley ...	34 : 1, pt. of.	Guisborough...	534 : 4, pt. of.
*Ellesmere Port and Whitby.	451 : 2, pt. of.	*†Frinton on Sea.	197 : 2, pt. of.	Guiseley ...	491 : 5, pt. of.
Ely, City of ...	184 : 2, pt. of, 3, 4, pt. of.	Frome ...	311 : 2, pt. of.	Gunthwaite and Ingbirch- worth.	508 : 3, pt. of.
Emley ...	504 : 1, pt. of.	Fulwood ...	476 : 7, pt. of.		
Enfield ...	132 : 6.				
Epping ...	189 : 2, pt. of.				
Epsom... ...	31 : 2, pt. of.				
Erdington ...	385 : 5, pt. of.				
Erith ...	43 : 2.				
Esher and the Dittons.	40 : 4, pt. of.				
Eston ...	535 : 2, pt. of.	Gainsborough	425 : 3, pt. of.	Hadleigh ...	206 : 2, pt. of.
Eton ...	144 : 1, pt. of.	*Garforth ...	516 : 1, pt. of.	Hale ...	445 : 2, pt. of.
Evesham	379 : 1, pt. of.	Gateshead	557 : 1, pt. of, 2.	Halesworth ...	216 : 2, pt. of.
(M.B.)		(C.B.)		†Halifax (C.B.)	496 : 5-6, pt. of.
Exeter, City of	270 : 4, pt. of, 5, pt. of ; 271 : 1.	*Gelligaer ...	590 : 1.	Halstead ...	200 : 1, pt. of.
(C.B.)		Gildersome ...	499 : 2.	Ham ...	40 : 2, pt. of.
Exmouth ...	270 : 1, pt. of.	†Gillingham	47 : 1, pt. of, 2.	Hampton ...	40 : 5, pt. of.
Eye (M.B.) ...	210 : 1, pt. of.	(M.B.)		Hampton Wick	40 : 5, pt. of.
		Glastonbury	313 : 2, pt. of.	*Handforth ...	443 : 8, pt. of.
		(M.B.)		Handsworth	371 : 1, pt. of.
		Glemsford ...	205 : 4, pt. of.	(Staffs.)	
		Glossop (M.B.)	441 : 1 pt. of.	†Handsworth	510 : 8, pt. of.
		Gloucester, City of (C.B.)	325 : 2, 3, pt. of.	(Yorks, W.R.)	
Failsworth ...	467 : 4, pt. of.	Glyncorwg ...	592 : 3.	†Hanley (C.B.)	361 : 1.
Fairfield ...	440 : 1, pt. of.	Godalming	33 : 5, pt. of.	Hanwell ...	128 : 5, pt. of.
Falmouth	297 : 2, pt. of.	(M.B.)		Harpندن ...	139 : 1, pt. of.
(M.B.)		Godmanchester	171 : 4, pt. of.	Harrington ...	577 : 1, pt. of.
Fareham ...	92 : 1, pt. of.	(M.B.)		Harrogate	489 : 2, pt. of.
Farnborough...	109 : 2, pt. of.	Golborne ...	460 : 1, pt. of.	(M.B.)	
†Farnham ...	34 : 3, pt. of.	Golcar... ...	495 : 10, pt. of.	†Harrow on the Hill.	130 : 1, pt. of.
Farnley Tyas...	495 : 2, pt. of.	Gomersal ...	503 : 3, pt. of.	Hartlepool	545 : 1, pt. of.
Farnworth ...	461 : 1, pt. of.	Goole ...	514 : 2, pt. of.	(M.B.)	
Farsley ...	497 : 8, pt. of.	Gosforth ...	560 : 2, pt. of.	Harwich (M.B.)	197 : 3.
Faversham	60 : 2, pt. of.	Gosport and Alverstoke.	91 : 1.	Haslingden	471 : 3.
(M.B.)		Grange ...	481 : 1, pt. of.	(M.B.)	
†Featherstone	505 : 3, pt. of.	Grantham	417 : 2, pt. of.	Hastings (C.B.)	69 : 1, pt. of, 2, 3 ; 70 : 1, pt. of.
Felixstowe and Walton.	214 : 2, pt. of.	(M.B.)			
Felling ...	557 : 1, pt. of.	Grasmere ...	581 : 1, pt. of.	†Havant ...	89 : 1, pt. of.
*Feltham ...	126 : 1, pt. of.	Gravesend	44 : 1.	Haverfordwest	602 : 2, pt. of.
Fenny Strat- ford.	148 : 1, pt. of.	(M.B.)		(M.B.)	
Fenton ...	361 : 3.	Grays Thurrock	192 : 1, pt. of.	Haverhill ...	204 : 1, pt. of.
Festiniog ...	628 : 2, pt. of.	Greasbrough ...	511 : 4, pt. of.	Haworth ...	492 : 3, pt. of.
Filey ...	527 : 1, pt. of.	†Great Berk- hampstead.	142 : 1, pt. of.	Hay ...	612 : 2, pt. of.
Finchley ...	131 : 3, pt. of.	Great Crosby...	455 : 1, pt. of.	Haydock ...	459 : 1, pt. of.
Finedon ...	166 : 1, pt. of.	Great Driffeld	525 : 2, pt. of.	*Hayes ...	127 : 3, pt. of.
*Fishguard ...	602 : 4 pt. of.	Great Harwood	474 : 2, pt. of.	Hayle ...	299 : 5, pt. of ; 300 : 1, pt. of.
*Fleet... ...	109 : 1, pt. of.	Great Tarring- ton (M.B.)	285 : 4, pt. of.		
Fleetwood ...	477 : 4, pt. of.	Great Yar- mouth (C.B.)	219 : 1-3 ; 220 : 1, pt. of.	Hayward's Heath.	76 : 1, pt. of.
Flint (M.B.) ...	619 : 3, pt. of.	Greenford ...	128 : 3, pt. of, 5, pt. of.	†Hazel Grove and Bramhall.	443 : 1, pt. of.
Flockton ...	504 : 1, pt. of.				
Folkestone	66 : 1, pt. of.	†Greetland ...	496 : 2, pt. of.	Heage... ...	436 : 4, pt. of.
(M.B.)		Grimsby (C.B.)	422 : 1, pt. of.	Heanor ...	429 : 1, pt. of, 2, pt. of.
*Foots Cray ...	42 : 4, pt. of.	†Guildford	33 : 4, pt. of.		
*Formby ...	457 : 5, pt. of.	(M.B.)			
Friern Barne	131 : 3, pt. of.				

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Heath Town or Wednesfield Heath.	369 : 6, pt. of.	Hove (M.B.) ...	80 : 2, pt. of.	Kendal (M.B.)	581 : 2, pt. of.
†Heaton Norris	443 : 7.	Hoyle and West Kirby.	451 : 4, pt. of.	Kenilworth ...	393 : 3, pt. of.
Heavitree ...	270 : 4, pt. of.	Hoyland	507 : 3, pt. of.	Keswick ...	576 : 1, pt. of.
Hebburn ...	556 : 2, pt. of.	Nether.		Kettering ...	167 : 2.
Hebden Bridge	493 : 1, pt. of.	Hoyland	508 : 3, pt. of.	Kidderminster	374 : 3, pt. of.
Heckmondwike	503 : 4, pt. of.	Swaine.		(M.B.)	
Hedon (M.B.)...	521 : 5, pt. of.	Hucknall	429 : 4, pt. of.	†Kids Grove ...	359 : 3, pt. of ; 360 : 2, pt. of.
Helston (M.B.)	298 : 2, pt. of.	Torkard.		Kidwelly	596 : 3, pt. of.
Hemel Hemp- stead (M.B.)	141 : 1, pt. of.	Huddersfield	495 : 6, 8, 9.	(M.B.)	
Hendon ...	130 : 3.	Hull (see		Kingsbridge ...	274 : 3, pt. of, 4, pt. of.
Henley on	150 : 1, pt. of.	Kingston- upon-Hull).		Kingsbury ...	130 : 2, pt. of.
Thames(M.B.)		Hunsworth ...	497 : 1, pt. of.	King's Lynn	236 : 1, 2, pt. of.
Hereford, City of (M.B.)	337 : 4.	Huntingdon	171 : 4, pt. of.	(M.B.)	
Herne Bay ...	59 : 2, pt. of.	(M.B.)		Kings Norton and North- field.	383 : 1.
Hertford	137 : 2, pt. of.	Hurst ...	468 : 2, pt. of.	Kingston upon	521 : 1, pt. of, 4, pt. of, 6, 7, 8 ; 522 : 1, 2.
(M.B.)		Huthwaite ...	428 : 4, pt. of.	Hull, City of	
Hessle ...	521 : 4, pt. of.	Huyton with	456 : 4, pt. of.	(C.B.)	
Heston and	128 : 1.	Roby.		Kingston upon	40 : 2, pt. of.
Isleworth.		Hyde (M.B.) ...	443 : 2; 468 : 6.	Thames (M.B.)	
Hetton ...	553 : 2, pt. of.	Hythe (M.B.)...	66 : 3, pt. of.	Kingswood ...	317 : 2, pt. of.
Hexham ...	561 : 2, pt. of.			Kington ...	341 : 3, pt. of.
Heysham ...	479 : 2, pt. of.			Kirkburton ...	495 : 5, pt. of.
Heywood	462 : 5, pt. of.			Kirkby in	429 : 1, pt. of.
(M.B.)				Ashfield.	
Higham Ferrers	166 : 2, pt. of.			Kirkby	581 : 3, pt. of.
(M.B.)		†Ilford ...	191 : 2.	Lonsdale.	
Highbridge ...	314 : 2, pt. of.	Ilfracombe ...	284 : 4, pt. of.	Kirkham ...	477 : 1, pt. of.
Higher	451 : 3, pt. of.	Ilkeston (M.B.)	429 : 2, pt. of.	Kirkheaton ...	495 : 7, pt. of.
Bebington.		Ilkley ...	491 : 4, pt. of.	Kirklington	538 : 1, pt. of.
Hinckley ...	402 : 2, pt. of.	Ilminster ...	308 : 1, pt. of.	cum Upsland.	
Hinderwell ...	533 : 3, pt. of.	Ince in Maker- field.	458 : 4, pt. of.	†Knarborough	489 : 1, pt. of.
Hindley ...	458 : 4, pt. of.	Ipswich (C.B.)	213 : 1, 2.	Knighton ...	613 : 2, pt. of.
Hipperholme...	496 : 1, pt. of.	Irlam ...	463 : 2, pt. of.	Knottingley ...	505 : 1, pt. of.
Hitchin ...	136 : 2, pt. of.	*Irthling- borough.	166 : 2, pt. of.	Knutsford ...	445 : 5, pt. of.
Hoddesdon ...	133 : 1, pt. of.	Itchen... ..	100 : 1, pt. of.		
Holbeach ...	414 : 1, pt. of, 3, pt. of.	Ivybridge ...	275 : 1, pt. of.		
Hollingworth	468 : 9, pt. of.				
Holme... ..	495 : 3, pt. of.				
Holme Cultram	575 : 1, pt. of, 2, pt. of.				
Holmfirth ...	495 : 3, pt. of, 4, pt. of.				
Holsworthy ...	287 : 2, pt. of.				
Holyhead ...	634 : 3, pt. of.				
Holywell ...	619 : 2, pt. of.				
Honiton (M.B.)	269 : 1, pt. of.	Jarrow (M.B.)	556 : 2, pt. of.	Lampeter	605 : 3, pt. of.
Honley ...	495 : 2, pt. of.			(M.B.)	
Hoole ...	450 : 3, pt. of.			Lancaster	479 : 3.
Horbury ...	504 : 3, pt. of.			(M.B.)	
Horncastle ...	419 : 2, pt. of.			Lathom and	457 : 8, pt. of.
Hornsea ...	524 : 4, pt. of.			Burscough.	
Hornsey (M.B.)	132 : 1.			Launceston	290 : 3.
Horsforth ...	491 : 1, pt. of.	Kearsley ...	461 : 1, pt. of.	(otherwise	
†Horsham ...	81 : 2, pt. of.	Keighley	492 : 2, pt. of.	Dunneheved)	
Horwich ...	461 : 4, pt. of.	(M.B.)		(M.B.)	
Houghton le Spring.	553 : 1, pt. of.	Kempston ...	174 : 4, pt. of.		

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Leadgate ...	550 : 2, pt. of.	Llanidloes (M.B.)	616 : 1, pt. of.	Loughton ...	189 : 1, pt. of.
Leatherhead ...	31 : 3, pt. of.	Llanrwst ...	624 : 1, pt. of.	Louth (M.B.)...	421 : 2, pt. of.
Ledbury ...	335 : 1, pt. of.	Llantarnam ...	587 : 4, pt. of.	Lower Bebington.	451 : 3, pt. of.
Leeds, City of (C.B.)	501 : 1 ; 502 : 1, pt. of ; 499 : 1, 3 ; 500 : 1-4, 5, pt. of.	*Llanwrtyd ...	609 : 1, pt. of.	Lowestoft (M.B.)	218 : 2.
Leek ...	362 : 3, pt. of.	Loftus... ..	531 : 1, pt. of.	Luddenden Foot.	496 : 4, pt. of.
Lees ...	468 : 1, pt. of.	London:—		Ludgvan ...	300 : 1, pt. of.
Leicester (C.B.)	407 : 1-3.	City of London.	15 : 1, 2.	†Ludlow(M.B.)	342 : 2, pt. of.
Leigh (M.B.)...	460 : 2, pt. of, 3.	Metropolitan Boroughs:—		Luton (M.B.)...	178 : 2, pt. of.
Leigh on Sea...	195 : 2, pt. of.	Battersea ...	26 : 1-3.	Lydd (M.B.) ...	67 : 2, pt. of.
Leighton Buzzard.	177 : 1, pt. of.	Bermondsey	24 : 1-3.	Lye and Wol- lescote.	373 : 2, pt. of.
Leiston cum Sizewell.	216 : 1, pt. of.	Bethnal Green.	17 : 1, 2.	Lyme Regis (M.B.)	268 : 1, pt. of.
Leominster (M.B.)	340 : 1, pt. of, 2, pt. of.	Camberwell	27 : 1-6.	Lymington (M.B.)	94 : 1, pt. of.
Lepton ...	495 : 7, pt. of.	Chelsea ...	4 : 1, 2.	Lymm... ..	445 : 4, pt. of.
Lewes (M.B.)...	77 : 2, pt. of ; 78 : 1, pt. of.	Deptford ...	28 : 1, pt. of, 2, 3.	Lynton ...	284 : 2, pt. of.
Leyland ...	475 : 2, pt. of.	Finsbury ...	14 : 1, pt. of, 2, 3.	Lytham ...	477 : 2, pt. of.
Leyton ...	188 : 8, 9.	Fulham ...	3 : 3-5.		
Lichfield, City of (M.B.)	367 : 1, pt. of.	Greenwich ...	23 : 1, pt. of, 4, 5 ; 30 : 1.		
Lincoln, City of (C.B.)	418 : 2, pt. of.	†Hackney ...	11 : 2-5.		
Linslade ...	177 : 1, pt. of.	Hammer- smith.	3 : 1, 2.		
Linthwaite ...	495 : 10, pt. of.	Hampstead...	8 : 1.		
Liskeard(M.B.)	292 : 2, pt. of.	Holborn ...	12 : 1 ; 14 : 1, pt. of.	Mablethorpe ...	421 : 1, pt. of.
Litherland ...	455 : 2, pt. of.	Islington ...	10 : 1-7.	Macclesfield (M.B.)	444 : 4, 5, pt. of.
Littleborough	470 : 7.	Kensington	2 : 1, 2.	Machynlleth ...	615 : 1, pt. of.
Little Crosby...	455 : 1, pt. of.	Lambeth ...	25 : 1-6.	Madron ...	300 : 4, pt. of.
Littlehampton	84 : 2, pt. of.	Lewisham ...	29 : 2-4.	Maesteg ...	591 : 1, pt. of.
Little Hulton...	461 : 1, pt. of.	Paddington	1 : 1-3.	Maidenhead (M.B.)	123 : 1, pt. of.
Little Lever ...	461 : 1, pt. of.	Peplar ...	22 : 1-3.	Maidstone(M.B.)	51 : 3.
Little Woolton	456 : 2, pt. of.	St. Maryle- bone.	7 : 1-4.	Maldon (M.B.)	196 : 2, pt. of.
†Liverpool, City of (C.B.)	453 : 1-3 ; 454 : 1-4 ; 455 : 3, pt. of, 4, 6, 7, 8, 9, 10, 11, pt. of.	St. Pancras...	9 : 1-4.	Mallwyd ...	627 : 1, pt. of.
Liversedge ...	503 : 4, pt. of.	Shoreditch...	16 : 1-3.	Malmesbury (M.B.)	242 : 2, pt. of.
Llandilo ...	598 : 4, pt. of.	Southwark...	23 : 1-5.	Malton ...	528 : 3, pt. of.
Llandoverly (M.B.)	597 : 4, pt. of.	Stepney ...	18 : 1-3 ; 19 : 1 ; 20 : 1, 2 ; 21 : 1, 2.	Malvern ...	335 : 1, pt. of ; 378 : 1, pt. of.
Llandrindod Wells.	609 : 3, pt. of ; 614 : 2, pt. of.	Stoke Newington.	11 : 1.	†Manchester, City of (C.B.)	464 : 1-4 ; 466 : 1-3 ; 467 : 1, 3, 4, pt. of, 5, 6. 428 : 5.
Llandudno ...	632 : 2, pt. of.	†Wandsworth	26 : 4-8.		
Llanelly ...	596 : 2, pt. of.	Westminster, City of.	5 : 1-3 ; 6 : 1 ; 13 : 1.	Mansfield (M.B.)	428 : 1, pt. of.
Llanfairfechan	631 : 3, pt. of.	Woolwich ...	29 : 1 ; 30 : 2-4.	Mansfield Woodhouse.	
Llanfrechfa Upper.	586 : 3, pt. of.	Long Eaton ...	431 : 4, pt. of.	March... ..	185 : 2, pt. of.
Llanfyllin (M.B.)	618 : 2, pt. of.	Longridge ...	476 : 6, pt. of.	Margam ...	592 : 1, pt. of.
Llangefni ...	633 : 1, pt. of.	Long Sutton ...	414 : 2, pt. of.	Margate (M.B.)	63 : 2, pt. of.
Llangollen ...	625 : 2, pt. of.	Longton (M.B.)	361 : 4.	Market Har- borough.	399 : 1, pt. of.
		Looe ...	292 : 3, pt. of.		
		Lostwithiel (M.B.)	293 : 1, pt. of.		
		Loughborough (M.B.)	405 : 1, pt. of.		

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Market Rasen	423 : 2, pt. of.	Nailsworth ...	327 : 7, pt. of.	Northallerton	537 : 2, pt. of.
†Marlborough (M.B.)	245 : 1, pt. of.	Nantwich ...	449 : 2, pt. of.	Northam ...	286 : 1, pt. of, 2, pt. of.
Marlow ...	145 : 2, pt. of.	Nantyglo and Blaina.	585 : 1, pt. of.	Northampton (C.B.)	162 : 2, pt. of ; 163 : 1, pt. of, 2, pt. of.
Marple ...	443 : 1, pt. of.	*Narberth ...	600 : 2, pt. of.	North Broms- grove.	382 : 1, pt. of.
Marsden ...	495 : 1, pt. of.	Neath (M.B.)...	592 : 2, pt. of.	North Darley...	439 : 2, pt. of.
Maryport ...	576 : 4, pt. of.	Nelson (M.B.)	472 : 4, pt. of.	Northfleet ...	45 : 1, pt. of.
Masham ...	538 : 2, pt. of ; 539 : 1, pt. of.	Neston and Parkgate.	451 : 1, pt. of.	North Walsham	221 : 4, pt. of.
Matlock ...	439 : 2, pt. of.	Netherthong ...	495 : 2, pt. of.	Northwich ...	447 : 1, pt. of, 2, pt. of.
Matlock Bath and Scarthin Nick.	439 : 2, pt. of.	Newark (M.B.)	432 : 3, pt. of.	Norton ...	528 : 3, pt. of.
Melksham ...	247 : 1, pt. of.	Newbiggin by the Sea.	564 : 3, pt. of.	†Norwich, City of (C.B.)	225 : 1, 2.
Meltham ...	495 : 2, pt. of.	Newbold and Dunston.	438 : 2, pt. of.	Nottingham, City of (C.B.)	430 : 1-5.
Melton Mow- bray.	408 : 1, pt. of.	Newburn ...	560 : 3, pt. of.	†Nuneaton (M.B.)	388 : 1, pt. of.
Menai Bridge...	631 : 1, pt. of.	Newbury (M.B.)	114 : 1.		
Merthyr Tydfil (C.B.)	590 : 2, 3, pt. of.	Newcastle	604 : 3, pt. of.		
*Merton ...	39 : 6, pt. of.	Newcastle Emlyn.	359 : 2, pt. of.		
Methley ...	505 : 4, pt. of.	Newcastle under Lyme (M.B.)			
Mexborough ...	512 : 2, pt. of.	†Newcastle	558 : 1, 2, 3, 4, pt. of, 5, 6 ; 559 : 3, pt. of.	Oakengates ...	347 : 2, pt. of ; 355 : 3, pt. of ; 356 : 1, pt. of.
Middlesbrough (C.B.)	535 : 1, pt. of.	upon Tyne, City of (C.B.)		Oakworth ...	492 : 2 pt. of, 3, pt. of.
Middleton (M.B.)	469 : 5.	Newhaven ...	78 : 1, pt. of.	Ogmore and Garw.	591 : 2, pt. of.
Middlewich ..	447 : 4, pt. of.	†New Hunstan- ton.	234 : 2, pt. of.	Okehampton (M.B.)	280 : 3, pt. of.
Midgley ...	496 : 4, pt. of.	Newmarket ...	183 : 2.	Oldbury ...	371 : 2.
Midsomer Norton.	315 : 4, pt. of.	New Mill ...	495 : 3, pt. of, 4, pt. of.	*Old Fletton...	170 : 2, pt. of.
Milford Haven	602 : 1, pt. of.	New Mills ...	442 : 1, pt. of.	Oldham (C.B.)	469 : 1, 2, 3.
Millom ...	578 : 2, pt. of.	Newnham ...	323 : 1, pt. of.	Ormesby ...	535 : 2, pt. of.
Milnrow ...	470 : 1.	†Newport (C.B.)	587 : 2, pt. of, 3, pt. of.	Ormskirk ...	457 : 2.
Milton Regis	61 : 1, pt. of.	(Mon.)	93 : 2, pt. of.	Orrell ...	458 : 5, pt. of.
Minehead ...	302 : 1, pt. of.	Newport (M.B.)		Ossett (M.B.)...	503 : 8.
Mirfield ...	503 : 5, pt. of.	(Isle of Wight).		Oswaldtwistle	474 : 7, pt. of.
Mold ...	619 : 4, pt. of.	Newport	356 : 1, pt. of.	Oswestry (M.B.)	350 : 3, pt. of.
Monk Bretton	507 : 2, pt. of.	(Salop).		†Otley... ..	491 : 2, pt. of, 3, pt. of.
Monmouth (M.B.)	583 : 3, pt. of.	Newport	148 : 2.	Ottery St. Mary	269 : 2, pt. of.
Montgomery (M.B.)	617 : 1, pt. of.	Pagnell.		*Oulton Broad	218 : 1, pt. of.
Morecambe (M.B.)	479 : 2, pt. of.	New Quay ...	606 : 1, pt. of.		
Morley (M.B.)	502 : 1, pt. of ; 503 : 1.	†Newquay ...	294 : 2, pt. of, 3, pt. of.		
Morpeth (M.B.)	564 : 1, pt. of.	New Romney (M.B.)	67 : 1, pt. of.		
Mossley (M.B.)	468 : 2, pt. of.	New Shoreham	80 : 3, pt. of.	Oundle ...	169 : 1, pt. of
Mottram in Longdendale.	468 : 9, pt. of.	Newton Abbot	272 : 5, pt. of.	Oxenhope ...	492 : 3, pt. of.
Mountain Ash	589 : 1, pt. of, 2, pt. of.	Newton in Makerfield.	459 : 1, pt. of.	Oxford, City of (C.B.)	117 : 1, pt. of 152 : 2, pt. of ; 153 : 1.
Much Woolton	456 : 2, pt. of.	Newtown and Llanllwch- aiarn.	616 : 4.	Oystermouth...	595 : 1, pt. of.
*Mynyddislwyn	587 : 5, pt. of.	New Windsor (M.B.)	125 : 2, pt. of.		
Mytholmroyd...	493 : 1, pt. of.	Neyland ...	601 : 3, pt. of.	Padiham ...	472 : 3, pt. of.
		Norden ...	470 : 4, pt. of.	Padstow ...	294 : 1, pt. of.
		†Normanton ...	504 : 7, pt. of.	Paignton ...	273 : 1, pt. of.

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Panteg ...	586 : 2, pt. of, 3, pt. of.	Radcliffe ...	462 : 6, pt. of, 7.	Royal ...	393 : 2, pt. of.
Paul ...	300 : 4, pt. of.	Radstock ...	315 : 4, pt. of.	Leamington ...	
Pembroke ...	601 : 1, pt. of, (M.B.) 2, pt. of.	Rainford ...	456 : 6.	Spa (M.B.)	
Penarth ...	588 : 5, pt. of.	Ramsbottom ...	462 : 1, pt. of.	Royston ...	135 : 2, pt. of, (Herts) 3, pt. of.
Penge ...	39 : 5.	Ramsey ...	171 : 1, pt. of.	Royston ...	507 : 1, pt. of.
Penistone ...	508 : 3, pt. of.	Ramsgate ...	63 : 4, pt. of.	(Yorks, W.R.)	
Penmaenmawr ...	632 : 1, pt. of.	Raunds ...	168 : 2, pt. of.	Royton ...	469 : 6.
Penrith ...	571 : 1, pt. of.	Ravensthorpe ...	503 : 5, pt. of.	Rugby ...	391 : 1, pt. of.
Penryn (M.B.)	297 : 1, pt. of.	Rawdon ...	491 : 1, pt. of.	Rugeley ...	367 : 2, pt. of.
Penzance ...	300 : 4, pt. of.	Rawmarsh ...	511 : 4, pt. of.	*Ruislip- ...	127 : 2, pt. of.
(M.B.)		Rawtenstall ...	471 : 1.	Northwood.	
Perry Barr ...	371 : 1, pt. of.	(M.B.)		Runcorn ...	446 : 2, pt. of.
Peterborough, ...	170 : 2, pt. of.	Reading (C.B.)	121 : 1, 2.	Rushden ...	166 : 2, pt. of.
City of (M.B.)		Redcar ...	534 : 3, pt. of.	Ruskington ...	416 : 1, pt. of.
Petersfield ...	106 : 1, pt. of.	Redditch ...	382 : 3, pt. of ; 395 : 1, pt.	Ruthin (M.B.)	622 : 2, pt. of.
Phillack ...	299 : 5, pt. of.		of.	Ryde (M.B.) ...	93 : 3, pt. of.
Pickering ...	532 : 2, pt. of.	Redruth ...	299 : 2.	Rye (M.B.) ...	68 : 1, pt. of.
Plymouth ...	276 : 1-3.	Reigate (M.B.)	37 : 2.	Ryton ...	557 : 4, pt. of.
(C.B.)		Rhondda ...	589 : 2, pt. of, 3, pt. of, 4.		
†Pocklington...	518 : 2, pt. of.	Rhyl ...	623 : 1, pt. of.		
Pontefract ...	505 : 3, pt. of.	Rhymney ...	585 : 2, pt. of ; 611 : 2, pt.		
(M.B.)			of.		
Pontypool ...	586 : 2, pt. of.	Richmond ...	41 : 1.		
Pontypridd ...	589 : 1, pt. of, 2, pt. of, 3, pt. of.	(M.B.)			
†Poole (M.B.)	261 : 1, pt. of, 2, 3, pt. of.	(Surrey).			
Porthcawl ...	591 : 4, pt. of.	Richmond ...	542 : 1, pt. of.	Saddleworth ...	494 : 2.
Portishead ...	318 : 3, pt. of.	(M.B.)		Saffron Walden ...	203 : 2, pt. of.
Portland ...	263 : 3.	(Yorks, N.R.)		(M.B.)	
Portslade by ...	80 : 3, pt. of.	Rickmansworth	140 : 3, pt. of.	St. Albans, City ...	139 : 1, pt. of, of (M.B.) 2, pt. of.
Sea.		Ripley... ...	436 : 4, pt. of.	St. Anne's on ...	477 : 2, pt. of.
†Portsmouth ...	90 : 1-4.	Ripon, City of ...	487 : 2, pt. of.	the Sea.	
(C.B.)		(M.B.)		St. Austell ...	295 : 2, pt. of.
Poulton le ...	477 : 4, pt. of.	Risca ...	587 : 3, pt. of.	St. Helens ...	456 : 5, pt. of.
Fylde.		Rishton ...	474 : 2, pt. of.	(C.B.)	
Preesall with ...	478 : 1, pt. of.	Rishworth ...	496 : 3, pt. of.	(Lancs.)	
Hackinsall.		Rochdale (C.B.)	470 : 2, 3, 4, pt. of, 5, 6, pt. of.	St. Helens (Isle ...	93 : 3, pt. of.
Prescot ...	456 : 4, pt. of.			of Wight).	
Prestatyn ...	623 : 1, pt. of.	Rochester, City ...	45 : 2, pt. of ; 47 : 1, pt.	St. Ives (M.B.) ...	300 : 2, pt. of.
Presteigne ...	613 : 1, pt. of.	of (M.B.)	of.	(Cornwall).	
Preston (C.B.)	476 : 2, 3, 4.			St. Ives (M.B.) ...	172 : 4, pt. of.
†Prestwich ...	467 : 2.	Romford ...	191 : 1, pt. of.	(Hunts).	
Pudsey (M.B.)	497 : 9.	Romsey (M.B.)	101 : 1, pt. of.	St. Just ...	300 : 5, pt. of.
Pwllheli (M.B.)	629 : 1, pt. of, 2, pt. of.	†Ross ...	336 : 2, pt. of.	St. Neots ...	173 : 1, pt. of.
		Rothbury ...	569 : 1, pt. of.	Salcombe ...	274 : 3, pt. of.
		Rotherham ...	511 : 2, pt. of, 3.	†Sale ...	445 : 3, pt. of.
		(C.B.)		Salford (C.B.)	465 : 1, pt. of, 2, 3, 4.
		Rothwell ...	167 : 3, pt. of.		
		(Northamp- ...		†Salisbury, City ...	253 : 3.
		ton).		of (M.B.)	
		Rothwell ...	501 : 3, pt. of ; 504 : 5, pt.	Saltash (M.B.)	291 : 3, pt. of.
		(Yorks, W.R.)	of.	Saltburn by ...	534 : 3, pt. of.
Quarry Bank...	373 : 3, pt. of.			the Sea.	
Queenborough ...	62 : 1, pt. of.	Rowley Regis	372 : 1.	Sandbach ...	448 : 3, pt. of.
(M.B.)		Roxby cum	424 : 2, pt. of.	Sandgate ...	66 : 1, pt. of
Queensbury ...	496 : 6, pt. of.	Risby.		Sandown ...	93 : 4, pt. of
Quorndon ...	406 : 2, pt. of.				

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Sandwich (M.B.)	64 : 1, pt. of.	Soothill Upper Southall	503 : 7, pt. of. 127 : 3, pt. of.	Stowmarket ... Stow on the Wold.	209 : 3, pt. of.. 331 : 2, pt. of.
Sawbridge- worth.	134 : 1, pt. of.	Norwood. Southampton	99 : 1 ; 2.	Stratford on Avon (M.B.)	394 : 2, pt. of.
Saxmundham	215 : 3, pt. of.	(C.B.)		Stratton and Bude.	288 : 2, pt. of.
*Scalby ...	527 : 2, pt. of.	South Bank in Normanby.	535 : 2, pt. of.	Street ...	313 : 2, pt. of.
Scammonden...	495 : 10, pt. of.	Southborough	50 : 1, pt. of.	Stretford ...	463 : 3, pt. of.
Scarborough (M.B.)	527 : 2, pt. of.	South Crosland	495 : 2, pt. of.	Stroud ...	327 : 4, pt. of.
Scunthorpe ...	424 : 2, pt. of.	South Darley...	439 : 2, pt. of.	Sudbury (M.B.)	205 : 3, pt. of.
Seaford ...	71 : 3, pt. of ; 78 : 1, pt. of.	Southend on Sea (M.B.)	195 : 2, pt. of.	Sunbury on Thames.	126 : 1, pt. of.
Seaham Harbour.	552 : 2, pt. of.	Southgate ...	132 : 5, pt. of.	Sunderland (C.B.)	555 : 1, 2, 3.
Seaton... ..	263 : 4, pt. of.	South Molton (M.B.)	283 : 2, pt. of.	Surbiton ...	40 : 3.
Sedgley ...	372 : 3, pt. of.	Southowram ...	496 : 1, pt. of.	Sutton ...	31 : 1, pt. of.
Seghill ...	559 : 4, pt. of.	Southport	457 : 6, pt. of.	Sutton Bridge	414 : 2, pt. of.
Selby	515 : 2, pt. of.	(C.B.)		Sutton Cold- field (M.B.)	385 : 6, pt. of.
Sevenoaks ...	49 : 2, pt. of.	†South Shields (C.B.)	556 : 1, pt. of.	Sutton in Ash- field.	428 : 4, pt. of.
Shaftesbury (M.B.)	257 : 1, pt. of.	Southwick ...	80 : 3, pt. of.	Swadlincote District.	365 : 3, pt. of.
Shanklin ...	93 : 4, pt. of.	Southwick on Wear.	555 : 4, pt. of.	Swaffham ...	238 : 1, pt. of.
*Shap	580 : 1, pt. of.	Southwold (M.B.)	216 : 2, pt. of.	Swanage ...	262 : 1, pt. of.
Sheerness ...	62 : 1, pt. of.	Sowerby ...	496 : 4, pt. of.	Swansea (C.B.)	594 : 2, pt. of, 3.
†Sheffield, City of (C.B.).	509 : 1, 2, 4, pt. of, 5, 6, 7 ; 510 : 1-7, 8, pt. of.	Sowerby Bridge	496 : 4, pt. of.	Swindon (M.B.)	240 : 2, pt. of.
Shelf	496 : 6, pt. of.	Soyland ...	496 : 3, pt. of.	Swinton ...	511 : 5, pt. of.
Shelley ...	495 : 5, pt. of.	Spalding ...	413 : 4, pt. of.	†Swinton and Pendlebury.	463 : 1, pt. of ; 465 : 1, pt. of.
Shepley ...	495 : 5, pt. of.	Spennymoor ...	546 : 2, pt. of ; 547 : 1, pt. of ; 551 : 1, pt. of.		
Shepshed ...	405 : 1, pt. of.				
Shepton Mallet	312 : 1, pt. of.	Springhead ...	494 : 1.		
Sherborne ...	265 : 2, pt. of.	Stafford (M.B.)	357 : 1, pt. of.		
*Sheringham	222 : 2, pt. of.	Staines ...	126 : 2, pt. of.		
Sildon and East Thickley.	547 : 1, pt. of.	Stainland with Old Lindley.	496 : 2, pt. of.		
Shipley ...	497 : 6.	Stalybridge (M.B.)	468 : 8, pt. of.		
Shoeburyness	195 : 3, pt. of.	Stamford	411 : 1, pt. of.	Tamworth (M.B.)	366 : 1, pt. of.
Short Heath ...	369 : 6, pt. of.	(M.B.)		Tanfield ...	550 : 1, pt. of.
Shrewsbury (M.B.)	349 : 2, pt. of, 3, pt. of.	Standish with Langtree.	458 : 1, pt. of.	Tarporley ...	450 : 1, pt. of.
Sidmouth ...	269 : 2, pt. of.	Stanhope ...	549 : 2, pt. of.	Taunton (M.B.)	305 : 3, pt. of.
Silsden ...	485 : 4, pt. of.	Stanley	550 : 1, pt. of, 3, pt. of.	Tavistock ...	279 : 2, pt. of.
Sittingbourne	61 : 1, pt. of.	(Durham).		Teddington ...	40 : 5, pt. of.
Skegness ...	420 : 4, pt. of.	Stanley (Yorks, W.R.)	504 : 6, pt. of.	Teignmouth ...	272 : 1, pt. of.
Skelmanthorpe	495 : 5, pt. of.	Stevenage ...	136 : 1, pt. of.	Tenby (M.B.)...	601 : 1, pt. of.
Skelmersdale...	457 : 8, pt. of.	†Stockport (C.B.)	443 : 4, 5, 6.	Tenterden (M.B.)	54 : 1, pt. of.
Skelton and Brotton.	534 : 1, pt. of, 2.	Stocksbridge ...	508 : 6, pt. of.	Tetbury ...	328 : 2, pt. of.
Skipton ...	485 : 5, pt. of.	Stockton on Tees (M.B.)	544 : 1, pt. of.	Tettenhall ...	369 : 1, pt. of.
Slaithwaite ...	495 : 1, pt. of.	Stoke upon Trent (M.B.)	361 : 2.	Tewkesbury (M.B.)	334 : 1, pt. of.
Sleaford ...	416 : 2, pt. of.	Stone ...	358 : 1, pt. of.	Thame... ..	151 : 2, pt. of.
Slough ...	144 : 1, pt. of.	Stourbridge ...	373 : 2, pt. of.	The Maldens and Coombe.	40 : 2, pt. of.
†Smallthorne	360 : 2, pt. of, 3, pt. of ; 362 : 1, pt. of.	Stourport ...	374 : 4 ; 381 : 1, pt. of.	Thetford (M.B.)	239 : 2, pt. of.
Smethwick (C.B.)	383 : 4.			Thornaby on Tees (M.B.)	535 : 3, pt. of
Soothill Nether	503 : 7, pt. of.				

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Thornhill ...	503 : 9.	Wadebridge ...	293 : 4, pt. of.	Wenlock (M.B.)	348 : 2, pt. of, 3.
Thornton ...	477 : 4, pt. of.	†Wakefield, City of (M.B.)	504 : 2, pt. of, 4.	West Bridgford	429 : 6, pt. of.
Thurlstone ...	508 : 3, pt. of.	Wallasey ...	452 : 3.	West Bromwich (C.B.)	371 : 3, 4.
Thurmaston ...	406 : 4, pt. of.	Wallingford (M.B.)	119 : 2, pt. of.	†Westbury ...	249 : 2, pt. of.
*Thurnscoe ...	512 : 2, pt. of.	Wallsend (M.B.)	559 : 1, pt. of.	Westbury on Severn.	323 : 1, pt. of.
Thurstonland...	495 : 5, pt. of.	†Walmer ...	64 : 4, pt. of.	West Ham (C.B.)	188 : 1-4.
Tickhill ...	512 : 1, pt. of.	Walsall (C.B.)	370 : 2, pt. of, 3, 4, pt. of.	West Hartlepool (C.B.)	545 : 1, pt. of.
Tipton... ..	372 : 2.	Walsoken ...	187 : 5, pt. of.	Westhoughton	461 : 4, pt. of.
Tiverton (M.B.)	282 : 3.	Waltham Holy Cross.	132 : 7.	†Weston super Mare.	314 : 3, pt. of.
Todmorden (M.B.)	493 : 2.	Walthamstow...	188 : 10, pt. of.	Weybridge	32 : 1, pt. of.
Tonbridge ...	50 : 2, pt. of.	Walton le Dale	476 : 5, pt. of.	Weymouth and Melcombe Regis (M.B.)	263 : 2, pt. of.
*Torpoint ...	291 : 1, pt. of.	Walton on Thames.	32 : 1, pt. of.	Wheatley (Oxon.)	152 : 1, pt. of.
Torquay (M.B.)	272 : 6, pt. of.	†Walton on the Naze.	197 : 2, pt. of.	Wheatley (Yorks, W.R.)	512 : 5, pt. of.
Totnes (M.B.)	273 : 4, pt. of.	Wanstead ...	188 : 7.	Whickham ...	557 : 3.
†Tottenham ...	132 : 3, 4.	Wantage ...	118 : 1, pt. of.	Whitby ...	533 : 2, pt. of.
Tottington ...	462 : 2.	†Warblington...	89 : 1, pt. of.	Whitchurch ...	353 : 1, pt. of.
Tow Law ...	549 : 3, pt. of ; 550 : 3, pt. of.	Wardle ...	470 : 6, pt. of.	Whitefield ...	462 : 8, pt. of.
Towyn ...	615 : 2, pt. of.	Ware ...	133 : 1, pt. of, 3, pt. of.	Whitehaven (M.B.)	577 : 2, pt. of.
Trawden ...	472 : 5, pt. of.	Wareham (M.B.)	262 : 3, pt. of.	Whitley and Monkseaton.	559 : 4, pt. of.
Tredegar ...	585 : 2, pt. of ; 611 : 2, pt. of.	Warminster ...	250 : 1, pt. of.	Whitley Upper	495 : 7, pt. of.
Tring ...	142 : 2, pt. of.	Warrington (C.B.)	459 : 4.	Whitstable ...	59 : 3, pt. of.
Trowbridge ...	247 : 2, pt. of.	Warsop ...	428 : 1, pt. of.	Whittington ...	438 : 2, pt. of.
Truro, City of (M.B.)	296 : 4, pt. of, 5, pt. of.	Warwick (M.B.)	393 : 1, pt. of.	Whittlesey ...	186 : 1, pt. of.
Tunbridge Wells (M.B.)	50 : 1, pt. of ; 73 : 2, pt. of.	*Watchet ...	302 : 3, pt. of.	Whitwood ...	505 : 4, pt. of.
†Tunstall ...	360 : 2, pt. of.	Waterloo with Seaforth.	455 : 1, pt. of.	Whitworth ...	470 : 6, pt. of.
Turton ...	461 : 6.	†Watford ...	140 : 2.	Widnes (M.B.)	456 : 3, pt. of.
Twickenham...	128 : 2.	Wath upon Dearne.	511 : 5, pt. of.	†Wigan (C.B.)	458 : 3, 5, pt. of.
Tyldesley with Shakerley.	460 : 4, pt. of.	†Wealdstone ...	130 : 1, pt. of.	Wigston Magna	401 : 1, pt. of.
Tynemouth (C.B.)	559 : 2.	Wednesbury (M.B.)	371 : 5.	Wigton ...	575 : 1, pt. of.
Uckfield ...	74 : 3, pt. of.	Wednesfield ...	369 : 6, pt. of.	Willenhall ...	369 : 6, pt. of.
Ulverston ...	481 : 3, pt. of.	Weetslade ...	559 : 3, pt. of.	Willesden ...	129 : 1.
Upholland ...	458 : 5, pt. of.	Wellingborough	166 : 1, pt. of.	Willington ...	551 : 1, pt. of.
Urmston ...	463 : 3, pt. of.	†Wellington (Salop).	355 : 2, pt. of.	Willington Quay.	559 : 1, pt. of.
Usk ...	586 : 4, pt. of.	Wellington (Somerset).	304 : 3, pt. of.	Wilmslow ...	445 : 1, pt. of.
Uttoxeter ...	364 : 1, pt. of.	Wells (Norfolk).	233 : 3, pt. of.	Wilton (M.B.)	254 : 1, pt. of.
Uxbridge ...	127 : 1, pt. of, 2, pt. of.	Wells, City of (M.B.) (Somerset).	313 : 1, pt. of.	Wimbledon (M.B.)	40 : 1.
Ventnor ...	93 : 5, pt. of.	Welshpool (M.B.)	617 : 1, pt. of, 3, pt. of ; 618 : 2, pt. of.	Wimborne Minster.	260 : 2, pt. of.
		Wem ...	352 : 1, pt. of.	Winchester, City of (M.B.)	103 : 2, pt. of.
		Wembley ...	130 : 1, pt. of.	†Windermere...	581 : 1, pt. of.
				*Windlesham...	32 : 3, pt. of.
				Winsford ...	447 : 3, pt. of.
				Winterton ...	424 : 2, pt. of.
				Wirksworth ...	436 : 6, pt. of.
				Wisbech (M.B.)	187 : 2.

COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGHs, MUNICIPAL BOROUGHs, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
†Witham ...	201 : 4, pt. of.	Woodford ...	188 : 10, pt. of.	Wrotham ...	48 : 2, pt. of.
Withernsea ...	523 : 1, pt. of.	Wood Green ...	132 : 2.		
Withnell ...	475 : 1, pt. of.	Woodhall Spa...	419 : 3, pt. of.		
Witney ...	156 : 3, pt. of.	Woodstock	155 : 2, pt. of.		
Wiveliscombe...	304 : 1, pt. of.	(M.B.)			
Wivenhoe ...	199 : 1, pt. of.	Worcester, City	377 : 1, pt. of.	Yarmouth (<i>see</i>	
†Woking ...	32 : 3, pt. of ;	of (C.B.)		Great Yar-	
	33 : 1, pt. of.	Workington	576 : 3, pt. of.	mouth).	
Wokingham	122 : 1, pt. of.	(M.B.)		Yeadon ...	491 : 5, pt. of.
(M.B.)		Worksop ...	427 : 1, pt. of.	Yeadsley cum	444 : 3, pt. of.
*Wolstanton	360 : 1.	Worsborough...	507 : 4, pt. of.	Whaley.	
United.		Worsley ...	463 : 1, pt. of.	†Yeovil (M.B.)	309 : 4, pt. of.
Wolverhampton	369 : 4, 5.	†Worthing	84 : 1, pt. of.	Ynyscynhaiarn	628 : 3, pt. of.
(C.B.)		(M.B.)		York, City of	517 : 2, 3.
Wombwell ...	507 : 3, pt. of.	Wrexham	621 : 3, pt. of.	(C.B.)	
Woodbridge ...	214 : 3, pt. of.	(M.B.)			

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN THE YEAR 1909.

Changes in Registration boundaries are made by order of the Registrar-General, with the consent of the Local Government Board. Those changes which affect the boundaries of Registration Districts are necessitated by changes in the boundaries of Poor Law Unions.

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Population, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1909. 1 Jan.	14.—HOLBORN: On this date Finsbury (3) sub-district was re-named St. Luke.					
31 Dec.	65.—DOVER: On this date St. Margaret (1) sub-district was re-named St. Margaret's at Cliffe.					
1 Aug.	BATTLE - -	70	BATTLE - -	70	Ashburnham - - -	570
	Bexhill - -	1	Battle - -	2	Brightling - - -	578
					Dallington - - -	411
					Penhurst - - -	84
1 July	SOUTHAMPTON -	99	SOUTHAMPTON -	99	Southampton:—	
	Southampton -	1	Southampton	1	All Saints (<i>part of</i>) -	3,503
	(abolished).		Eastern		Holy Rood (<i>part of</i>) -	833
			(new sub-district).		St. Lawrence (<i>part of</i>)	144
					St. Mary (<i>part of</i>) -	47,481
"	SOUTHAMPTON -	99	SOUTHAMPTON -	99	Southampton:—	
	Southampton -	1	Southampton	2	All Saints (<i>part of</i>) -	7,044
	(abolished).		Western		Holy Rood (<i>part of</i>) -	324
			(new sub-district).		St. John - - -	514
					St. Lawrence (<i>part of</i>)	95
					St. Mary (<i>part of</i>) -	37
					St. Michael - - -	1,344
"	SOUTH STONE-	100	SOUTHAMPTON -	99	Portswood (<i>part of</i> South-	17,958
	HAM. Stone-	2	Southampton	1	ampton C.B.).	
	ham.		Eastern.			
"	SOUTH STONE-	100	SOUTHAMPTON -	99	Shirley (<i>part of</i> South-	25,547
	HAM. Millbrook -	3	Southampton	2	ampton C.B.).	
			Western.			
1 Apr.	117.—ABINGDON: On this date Nuneham Courtenay (3) and Sutton Courtenay (4) sub-districts were united and called Sutton Courtenay (3).					
1 Oct.	130.—HENDON: On this date Willesden (3) sub-district of HENDON Registration District was created a separate Registration District and called WILLESDEN (129). HENDON Registration District was re-numbered 130.					
1 July	WATFORD - -	140	WATFORD - -	140	Oxhey - - -	2,122
	Bushey - -	1	Watford - -	2		
"	WATFORD - -	140	WATFORD - -	140	Watford Rural (<i>part of</i>) -	345
	Watford - -	2	Bushey - -	1		
"	WATFORD - -	140	WATFORD - -	140	Watford Rural (<i>part of</i>) -	694
	Watford - -	2	Abbotts	4		
			Langley.			
"	WATFORD - -	140	WATFORD - -	140	Watford Urban (<i>part of</i>) -	16
	Rickmans-	3	Watford - -	2		
	worth.					
"	WATFORD - -	140	WATFORD - -	140	Watford Rural (<i>part of</i>) -	3,770
	Rickmans-	3	Abbotts	4		
	worth.		Langley.			

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN
THE YEAR 1909—*continued.*

Date when change came into operation	DISTRICT and Sub-District.				Name of Parish transferred.	Popu-lation, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1909. 1 Dec.	141.—HEMEL HEMPSTEAD: On this date King's Langley (1) and Hemel Hempstead (2) sub-districts were united and called Hemel Hempstead (1).					
1 Apr.	160.—TOWCESTER: On this date Abthorpe (1) and Towcester (2) sub-districts were united and called Towcester (1).					
1 June	174.—BEDFORD: On this date Riseley (1) and Sharnbrook (2) sub-districts were united and called Riseley (1).					
1 Mar.	CHESTERTON - Willingham - (abolished).	180 1	CHESTERTON - Chesterton - (new sub-district).	180 1	Entire sub-district - - -	9,242
"	CHESTERTON - Fulbourn - (abolished).	180 2	CHESTERTON - Chesterton - (new sub-district).	180 1	Chesterton - - - Milton - - - -	9,591 471
"	CHESTERTON - Fulbourn - (abolished).	180 2	CHESTERTON - Cherry Hinton (new sub-district).	180 2	Cherry Hinton - - - Fen Ditton - - - Fulbourn - - - - Great Wilbraham - - - Horningsea - - - Little Wilbraham - - - Stow cum Quy - - - Teversham - - - -	2,596 680 1,771 456 386 368 324 222
"	CHESTERTON - Shelford - - (abolished).	180 3	CHESTERTON - Chesterton - (new sub-district).	180 1	Maddingley - - - -	183
"	CHESTERTON - Shelford - - (abolished).	180 3	CHESTERTON - Cherry Hinton (new sub-district).	180 2	Barton - - - - Comberton - - - - Coton - - - - Grantchester - - - Great Shelford - - - Harlton - - - - Harston - - - - Haslingfield - - - Hauxton - - - - Little Shelford - - - Newton - - - - Stapleford - - - - Trumpington - - -	301 419 257 1,172 1,085 232 667 520 213 441 156 409 1,084
1 Feb.	SUDBURY - Bures - -	205 2	SUDBURY - Bulmer - -	205 1	Alphamstone - - - Bures - - - - Lamarsh - - - -	184 511 191
"	SUDBURY - Sudbury - -	205 3	SUDBURY - Bulmer - -	205 1	Great Henny - - - Little Henny - - - Middleton - - - -	211 61 147

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN
THE YEAR 1909—*continued*.

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Popu-lation, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1909. 1 Feb.	SUDBURY - - Sudbury - -	205 3	SUDBURY - - Bures - -	205 2	Little Cornard - - -	288
"	SUDBURY - - Melford - - (abolished).	205 4	SUDBURY - - Bulmer - -	205 1	Liston - - - - Borley - - - -	77 146
"	SUDBURY - - Melford - - (abolished).	205 4	SUDBURY - - Bures - -	205 2	Acton - - - - Great Waldingfield - Little Waldingfield - Newton - - - -	593 460 340 326
"	SUDBURY - - Melford - - (abolished).	205 4	SUDBURY - - Hartest - - (re-named Melford 4).	205 5	Alpheton - - - - Long Melford - - -	244 3,080
"	SUDBURY - - Hartest - - (re-named Melford 4).	205 5	SUDBURY - - Bulmer - -	205 1	Foxearth - - - - Pentlow - - - -	354 274
1 Nov.	BLYTHING - - Westleton - - (abolished).	216 1	BLYTHING - - Leiston - - (new sub- district).	216 1	Aldringham with Thorpe Bramfield - - - - Darsham - - - - Dunwich - - - - Kelsale - - - - Knoddishall - - - Leiston - - - - Middleton - - - - Theberton - - - - Westleton - - - - Yoxford - - - -	573 535 379 157 960 479 3,259 497 490 755 988
"	BLYTHING - - Westleton - - (abolished).	216 1	BLYTHING - - Southwold - - (new sub- district).	216 2	Blythburgh - - - - Thorington - - - - Walberswick - - -	646 98 304
"	BLYTHING - - Halesworth - - (abolished).	216 2	BLYTHING - - Leiston - - (new sub- district).	216 1	Chediston - - - - Cookley - - - - Cratfield - - - - Heveningham - - - Huntingfield - - - Linstead Magna - - Linstead Parva - - Peasenhall - - - - Sibton - - - - Ubbeston - - - - Walpole - - - -	283 185 392 291 306 96 120 715 418 146 348

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

**CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN
THE YEAR 1909—continued.**

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Population, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1909 1 Nov.	BLYTHING - - Halesworth - - (abolished).	216 2	BLYTHING - - Southwold - - (new sub-district).	216 2	Halesworth - - - Rumburgh - - - Spexhall - - - Wissett - - -	2,246 316 195 327
"	BLYTHING - - Wenhaston - - (abolished).	216 3	BLYTHING - - Southwold - - (new sub-district).	216 2	Entire sub-district - -	9,073
1 Sept.	ERPINGHAM - - Cromer - - (abolished).	222 2	ERPINGHAM - - Repps - - (re-named Cromer).	222 1	Aldborough - - - Aylmerton - - - Cromer - - - Felbrigg - - - Gresham - - - Hanworth - - - Metton - - - Overstrand - - - Roughton - - - Runton - - - Sustead - - - Thurgarton - - -	322 277 3,781 186 362 241 106 433 480 840 127 219
"	ERPINGHAM - - Cromer - - (abolished).	222 2	ERPINGHAM - - Holt - - (re-named Sheringham).	222 3	Baconsthorpe - - - Barningham Norwood - - Barningham Winter - - Beeston Regis - - - Bessingham - - - East Beckham - - - Matlask - - - Plumstead - - - Sheringham - - - Upper Sheringham - - West Beckham - - -	263 52 125 69 149 61 147 186 2,364 320 265
1 July	NORWICH - - East Wymer - -	225 1	NORWICH - - West Wymer.	225 2	Norwich Civil Parish and County Borough (<i>part of</i>), viz.:— Westwick Ward (<i>part of</i>). Mancroft Ward (<i>part of</i>). Lakenham Ward (<i>part of</i>). Norwich Civil Parish and County Borough (<i>part of</i>), viz.:— Conesford Ward (<i>part of</i>).	 1 402 371 50
"	NORWICH - - West Wymer - -	225 2	NORWICH - - East Wymer.	225 1		
1 Dec.	270.—ST. THOMAS: On this date East Budleigh (1) and Exmouth (2) sub-districts were united and called Exmouth (1).					

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN
THE YEAR 1909—*continued.*

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Popu-lation, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1909. 1 Oct.	PLYMPTON ST. MARY. Plympton -	275 2	PLYMPTON ST. MARY. Yealmpton -	275 1	Harford - - - -	137
1 Nov.	TIVERTON - Silverton -	282 1	TIVERTON - Cullompton -	282 2	Ivybridge (<i>part of</i>) - -	173
1 Sept.	LISKEARD - Lerrin - (abolished).	292 4	LISKEARD - Liskeard -	292 2	Bradninch - - - -	1,521
"	LISKEARD - Lerrin - (abolished).	292 4	LISKEARD - Looe -	292 3	Boconnoc - - - -	221
					Broad oak - - - -	248
					Lanreath - - - -	469
					Lansallos - - - -	663
					Lantleglos by Fowey -	1,399
					St. Veep - - - -	464
1 Apr.	319.—BRISTOL: On this date the sub-districts of Bristol were re-arranged and are now constituted as follows:—					
			Clifton - -	1	Clifton North Ward -	8,649
					Clifton South Ward -	8,344
					St. Michael - - -	11,769
					St. Augustine - - -	17,683
			Bristol Central.	2	Central East Ward -	6,023
					Central West Ward -	1,726
					Redcliff Ward - -	8,679
					St. James Ward - -	11,268
					St. Paul Ward - - -	17,966
			Bedminster -	3	Bedminster East Ward -	18,739
					Bedminster West Ward -	19,406
					Southville Ward - -	18,814
			Knowle - -	4	Somerset Ward - - -	12,645
			St. George -	5	Easton Ward (<i>part of</i>), viz.:— No. 2 Polling District.	11,061
					St. George East Ward -	20,655
					St. George West Ward -	21,913
			St. Philip and St. Jacob.	6	Easton Ward (<i>part of</i>), viz.:— No. 1 Polling District.	10,068
					St. Philip and St. Jacob North Ward.	20,466
					St. Philip and St. Jacob South Ward.	20,691
			Stapleton -	7	Stapleton Ward - -	21,236
			Ashley - -	8	Horfield Ward - - -	13,975
					Redland Ward - - -	9,768
					The District Ward - -	18,047
			Westbury on Trym.	9	Westbury on Trym Ward	9,451
1 Dec.	STOURBRIDGE - Halesowen -	373 1	KINGS NORTON- Edgbaston -	383 3	Quinton - - - -	975

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

**CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN
THE YEAR 1909—continued.**

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Population, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1909. 1 Oct.	ASHBY DE LA ZOUCH. Ashby de la Zouch.	404 3	ASHBY DE LA ZOUCH. Hartshorn -	404 2	Ashby Woulds - - - Calke - - - - Woodville (<i>part of</i>) - -	2,799 53 1,201
1 Apr.	NOTTINGHAM - Nottingham South West.	430 1	NOTTINGHAM - Nottingham South East.	430 2	Nottingham Civil Parish and County Borough (<i>part of</i>), viz. :— Bridge Ward (<i>part of</i>).	2,333
1 Dec.	ASHBOURNE - Ashbourne -	437 1	ASHBOURNE - Brassington -	437 3	Bradley - - - -	220
"	ASHBOURNE - Calton - - (abolished).	437 2	ASHBOURNE - Ashbourne -	437 1	Alstonfield - - - Blore with Swinscoe - Calton - - - - Ilam - - - - Mappleton - - - Okeover - - - - Waterfall - - - - Wetton - - - - Woodhouses - - -	438 176 229 179 210 67 406 290 15
"	ASHBOURNE - Calton - - (abolished).	437 2	ASHBOURNE - Brassington -	437 3	Fenny Bentley - - - Lea Hall - - - - Thorpe - - - - Tissington - - -	224 21 175 367
1 Jan.	NANTWICH- Bunbury -	449 3	NANTWICH- Nantwich -	449 2	Minshull Church - -	318
1 Nov.	CHESTER - - Chester Castle.	450 2	CHESTER - - Chester Cathedral.	450 3	Chester Civil Parish and County Borough (<i>part of</i>) viz. :— St. Oswald Ward (<i>part of</i>).	742
"	CHESTER - - Chester Cathedral.	450 3	CHESTER - - Chester Castle.	450 2	Chester Civil Parish and County Borough (<i>part of</i>), viz. :— St. John Ward (<i>part of</i>).	800
"	BLACKBURN - Blackburn Northern.	474 4	BLACKBURN - Blackburn Western (re-named Blackburn South Western).	474 5	St. Mary Ward (<i>part of</i>). Blackburn Civil Parish and County Borough (<i>part of</i>), viz. :— St. Paul Ward - - St. Peter Ward - -	1,692 10,210 8,199
On the same date Blackburn Southern (6) sub-district was re-named Blackburn South Eastern.						
1 Mar.	BRADFORD - Bradford East. (renamed Bradford Central).	498 2	BRADFORD- Bowling - -	498 1	Bradford Civil Parish and County Borough (<i>part of</i>), viz. :— Bradford Moor Ward -	19,515
"	BRADFORD - Bradford West (renamed Manningham).	498 3	BRADFORD- Bradford East (re-named Bradford Central).	498 2	Bradford Civil Parish and County Borough (<i>part of</i>), viz. :— West Ward - -	11,830
1 Nov.	HOWDEN - - Howden - -	519 3	HOWDEN - - Bubwith - -	519 2	Menthorpe with Bowthorpe.	51
1 July	531.—HELMSLEY : On this date Helmsley (1) and Oswaldkirk (2) sub-districts were united and called Helmsley (1).					

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

ALPHABETICAL INDEX

TO THE
REGISTRAR-GENERAL'S SEVENTY-SECOND ANNUAL
REPORT.

ENGLAND AND WALES.

(1909.)

	PAGES		PAGES
ABORTION, MISCARRIAGE :		AMERICA, Vital Statistics of ...	
Deaths at Ages	311	(See Canada, Province of	
in London	333	Ontario, United States.)	
Deaths	394	ALCOHOLISM AND CIRRHOSIS OF	
in Counties	394-400	LIVER	lxxvii
1890-1909	34, 62	ANÆMIA, LEUCOCYTHÆMIA :	
per million living ...	35, 63	Deaths by Sexes at Ages ...	302, 303
ABSCESS :		in London	324, 325
Deaths by Sexes at Ages ...	312, 313	Deaths by Sexes	366
in London	334, 335	in Counties	366-372
Deaths by Sexes	401	1890-1909	28, 42, 56
in Counties	401-407	per million living ...	29, 43, 57
1890-1909	36, 50, 64	ANÆSTHETICS, Deaths under	
per million living ...	37, 51, 65	by Sexes at Ages	459, 467
ACCIDENTAL DEATHS	c	ANASARCA. (See Dropsy.)	
by Sexes at Ages from Various		ANEURYSM :	
Causes	451-469	Deaths by Sexes at Ages ...	306, 307
(See also the Kinds of Acci-		in London	328, 329
dent.)		Deaths by Sexes	380
AGE CONSTITUTION, of Popula-		in Counties	380-386
tion	110	1890-1909	30, 44, 58
in certain British Colonies		per million living ...	31, 45, 59
and foreign countries ...	110, 111	ANGINA PECTORIS :	
of persons married	xvii, xviii	Deaths by Sexes at Ages ...	304, 305
of married women... ..	xxvi	in London	326, 327
in certain towns and in		Deaths by Sexes	373
rural districts... ..	xxxii	in Counties	373-379
AGES at DEATH. (See Deaths.)		1890-1909	30, 44, 58
AGES at MARRIAGE. (See Mar-		per million living ...	31, 45, 59
riages.)		ANTHRAX (SPLENIC FEVER) :	
ALBUMINURIA. (See Bright's		Deaths by Sexes at Ages ...	298, 299
Disease.)		in London	320, 321
ALCOHOLISM, DELIRIUM TRE-		Deaths by Sexes	352
MENS	lxxvii	in Counties	352-358
Deaths by Sexes at Ages ...	300, 301	1890-1909	24, 38, 52
in London	322, 323	per million living ...	23, 39, 53
Deaths by Sexes	359	APOPLEXY, HEMIPLEGIA ...	
in Counties	359-365	Deaths by Sexes at Ages ...	306, 307
1890-1909	26, 40, 54	in London	328, 329
per million living ...	27, 41, 55	Deaths by Sexes	380
Deaths per million living, in		in Counties	380-386
quinquennia 1871-1905...	23	1890-1909	30, 44, 58
		per million living ...	31, 45, 59

	PAGES		PAGES
APPENDICITIS, PERITYPHLITIS	xevi	ATROPHY, DEBILITY— <i>continued.</i>	
Deaths by Sexes at Ages	... 308, 309	Mortality at ages under 5 :	
in London	... 330, 331	by Sexes	... 76-81
Deaths by Sexes	... 387	1904-1908, 1909	... 86
in Counties	... 387-393	in Urban and Rural Coun-	
1901-1909	... 32, 46, 60	ties	... 82-85
per million living	... 33, 47, 61	(<i>See also</i> Wasting Diseases.)	
AREA of :		AUSTRALIAN COMMONWEALTH :	
Channel Islands	... 94	Birth and Death-rates in each	
England and Wales	... 2, 212	State, 1881-1909...	... 110, 112
Ireland...	... 3	(<i>See also</i> names of States.)	
Isle of Man	... 94	AUSTRIA, Vital Statistics of,	
Registration Counties	... 212, 214	1881-1909	... 111, 135
Registration Districts and		AUTHORISED PERSONS, Mar-	
Sub-Districts	... 152-211	riages before :	
Scotland	... 3	in Counties	... 212, 214
United Kingdom	... 2	per 1,000 marriages, 1860-	
ARMY, Strength and Mortality		1909	... 8
of, 1870-1909	... cvii, 95	in London	... 9
ARSENICAL and OTHER POISON-		in Counties, 1909	... 12
ING (INDUSTRIAL) :		No. of buildings for mar-	
Deaths by Sexes at Ages	... 300	riages by	... xxiii
in London	... 322		
Deaths by Sexes	... 359		
1901-1909	... 28, 42		
per million living	... 29, 43		
ARTHRITIS, PERIOSTITIS :			
Deaths by Sexes at Ages	... 310, 311	BANNS (<i>See</i> Marriage, Manner	
in London	... 332, 333	of Solemnisation.)	
Deaths by Sexes	... 394	BAPTISTS :	
in Counties	... 394-400	No. of buildings for solemnisa-	
1890-1909	... 34, 48, 62	tion of marriage	... xxiii, 7
per million living	... 35, 49, 63	by authorised person	... xxiii
Rheumatoid. (<i>See</i> Rheuma-		BATHING. (<i>See</i> Drowning.)	
toid Arthritis.)		BATTLE :	
ASCITES. (<i>See</i> Dropsy.)		Deaths from wounds in,	
ASTHMA, EMPHYSEMA :		1897-1909...	... 36, 50
Deaths by Sexes at Ages	... 306, 307	BEDSORE. (<i>See</i> Ulcer.)	
in London	... 328, 329	BEEF, Prices of, 1860-1909	... 97
Deaths by Sexes	... 380	BELGIUM, Vital Statistics of,	
in Counties	... 380-386	1881-1909	... 111, 141
1890-1909	... 32, 46, 60	BIRTHS	... xxvi
per million living	... 33, 47, 61	by Sexes :	
ASYLUMS FOR THE INSANE :		1860-1909	... 4
Deaths in	... 231-282	in Counties	... 150, 151
ATELECTASIS :		in Registration Districts and	
Deaths by Sexes at Ages	... 302, 303	Sub-districts	... 152-211
in London	... 324, 325	in Isle of Man and Channel	
Deaths by Sexes	... 366	Islands, 1885-1909	... 94
in Counties	... 366-372	in several Countries, 1881-	
1890-1909	... 28, 42, 56	1909	... 114-147
per million living	... 29, 43, 57	at sea	... cviii
ATROPHY, DEBILITY :		total on Register, 1860-1909	... 93
Deaths by Sexes at Ages	... 312, 313	excess over deaths. (<i>See</i>	
in London	... 334, 335	Natural Increase.)	
per 1,000 births in Urban		legitimate and illegitimate :	
and Rural Counties	... xlix	1860-1909	... 4
Deaths by Sexes	... 401	in Counties	... 150, 151
in Counties	... 401-407	in Registration Districts	
1890-1909	... 36, 50, 64	and Sub-districts	... 152-211
per million living	... 37, 51, 65		
per 1,000 births 1886-1909	... xlvii		
at ages, 1909	... xlvii		

	PAGES
BIRTH-RATES :	
1860-1909	5
causes of decrease in... ..	xxix
in Groups of Years, 1838-1909	6
in quarters	6
in Counties, 1899-1908, 1909...	14
in several Countries :	
1881-1909	112-147
in quinquennia 1881-1905, 1906, 1907, 1908, 1909	cxi
in Urban and Rural Areas ...	xxxii
methods of measuring	xxvi
legitimate	xxxix
to 1,000 living :	
1860-1909... ..	5
in Groups of Years, 1838-1909	6
to 1,000 married women aged 15-45, 1876-1909	xxvii
in certain Towns and Rural Districts ...	xxxii
in Counties, 1870-1909 ...	xxx
in several Countries, 1880-2 to 1900-2 ...	cxii
illegitimate	xxxiii
to 1,000 living :	
1860-1909... ..	5
in Groups of Years, 1838-1909	6
in 1,000 births :	
1860-1909... ..	5
in Groups of Years, 1838-1909	6
in Counties, 1899-1908, 1909	14
to 1,000 unmarried females 15-45, 1876-1909	xxvii, xxxiv
in Counties, 1870-1909 ...	xxxv
in several Countries, 1880-2 to 1900-2 ...	cxiii
Sex proportions	xxxiii
male births to 1,000 female births :	
1860-1909... ..	5
in Counties, 1899-1908, 1909	14
in Groups of Years, 1838-1909	6
Diagram of 1881-1909	xxviii
BLADDER AND PROSTATE, Diseases of :	
Deaths by Sexes at Ages ...	308, 309
in London	330, 331
Deaths by Sexes	387
in Counties	387-393
1889-1909	34, 48, 62
per million living	35, 49, 63
BLADDER AND PROSTATE, Infective Diseases of :	
Deaths by Sexes at Ages ...	314, 315
in London	336, 337
BLOOD VESSELS, Diseases of ...	xcv
Deaths by Sexes at Ages ...	294, 295
306, 307	
in London	316, 317, 328, 329

	PAGES
BLOOD VESSELS, Diseases of—continued.	
Deaths by Sexes	338, 380
in Counties	338-344, 380-386
1889-1909	30, 44, 58
per million living	31, 45, 59
(See also Heart and Blood Vessels.)	
BLOOD VESSELS, Infective Processes of :	
Deaths by Sexes at Ages ...	314, 315
in London	336, 337
BONES, Diseases of. (See Locomotor System.)	
BONES, Infective Diseases of :	
Deaths by Sexes at Ages ...	314, 315
in London	336, 337
BRAIN, Infective Diseases of :	
Deaths by Sexes at Ages ...	314, 315
in London	336, 337
BRAIN, Inflammation of. (See Meningitis.)	
BRAIN, Softening of. (See Softening.)	
BRAIN TUMOUR (not Specific).	
Deaths by Sexes at Ages ...	304, 305
in London	326, 327
Deaths by Sexes	373
in Counties	373-379
1901-1909	30, 44, 58
per million living	31, 45, 59
BREAST MILK, Want of. (See Want of, &c.)	
BRIGHT'S DISEASE, ALBUMINURIA	xcvi
Deaths by Sexes at Ages ...	308, 309
in London	330, 331
Deaths by Sexes	387
in Counties	387-393
1889-1909	34, 48, 62
per million living	35, 49, 63
BRIGHT'S DISEASE and ACUTE NEPHRITIS	xcvi
Deaths per million living in quinquennia, 1871-1905...	23
BRITISH COLONIES :	
Birth and Death-rates, 1881-1909	112
(See also Names of Colonies.)	
BRONCHITIS	xcv
Deaths by Sexes at Ages ...	306, 307
in London	328, 329
Deaths by Sexes	380
in Counties	380-386, 408-419
per million living	68-73
1889-1909	32, 46, 60
per million living	33, 47, 61
Deaths per million living in quinquennia, 1871-1905	23
Deaths in Registration Districts	420-450
Deaths under one to 1,000 Births :	
in Counties	90

	PAGES		PAGES
BRONCHITIS— <i>continued</i> .		CANADA, Province of Ontario :	
Mortality at Ages under five :		Vital Statistics of 1881-1909	125
by Sexes	76-81	CANCER	lxxvii
1904-1908, 1909	86	Deaths by Sexes at Ages ...	302, 303
in Urban and Rural		in London	324, 325
Counties	82-85	per million living, 1904-	
Deaths under five to 1,000		1908, 1909	lxxix
living :		in Urban and Rural	
in Counties	91	Counties	lxxix
BRONCHITIS and PNEUMONIA	lxi	mortality by sex and age ...	lxxviii
Diagram of :		Increase in :	
in quinquennia 1876-1909	lxx	1868, 1888, 1909	xcii
Infantile Mortality per 1,000		showing parts of body af-	
births at Ages in Urban		fected, 1901-1909 ...	lxxxii
and Rural Counties ...	xlix	per million living ...	lxxxvi
Reduction in infantile Mor-		per cent. of total deaths	
tality 1909 as compared		at each age	xc
with 1904-1908	xl	per million living by	
BRONCHO - PNEUMONIA. (See		sexes 1868, 1888, 1909	xciii
Pneumonia.)		Deaths by Sexes	366
BUILDING OPERATIONS :		in Counties	366-372, 408-419
Deaths at Ages	312, 451	per million living ...	68-73
in London	334	1890-1909	28, 42, 56
from Various Causes ...	456	per million living ...	29, 43, 57
Deaths	401	1904-1908, 1909 ...	lxxviii
in Counties	401-407	in Urban and Rural	
1901-1909	36, 50	Counties	lxxviii
per million living ...	37, 51	Deaths :	
BUILDINGS, Registered for		in Registration Districts ...	420-450
Solemnisation of Marriage	7	per million living in quin-	
in Counties	7	quennia, 1871-1905 ...	23
BULGARIA, Vital Statistics of,		in several Countries, 1881-	
1881-1909	111, 138	1908	cxxvi, 114-148
BURNS, SCALDS, CONFLAGRA-		Diagrams of corrected death	
TIONS, EXPLOSIONS :		rates at all ages 1860-1909	
Deaths by Sexes at Ages ...	312, 313	(facing p. lxxviii)	
in London	334, 335	in quinquennia 1851-1909	
Accident	451, 463	as compared with 1851-	
from Various Causes ...	457, 466	1855	lxxx, lxxxi
Manslaughter	475	at ages in quinquennia	
Murder	473	showing parts of body	
Suicide	470, 471	affected by age and sex	
Deaths by Sexes	401	1901-1909 ...	lxxxviii, xci, xcii
in Counties	401-407	CARBUNCLE. (See Phlegmon.)	
1901-1909	36, 50, 64	CARCINOMA. (See Cancer.)	
per million living ...	37, 51, 65	CARIES, NECROSIS :	
(See also Mines, &c., Railways		Deaths by Sexes at Ages ...	310, 311
and Ships and Boats.)		in London	332, 333
CALCULUS (not Biliary) :		Deaths by Sexes	394
Deaths by Sexes at Ages ...	308, 309	in Counties	394-400
in London	330, 331	1890-1909	34, 48, 62
Deaths by Sexes	387	per million living ...	35, 49, 63
in Counties	387-393	CATHOLIC APOSTOLIC CHURCH:	
1890-1909	34, 48, 62	Number of buildings for	
per million living ...	35, 49, 63	solemnization of marriage	xxxiii
CALVINISTIC METHODISTS :		CAUSES of DEATH	lv
No. of buildings for solem-		Diagram of Principal ...	lvi
nization of marriage ...	xxiii, 7	showing greatest increases	
by authorised persons ...	xxiii	or decreases 1876-80-1909	lviii
		Ill-defined or not specified ...	c
		Certification of	ci
		Inquiries concerning ...	c
		List of	92
		(See also Deaths, and Names	
		of Diseases, &c.)	

	PAGES		PAGES
CENTENARIANS, Deaths of ...	li	CHILD MORTALITY, (Deaths under five) ...	91
CEREBRAL HÆMORRHAGE, CEREBRAL EMBOLISM ...		per 1,000 living in Counties at Ages, from various Causes :	
Deaths by Sexes at Ages ...	306, 307	by Sexes ...	76-81
in London ...	328, 329	1904-1908, 1909 ...	86
Deaths by Sexes ...	380	in Urban and Rural Counties ...	82-85
in Counties ...	380-386		
1901-1909 ...	30, 44, 58		
per million living ...	31, 45, 59	CHILI, Vital Statistics of, 1881-1909 ...	147
CEREBRO-SPINAL FEVER ...	lxiii		
Deaths by Sexes at Ages ...	296, 297	CHOLERA : (see Diarrhœa, and Diarrhœal Diseases).	
in London ...	318, 319		
Deaths by Sexes ...	345	CHOLERA, Asiatic :	
in Counties ...	345-351	Deaths in several countries, 1881-1909... ..	114-147
1890-1909 ...	24, 38, 52		
per million living ...	25, 39, 53	CHOREA :	
CERTIFICATES :		Deaths by Sexes at Ages ...	304, 305
Fees received for, 1860-1909 ...	93	in London ...	326, 327
Number issued, 1866-1909 ...	cxix	Deaths by Sexes ...	373
		in Counties ...	373-379
CERTIFICATION of CAUSES of DEATH ...	ci	1890-1909 ...	30, 44, 58
		per million living ...	31, 45, 59
CERTIFIED PLACES of WORSHIP ...	xxiii	CHURCH, Established :	
CEYLON, Vital Statistics of, 1881-1909 ...	126	Marriages according to Rites of :	
CHANGES in REGISTRATION DISTRICTS and SUB-DISTRICTS ...	501-506	in 1,000 Marriages :	
		1851-1909 ...	xxv
CHANGE in form of PUBLICATION, Proposed ...	vi	in Counties ...	212, 214
		in 1,000 Marriages :	
CHANNEL ISLANDS :		1860-1909 ...	8
Area and Population ; Births and Deaths, 1885-1909 ...	94	in London ...	9
		in Counties ...	12
CHAPELS, Numbers Registered for Solemnisation of Marriage in Registration Counties ...	7	Numbers in Counties... ..	7
CHICKEN-POX ...		CIRRHOSES OF LIVER ...	lxxvii
Deaths by Sexes at Ages ...	296, 297	Deaths by Sexes at Ages ...	308, 309
in London ...	318, 319	in London ...	330, 331
Deaths by Sexes ...	345	Deaths by Sexes ...	387
in Counties ...	345-351	in Counties ...	387-393
1899-1909 ...	24, 38, 52	1890-1909 ...	32, 46, 60
per million living ...	25, 39, 53	per million living ...	33, 47, 61
Mortality at ages under five :		Deaths per million living, in quinquennia, 1871-1905 ...	23
by Sexes ...	76-81		
1904-1908, 1909 ...	86	CIVIL MARRIAGES. (See Marriages.)	
in Urban and Rural Counties ...	82-85	COAL MINES, Violent Deaths in at Ages, from Various Causes ...	451
			452
CHILDBIRTH and PREGNANCY, Accidents of ...	xvii	COAL, Prices of, 1873-1909 ...	97
Deaths at Ages ...	295, 310	COLONIAL VITAL STATISTICS. (See International Vital Statistics.)	
in London ...	317, 333		
Deaths ...	338, 394	CONFLAGRATIONS. (See Burns.)	
in Counties ...	338-344, 394-400	CONGENITAL DEFECTS, HYDRO-CEPHALUS :	
1890-1909 ...	34, 62	Deaths by Sexes at Ages ...	302, 303
per million living ...	35, 63	in London ...	324, 325
Deaths from other Causes, associated with Child-birth ...	xviii	Deaths by Sexes ...	366
(See also Puerperal Septic Diseases.)		in Counties ...	366-372
		1890-1909 ...	28, 42, 56
		per million living ...	29, 43, 57
		per 1,000 births :	
		1886-1905... ..	xlvi
		at ages in Urban and Rural Counties ...	xliv

	PAGES		PAGES
CONGENITAL DEFECTS, HYDRO- CEPHALUS— <i>continued</i> .		CROUP— <i>continued</i> .	
Deaths per million living, in quinquennia, 1871–1905	23	Deaths by Sexes	380
Mortality at Ages under five :		in Counties	380–386
by Sexes	76–81	1890–1909	32, 46, 60
1904–1908, 1909	86	per million living	33, 47, 61
in Urban and Rural Counties	82–85	Deaths per million living, in quinquennia, 1871–1905	23
CONGENITAL HYDROCEPHALUS. (<i>See</i> Congenital Defects.)		(<i>See also</i> Diphtheria and Croup.)	
CONGREGATIONALISTS :		DEATHS	xxxvi
No. of buildings for solemnisa- tion of marriage	xxiii, 7	from Various Causes :	
by authorised person	xxiii	by Sexes at Ages	296–315
CONSOLS, Prices of, 1860–1909	97	(Summary)	294, 295
CONVICTIONS for Offences against the Registration Acts... ..	cxxvii	in London	318–337
CONVULSIONS	xciv	(Summary)	316, 317
Deaths by Sexes at Ages	304, 305	by Sexes :	
in London	326, 327	in Counties	345–407
per 1,000 births in Urban and Rural Counties	xlx	(Summary)	338–344
Deaths by Sexes	373	1890–1909... ..	24–64
in Counties	373–379	per million living	25–65
1890–1909	30, 44, 58	in Registration Districts	420–450
per million living	31, 45, 59	to a million from all Causes	92
Mortality at Ages under five :		by Sexes at Ages	284
by Sexes	76–81	in Counties	286–292
1904–1908, 1909	86	by Sexes :	
in Urban and Rural Counties	82–85	in Counties	150, 151
Puerperal. (<i>See</i> Puerperal Convulsions.)		1860–1909	4
Reduction in Infantile Mor- tality from 1904–1908, 1909	xlx	in Registration Districts and Sub-Districts	152–211
CONVULSIONS and MENINGITIS :		in Army at Home and Abroad	cvii
Deaths under one to 1,000		1870–1909	95
Births in Counties	90	in Public Institutions	cv, 231–282
Deaths under five to 1,000 living in Counties	91	in Merchant Service, 1891– 1909	cviii, 96
CORD. (<i>See</i> Spinal Cord.)		in Navy... ..	cvii, 95
CORONERS :		in Channel Islands and Isle of Man, 1884–1909	94
Proportion of uncertified deaths reported to	ciii	in several Countries, 1881– 1909	114–148
(<i>See also</i> Inquests.)		at Sea	
COUNTESS OF HUNTINGDON'S CONNEXION :		per cent. of total in Counties :	
No. of buildings registered for solemnization of marriage	xxiii, 7	certified by Registered Medical Practitioners	ciii
COUNTRY DISTRICTS. (<i>See</i> Rural.)		certified by Coroners after Inquest... ..	ciii
COWPOX. (<i>See</i> Vaccination.)		uncertified	ciii
CRETINISM, footnote	34, 48, 62	per cent. of total Certified Inquests or uncertified, 1901–1909... ..	cii
CROUP :		total on Register, 1860–1909	93
Deaths by Sexes at Ages	306, 307	(<i>See also</i> Causes of Death, &c.)	
in London	328, 329	DEATH-RATES :	
		Diagram of :	
		in quinquennia 1838–1909	xxxviii
		before and after correction :	
		in Counties	lii
		in Several Countries	cxiv
		1904–1909 in selected Urban and Rural Counties	liv

	PAGES
DEATH-RATES— <i>continued</i> .	
to 1,000 living :	
in Counties	14
by Sexes at 10 groups of	
Ages	lv
in England and Wales	
and in selected Urban	
and Rural Counties,	
1904-1908, 1909 ...	liv
in Counties	21, 22
1904-1908	19, 20
1860-1909	15, 16, 17
in groups of years, 1838-	
1909	18
in several Countries ...	cxi, cxiii
by Sexes	xxxviii
1860-1909	5
in groups of years, 1838-	
1909	6
in Counties	14
in each quarter in groups	
of years, 1838-1909	6
analysis of excess of male over	
female mortality ...	xxxix
from Various Causes to a	
million living :	
in quinquennia, 1871-1905...	23
by Sexes, 1890-1909 ...	25-65
in Counties, 1909 ...	68-73
of Infants under one year.	
(See Infantile Mortality.)	
of Children under five years.	
(See Child Mortality.)	
in Army at Home and Abroad	cvii
1870-1909... ..	95
in Merchant Service ...	cviii, 96
from Disease and from	
Violence, 1891-1909 ...	96
in Navy	cvii, 95
from Disease and from	
Violence, 1870-1909 ...	95
in several Countries :	
1881-1909	112-147
in quinquennia, 1881-1905,	
1906, 1907, 1908, 1909 ...	cxiv
Ratios by sexes at ages in	
decennia :	
1841-1909, as compared with	
1838-40... ..	xl
as compared with	
previous decennia ...	xlii
Sex proportions	xxxviii
Male to Female rate :	
1860-1909... ..	5
in groups of years, 1838-	
1909	6
DEBILITY. (See Atrophy, De-	
bility.)	
DEFECTS, Congenital. (See Con-	
genital Defects.)	
DELIRIUM TREMENS. (See Al-	
coholism.)	
DENMARK, Vital Statistics of,	
1881-1909	110, 128
17043	

	PAGES
DENOMINATIONS, Various :	
Buildings for Solemnisation	
of Marriage	7
DIABETES MELLITUS	xciv
Deaths by Sexes at Ages ...	302, 303
in London	324, 325
Deaths by Sexes	366
in Counties	366-372
1890-1909	28, 42, 56
per million living ...	29, 43, 57
Deaths per million living in	
quinquennia, 1871-1905	23
DIARRHŒA	lxvii
Deaths by Sexes at Ages ...	296, 297
in London	318, 319
Deaths by Sexes	345
in Counties	345-351,
408-419	
per million living ...	68-73
1890-1909	24, 38, 52
per million living ...	25, 39, 53
Deaths :	
in several Countries ...	114-148
per million living in Coun-	
ties, 1899-1908, 1909 ...	75
DIARRHOEAL DISEASES... ..	lxvii
Deaths by Sexes in Counties	408-419
in Registration Districts ...	420-450
Deaths by sexes at ages in	
Urban and Rural Counties	xlix
Deaths per million living :	
in quinquennia, 1871-1905	23
in Groups of Years, 1838-	
1909	66
in London	67
Deaths under one to 1,000	
births in Counties ...	90
Deaths under five to 1,000	
living in Counties ...	91
1891-1909	xliii
Mortality at Ages under five :	
by Sexes	76-81
1904-1908, 1909	86
in Urban and Rural	
Counties	82-85
Reduction in Infantile	
Mortality from 1904-08,	
1909	xlv
DIGESTIVE SYSTEM, Diseases of:	
Deaths by Sexes at Ages ...	294, 295,
308, 309	
in London	316, 317, 330, 331
Deaths by Sexes	338, 387
in Counties	338-344, 387-393
1890-1909	32, 46, 60
per million living ...	33, 47, 61
(See also Enteritis, Hernia,	
&c.)	
DILATATION of HEART :	
Deaths by Sexes at Ages ...	304, 305
in London	326, 327
Deaths by Sexes	373
in Counties	373-379
1901-1909	30, 44, 58
per million living ...	31, 45, 59

	PAGES		PAGES
DIPHTHERIA	lxi	DROWNING :	
Deaths by Sexes at Ages ...	296, 297	Deaths by Sexes at Ages ...	312, 313
in London	318, 319	in London	334, 335
Deaths by Sexes	345	Accident	451, 463
in Counties	345-351, 408-419	from Various Causes ...	461, 468
per million living	68-73	Murder	472, 473
1890-1909	24, 38, 52	Suicide	470, 471
per million living	25, 39, 53	Deaths by Sexes	401
Deaths :		in Counties	401-407
in Registration Districts ...	420-450	1901-1909	36, 50, 64
per million living :		per million living	37, 51, 65
inquinquennia, 1871-1905 ...	23		
in Groups of Years 1838-		DYSENTERY. (<i>See</i> Diarrhœa.)	
1909	66		
in London	67		
in Counties, 1899-1908,			
1909	74		
Deaths in, and admissions to			
Metropolitan Asylums			
Board Hospitals, in quin-			
quennia, 1890-1909	lxiii		
DIPHTHERIA and CROUP ...	lxi	EAR, Disease of. (<i>See</i> Otitis.)	
Areas of excessive mortality	lxiii		
Deaths per million living,		EAR, MIDDLE, Infective Dis-	
in England and Wales,		ease of :	
and in selected Urban and		Deaths by Sexes at Ages ...	314, 315
Rural Counties, 1904-8,		in London	336, 337
1909 :			
at all ages	lxii	ECZEMA :	
at 10 age-groups	lxii	Deaths by Sexes at Ages ...	310, 311
Deaths under five to 1,000		in London	332, 333
living in Counties	91	Deaths by Sexes	394
Mortality at Ages under five :		in Counties	394-400
by Sexes	76-81	1890-1909	34, 48, 62
1904-1908, 1909	86	per million living	35, 49, 63
in Urban and Rural Coun-			
ties	82-85	EMBOLISM, THROMBOSIS :	
Deaths in several Countries,		Deaths by Sexes at Ages ...	306, 307
1881-1909... ..	cxxi, 114-147	in London	328, 329
per 1000 living in quin-		Deaths by Sexes	380
quennia, 1881-1905, 1906,		in Counties	380-386
1907, 1908, 1909		1890-1909	30, 44, 58
		per million living	31, 45, 59
DISTRICTS, Registration :		EMIGRATION :	
Area ; Population, Marriages,		Balance on Passenger Move-	
Births and Deaths in... ..	152-211	ment into and out of the	
Index of	476-479	United Kingdom, 1895-1909	94
Changes in, 1909	501-504		
DISTRICTS, Urban :		EMPHYSEMA. (<i>See</i> Asthma.)	
Index of	490-500	ENDOCARDITIS. (<i>See</i> Valvular	
		Disease.)	
DIVORCED PERSONS, Number		ENDOCARDITIS, Infective :	
Re-married	xv	Deaths by Sexes at Ages ...	298, 299
Average annual number of,		in London	320, 321
1876-1909	xvi	Deaths by Sexes	352
		in Counties	352-358
DOCKS, Deaths in. (<i>See</i> Ships,		1901-1909	26, 40, 54
Boats, &c.)		per million living	27, 41, 55
DROPSY, ASCITES, ANASARCA :			
Deaths by Sexes at Ages ...	312, 313	ENTERIC FEVER... ..	lxiii
in London	334, 335	Areas of excessive mortality	lxvi
Deaths by Sexes	401	Deaths by Sexes at Ages ...	296, 297
in Counties	401-407	in London	318, 319
1890-1909	36, 50, 64	per million living 1904-	
per million living	37, 51, 65	1908, 1909, in Select-	
		ed Urban and Rural	
		Counties	lxv

	PAGES
ENTERIC FEVER—continued.	
Deaths by Sexes	345
per million living 1904-1908, 1909, in Selected Urban and Rural Counties	lxvi
at ages	lxvii
in Counties	345-351, 408-419
per million living	68-73
1890-190924, 38, 52
per million living25, 39, 53
Deaths—	
in Metropolitan Asylums Board Hospitals, and admissions thereto, in quinquennia, 1875-1909	lxv
in Registration Districts	420-450
in several Countries, 1881-1909	cxxy, 114-147
per 1,000 living in quinquennia, 1881-1905, 1906, 1907, 1908, 1909 per million living :	
in Counties, 1899-1908, 1909	75
in quinquennia, 1871-1905	23
in groups of years, 1838-1909 in London	66
Diagram of, 1869-1909	67
Diagram of, 1869-1909	lxiv
ENTERITIS (Not Epidemic) :	
Deaths by Sexes at Ages	308, 309
in London 330, 331
Deaths by Sexes	387
in Counties 387-393
1905-190932, 46, 60
per million living33, 47, 61
Mortality at Ages under five :	
by Sexes	76-81
in Urban and Rural Counties	82-85
ENTERITIS, Infective. (See Diarrhœa.)	
EPIDEMIC DIARRHŒA. (See Diarrhœa.)	
EPIDEMIC PNEUMONIA. (See Pneumonia.)	
EPILEPSY :	
Deaths by Sexes at Ages	304, 305
in London 326, 327
Deaths by Sexes	373
in Counties 373-379
1890-190930, 44, 58
per million living31, 45, 59
Deaths per million living in quinquennia, 1871-1905...	23
EPISTAXIS. (See Nose, Diseases of.)	
ERYSIPELAS :	
Deaths by Sexes at Ages	298, 299
in London 320, 321
17043	

	PAGES
ERYSIPELAS—continued.	
Deaths by Sexes	352
in Counties	352-358
1890-190926, 40, 54
per million living27, 41, 55
Deaths per million living in quinquennia, 1871-1905	23
Mortality at Ages under five:	
by Sexes	76-81
1907-1908, 1909	86
in Urban and Rural Counties	82-85
ESTABLISHED CHURCH. (See Church.)	
EXCAVATIONS. (See Mines and Quarries.)	
EXECUTION :	
Deaths by Sexes at Ages	312
Deaths by Sexes	401
in Counties 401-407
1890-190936, 50, 64
per million living37, 51, 65
EXPLOSIONS. (See Burns.)	
EYE, Diseases of :	
Deaths by Sexes at Ages	304, 305
in London 326, 327
Deaths by Sexes	373
in Counties 373-379
1890-190930, 44, 58
per million living31, 45, 59
FALLS :	
Deaths by Sexes at Ages	312, 313
in London 334, 335
accident 451, 463
from various Causes 461, 469
manslaughter	475
suicide (jumping from height) 470, 471
Deaths by Sexes	401
in Counties 401-407
1901-190936, 50, 64
per million living37, 51, 65
FATTY DEGENERATION of HEART :	
Deaths by Sexes at Ages	304, 305
in London 326, 327
Deaths by Sexes	373
in Counties 373-379
1901-190930, 44, 58
per million living31, 45, 59
FEES RECEIVED for SEARCHES and CERTIFICATES, 1859-1908	
	93
FEVERS. (See Enteric, Scarlet, &c.)	
FERTILITY RATE. (See Birth-rate.)	

	PAGES		PAGES
FIBROID DISEASE of LUNG :		GASTRO-INTESTINAL CATARRH:	
Deaths by Sexes at Ages ...	306, 307	Mortality at Ages under five :	
in London	328, 329	by Sexes	76-81
Deaths by Sexes	380	in Urban and Rural Counties	82-85
in Counties	380-386		
1901-1909	32, 46, 60		
per million living ...	33, 47, 61		
FINLAND, Vital Statistics of,		GENERAL DISEASES :	
1881-1909	111, 132	Deaths by Sexes at Ages ...	294, 295
FLOODING. (See Placenta Prævia.)		in London	316, 317
FOREIGN VITAL STATISTICS.		Deaths by Sexes in Counties	338-344
(See International Vital Statistics.)			
FRANCE, Vital Statistics of,		GENERAL PARALYSIS of INSANE :	
1881-1909	111, 142	Deaths by Sexes at Ages ...	304, 305
		in London	326, 327
		Deaths by Sexes	373
		in Counties	373-379
		1901-1909	30, 44, 58
		per million living ...	31, 45, 59
GALL BLADDER. (See Liver.)		GENERATIVE and MAMMARY ORGANS, Diseases of :	
GANGRENE, SENILE :—		Deaths by Sexes at Ages ...	294, 295, 310, 311
Deaths by Sexes at Ages ...	306, 307	in London	316, 317, 332, 333
in London	328, 329	Deaths by Sexes	338, 394
Deaths by Sexes	380	in Counties	338-344, 394-400
in Counties	380-386	1890-1909	34, 48, 62
1890-1909	30, 44, 58	per million living ...	35, 49, 63
per million living ...	31, 45, 59	GERMAN EMPIRE, Vital Statistics of, 1881-1909	
GASTRIC CATARRH. (See Gastritis.)		... 111, 133	
GASTRIC ULCER :		GERMAN MEASLES :—	
Deaths by Sexes at Ages ...	308, 309	Deaths by Sexes at Ages ...	296, 297
in London	330, 331	in London	318, 319
Deaths by Sexes	387	Deaths by Sexes	345
in Counties	387-393	in Counties	345-351
1901-1909	32, 46, 60	1890-1909	24, 38, 52
per million living ...	33, 47, 61	per million living ...	25, 39, 53
GASTRITIS, GASTRIC CATARRH :		GLANDERS :	
Deaths by Sexes at Ages ...	308, 309	Deaths by Sexes at Ages ...	298, 299
in London	330, 331	in London	320, 321
Deaths by Sexes	387	Deaths by Sexes	352
in Counties	387-393	in Counties	352-358
1901-1909	32, 46, 60	1890-1909	24, 38, 52
per million living ...	33, 47, 61	per million living ...	25, 39, 53
Mortality at Ages under five :		GONORRHOEA :	
by Sexes	76-81	Deaths by Sexes at Ages ...	298, 299
1904-8, 1909	86	in London	320, 321
in Urban and Rural Counties	82-85	Deaths by Sexes	352
		in Counties	352-358
		1890-1909	24, 38, 52
		per million living ...	25, 39, 53
GASTRO-ENTERITIS :		GOUT :	
Deaths by Sexes at Ages ...	308, 309	Deaths by Sexes at Ages ...	302, 303
in London	330, 331	in London	324, 325
Deaths by Sexes	387	Deaths by Sexes	366
in Counties	387-393	in Counties	366-372
1901-1909	32, 46, 60	1890-1909	28, 42, 56
per million living ...	33, 47, 61	per million living ...	29, 43, 57
Mortality at Ages under five :		Rheumatic. (See Rheumatoid Arthritis.)	
by Sexes	76, 81		
in Urban and Rural Counties	82-85		

	PAGES
GUERNSEY and ADJACENT ISLANDS :	
Area and Population ; Births and Deaths, 1884-1909 ...	94

HÆMOPHILIA :

Deaths by Sexes at Ages ...	302, 303
in London ...	324, 325
Deaths by Sexes ...	366
in Counties ...	366-372
1901-1909 ...	28, 42, 56
per million living ...	29, 43, 57

HÆMORRHAGE :

Deaths by Sexes at Ages ...	312, 313
in London ...	334, 335
Deaths by Sexes ...	401
in Counties ...	401-407
1890-1909 ...	36, 50, 64
per million living ...	37, 51, 65

HÆMORRHAGIC DIATHESIS.
(See Hæmophilia.)

HEART, Diseases of ...	xcv
Deaths by Sexes at Ages ...	294, 295, 304, 305
in London ...	316, 317, 326, 327
Deaths by Sexes ...	338, 373
in Counties ...	338-344, 373-379
1890-1909 ...	30, 44, 58
per million living ...	31, 45, 59

HEART, Rheumatism of. (See Rheumatic Fever.)

HEART and BLOOD VESSELS, Diseases of :	
Deaths per million living in quinquennia, 1876-1905...	23

HEMIPLEGIA. (See Apoplexy.)

HERNIA :

Deaths by Sexes at Ages ...	308, 309
in London ...	330, 331
Deaths by Sexes ...	387
in Counties ...	387-393
1890-1909 ...	32, 46, 60
per million living ...	33, 47, 61

HOLLAND. (See Netherlands.)

HOMICIDE ...	
Deaths by Sexes at Ages ...	312, 313
in London ...	334, 335
Deaths by Sexes ...	401
in Counties ...	401-407
1890-1909 ...	36, 50, 64
per million living ...	37, 51, 65
(See also Manslaughter, Murder.)	

HORSES, Deaths caused by :	
by Sexes at Ages ...	451, 454, 463, 464

HOSPITALS, Deaths in ...	231-282
--------------------------	---------

	PAGES
HUNGARY, Vital Statistics of, 1881-1909 ...	111, 136

HYDROCEPHALUS :

Acute (See Meningitis, Tuberculous.)	
Congenital. (See Congenital Defects.)	

HYDROPHOBIA. (See Rabies.)

HYPERTROPHY of HEART :

Deaths by Sexes at Ages ...	304, 305
in London ...	326, 327
Deaths by Sexes ...	373
in Counties ...	373-379
1890-1909 ...	30, 44, 58
per million living ...	31, 45, 59

IDIOT ASYLUMS, Deaths in ...	231-282
------------------------------	---------

ILL-DEFINED CAUSES OF DEATH c

Deaths by Sexes at Ages ...	294, 295, 312, 313
in London ...	316, 317, 334, 335
Deaths by Sexes ...	338, 401
in Counties ...	338-344, 401-407
1890-1909 ...	36, 50, 64
per million living ...	37, 51, 65
Inquiries concerning...	c

ILLEGITIMATE BIRTHS. (See Births.)

ILLEGITIMATE CHILDREN, Deaths of. (See Infantile Mortality.)

ILLITERATE MARRIAGES. (See Marriages, Signature by Mark.)

IMBECILE ASYLUMS, Deaths in ...	231-282
---------------------------------	---------

IMMIGRATION, Balance of Passenger Movement into and out of the United Kingdom, 1895-1909 ...	94
--	----

INDEX of :

Registration Districts and Sub-districts ...	476
Urban Districts ...	490

INDUSTRIAL POISONING :
(See Arsenic, Lead, Phosphorus.)

INFANTILE MORTALITY ...	xliii
1860-1909 ...	5
in Counties :	
Diagram of ... facing page 1	
and rainfall in counties in quinquennia, 1876-1905, 1906, 1907, 1908, 1909 ...	xliv
1899-1908, 1909 ...	14

	PAGES		PAGES
INFANTILE MORTALITY— <i>continued</i> .		INQUESTS :	
in Groups of Years, 1838-1909	66	in England and Wales and in	
1886-1905, 1906, 1907, 1908,		Counties	408-419
1909		in Registration Districts ...	420-450
in London	67	Per cent. of total Deaths in	
in several Countries	cxxi	Counties... ..	ciii
1881-1909	114-147	Per cent of total, 1901-1909...	cii
1881-1905, 1906, 1907, 1908,			
1909	cxxii	INSANITY :	
from several Causes :		Deaths by Sexes at Ages ...	304, 305
in Counties	90	in London	326, 327
at Ages, 1904-1908, 1909 ...	86	Deaths by Sexes	373
by Sexes at Ages	76-81	in Counties	373-379
in Urban and Rural Coun-		1901-1909	30, 44, 58
ties	82-85	per million living ...	31, 45, 59
effect of Temperature and		INSTITUTIONS, Deaths in	cv, 231-282
Rainfall on			
High and Low Rates in		INTERNATIONAL VITAL STA-	
Towns		TISTICS :	
Legitimate and Illegitimate...	xlvi, 87-89	Birth- and Death-rates in	
Percentage of reduction in :		several Countries, 1881-	
from certain cause, 1904-		1909	110-147
1908, 1909	xl	(See also Names of Countries.)	
INFECTIVE ENDOCARDITIS.		INTESTINAL OBSTRUCTION :	
(See Endocarditis, Infective.)		Deaths by Sexes at Ages ...	308, 309
INFECTIVE ENTERITIS. (See		in London	330, 331
Diarrhoea.)		Deaths by Sexes	387
INFECTIVE PROCESSES :		in Counties	387-393
Deaths by Sexes at Ages ...	298, 299	1890-1909	32, 46, 60
in London	320, 321	per million living ...	33, 47, 61
showing part affected ...	314, 315		
in London	336, 337	INTESTINES, Diseases of :	
Deaths by Sexes	352	Deaths by Sexes at Ages ...	308, 309
in Counties	352-358	in London	330, 331
1901-1909	26, 40, 54	Deaths by Sexes	387
per million living ...	27, 41, 55	in Counties	387-393
		1901-1909	32, 46, 60
		per million living ...	33, 47, 61
INFECTIOUS DISEASES :		Infective diseases of :	
Reduction in "Infantile		Deaths by Sexes at Ages ...	314, 315
Mortality from 1904-		in London	336, 337
1908, 1909	xl		
INFIRMARIES, Deaths in ...	231-282	INTESTINES, Ulceration of :	
INFLAMMATION of the BRAIN.		Deaths by Sexes at Ages ...	308, 309
(See Meningitis.)		in London	330, 331
INFLUENZA	lx	Deaths by Sexes	387
Deaths by Sexes at Ages ...	296, 297	in Counties	387-393
in London	318, 319	1890-1909	32, 46, 60
Deaths by Sexes	345	per million living ...	33, 47, 61
in Counties	345-351, 408-419		
per million living	68-73	IRELAND :	
1890-1909	24, 38, 52	Age Constitution of Popula-	
per million living ...	25, 39, 53	tion	110
Deaths in Registration Dis-		Area ; Population, 1860-1909	3
tricts	420-450	Vital Statistics, 1881-1909 ...	117
INJURY at BIRTH :		ISLANDS in BRITISH SEAS :	
Deaths by Sexes at Ages ...	302, 303	Area and Population ; Births	
in London	324, 325	and Deaths, 1884-1909 ...	94
Deaths by Sexes	366		
in Counties	366-372	ISLE OF MAN :	
1890-1909	28, 42, 56	Area and Population ; Births	
per million living ...	29, 43, 57	and Deaths, 1884-1909 ...	94
Mortality at Ages under five :		ITALY, Vital Statistics of, 1881-	
by Sexes	76-81	1909	111, 145
1904-1908, 1909	86		
in Urban and Rural Coun-			
ties	82-85		

	PAGES		PAGES
JAMAICA, Vital Statistics of, 1881-1909	127	LARYNX and TRACHEA, Dis- eases of :	
JAPAN, Vital Statistics of, 1881- 1909	146	Deaths by Sexes at Ages ...	306, 307
JERSEY :		in London	328, 329
Area and Population ; Births and Deaths, 1884-1909 ...	94	Deaths by Sexes	380
JEWISH MARRIAGES	xxv	in Counties	380-386
in London Districts	xxvi	1890-1909	32, 46, 60
(See also Marriages—Manner of Solemnisation.)		per million living ...	33, 47, 61
JOINTS, Infective Diseases of :		LEAD POISONING (Industrial):	
Deaths by Sexes at Ages ...	314, 315	Deaths by Sexes at Ages ...	300, 301
in London	336, 337	in London	322, 323
KIDNEY, Diseases of. (See Nephritis, &c.)		Deaths by Sexes	359
KIDNEY, Infective Diseases of :		in Counties	359-365
Deaths by Sexes at Ages ...	314, 315	1890-1909	28, 42, 56
in London	336, 337	per million living ...	29, 43, 57
LARYNGISMUS STRIDULUS :		LEGITIMATE BIRTHS. (See Births.)	
Deaths by Sexes at Ages ...	304, 305	LEGITIMATE CHILDREN, deaths among. (See Infantile Mortality.)	
in London	326, 327	LEUCOCYTHÆMIA. (See Anæmia.)	
Deaths by Sexes	373	LICENCE, Marriages by : (See Marriages, Manner of Solemnisation.)	
in Counties	373-379	LIVER, Diseases of	xcvi
1890-1909	30, 44, 58	Deaths by Sexes at Ages ...	308, 309
per million living ...	31, 45, 59	in London	330, 331
LARYNGITIS	xcv	Deaths by Sexes	387
Deaths by Sexes at Ages ...	306, 307	in Counties	387-393
in London	328, 329	1890-1909	32, 46, 60
Deaths by Sexes	380	per million living ...	33, 47, 61
in Counties	380-386	Infective Diseases of :	
1901-1909	32, 46, 60	Deaths by Sexes at Ages ...	314, 315
per million living ...	33, 47, 61	in London	336, 337
Mortality at Ages under five :		LOBAR PNEUMONIA. (See Pneumonia.)	
by Sexes	76-81	LOCOMOTOR ATAXY :	
1904-1908, 1909	86	Deaths by Sexes at Ages ...	304, 305
in Urban and Rural Counties	82-85	in London	326, 327
LARYNGITIS, Membranous :		Deaths by Sexes	373
Deaths by Sexes at Ages ...	306, 307	in Counties	373-379
in London	328, 329	1901-1909	30, 44, 58
Deaths by Sexes	380	per million living ...	31, 45, 59
in Counties	380-386	LOCOMOTOR SYSTEM, Diseases of :	
1901-1909	32, 46, 60	Deaths by Sexes at Ages ...	294, 295
per million living ...	33, 47, 61	in London	310, 311
LARYNX, Infective Diseases of :		Deaths by Sexes	338, 394
Deaths by Sexes at Ages ...	314, 315	in Counties	338-344, 394-400
in London	336, 337	1890-1909	34, 48, 62
		per million living ...	35, 49, 63
		(See also Arthritis, Caries, &c.)	
		LUNATIC ASYLUMS, Deaths in	231-282
		LUNG, Diseases of. (See Respira- tory System.)	
		LUNG, Infective Diseases of :	
		Deaths by Sexes at Ages ...	314, 315
		in London	336, 337

	PAGES		PAGES
LUPUS :		MARRIAGES	x
Deaths by Sexes at Ages ...	300, 301	1860-1909	4
in London	322, 323	in Counties	150, 151
Deaths by Sexes	359	in Quarters	213, 215
in Counties	359-365	in Registration Districts ...	152-211
1890-1909	26, 40, 54	in several Countries, 1881-	
per million living	27, 41, 55	1909	cvi, 114-147
LYMPHATIC SYSTEM, Diseases		in Counties	213, 215
of :		Divorced Persons re-married	xv
Deaths by Sexes at Ages 294, 295, 308,		Average numbers of, 1876-	
309		1909	xvi
in London	316, 317, 330, 331	Ages at Marriage	xvii, 216-222
Deaths by Sexes	338, 387	in London	224-230
in Counties	338-344, 387-393	Unstated Ages	
1890-1909	34, 48, 62	Mean Age at Marriage	xx
per million living	35, 49, 63	in single years 1896-1909	xx
MACHINERY, Deaths caused by :		Age-constitution of Persons	
by Sexes at Ages 312, 313, 451, 463		at Marriage, 1886-1909	xvii, xviii
in London	334, 335	Minors	xviii
from Various Causes 456, 465, 470		in Counties	213, 215
by Sexes	401	Manner of Solemnisation ...	xxiv
in Counties	401-407	in Counties	212, 214
1901-1909	36, 50, 64	Buildings registered for	
per million living	37, 51, 65	Solemnisation of	xxii, 7
(See also Mines, &c., Ships and		Signature by Mark in Register	xxi
Boats.)		in Counties	213, 215
MALARIA :		Total on Register 1859-1909	93
Deaths by Sexes at Ages ...	298, 299	MARRIAGE-RATES :	
in London	320, 321	to 1,000 living :	
Deaths by Sexes	352	according to Civil Condi-	
in Counties	352-358	tion	xv
1890-1909	24, 38, 52	1859-1909	5
per million living	25, 39, 53	1876-1909	xii
Deaths per million living in		in Counties, 1899-1908, 1909	13
quinquennia, 1871-1905...	23	in groups of years, 1838-	
MALIGNANT DISEASE. (See		1909	6
Cancer.)		in Quarters	6
MAMMARY ORGANS, Diseases of.		in several Countries :	
(See Generative.)		1881-1909... ..	114-147
MANIA, Puerperal. (See Puer-		1881-1905, 1906, 1907,	
peral Mania.)		1908, 1909	
MANSLAUGHTER... ..	ci	to 1,000 Marriageable Persons	xii
Deaths by Sexes at Ages by		1876-1909	xii
Various Methods	474, 475	at ages, 1880-1902	xvi
MARASMUS. (See Atrophy, De-		in Counties, 1870-1909 ...	xiii
bility.)		in several Countries, 1880-2	
MARINE REGISTER BOOK :		to 1900-2	cx
Births and Deaths at Sea ...	cvi	in 1,000 Marriages :	
MARRIAGE ACT, 1898 :		First Marriages and Re-	
Number and Denomination of		marriages	xiv
Buildings registered		1860-1909... ..	10
under	xxiii	in London	11
Marriages before persons		Minors by Sexes	xix
authorised under, 1860-		1860-1909... ..	10
1909	8	in London	11
to 1,000 Marriages, 1899-		in Counties, 1899-1908,	
1909	xxv	1909	13
in London	9	Manner of Solemnisation :	
		1851-1909... ..	
		according to rites of	
		Established Church	xxv
		1860-1909... ..	8
		in London	9
		in Counties	12

	PAGES
MARRIAGE-RATES— <i>continued</i> .	
in 1,000 Marriages— <i>continued</i> .	
Signature by Mark, by Sexes	
1841-1909	10
1860-1909... ..	11
in London	13
in Counties, 1899-1908,	
1909	xi
Methods of Measuring ...	
Corrected for Age-constitu-	
tion, 1880-1909	xi
Diagram of	
MARRIED WOMEN, Age Propor-	
tion of :	
in certain large towns ...	xxxii
MASTOID DISEASE. (<i>See</i> Otitis.)	
MEASLES	lix
Deaths by Sexes at Ages ...	296, 297
in London	318, 319
Deaths by Sexes	345
in Counties	345-351, 408-419
per million living	68-73
1890-1909	24, 38, 52
per million living	25, 39, 53
Deaths :	
in Registration Districts ...	420-450
in several Countries, 1881-	
1909	cxxiii, 114-147
per 1,000 living, in quin-	
quennia, 1881-1905,	
1906, 1907, 1908,	
1909	
per million living :	
in quinquennia 1871-	
1905	23
in groups of years,	
1838-1909	66
in London	67
in Counties, 1899-1908,	
1909	74
Deaths under one to 1,000	
Births in Counties	90
Deaths under five to 1,000	
living in Counties	91
Mortality at Ages under five :	
by Sexes	76-81
1904-1908, 1909	86
in Urban and Rural Coun-	
ties	82-85
German. (<i>See</i> German	
Measles.)	
MEAT : Prices of Beef and Mut-	
ton, 1860-1909	97
MEMBRANOUS CROUP. (<i>See</i>	
Diphtheria.)	
MEMBRANOUS LARYNGITIS.	
(<i>See</i> Laryngitis.)	
MENINGITIS :	
Deaths by Sexes at Ages ...	304, 305
in London	326, 327
Deaths by Sexes	373
in Counties	373-379
1890-1909	30, 44, 58
per million living	31, 45, 59

	PAGES
MENINGITIS— <i>continued</i> .	
Mortality at Ages under five :	
by Sexes	76-81
1904-1908, 1909	86
in Urban and Rural Coun-	
ties	82-85
MENINGITIS, Tuberculous ...	lxxv
Deaths by Sexes at Ages ...	300, 301
in London	322, 323
Deaths by Sexes	359
in Counties	359-365, 408-419
per million living	68-73
1890-1909	26, 40, 54
per million living	27, 41, 55
Deaths :	
in Registration Districts	420-450
Mortality at Ages under five :	
by Sexes	76-81
1847-1909	lxxvi
1904-1908, 1909	86
in Urban and Rural	
Counties	82-85
MENINGITIS and CONVUL-	
SIONS :	
Deaths under one to 1,000	
births in Counties	90
Deaths under five to 1,000	
living in Counties	91
MENSTRUATION, Disorders of :	
Deaths at Ages	311
in London	333
Deaths	394
in Counties	394-400
1890-1909	34, 62
per million living	35, 63
MERCANTILE MARINE :	
Mortality and Numbers Em-	
ployed, 1891-1909	cvi, 96
METALLIC POISONING, Indus-	
trial. (<i>See</i> Arsenic Poison-	
ing.)	
METEOROLOGICAL TABLES :	
Greenwich Observatory :	
1860-1909	98, 99
in Quarters, 1909	100, 101
in Months, 1909	102, 103
at Various Places	104-109
METEOROLOGY :	
Remarks by Dr. Shaw	cxxx
METHODISTS :	
No. of buildings for solem-	
nisation of marriage	xxiii, 7
by authorised person	xxiii
METROPOLITAN ASYLUMS	
BOARD :	
Deaths in Hospitals and	
Asylums of	234-247
Admissions to, and deaths in	
Hospitals 1874-1909, of	
persons suffering from :	
diphtheria	lxiii
enteric fever	lxv
scarlet fever	lx

	PAGES		PAGES
MIGRATION, Balance of Passenger Movement, United Kingdom, 1895-1909 ...	94	NAVY :	
MILK, Want of Breast. (<i>See</i> Want of, &c.)		Mortality from Disease and from Violence, 1870-1909	cvii, 95
MINES and QUARRIES, Violent Deaths in :		NECROSIS. (<i>See</i> Caries.)	
at Ages... ..	312, 451	NEGLIGENCE, Deaths from. (<i>See</i> Accidental Deaths.)	
by Sexes, 1901-1909 ...	36, 50, 64	NEPHRITIS AND BRIGHT'S DISEASE :	
per million living ...	37, 51, 65	Deaths per million living in quinquennia 1871-1905 ...	23
Deaths	401	(<i>See also</i> Bright's Disease.)	
in Counties	401-407	NEPHRITIS, URÆMIA	xvii
from Various Causes ...	452	Deaths by Sexes at Ages ...	308, 309
MINORS, Marriages of. (<i>See</i> Marriages and Marriage-rates.)		in London	330, 331
MISCARRIAGE. (<i>See</i> Abortion.)		Deaths by Sexes	387
MORBILLI. (<i>See</i> Measles.)		in Counties	387-393
MORPHIA HABIT. (<i>See</i> Opium.)		1890-1909	34, 48, 62
MORTALITY. (<i>See</i> Death-rates.)		per million living ...	35, 49, 63
MOTOR VEHICLES :		NERVOUS SYSTEM, Diseases of :	
Accidental Deaths by Sexes		Deaths by Sexes at Ages ...	294, 295, 304, 305
at Ages	454, 464	in London	316, 317, 326, 327
Suicide	470	Deaths by Sexes	338, 373
Murder	472	in Counties	338-344, 373-379
MOUTH, Diseases of :		1890-1909	30, 44, 58
Deaths by Sexes at Ages ...	308, 309	per million living ...	31, 45, 59
in London	330, 331	(<i>See also</i> Meningitis, Epilepsy, &c.)	
Deaths by Sexes	387	NETHERLANDS, Vital Statistics	
in Counties	387-393	of, 1881-1909	111, 140
1901-1909	32, 46, 60	NEURITIS :	
per million living ...	33, 47, 61	Deaths by Sexes at Ages ...	304, 305
MOUTH, Infective Diseases of :		in London	326, 327
Deaths by Sexes at Ages ...	314, 315	Deaths by Sexes	373
in London	336, 337	in Counties	373-379
MUMPS :		1901-1909	30, 44, 58
Deaths by Sexes at Ages ...	296, 297	per million living ...	31, 45, 59
in London	318, 319	NEW JERUSALEM CHURCH.	
Deaths by Sexes	345	No. of Buildings for Solemnization of Marriage ...	xxiii, 7
in Counties	345-351	NEW SOUTH WALES, Vital	
1890-1909	24, 38, 52	Statistics of, 1881-1909 ...	110, 118
per million living ...	25, 39, 53	NEW ZEALAND, Vital Statistics	
MURDER	ci	of, 1881-1909	110, 124
Deaths by Sexes at Ages by Various Methods ...	472, 473	NONCONFORMIST MARRIAGES. (<i>See</i> Marriages, Manner of Solemnisation.)	
MUTTON, Prices of, 1860-1909	97	NORWAY, Vital Statistics of, 1881-1909	129
MYXÆDEMA, footnote	34, 48, 62	NOSE, Diseases of :	
NAMES, NUMBERS on REGISTERS, 1860-1909	93	Deaths by Sexes at Ages ...	304, 305
NATURAL INCREASE :		in London	326, 327
Rate of, 1876-1909	xxxvi	Deaths by Sexes	373
Rate of, in several Countries. 1881-1905, 1906, 1907, 1908, 1909... ..	cxxi	in Counties	373-379
		1890-1909	30, 44, 58
		per million living ...	31, 45, 59
		NOT SPECIFIED CAUSES. (<i>See</i> Ill-defined Causes of Death.)	

	PAGES
OBSTRUCTION, Intestinal. (<i>See</i> Intestinal Obstruction.)	
ESOPHAGUS, Diseases of. (<i>See</i> Mouth.)	
OLD AGE :	
Deaths by Sexes at Ages ...	312, 313
in London ...	334, 335
Deaths by Sexes ...	401
in Counties ...	401-407
1890-1909 ...	36, 50, 64
per million living ...	37, 51, 65
Deaths per million living, in quinquennia, 1871-1905...	23
ONTARIO, Province of :	
Vital Statistics of 1881-1908	125
OPHTHALMIA. (<i>See</i> Eye, Dis- eases of.)	
OPIUM-, MORPHIA-HABIT :	
Deaths by Sexes at Ages ...	300, 301
in London ...	322, 323
Deaths by Sexes ...	359
in Counties ...	359-365
1901-1909 ...	28, 42, 56
per million living ...	29, 43, 57
OTITIS, Mastoid Disease :	
Deaths by Sexes at Ages ...	304, 305
in London ...	326, 327
Deaths by Sexes ...	373
in Counties ...	373-379
1890-1909 ...	30, 44, 58
per million living ...	31, 45, 59
OVARIAN TUMOUR. (<i>See</i> Ovary, Diseases of.)	
OVARY, Diseases of :	
Deaths at Ages ...	311
in London ...	333
Deaths ...	394
in Counties ...	394-400
1890-1909 ...	34, 62
per million living ...	35, 63
(<i>See also</i> Uterus and Ovary.)	
PARALYSIS OF INSANE. (<i>See</i> General Paralysis of Insane.)	
PARAPLEGIA. (<i>See</i> Spinal Cord.)	
PARASITIC DISEASES :	
Deaths by Sexes at Ages ...	300, 301
in London ...	322, 323
Deaths by Sexes ...	359
in Counties ...	359-365
1890-1909 ...	26, 40, 54
per million living ...	27, 41, 55
PAUPERS :	
In-door and Out-door, per 1,000 population, 1860- 1909 ...	97

			PAGES
PELVIC CELLULITIS :			
Deaths of Females at Ages ...			315
in London			337
PEMPHIGUS :			
Deaths by Sexes at Ages ...	310, 311		
in London	332, 333		
Deaths by Sexes	394		
in Counties	394-400		
1890-1909	34, 48, 62		
per million living ...	35, 49, 63		
PERICARDITIS :			
Deaths by Sexes at Ages ...	304, 305		
in London	326, 327		
Deaths by Sexes	373		
in Counties	373-379		
1890-1909	30, 44, 58		
per million living ...	31, 45, 59		
PERIOSTITIS. (<i>See</i> Arthritis.)			
PERIPHERAL NEURITIS. (<i>See</i> Neuritis.)			
PERITONEUM, Infective Di-			
seases of :			
Deaths by Sexes at Ages ...	314, 315		
in London	336, 337		
PERITONITIS (not PUERPERAL			
or TUBERCULOUS)	xvii		
Deaths by Sexes at Ages ...	308, 309		
in London	330, 331		
Deaths by Sexes	387		
in Counties	387-393		
1890-1909	32, 46, 60		
per million living ...	33, 47, 61		
PERITONITIS, TUBERCULOUS ... lxxvi			
Deaths by Sexes at Ages ...	300, 301		
in London	322, 323		
Deaths by Sexes	359		
in Counties	359-365, 408-419		
per million living ...	68-73		
1901-1909	26, 40, 54		
per million living ...	27, 41, 55		
1847-1909—			
per 100,000 living under			
five	lxxvi		
Deaths :			
in Registration Districts ...	420-450		
PERITONITIS, TUBERCULOUS,			
and TABES MESENTERICA :			
Deaths by Sexes, 1890-1909...	26, 40, 54		
per million living ...	27, 41, 56		
Mortality at Ages under five :			
by Sexes	76-81		
1904-1908, 1909	86		
in Urban and Rural Coun-			
ties	82-85		
PERITYPHLITIS. (<i>See</i> Appendi-			
citis.)			
PHAGEDÆNA :			
Deaths by Sexes at Ages ...	298, 299		
in London	320, 321		
Deaths by Sexes	352		
in Counties	352-358		
1890-1909	26, 40, 54		
per million living ...	27, 41, 55		

	PAGES
PHARYNX, Diseases of. (<i>See</i> Mouth.)	
PHARYNX, Infective Diseases of :	
Deaths by Sexes at Ages ...	314, 315
in London	336, 337
PHLEBITIS :	
Deaths by Sexes at Ages ...	306, 307
in London	328, 329
Deaths by Sexes	380
in Counties	380-386
1890-1909	30, 44, 58
per million living ...	31, 45, 59
PHLEGMASIA ALBA DOLENS. (<i>See</i> Puerperal Septic Di- seases.)	
PHLEGMON, CARBUNCLE :	
Deaths by Sexes at Ages ...	298, 299
in London	320, 321
Deaths by Sexes	352
in Counties	352-358
1890-1909	26, 40, 54
per million living ...	27, 41, 55
PHOSPHORUS, Poisoning by (In- dustrial) :	
Deaths by Sexes at Ages ...	300, 301
in London	322, 323
Deaths by Sexes	359
in Counties	359-365
1901-1909	28, 42, 56
per million living ...	29, 43, 57
PTHISIS... ..	lxxiii
Deaths by Sexes at Ages ...	300, 301
per million living, 1904- 1908, 1909	lxxiv
in Urban and Rural Counties	lxxiv
in London	322, 323
Deaths by Sexes	359
per million living, 1904- 1908, 1909	lxxiii
in Urban and Rural Counties	lxxiii
in Counties	359-365, 408-419
per million living ...	68-73
1890-1909	26, 40, 54
per million living ...	27, 41, 55
Deaths :	
in Registration Districts ...	420-450
per million living :	
in Counties, 1899-1908, 1909	75
in quinquennia, 1871- 1905	23
in several Countries :	
1881-1909... ..	cxxvi, 114-148
PLACENTA PRÆVIA, FLOOD- ING :	
Deaths at Ages	311
in London	333
Deaths	394
in Counties	394-400
1890-1909	34, 62
per million living ...	35, 63

	PAGES
PLAGUE :	
Deaths by Sexes	296, 345, 349
1890-1909	24, 38, 52
per million living ...	25, 39, 53
PLEURA, Infective Diseases of :	
Deaths by Sexes at Ages ...	314, 315
in London	336, 337
PLEURISY :	
Deaths by Sexes at Ages ...	306, 307
in London	328, 329
Deaths by Sexes	380
in Counties	380-386
1890-1909	32, 46, 60
per million living ...	33, 47, 61
PNEUMONIA	lxi
Deaths by Sexes at Ages ...	298, 299
in London	320, 321
Deaths by Sexes	352
in Counties	352-358, 408-419
per million living ...	68-73
1890-1909	26, 40, 54
per million living ...	27, 41, 55
per million living 1904- 1908, 1909	lxxi
in Urban and Rural Counties	lxxi
Deaths :	
in Registration Districts ...	420-450
per million living in quin- quennia, 1871-1905 ...	23
Deaths under one to 1,000 births in Counties ...	90
Deaths under five to 1,000 living in Counties ...	91
Mortality at ages under five :	
by Sexes	76-81
1904-1908, 1909	86
in Urban and Rural Counties	82-85
PNEUMONIA and BRONCHITIS. (<i>See</i> Bronchitis and Pneu- monia.)	
POISON, Deaths from :	
by Sexes at Ages	312, 313
in London	334, 335
by Sexes	401
in Counties	401-407
1901-1909	36, 50, 64
per million living ...	37, 51, 65
by Sexes at Ages and kinds of Poison :	
accident	451, 458, 463, 466
manslaughter	475
murder	473
suicide	470, 471
POLY-NEURITIS. (<i>See</i> Neuritis.)	
POPULATION	ix
changes in age constitution of, females, 1871-1901 ...	xxvi
in certain British Colonies and Foreign Countries	cxv
enumerated :	110, 111
in Channel Islands and in Isle of Man, 1881-1901	94
in Counties	212, 214
in Registration Districts and Sub-districts ...	152-211

	PAGES
POPULATION— <i>continued</i> , estimated :	
in British Colonies, 1881- 1909	118-127
in Counties (England and Wales) 1909	68-73
in England and Wales, 1860-1909	2
in Foreign Countries, 1881- 1909	128-147
in Ireland, 1860-1909	3
in Scotland, 1860-1909	3
in United Kingdom, 1860- 1909	2
Increase of. (<i>See</i> Natural Increase.)	
Methods of Estimating	ix
PREGNANCY, Accidents of. (<i>See</i> Childbirth.)	
PREMATURE BIRTH :	
Deaths by Sexes at Ages	302, 303
in London	324, 325
per 1,000 births :	
in Urban and Rural Counties	xlix
Deaths by Sexes	366
in Counties	366-372
1890-1909	28, 42, 56
per million living	29, 43, 57
per 1,000 births :	
1886-1905... ..	xlvi
Deaths per million living in quinquennia, 1871-1905... ..	23
Mortality at ages under five :	
by Sexes	76-81
1904-1908, 1909	86
in Urban and Rural Counties	82-85
PRESBYTERIANS :	
Number of buildings for Solemnisation of Marriage	xxiii, 7
PRICES; of Consols, Wheat, Meat and Coal, 1860-1909	97
PRIMITIVE METHODISTS :	
Number of buildings for Solemnisation of Marriage	xxiii, 7
by authorised person	xxiii
PROSTATE, Diseases of. (<i>See</i> Bladder.)	
PRUSSIA, Vital Statistics of, 1881-1909	111, 134
PUERPERAL CONVULSIONS :	
Deaths at Ages	311
in London	333
Deaths	394
in Counties	394-400
1890-1909	34, 62
per million living	35, 63
PUERPERAL FEVER. (<i>See</i> Puer- peral Septic Diseases.)	
PUERPERAL MANIA :	
Deaths at Ages	311
in London	333
Deaths	394
in Counties	394-400
1890-1909	34, 62
per million living	35, 63

	PAGES
PUERPERAL PYÆMIA. (<i>See</i> Puerperal Septic Diseases.)	
PUERPERAL SEPTIC DISEASES :	
Deaths at Ages	299
in London	321
Deaths	352
in Counties	352-358
1890-1909	26, 54
per million living	27, 55
PUERPERAL SEPTIC DISEASES and CHILDBIRTH :	
Deaths :	
in Counties	408-419
per million living	69, 73
to 1,000 births, 1899-1908, 1909	75
in Registration Districts	420-450
in quinquennia, 1871-1905, per million living	23
PULMONARY TUBERCULOSIS. (<i>See</i> Phthisis.)	
PURPURA :	
Deaths by Sexes at Ages	302, 303
in London	324, 325
Deaths by Sexes	366
in Counties	366-372
1901 to 1909... ..	28, 42, 56
per million living	29, 43, 57
PYÆMIA (not Puerperal)	lxviii
Deaths by Sexes at Ages	298, 299
in London	320, 321
Deaths by Sexes	352
in Counties	352-358
1890-1909	26, 40, 54
per million living	27, 41, 55
(<i>See also</i> SEPTICÆMIA.)	
PYREXIA (Origin uncertain) :	
Deaths by Sexes at Ages	296, 297
in London	318, 319
Deaths by Sexes	345
in Counties	345-351, 408-419
per million living	68-73
1890-1909	24, 38, 52
per million living	25, 39, 53
Deaths :	
in Registration Districts	420-450
per million living :	
in quinquennia, 1871-1905	23
in groups of years, 1838- 1909	66
in London	67
in Counties, 1899-1908, 1909	75
QUAKERS, Marriages of. (<i>See</i> Marriages — Manner of Solemnisation.)	
QUARRIES, Violent Deaths in. (<i>See</i> Mines.)	

	PAGES
QUEENSLAND, Vital Statistics of, 1881-1909	110, 120
QUINSY. (<i>See</i> Tonsillitis.)	
 RABIES	lxviii
Deaths by Sexes, 1890-1909...	24, 38, 52
per million living25, 39, 53
Deaths per million living in quinquennia, 1871-1905	23
 RAILWAYS:	
Accidental Deaths:	
by Sexes at Ages ...	451, 463
from various causes ...	453, 464
Suicide on, by Sexes at Ages	470, 471
 RAINFALL:	
at Greenwich, 1860-1909 ...	98
in months, 1909 ...	103
in quarters, 1909 ...	101
at various places ...	105-109
in relation to Infantile Mor- tality	xliv
 REGISTERS:	
Total Names on, 1860-1909...	93
Number of Searches and Amount of Fees received, 1860-1909... ..	93
 REGISTRATION ACTS:	
Convictions for Offences against	cxxvii
Registers made pursuant to	cxxvii
 REGISTRATION COUNTIES:	
List of selected Urban and Rural	liii
 REGISTRATION DISTRICTS and SUB-DISTRICTS:	
Changes in	501-506
Index of	476-489
 RELAPSING FEVER:	
Deaths by Sexes at Ages ...	296, 297
in London	318, 319
Deaths by Sexes	345
in Counties	345-351
1890-190924, 38, 52
per million living25, 39, 53
 RESPIRATORY SYSTEM:	
Deaths by Sexes at Ages	294, 295, 306, 307
in London	316, 317, 328, 329
Deaths by Sexes	338, 380
in Counties	338-344, 380-386
1890-190932, 46, 60
per million living33, 47, 61
(<i>See also</i> Asthma, Bronchitis, &c.)	
 RHEUMATIC FEVER	lxxvii

	PAGES
RHEUMATIC FEVER and RHEUMATISM of HEART:	
Deaths by Sexes at Ages ...	302, 303
in London	324, 325
Deaths by Sexes	366
in Counties	366-372, 408-419
per million living ...	68-73
1890-190928, 42, 56
per million living29, 43, 57
Deaths in Registration Dis- tricts	420-450
Deaths per million living in quinquennia, 1876-1905	23
 RHEUMATISM:	
Deaths by Sexes at Ages ...	302, 303
in London	324, 325
Deaths by Sexes	366
in Counties	366-372
1890-190928, 42, 56
per million living29, 43, 57
in quinquennia 1876- 1905	23
 RHEUMATOID ARTHRITIS, RHEUMATIC GOUT:	
Deaths by Sexes at Ages ...	302, 303
in London	324, 325
Deaths by Sexes	366
in Counties	366-372
1901-190928, 42, 56
per million living29, 43, 57
 RICKETS:	
Deaths by Sexes at Ages ...	302, 303
in London	324, 325
Deaths by Sexes	366
in Counties	366-372
1890-190928, 42, 56
per million living29, 43, 57
Mortality at Ages under five:	
by Sexes	76-81
1904-1908, 1909	86
in Urban and Rural Coun- ties	82-85
 ROMAN CATHOLIC MARRIAGES:	
in Counties	212, 214
Number of Buildings for Solemnisation of ...	xxiii, 7
Proportion in 1,000 Marriages:	
1860-1909	8
in London	9
in Counties	12
 ROUMANIA, Vital Statistics of, 1881-1909	137
 RURAL COUNTIES, List of selected	liii
 RURAL DISTRICTS:	
Birth-rates in	
 RURAL MORTALITY	liii
among Infants under one year, per 1,000 births:	
at Ages	xlviii
from several Causes ...	xlix

	PAGES		PAGES
RURAL MORTALITY— <i>continued</i> .		SCOTLAND :	
Deaths by Sexes to 1,000		Age Constitution of Popula-	
living, 1904-1908, 1909...	liv	tion	110
at Ages	lv	Area, Population, 1860-1909..	3
from Diphtheria and Croup		Vital Statistics of, 1881-1909	116
at Ages	lxii	SCROFULA :	
from Enteric Fever	lxvi	Deaths by Sexes at Ages ...	300, 301
at Ages	lxvii	in London	322, 323
from Pneumonia	lxxi	Deaths by Sexes	359
from Phthisis	lxxiii	in Counties	359-365
at Ages	lxxiv	1901-1909	26, 40, 54
from Cancer	lxxviii	per million living ...	27, 41, 55
at Ages	lxxix	SCURVY :	
Mortality at Ages under five,		Deaths by Sexes at Ages ...	300, 301
from several Causes ...	84	in London	322, 323
RUSSIA, Vital Statistics of, 1881-		Deaths by Sexes	359
1909	111, 131	in Counties	359-365
		1890-1909	26, 40, 54
		per million living ...	27, 41, 55
		SEA, Births and Deaths at ...	cvi
		SEAMEN, Merchant Service :	
		Mortality and Numbers Em-	
		ployed, 1891-1909 ...	cvi, 96
SALVATION ARMY :		SEARCHES and CERTIFICATES ..	cxxix
No. of Buildings Registered for		Fees received for, 1860-1909 ..	93
Solemnization of Marriage	xxiii	Total Searches and Certificates	
		issued, 1866-1909 ...	cxxix
SARCOMA. (<i>See</i> Cancer.)		SENILE DECAY, SENILITY.	
		(<i>See</i> Old Age.)	
SCALDS. (<i>See</i> Burns.)		SENILE GANGRENE. (<i>See</i> Gan-	
		grene.)	
SCARLET FEVER	lix	SEPTIC DISEASES :	
Deaths by Sexes at Ages ...	296, 297	Deaths by Sexes	408
in London	318, 319	in Counties	408-419
Deaths by Sexes	345	per million living ...	68-73
in Counties	345-351, 408-419	Deaths in Registration Dis-	
per million living ...	68-73	tricts	420-450
1890-1909	24, 38, 52		
per million living ...	25, 39, 53	SEPTICÆMIA (not PUERPERAL) :	lxviii
Deaths :		Deaths by Sexes at Ages ...	298, 299
in Metropolitan Asylums		in London	320, 321
Board Hospitals and		Deaths by Sexes	352
admissions thereto, in		in Counties	352-358
quinquennia, 1875-1909	lx	1890-1909	26, 40, 54
in Registration Districts ...	420-450	per million living ...	27, 41, 55
in several Countries, 1881-		SERVIA, Vital Statistics of,	
1909	cxxiii, 114-148	1881-1909	139
per 1,000 living, in quin-		SEX PROPORTIONS, 1860-1909 :	
quennia, 1881-1905,		Male to Female Births ...	5
1906, 1907, 1908, 1909	cxxiii	Male to Female Rate of Mor-	
per million living :		tality	5, 6
in Counties, 1899-1908,		SHIPS, BOATS, DOCKS :	
1909	74	Accidental Deaths(not Drown-	
in Quinquennia, 1871-1905	23	ing) :	
in Groups of Years, 1839-		by Sexes at Ages ...	312, 313, 451, 463
1909	66	in London	334, 335
in London	67	from various Causes	455, 456, 465
Deaths under five to 1,000 living :		by Sexes	401
in Counties	91	in Counties	401-407
Mortality at Ages under five :		1901-1909	36, 50, 64
by Sexes	76-81	per million living ...	37, 51, 65
1904-1908, 1909	86		
in Urban and Rural Coun-			
ties	82-85		

	PAGES		PAGES
SIMPLE CONTINUED FEVER. (See Pyrexia.)		STARVATION :	
SKIN, Diseases of :		Deaths by Sexes at Ages ...	300, 301
Deaths by Sexes at Ages ...	294, 295, 310, 311	in London ...	322, 323
in London ...	316, 317, 332, 333	Deaths by Sexes ...	359
Deaths by Sexes ...	338, 394	in Counties ...	359-365
in Counties ...	338-344, 394-400	1890-1909 ...	26, 40, 54
1890-1909 ...	34, 48, 62	per million living ...	27, 41, 55
per million living ...	35, 49, 63	Mortality under five. (See Want of Breast Milk.)	
(See also Eczema, Pemphigus, &c.)		STOMACH, Diseases of :	
SMALL-POX ...	lix	Deaths by Sexes at Ages ...	308, 309
Deaths by Sexes at Ages ...	296, 297	in London ...	330, 331
in London ...	318, 319	Deaths by Sexes ...	387
Deaths by Sexes ...	345	in Counties ...	387-393
in Counties ...	345-351, 408-419	1890-1909 ...	32, 46, 60
per million living ...	68-73	per million living ...	33, 47, 61
1890-1909 ...	24, 38, 52	STOMACH and INTESTINES, In-	
per million living ...	25, 39, 53	fective diseases of :	
Deaths :		Deaths by Sexes at Ages ...	314, 315
in Registration Districts ...	420-450	in London ...	336, 337
in several Countries, 1881- 1909 ...	114-148	SUB-ACUTE RHEUMATISM. (See Rheumatic Fever.)	
per million living :		SUB-DISTRICTS, Registration :	
in Counties, 1899-1908,		Area, Population, Births and	
1909 ...	74	Deaths ...	152-211
inquinquennia, 1871-1905	23	Index of ...	480-489
in groups of years, 1838- 1909 ...	66	Changes in ...	501-504
in London ...	67	SUDDEN Deaths (cause unascer-	
Mortality at Ages under five :		tained) :	
by Sexes ...	76-81	by Sexes at Ages ...	312, 313
1904-1908, 1909 ...	86	in London ...	334, 335
in Urban and Rural		by Sexes ...	401
Counties ...	82-85	in Counties ...	401-407
SOFTENING of BRAIN :		1890-1909 ...	36, 50, 64
Deaths by Sexes at Ages ...	304, 305	per million living ...	37, 51, 65
in London ...	326, 327	SUFFOCATION :	
Deaths by Sexes ...	373	Deaths by Sexes at Ages ...	312, 313
in Counties ...	373-379	in London ...	334, 335
1890-1909 ...	30, 44, 58	Deaths by Sexes ...	401
per million living ...	31, 45, 59	in Counties ...	401-407
SOUTH AUSTRALIA, Vital Stat-		1901-1909 ...	36, 50, 64
istics of, 1881-1909...	110, 121	per million living ...	37, 51, 65
SPAIN, Vital Statistics of, 1881- 1909 ...	111, 144	Mortality at Ages under five :	
SPINAL CORD, Diseases of :		by Sexes ...	76-81
Deaths by Sexes at Ages ...	304, 305	1904-1908, 1909 ...	86
in London ...	326, 327	in Urban and Rural Coun-	
Deaths by Sexes ...	373	ties ...	82-85
in Counties ...	373-379	Accidental Deaths :	
1890-1909 ...	30, 44, 58	by Sexes at Ages ...	451, 463
per million living ...	31, 45, 59	from Various Causes ...	461, 468
SPLEEN, Diseases of :		Manslaughter ...	474, 475
Deaths by Sexes at Ages ...	308, 309	Murder ...	472, 473
in London ...	330, 331	Suicide (hanging) ...	470, 471
Deaths by Sexes ...	387	SUICIDE ...	ci
in Counties ...	387-393	Deaths by Sexes at Ages ...	312, 313
1890-1909 ...	34, 48, 62	in London ...	334, 335
per million living ...	35, 49, 63	by various methods ...	470, 471
SPLenic FEVER. (See Anthrax.)		Deaths by Sexes ...	401
		in Counties ...	401, 407
		1890-1909 ...	36, 50, 64
		per million living ...	37, 51, 65

	PAGES
SUNSHINE :	
at Greenwich in months, 1909	102
at Various Places	104-108
SUPRA-RENAL CAPSULES, Dis-	
eases of :	
Deaths by Sexes at Ages ...	308, 309
in London	330, 331
Deaths by Sexes	387
in Counties	387-393
1890-1909	34, 48, 62
per million living	35, 49, 63
SWEDEN, Vital Statistics of,	
1881-1909	111, 130
SWITZERLAND, Vital Statistics	
of, 1881-1909	111, 143
SYNCOPE. (See Heart, Diseases	
of.)	
SYPHILIS :	
Deaths by Sexes at Ages ...	298, 299
in London	320, 321
Deaths by Sexes	352
in Counties	352-358
1890-1909	24, 38, 52
per million living	25, 39, 53
Mortality at Ages under five :	
by Sexes	76-81
1904-1908, 1909	86
in Urban and Rural Coun-	
ties	82-85
TABES MESENTERICA	
Deaths by Sexes at Ages ...	300, 301
in London	322, 323
Deaths by Sexes	359
in Counties	359-365, 408-419
per million living	68-73
1890-1909	26, 40, 54
per million living	27, 41, 55
Deaths in Registration Dis-	
tricts	420-450
Mortality at Ages under five.	
(See Peritonitis, Tuber-	
culous.)	
TASMANIA, Vital Statistics of,	
1881-1909	110, 123
TEETHING :	
Deaths by Sexes at Ages ...	302, 303
in London	324, 325
Deaths by Sexes	366
in Counties	366-372
1890-1909	28, 42, 56
per million living	29, 43, 57
TEMPERATURE	cxixiii
at Greenwich :	
1860-1909	98, 99
in Months	102
in Quarters	100, 101
at Various Places	104-108

	PAGES
TESTES, PENIS, Diseases of. (See	
Generative System.)	
TETANUS :	
Deaths by Sexes at Ages ...	298, 299
in London	320, 321
Deaths by Sexes	352
in Counties	352-358
1890-1909	24, 38, 52
per million living	25, 39, 53
THROMBOSIS. (See Embolism.)	
THYROID BODY, Diseases of :	
Deaths by Sexes at Ages ...	308, 309
in London	330, 331
Deaths by Sexes	387
in Counties	387, 393
1890-1909	34, 48, 62
per million living	35, 49, 63
TONSIL, Infective Diseases of :	
Deaths by Sexes at Ages ...	314, 315
in London	336, 337
TONSILLITIS, Quinsy :	
Deaths by Sexes at Ages ...	308, 309
in London	320, 331
Deaths by Sexes	387
in Counties	387-393
1901-1909	32, 46, 60
per million living	33, 47, 61
TOWN DISTRICTS. (See Urban	
Counties.)	
TRACHEA. (See Larynx.)	
TUBERCULOSIS	lxxii
TUBERCULOSIS, General ...	
Deaths by Sexes at Ages ...	300, 301
in London	322, 323
Deaths by Sexes	359
in Counties	359-365
1890-1909	26, 40, 54
per million living	27, 41, 55
TUBERCULOSIS, Pulmonary.	
(See Phthisis.)	
TUBERCULOUS DISEASES :	
Deaths by Sexes :	
in Counties	408-419
per million living	68-73
At ages under 1 per 1,000	
births in Urban and Rural	
Counties	xliv
Deaths in Registration Dis-	
tricts	420-450
Deaths under one to 1,000	
births in Counties	90
Deaths under five to 1,000	
living in Counties	91
Mortality at Ages under five :	
by Sexes	76-81
1904-1908, 1909	86
in Urban and Rural Coun-	
ties	82-85
Reduction in Infantile Mor-	
tality from 1904-1908, 1909	xliv
Diagram of, in quinquennia,	
1851-1909	lxxii
(See also Lupus, Phthisis, &c.)	

	PAGES		PAGES
TUBERCULOUS MENINGITIS. (See Meningitis Tuberc.)		UNITED KINGDOM	cv
TUBERCULOUS PERITONITIS. (See Peritonitis, Tuberc.)		Area ; Population, 1860-1909	2
TUBERCULOUS PHTHISIS. (See Phthisis.)		Passenger Movement, to and from, 1895-1909	94
TUMOUR (Organ not stated) :		Vital Statistics of, 1881-1907	114
Deaths by Sexes at Ages ...	312, 313	UNITED STATES :	
in London	334, 335	Vital Statistics of 1900-1909	148
Deaths by Sexes	401	URÆMIA. (See Nephritis, and Bright's Disease.)	
in Counties	401-407	URBAN COUNTIES :	
1890-1909	36, 50, 64	list of selected	
per million living ...	37, 51, 65	URBAN DISTRICTS :	
(See also the Organs affected.)		Index of	490-500
TYPHOID FEVER. (See Enteric Fever.)		Birth-rates in	
TYPHUS :		URBAN MORTALITY	liii
Deaths by Sexes at Ages ...	296, 297	Among Infants under 1 per 1,000 births at ages by	
in London	318, 319	sexes	xlvi
Deaths by Sexes	345	from several causes ...	xlix
in Counties	345-351, 408-419	Deaths by Sexes to 1,000 living 1904-1908, 1909 ...	liv
per million living ...	68-73	at Ages	lv
1890-1909	24, 38, 52	from Diphtheria and Croup	lxii
per million living ...	25, 39, 53	at Ages	lxii
Deaths :		from enteric fever ...	lxvi
in Registration Districts ...	420-450	at Ages	lxvii
per million living :		from pneumonia	lxxi
in Counties 1899-1908,		from phthisis	lxxiii
1909	75	at Ages	lxxiv
inquinquennia, 1871-1905	23	from cancer	lxxviii
in groups of years, 1838-		at Ages	lxxix
1909... ..	66	Mortality at Ages under five from several causes ...	82
in London	67	URINARY SYSTEM, Diseases of :	
ULCER. Bed sore :		Deaths by Sexes at Ages ...	294, 295, 308, 309
Deaths by Sexes at Ages ...	310, 311	in London	316, 317, 330, 331
in London	332, 333	Deaths by Sexes	338, 387
Deaths by Sexes	394	in Counties	338-344, 387-393
in Counties	394-400	1890-1909	34, 48, 62
1890-1909	34, 48, 62	per million living ...	35, 49, 63
per million living ...	35, 49, 63	(See also Bright's Disease, Nephritis, &c.)	
ULCER (Infective) :		UTERINE TUMOUR (See Uterus, Diseases of.)	
Deaths by Sexes at Ages ...	314, 315	UTERUS and OVARY, Infective Diseases of :	
in London	336, 337	Deaths at Ages	315
ULCERATION of INTESTINES. (See Intestines.)		in London	337
UNCERTIFIED DEATHS... ..	ci	UTERUS and VAGINA, Diseases of	
by Sex, Age and Cause ...	civ	Deaths at Ages	311
per cent. of total deaths in Counties	ciii	in London	333
reported and not reported to Coroners	ciii	Deaths	394
per cent. of total, 1901-1909	cii	in Counties	394-400
UNITARIANS :		1890-1909	34, 62
Number of buildings registered for marriage	xxiii, 7	per million living ...	35, 63

	PAGES
VACCINATION, Cowpox ...	lix
Deaths connected with :	
by Sexes at Ages ...	296, 297
in London ...	318, 319
by Sexes ...	345
in Counties ...	345-351
1890-1909... ..	24, 38, 52
per million living ...	25, 39, 53
VAGINA, Diseases of. (See Uterus.)	
VALVULAR DISEASE, Endocarditis :	
Deaths by Sexes at Ages ...	304, 305
in London ...	326, 327
Deaths by Sexes ...	373
in Counties ...	373-379
1890-1909 ...	30, 44, 58
per million living ...	31, 45, 59
VARICOSE VEINS :	
Deaths by Sexes at Ages ...	306, 307
in London ...	328, 329
Deaths by Sexes ...	380
in Counties ...	380-386
1890-1909 ...	30, 44, 58
per million living ...	31, 45, 59
VEHICLES and HORSES :	
Deaths by Sexes at Ages ...	312, 313
in London ...	334, 335
Deaths by Sexes ...	401
in Counties ...	401-407
1901-1909 ...	36, 50, 64
per million living ...	37, 51, 65
VEHICLES (other than Railway).	
accidental deaths :	
by Sexes at Ages ...	451, 463
from various causes ...	454, 464
manslaughter ...	474, 475
murder ...	472
suicide ...	470, 471
VENEREAL DISEASES :	
Deaths per million living in quinquennia, 1871-1905... ..	23
(See also Gonorrhœa, Syphilis.)	
VICTORIA, Vital Statistics of, 1881-1909 ...	110, 119
VIOLENT DEATHS ...	c
by Sexes at Ages from Various Causes ...	451-475
by Sexes at Ages ...	294, 295, 312, 313
in London ...	316, 317, 334, 335
by Sexes ...	338, 401
in Counties ...	338-344, 401-407, 408-419
per million living ...	68-73
1890-1909 ...	36, 50, 64
per million living ...	37, 51, 65
in Registration Districts ...	420-450
(See also Burns, Drowning, &c.)	

	PAGES
WANT OF BREAST MILK :	
Deaths by Sexes at Ages ...	302, 303
in London ...	324, 325
Deaths by Sexes ...	366
in Counties ...	366-372
1890-1909 ...	28, 42, 56
per million living ...	29, 43, 57
per 1,000 Births, 1886-1909	xlvi
Mortality at Ages under five :	
by Sexes ...	76-81
1904-1908, 1909 ...	86
in Urban and Rural Counties ...	82-85
WASTING DISEASES :	
Mortality at Ages under five :	
by Sexes ...	76-81
1904-1908, 1909 ...	86
in Urban and Rural Counties ...	82-85
Deaths under one to 1,000 births in Counties ...	90
Reduction in Infantile Mortality from 1904-1908, 1909	xlvi
WEAPONS and IMPLEMENTS,	
Deaths caused by :	
by Sexes at Ages ...	312, 313
in London ...	334, 335
by Sexes ...	401
in Counties ...	401-407
1901-1909... ..	36, 50, 64
per million living ...	37, 51, 65
Deaths by Sexes at Ages, distinguishing those from gun-shot wounds :	
accident ...	456, 465
manslaughter ...	475
murder ...	472, 473
suicide ...	470, 471
WEATHER AGENCIES, Deaths caused by :	
by Sexes at Ages ...	312, 313, 451, 463
in London ...	334, 335
from several causes ...	461, 469
by Sexes ...	401
in Counties ...	401-407
1901-1909 ...	36, 50, 64
per million living ...	37, 51, 65
WESLEYAN METHODISTS :	
No. of buildings for solemnisation of marriage ...	xxiii, 7
by authorised person ...	xxiii
WESTERN AUSTRALIA, Vital Statistics of, 1881-1909 ...	110, 122
WHEAT, Prices of :	
1860-1909 ...	97
WHOOPIING COUGH ...	lx
Deaths by Sexes at Ages ...	296, 297
in London ...	318, 319
in 1,000 births in Urban and Rural Counties ...	xlvi
Deaths by Sexes ...	345
in Counties ...	345-351, 408-419
per million living ...	68-73
1890 to 1909... ..	24, 38, 52
per million living ...	25, 39, 53

	PAGES
WHOOPING COUGH— <i>continued.</i>	
Deaths :	
in Registration Districts ...	420-450
in several Countries, 1881-	
1909	114-147
per 1,000 living in quin-	
quennia, 1881-1905,	
1906, 1907, 1908, 1909 ...	cxiv
per million living :	
in Counties, 1899-1908,	
1909	74
in quinquennia, 1871-1905	23
in groups of years, 1838-	
1909	66
in London	67
Deaths under one to 1,000	
births in Counties ...	90

	PAGES
WHOOPING COUGH— <i>continued.</i>	
Deaths under five to 1,000	
living in Counties ...	91
Mortality at Ages under five	
by Sexes	76-81
1904-1908, 1909	86
in Urban and Rural Counties	82-85
WIDOWS, WIDOWERS, Numbers	
re-married. (<i>See</i> Marriages	
and Marriage-rates, First	
Marriages and re-marriages.)	
WORKHOUSES, WORKHOUSE IN-	
FIRMARIES AND SCHOOLS :	
Deaths in	231-282
WORSHIP, CERTIFIED PLACES	
OF	xxiii, 7



